Test Report ----- 34/43

Test Result of the Bandedge 8.4

If any 100 kHz bandwidth outside these frequency bands, the radio frequency power that is

produced by the modulation products of the spreading sequence, the information sequence and the

carrier frequency shall be either at least 20 dB below that in any 100 kHz bandwidth within the

band that contains the highest level of the desired power or shall not exceed the general levels

specified id $\S 15.209(a)$,

We perform this section by the *conducted* manner, the RBW is set to 1MHz and VBW=RBW.

We'd made the observation up to 10th harmonics and the criterion is all the harmonic/spurious

emissions must be 20dB below the highest emission level measured. If the emissions fall in the

restricted bands stated in the Part15.205(a) must also comply with the radiated emission limits


specified in Part15.209(a). (Peak mode: RBW=VBW=1MHz. Average mode: RBW=1MHz,

VBW=10Hz)

The following pages show our observations referring to the channel 1 and 11 respectively.


Test Condition & Setup: same as < 3.1 >

Channel 1



RBW=1MHz VBW=1MHz

Channel 11



RBW=1MHz VBW=1MHz

This is the hard copy of our bandedge measurement generated by our bandedge testing program. The pictures shown above is the bandedge of channel 1 and 11.

- 1. The lob right and left by the fundamental side is already 20dB below the highest emission level.
- 2. The emissions recorded in the restricted band is do comply with the Part 15.209(a) as below. *Radiated Emissions For Band-edge* [Horizontal]

Radiated Emission				Corrected Amplitude		FCC Class B (3m)		
Frequency	Ant. H.	Table	Correction Factors (dB)	$(dB\mu V/m)$		Limit (dBµV/m)		Margin
(MHz)				Peak	Average	Peak	Ave.	(dB)
2352.17	1.00	211	2.71	35.88		74.00	53.96	-18.08
2487.67	1.00	148	3.43	49.27		74.00	53.96	-4.69

Radiated Emissions For Band-edge [Vertical]

Radiated Emission				Corrected Amplitude		FCC Class B (3m)		
Frequency (MHz)	Ant. H. (m)	Table (°)	Correction Factors (dB)	$(dB\mu V/m)$		Limit (dBµV/m)		Margin
				Peak	Average	Peak	Ave.	(dB)
2352.17	1.00	235	2.71	34.88		74.00	53.96	-19.08
2487.67	1.00	168	3.43	43.93		74.00	53.96	-10.03

Note:

Margin = Corrected - Limit.

Correction factor = Antenna factor + (Cable Loss – Amplitude gain)

Report No.: N1015092, FCC Part 15