

# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-L  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at low channel  
Date: 26. Nov 02 09:36

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-N  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at low channel  
Date: 26. Nov 02 09:52

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-L  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at middle channel  
Date: 26. Nov 02 10:06

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-N  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at middle channel  
Date: 26. Nov 02 10:03

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-L  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at high channel  
Date: 26. Nov 02 10:15

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s



# Intertek Testing Services

## RF VOLTAGE

EUT: MA401 rev.D  
Manuf: Netgear, Inc.  
Op Cond: LISN-N  
Operator: Jerry  
Test Spec: FCC 15 Class B  
Comment: EMI RCV:835418/012  
120V 60Hz 20'C 56%RH Tx at high channel  
Date: 26. Nov 02 10:20

### Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP / + AV  
Meas Time: 1 s

