



CERTIFICATION TEST REPORT

Report Number. : 11775548-E1V2

Applicant : SONY MOBILE COMMUNICATIONS INC.
4-12-3 HIGASHI-SHINAGAWA,
SHINAGAWA -KU,TOKYO, 140-0002, JAPAN

FCC ID : PY7-10720W

EUT Description : GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n/ac, NFC & GPS

Test Standard(s) : FCC CFR47 PART 22 SUBPART H
FCC CFR47 PART 24 SUBPART E
FCC CFR47 PART 27 SUBPART F, H, L, and M

Date of Issue:

August 23, 2017

Prepared by:

UL Verification Services Inc.
47173 Benicia Street
Fremont, CA 94538, U.S.A.
TEL: (510) 771-1000
FAX: (510) 661-0888



NVLAP LAB CODE 200065-0

Revision History

<u>Rev.</u>	<u>Issue Date</u>	<u>Revisions</u>	<u>Revised By</u>
V1	08/22/17	Initial Issue	D. Corona
V2	08/23/17	Updated Section 9 and Corrected Page 10 (FCC Part)	D. Corona

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS5

2. TEST METHODOLOGY 6

3. FACILITIES AND ACCREDITATION6

4. CALIBRATION AND UNCERTAINTY 6

 4.1. *MEASURING INSTRUMENT CALIBRATION 6*

 4.2. *SAMPLE CALCULATION..... 6*

 4.3. *MEASUREMENT UNCERTAINTY..... 7*

5. EQUIPMENT UNDER TEST 7

 5.1. *DESCRIPTION OF EUT..... 7*

6. MAXIMUM OUTPUT POWER8

 6.1. *MAXIMUM OUTPUT POWER (GSM/EGPRS)..... 8*

 6.2. *MAXIMUM OUTPUT POWER (WCDMA)..... 9*

 6.3. *MAXIMUM OUTPUT POWER (LTE)..... 10*

7. DESCRIPTION OF AVAILABLE ANTENNAS 14

8. DESCRIPTION OF TEST SETUP 15

9. TEST AND MEASUREMENT EQUIPMENT 18

10. SUMMARY TABLE..... 19

11. RF POWER OUTPUT VERIFICATION.....20

 11.1. *GSM/GPRS/EDGE21*

 11.2. *GSM OUTPUT POWER RESULT22*

 11.3. *UMTS REL 99.....24*

 11.4. *UMTS REL 99 OUTPUT POWER RESULT25*

 11.5. *UMTS HSDPA26*

 11.6. *UMTS HSDPA OUTPUT POWER RESULT27*

 11.7. *UMTS HSUPA28*

 11.8. *UMTS HSUPA OUTPUT POWER RESULT29*

 11.9. *LTE OUTPUT POWER RESULT..... 30*

12. PEAK TO AVERAGE RATIO54

 12.1. *CONDUCTED PEAK TO AVERAGE RESULT 55*

13. OCCUPIED BANDWIDTH68

 13.1. *OCCUPIED BANDWIDTH RESULTS AND PLOTS 69*

14. BAND EDGE EMISSIONS.....91

14.1.	BAND EDGE PLOTS	92
14.2.	EMISSION MASK PLOTS	124
15.	OUT OF BAND EMISSIONS	136
15.1.	OUT OF BAND EMISSIONS RESULT AND PLOTS.....	137
16.	FREQUENCY STABILITY	159
16.1.	FREQUENCY STABILITY RESULTS.....	160
17.	RADIATED TEST RESULTS.....	164
17.1.	FIELD STRENGTH OF SPURIOUS RADIATION.....	164
17.1.1.	SPURIOUS RADIATION PLOTS.....	165
18.	SETUP PHOTOS	178

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SONY MOBILE COMMUNICATIONS, INC.
4-12-3 HIGASHI-SHINAGAWA,
SHINAGAWA –KU, TOKYO, 140-0002, JAPAN

EUT DESCRIPTION: GSM/WCDMA/LTE PHONE with BT, DTS/UNII a/b/g/n/ac, GPS & NFC

SERIAL NUMBER: BH9000Q988, BH9000H188 (radiated)
BH9000KR88, BH9000LY88 (conducted)

DATE TESTED: July 22 – August 4, 2017

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC PART 22H, 24E, 27H, 27F, 27L, 27M	PASS

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL Verification Services Inc. By:

Prepared By:



DAN CORONIA
CONSUMER TECHNOLOGY DIVISION
WISE PROJECT LEAD
UL VERIFICATION SERVICES INC



KIYA KEDIDA
CONSUMER TECHNOLOGY DIVISION
WISE ENGINEER
UL VERIFICATION SERVICES INC

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with TIA-603-D, FCC CFR 47 Part 2, FCC KDB 971168 D01 v02r02, Part 22, Part 24, Part 27.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 and 47266 Benicia Street, Fremont, California, USA. Line conducted emissions are measured only at the 47173 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

47173 Benicia Street	47266 Benicia Street
<input checked="" type="checkbox"/> Chamber A(IC: 2324B-1)	<input type="checkbox"/> Chamber D(IC: 22541-1)
<input type="checkbox"/> Chamber B(IC: 2324B-2)	<input type="checkbox"/> Chamber E(IC: 22541-2)
<input checked="" type="checkbox"/> Chamber C(IC: 2324B-3)	<input type="checkbox"/> Chamber F(IC: 22541-3)
	<input type="checkbox"/> Chamber G(IC: 22541-4)
	<input type="checkbox"/> Chamber H(IC: 22541-5)

The above test sites and facilities are covered under FCC Test Firm Registration # 208313. UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0. Chambers A through C are covered under Industry Canada company address code 2324B with site numbers 2324B -1 through 2324B-3, respectively. Chambers D through H are covered under Industry Canada company address code 22541 with site numbers 22541 -1 through 22541-5, respectively.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$EIRP = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)} + \text{Substitution Antenna Factor (dBi)}$

$ERP = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)}$

(Path loss = Signal generator output – PSA reading with substitution antenna)

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Occupied Channel Bandwidth	±1.1 %
RF output power, conducted	±0.35 dB
Power Spectral Density, conducted	±0.39 dB
Unwanted Emissions, conducted	±2.9 dB
All emissions, radiated	±5.36 dB
Temperature	±0.9 °C
Humidity	±2.26% RH
Supply Voltages	±0.45 %
Time	±0.2 %

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

This EUT is a GSM/WCDMA/LTE PHONE with BT, DTS/UNII a/b/g/n/ac, GPS & NFC.

6. MAXIMUM OUTPUT POWER

6.1. MAXIMUM OUTPUT POWER (GSM/EGPRS)

The transmitter has a maximum peak conducted and ERP / EIRP output powers as follows:

FCC Part 22/24						
Band	Frequency Range(MHz)	Modulation	Conducted (Average)		ERP/EIRP (Average)	
			AVG(dBm)	AVG(mW)	dBm	mW
850	824~849	GPRS	32.8	1905.46	26.40	436.52
	824~849	EGPRS	27.0	501.19	19.90	97.72
1900	1850~1910	GPRS	28.6	724.44	23.60	229.09
	1850~1910	EGPRS	25.8	380.19	22.90	194.98

6.2. MAXIMUM OUTPUT POWER (WCDMA)

The transmitter has a maximum peak conducted and ERP / EIRP output powers as follows:

FCC Part 22						
Band	Frequency Range(MHz)	Modulation	Conducted (Average)		ERP/EIRP (Average)	
			AVG(dBm)	AVG(mW)	dBm	mW
Band 5	824~849	REL99	22.5	177.83	17.4	54.95
	824~849	HSDPA	21.6	144.54	16.0	39.81
	824~849	HSUPA	21.6	144.54	15.9	38.90

6.3. MAXIMUM OUTPUT POWER (LTE)

The transmitter has a maximum peak conducted and ERP/EIRP output powers as follows:

LTE Band 4

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted (Average)		EIRP (Average)	
				AVG(dBm)	AVG(mW)	dBm	mW
LTE4	1710~1755	1.4MHz	QPSK	20.7	116.95	17.70	58.88
			16QAM	21.0	125.03	17.50	56.23
		3MHz	QPSK	20.8	118.85	17.80	60.26
			16QAM	21.0	125.89	17.70	58.88
		5MHz	QPSK	20.8	119.95	17.90	61.66
			16QAM	21.0	125.89	17.80	60.26
		10MHz	QPSK	20.8	120.50	17.80	60.26
			16QAM	21.0	125.89	17.70	58.88
		15MHz	QPSK	21.0	125.89	18.00	63.10
			16QAM	21.0	125.89	18.00	63.10
		20MHz	QPSK	20.9	124.17	17.80	60.26
			16QAM	21.0	125.89	17.80	60.26

LTE Band 5

FCC Part 22							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted (Average)		ERP (Average)	
				AVG(dBm)	AVG(mW)	dBm	mW
LTE5	824~849	1.4MHz	QPSK	22.5	177.83	17.30	53.70
			16QAM	22.8	191.87	16.70	46.77
		3MHz	QPSK	22.6	180.72	17.00	50.12
			16QAM	23.0	197.24	16.30	42.66
		5MHz	QPSK	22.6	181.13	17.00	50.12
			16QAM	23.0	199.07	16.40	43.65
		10MHz	QPSK	22.6	181.13	16.90	48.98
			16QAM	22.9	195.88	16.30	42.66

LTE Band 7

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted (Average)		EIRP (Average)	
				AVG(dBm)	AVG(mW)	dBm	mW
LTE7	2500~2570	5MHz	QPSK	24.5	279.90	14.90	30.90
			16QAM	23.9	247.74	14.00	25.12
		10MHz	QPSK	23.6	229.09	15.00	31.62
			16QAM	23.7	231.74	14.00	25.12
		15MHz	QPSK	23.8	241.55	14.90	30.90
			16QAM	24.0	251.19	14.00	25.12
		20MHz	QPSK	24.6	289.73	14.90	30.90
			16QAM	24.0	251.19	14.00	25.12

LTE Band 12

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted (Average)		ERP (Average)	
				AVG(dBm)	AVG(mW)	dBm	mW
LTE12	699~716	1.4MHz	QPSK	24.5	281.19	14.00	25.12
			16QAM	23.8	238.78	13.00	19.95
		3MHz	QPSK	24.6	289.07	14.00	25.12
			16QAM	23.9	245.47	13.00	19.95
		5MHz	QPSK	23.9	247.74	14.00	25.12
			16QAM	24.0	251.19	13.00	19.95
		10MHz	QPSK	24.6	290.40	14.00	25.12
			16QAM	23.9	244.91	13.00	19.95

LTE Band 13

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted (Average)		ERP (Average)	
				AVG(dBm)	AVG(mW)	dBm	mW
LTE13	777~787	5MHz	QPSK	23.9	243.78	19.10	81.28
			16QAM	22.6	182.81	18.20	66.07
		10MHz	QPSK	23.5	224.39	19.10	81.28
			16QAM	22.5	177.42	18.00	63.10

LTE Band 41

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted (Average)		EIRP (Average)	
				AVG(dBm)	AVG(mW)	dBm	mW
LTE41	2496~2690	5MHz	QPSK	24.7	294.44	15.00	31.62
			16QAM	23.8	239.88	14.00	25.12
		10MHz	QPSK	24.0	248.31	15.00	31.62
			16QAM	23.9	242.66	13.90	24.55
		15MHz	QPSK	24.1	257.04	15.00	31.62
			16QAM	23.7	236.05	14.00	25.12
		20MHz	QPSK	25.0	316.23	13.80	23.99
			16QAM	24.0	248.31	13.50	22.39

7. DESCRIPTION OF AVAILABLE ANTENNAS

The radio utilizes a PIFA antenna for the [List the bands supported] with a maximum peak gain as follow:

Frequency (MHz)	Peak Gain (dBi)
GSM850, 824~849MHz	-3.0
GSM1900, 1850~1910MHz	2.6
WCDMA Band 5, 824~849	-3.0
LTE Band 4, 1710~1755MHz	-0.1
LTE Band 5, 824~849MHz	-3.0
LTE Band 7, 2500~2570MHz	-4.4
LTE Band 12, 699~716MHz	-6.3
LTE Band 13, 777~787MHz	-2.6
LTE Band 41, 2496~2690MHz	-3.6

8. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacturer	Model	Serial Number	FCC ID
AC Adapter	SONY	1300-7137.1	4016W40310044	NA
Earphone	SONY	N/A	N/A	N/A

I/O CABLES (CONDUCTED SETUP)

I/O Cable List						
Cable No	Port	# of Identical ports	Connector Type	Serial Type	Cable Length (m)	Remarks
1	RF Out	1	Spectrum Analyzer	Shielded	None	NA
2	Antenna Port	1	EUT	Shielded	0.1m	NA
3	RF In/Out	1	Communication Test Set	Shielded	1m	NA


I/O CABLES (RADIATED SETUP)

I/O Cable List						
Cable No	Port	# of Identical ports	Connector Type	Serial Type	Cable Length (m)	Remarks
1	USB	1	AC Adapter	Un-shielded	1.2m	No
2	Jack	1	Headset	Shielded	1m	No
3	RF In/out	1	Communication Test Set	Un-shielded	2m	Yes


TEST SETUP

The EUT is continuously communicated to the call box during the tests.

SETUP DIAGRAM FOR TESTS (CONDUCTED TEST SETUP)



SETUP DIAGRAM FOR TESTS (RADIATED TEST SETUP)



9. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

Test Equipment List					
Description	Manufacturer	Model	T Number	Cal Date	Cal Due
Amplifier, 1 to 18 GHz	Miteq	AFS43-00101800-25-S-42	493	02/15/17	02/15/18
Amplifier, 1 to 8 GHz	Miteq	AMF-4D-01000800-30-29P	1156	02/15/17	02/15/18
Amplifier, 10KHz to 1GHz, 32dB	Keysight	8447D	10	02/15/17	02/15/18
Antenna, Broadband Hybrid, 30MHz to 2000MHz	Sunol Sciences	JB3	408	11/10/16	11/10/17
Spectrum Analyzer, PXA 3Hz to 44GHz	Keysight	N9030A	907	01/23/17	01/23/18
Highpass Filter, 2.7 GHz	Micro-Circuits	H2G518G6	T772	07/5/16	07/5/18
Highpass Filter, 1 GHz	Micro-Tronics	HPM18129	T889	02/21/17	02/21/18
Highpass Filter, 4GHz	Micro-Tronics	HPM13351	T1241	07/19/17	07/19/18
Amplifier, 1-18GHz	Miteq	AFS42-00101800-25-S-42	931	08/26/16	08/26/17
Amplifier, 10KHz to 1GHz, 32dB	Keysight	8447D	15	08/26/16	08/26/17
Antenna, Broadband Hybrid 30MHz to 2000MHz	Sunol Sciences	JB3	408	11/10/16	11/10/17
Antenna, Horn 1-18GHz	ETS Lindgren	3117	712	01/30/17	01/30/18
Spectrum Analyzer, PXA, 3Hz to 44GHz	Keysight	N9030A	1831	06/06/17	06/06/18
Spectrum Analyzer, PSA, 3Hz to 44GHz	Agilent	E4446A	T146	07/18/17	07/18/18
DC power supply	Sorensen	XT 15-4	T466	None	None
Antenna, Tuned Dipole 400~1000 MHz	ETS	3121C DB4	T273	6/08/17	6/08/18
Directional Coupler	Mini-Circuits	ZUDC10-183+	T1136	6/18/17	6/18/18

Test Equipment List			
Description	Manufacturer	Model	T Number
Radiated Software	UL	UL EMC	Ver 9.5, June 24, 2015
Conducted Software	UL	UL EMC	Ver 9.5, May 26, 2015
CLT Software	UL	UL RF	Ver 1.0, Feb 2, 2015
Antenna Port Software	UL	UL RF	Ver 3.7, Nov 12, 2015

10. SUMMARY TABLE

FCC Part Section	Test Description	Test Limit	Test Condition	Test Result
2.1049	Occupied Bandwidth (99%)	N/A	Conducted	Pass
22.917(a) 24.238(a) 27.53(g)	Band Edge / Conducted Spurious Emission	-13dBm		Pass
27.53(m)		-25dBm		Pass
2.1046	Conducted output power	N/A		Pass
27.53(m)	Emission Mask	Please refer to limit under section 14		Pass
22.355	Frequency Stability	2.5PPM		Pass
24.235 27.54		Please refer to limit under section 16		Pass
22.913(a)(2)	Effective Radiated Power	38dBm	Radiated	Pass
27.50©(10)		34.77dBm		Pass
24.232(c)	Equivalent Isotropic Radiated Power	36.98dBm		Pass
27.50(h)(2)		40.6dBm		Pass
27.50(d)(4)		33dBm		Pass
		30dBm		Pass
22.917(a) 24.238(a) 27.53(g)	Radiated Spurious Emission	-13dBm		Pass
27.53(m)		-25dBm	Pass	

11. RF POWER OUTPUT VERIFICATION

TEST PROCEDURE

ANSI C63.26:2015/ TIA / EIA 603-D Clause 2.2.17
KDB 971168 Section 5.6

$$\text{ERP/EIRP} = \text{PMeas} + \text{GT} - \text{LC}$$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

MODES TESTED

- GSM 850
- GSM 1900
- WCDMA Band 5
- LTE Band 7
- LTE Band 12
- LTE Band 13
- LTE Band 4
- LTE Band 5
- LTE Band 41

11.1. GSM/GPRS/EDGE

Using CMW500 Communication Test Set

Function: Menu select > GSM Mobile Station > GSM 850/900/1800/1900

Press Connection control to choose the different menus

Press RESET > choose all to reset all settings

Connection Press Signal Off to turn off the signal and change settings
Network Support > GSM+GPRS or GSM+EGPRS
Main Service > Packet Data
Service selection > Test Mode A – Auto Slot Config. off

MS Signal Press Slot Config bottom on the right twice to select and change the number of time slots and power setting
> Slot configuration > Uplink/Gamma
> 33 dBm for GPRS 850/900
> 27 dBm for EGPRS 850/900
> 30 dBm for GPRS1800/1900
> 26 dBm for EGPRS1800/1900

BS Signal Enter the same channel number for TCH channel (test channel) and BCCH channel

Frequency Offset > + 0 Hz
Mode > BCCH and TCH
BCCH Level > -85 dBm (May need to adjust if link is not stable)
BCCH Channel > choose desire test channel [Enter the same channel number for TCH channel (test channel) and BCCH channel]
Channel Type > Off
P0> 4 dB
Slot Config > Unchanged (if already set under MS Signal)
TCH > choose desired test channel
Hopping > Off
Main Timeslot > 3 (Default)

Network Coding Scheme > CS 4 (GPRS) and MCS5-9 (EGPRS)
Bit Stream > 2E9-1PSR Bit Pattern

AF/RF Enter appropriate offsets for Ext. Att. Output and Ext. Att. Input

Connection Press Signal On to turn on the signal and change settings

11.2. GSM OUTPUT POWER RESULT

Tested By	Tony Soaers
Date	7/22/2017

GSM 850

Antenna gain (dBi)		-3.00								
Mode	Ch.	f (MHz)	Modulation	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)			
GPRS	128	824.2	1 Time slot	32.7	29.7	38.5	-8.8			
	190	836.6		32.8	29.8	38.5	-8.7			
	251	848.8		32.8	29.8	38.5	-8.7			
	GPRS	128	824.2	2 Time slot	29.7	26.7	38.5	-11.8		
		190	836.6		29.8	26.8	38.5	-11.7		
		251	848.8		29.9	26.9	38.5	-11.6		
		GPRS	128	824.2	3 Time slot	27.7	24.7	38.5	-13.8	
			190	836.6		27.9	24.9	38.5	-13.6	
			251	848.8		27.8	24.8	38.5	-13.7	
			GPRS	128	824.2	4 Time slot	26.3	23.3	38.5	-15.2
				190	836.6		26.5	23.5	38.5	-15
				251	848.8		26.5	23.5	38.5	-15
EGPRS				128	824.2	1 Time slot	26.9	23.9	38.5	-14.6
				190	836.6		27	24	38.5	-14.5
				251	848.8		27	24	38.5	-14.5
	EGPRS			128	824.2	2 Time slot	25.2	22.2	38.5	-16.3
				190	836.6		25.3	22.3	38.5	-16.2
				251	848.8		25.3	22.3	38.5	-16.2
		EGPRS		128	824.2	3 Time slot	23.3	20.3	38.5	-18.2
				190	836.6		23.5	20.5	38.5	-18
				251	848.8		23.4	20.4	38.5	-18.1
			EGPRS	128	824.2	4 Time slot	22.2	19.2	38.5	-19.3
				190	836.6		22.4	19.4	38.5	-19.1
				251	848.8		22.3	19.3	38.5	-19.2

GSM 1900

Antenna gain (dBi)		2.60					
Mode	Ch.	f (MHz)	Modulation	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
GPRS	512	1850.2	1 Time slot	28.6	31.2	33.0	-1.8
	661	1880		28.4	31	33.0	-2
	810	1909.8		28.6	31.2	33.0	-1.8
	512	1850.2	2 Time slot	25.6	28.2	33.0	-4.8
	661	1880		25.5	28.1	33.0	-4.9
	810	1909.8		25.7	28.3	33.0	-4.7
	512	1850.2	3 Time slot	23.8	26.4	33.0	-6.6
	661	1880		23.7	26.3	33.0	-6.7
	810	1909.8		23.9	26.5	33.0	-6.5
	512	1850.2	4 Time slot	22.7	25.3	33.0	-7.7
	661	1880		22.5	25.1	33.0	-7.9
	810	1909.8		22.6	25.2	33.0	-7.8
EGPRS	512	1850.2	1 Time slot	25.7	28.3	33.0	-4.7
	661	1880		25.6	28.2	33.0	-4.8
	810	1909.8		25.8	28.4	33.0	-4.6
	512	1850.2	2 Time slot	25.4	28.0	33.0	-5.0
	661	1880		25.4	28.0	33.0	-5.0
	810	1909.8		25.4	28	33.0	-5
	512	1850.2	3 Time slot	23.2	25.8	33.0	-7.2
	661	1880		23.1	25.7	33.0	-7.3
	810	1909.8		23.2	25.8	33.0	-7.2
	512	1850.2	4 Time slot	22.1	24.7	33.0	-8.3
	661	1880		22	24.6	33.0	-8.4
	810	1909.8		22.0	24.6	33.0	-8.4

11.3. UMTS REL 99

TEST PROCEDURE

Release 99 Setup Procedures used to establish the test signals

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 specification. The DUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7).

The following summary of these settings are illustrated below:

Mode	Subtest	Rel99
WCDMA General Settings	Loopback Mode	Test Mode 2
	Rel99 RMC	12.2kbps RMC
	Power Control Algorithm	Algorithm2
	β_c/β_d	8/15

RESULTS

Tested By	AJ Newcomer
Date	7/26/2017

11.4. UMTS REL 99 OUTPUT POWER RESULT

Antenna gain Band 5 (dBi)	-3.00
---------------------------	-------

Part 22: 850MHz Band (5)

Band	UL Channel	DL Channel	Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
UMTS Rel. 99 850MHz	4132	4357	826.4	22.5	19.5	38.5	-19.0
	4183	4408	836.6	22.5	19.5	38.5	-19.0
	4233	4458	846.6	22.2	19.2	38.5	-19.3

11.5. UMTS HSDPA

HSDPA Setup Procedures used to establish the test signals

The following 4 Sub-tests were completed according to Release 5 procedures in section 5.2 of 3GPP TS34.121. Summary of settings are illustrated below:

	Mode	HSDPA	HSDPA	HSDPA	HSDPA
	Subtest	1	2	3	4
W-CDMA General Settings	Loopback Mode	Test Mode 1			
	Rel99 RMC	12.2kbps RMC			
	HSDPA FRC	H-Set 1			
	Power Control Algorithm	Algorithm 2			
	β_c	2/15	11/15	15/15	15/15
	β_d	15/15	15/15	8/15	4/15
	Bd (SF)	64			
	β_c/β_d	2/15	11/15	15/8	15/4
	β_{hs}	4/15	24/15	30/15	30/15
MPR (dB)	0	0	0.5	0.5	
HSDPA Specific Settings	D_{ACK}	8			
	D_{NAK}	8			
	DCQI	8			
	Ack-Nack repetition factor	3			
	CQI Feedback (Table 5.2B.4)	4ms			
	CQI Repetition Factor (Table 5.2B.4)	2			
	$A_{hs}=\beta_{hs}/\beta_c$	30/15			

RESULTS

Tested By	AJ Newcomer
Date	7/26/2017

11.6. UMTS HSDPA OUTPUT POWER RESULT

Antenna gain Band 5 (dBi) -3.00

Part 22: 850MHz Band (5)

Band	Subtest	UL Channel	DL Channel	Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
UMTS HSDPA 850MHz	1	4132	4357	826.4	21.6	18.6	38.5	-16.9
		4183	4408	836.6	21.4	18.4	38.5	-17.1
		4233	4458	846.6	21.1	18.1	38.5	-17.4
	2	4132	4357	826.4	21.6	18.6	38.5	-16.9
		4183	4408	836.6	21.4	18.4	38.5	-17.1
		4233	4458	846.6	21.1	18.1	38.5	-17.4
	3	4132	4357	826.4	21.0	18.0	38.5	-17.5
		4183	4408	836.6	20.9	17.9	38.5	-17.6
		4233	4458	846.6	20.7	17.7	38.5	-17.8
	4	4132	4357	826.4	21.0	18.0	38.5	-17.5
		4183	4408	836.6	20.9	17.9	38.5	-17.6
		4233	4458	846.6	20.7	17.7	38.5	-17.8

11.7. UMTS HSUPA

The following 5 Sub-tests were completed according to Release 6 procedures in Table C.11.1.3 of 3GPP TS 34.121-1 v13

Summary of settings are illustrated below:

	Mode	HSPA				
	Subtest	1	2	3	4	5
WCDMA General Settings	Loopback Mode	Test Mode 1				
	Rel99 RMC	12.2 kbps RMC				
	HSDPA FRC	H-Set 1				
	HSUPA Test	HSPA				
	Power Control Algorithm	Algorithm 2				Algorithm 1
	β_c	11/15	6/15	15/15	2/15	15/15
	β_d	15/15	15/15	9/15	15/15	0
	β_{ec}	209/225	12/15	30/15	2/15	5/15
	β_c/β_d	11/15	6/15	15/9	2/15	-
	β_{hs}	22/15	12/15	30/15	4/15	5/15
β_{ed}	1309/225	94/75	47/15	56/75	47/15	
CM (dB)	1	3	2	3	1	
MPR (dB)	0	2	1	2	0	
HSDPA Specific Settings	DACK	8				0
	DNAK	8				0
	DCQI	8				0
	Ack-Nack repetition factor	3				
	CQI Feedback (Table 5.2B.4)	4ms				
	CQI Repetition Factor (Table 5.2B.4)	2				
	A _{hs} = β_{hs}/β_c	30/15				
HSUPA Specific Settings	E-DPDCCH	6	8	8	5	0
	DHARQ	0	0	0	0	0
	AG Index	20	12	15	17	12
	ETFCI (from 34.121 Table C.11.1.3)	75	67	92	71	67
	Associated Max UL Data Rate kbps	242.1	174.9	482.8	205.8	308.9
	Reference E-TFCIs	5	5	2	5	1
	Reference E-TFCI	11	11	11	11	67
	Reference E-TFCI PO	4	4	4	4	18
	Reference E-TFCI	67	67	92	67	67
	Reference E-TFCI PO	18	18	18	18	18
	Reference E-TFCI	71	71	71	71	71
	Reference E-TFCI PO	23	23	23	23	23
	Reference E-TFCI	75	75	75	75	75
	Reference E-TFCI PO	26	26	26	26	26
	Reference E-TFCI	81	81	81	81	81
Reference E-TFCI PO	27	27	27	27	27	
Maximum Channelization Codes	2xSF2				SF4	

RESULT

Tested By	AJ Newcomer
Date	7/26/2017

11.8. UMTS HSUPA OUTPUT POWER RESULT

Antenna gain Band 5 (dBi)	-3.00
---------------------------	-------

Part 22: 850MHz Band (5)

Band	Subtest	UL Channel	DL Channel	Frequency (MHz)	Conducted Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
UMTS HSUPA 850MHz	1	4132	4357	826.4	21.6	18.6	38.5	-16.9
		4183	4408	836.6	21.5	18.5	38.5	-17.0
		4233	4458	846.6	21.4	18.4	38.5	-17.1
	2	4132	4357	826.4	19.7	16.7	38.5	-18.8
		4183	4408	836.6	19.6	16.6	38.5	-18.9
		4233	4458	846.6	19.3	16.3	38.5	-19.2
	3	4132	4357	826.4	20.7	17.7	38.5	-17.8
		4183	4408	836.6	20.6	17.6	38.5	-17.9
		4233	4458	846.6	20.3	17.3	38.5	-18.2
	4	4132	4357	826.4	19.7	16.7	38.5	-18.8
		4183	4408	836.6	19.6	16.6	38.5	-18.9
		4233	4458	846.6	19.3	16.3	38.5	-19.2
	5	4132	4357	826.4	21.6	18.6	38.5	-16.9
		4183	4408	836.6	21.5	18.5	38.5	-17.0
		4233	4458	846.6	21.4	18.4	38.5	-17.1

11.9. LTE OUTPUT POWER RESULT

Note(s):

LTE Band 17 Measured Results

LTE Band 17 (Frequency range: 704-716) is covered by LTE Band 12 (Frequency range: 699-716MHz) no testing is necessary due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth and same modulations.

LTE Band 38 Measured Results

LTE Band 38 (Frequency range: 2570-2620 MHz) is covered by LTE Band 41 (Frequency range: 2496-2690 MHz) and no testing is necessary due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth and same modulations.

64QAM Measured Results

Measured QPSK, 16QAM & 64QAM Mode Output power and found that QPSK and 16QAM results was the worst case. All testing were performed using QPSK and 16QAM mode to represent the worst case mode.

Tested By	Vanessa Moestopo
Date	7/24/2017

LTE Band 4

Antenna gain (dBi)		-0.10							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	19957	1710.7	QPSK	1	0	20.6	20.5	33.0	-12.5
				1	3	20.6	20.5	33.0	-12.5
				1	5	20.6	20.5	33.0	-12.5
				3	0	20.6	20.5	33.0	-12.5
				3	1	20.6	20.5	33.0	-12.5
				3	3	20.6	20.5	33.0	-12.5
			16QAM	6	0	20.6	20.5	33.0	-12.5
				1	0	20.7	20.6	33.0	-12.4
				1	3	20.7	20.6	33.0	-12.4
				1	5	20.7	20.6	33.0	-12.4
				3	0	20.8	20.7	33.0	-12.3
				3	1	20.9	20.8	33.0	-12.2
	20175	1732.5	QPSK	3	3	20.9	20.8	33.0	-12.2
				3	3	20.9	20.8	33.0	-12.2
				6	0	20.8	20.7	33.0	-12.3
				1	0	20.6	20.5	33.0	-12.5
				1	3	20.6	20.5	33.0	-12.5
				1	5	20.6	20.5	33.0	-12.5
			16QAM	3	0	20.6	20.5	33.0	-12.5
				3	1	20.6	20.5	33.0	-12.5
				3	3	20.6	20.5	33.0	-12.5
				6	0	20.6	20.5	33.0	-12.5
				1	0	21.0	20.9	33.0	-12.1
				1	3	21.0	20.9	33.0	-12.1
	20393	1754.3	QPSK	1	5	20.9	20.8	33.0	-12.2
				3	0	20.8	20.7	33.0	-12.3
				3	1	20.8	20.7	33.0	-12.3
				3	3	20.8	20.7	33.0	-12.3
				6	0	20.5	20.4	33.0	-12.6
				1	0	20.6	20.5	33.0	-12.5
			16QAM	1	3	20.7	20.6	33.0	-12.4
				1	5	20.6	20.5	33.0	-12.5
				3	0	20.6	20.5	33.0	-12.5
				3	1	20.7	20.6	33.0	-12.5
				3	3	20.7	20.6	33.0	-12.4
				6	0	20.6	20.5	33.0	-12.5

Antenna gain (dBi)		-0.10							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	19965	1711.5	QPSK	1	0	20.6	20.5	33.0	-12.5
				1	8	20.7	20.6	33.0	-12.5
				1	14	20.6	20.5	33.0	-12.6
				8	0	20.6	20.5	33.0	-12.5
				8	4	20.7	20.6	33.0	-12.4
				8	7	20.7	20.6	33.0	-12.4
			15	0	20.7	20.6	33.0	-12.4	
			16QAM	1	0	20.7	20.6	33.0	-12.4
				1	8	20.8	20.7	33.0	-12.3
				1	14	20.7	20.6	33.0	-12.4
				8	0	20.7	20.6	33.0	-12.4
				8	4	20.8	20.7	33.0	-12.3
	8	7		20.7	20.6	33.0	-12.4		
	20175	1732.5	QPSK	1	0	20.6	20.5	33.0	-12.5
				1	8	20.7	20.6	33.0	-12.4
				1	14	20.6	20.5	33.0	-12.5
				8	0	20.6	20.5	33.0	-12.5
				8	4	20.6	20.5	33.0	-12.5
				8	7	20.6	20.5	33.0	-12.5
			15	0	20.6	20.5	33.0	-12.5	
			16QAM	1	0	21.0	20.9	33.0	-12.1
				1	8	21.0	20.9	33.0	-12.1
				1	14	20.9	20.8	33.0	-12.2
				8	0	20.8	20.7	33.0	-12.4
				8	4	20.7	20.6	33.0	-12.4
	8	7		20.7	20.6	33.0	-12.4		
	20385	1753.5	QPSK	1	0	20.7	20.6	33.0	-12.4
				1	8	20.9	20.8	33.0	-12.2
				1	14	20.7	20.6	33.0	-12.4
				8	0	20.7	20.6	33.0	-12.4
				8	4	20.7	20.6	33.0	-12.4
				8	7	20.7	20.6	33.0	-12.4
			15	0	20.7	20.6	33.0	-12.4	
			16QAM	1	0	20.5	20.4	33.0	-12.6
				1	8	20.7	20.6	33.0	-12.4
				1	14	20.6	20.5	33.0	-12.6
8				0	20.7	20.6	33.0	-12.4	
8				4	20.8	20.7	33.0	-12.3	
8	7	20.8		20.7	33.0	-12.3			
15	0	20.7	20.6	33.0	-12.4				

Antenna gain (dBi)		-0.10							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	19975	1712.5	QPSK	1	0	20.8	20.7	33.0	-12.4
				1	12	20.7	20.6	33.0	-12.4
				1	24	20.7	20.6	33.0	-12.4
				12	0	20.7	20.6	33.0	-12.4
				12	7	20.7	20.6	33.0	-12.4
				12	13	20.7	20.6	33.0	-12.4
			25	0	20.7	20.6	33.0	-12.4	
			16QAM	1	0	21.0	20.9	33.0	-12.1
				1	12	21.0	20.9	33.0	-12.1
				1	24	21.0	20.9	33.0	-12.1
				12	0	20.9	20.8	33.0	-12.2
				12	7	20.9	20.8	33.0	-12.2
	12	13		20.9	20.8	33.0	-12.2		
	20175	1732.5	QPSK	1	0	20.8	20.7	33.0	-12.3
				1	12	20.7	20.6	33.0	-12.4
				1	24	20.7	20.6	33.0	-12.4
				12	0	20.7	20.6	33.0	-12.4
				12	7	20.7	20.6	33.0	-12.5
				12	13	20.6	20.5	33.0	-12.5
			25	0	20.7	20.6	33.0	-12.4	
			16QAM	1	0	20.9	20.8	33.0	-12.2
				1	12	20.8	20.7	33.0	-12.3
				1	24	20.9	20.8	33.0	-12.3
				12	0	20.8	20.7	33.0	-12.3
				12	7	20.8	20.7	33.0	-12.3
	12	13		20.8	20.7	33.0	-12.3		
	20375	1752.5	QPSK	1	0	20.8	20.7	33.0	-12.3
				1	12	20.6	20.5	33.0	-12.5
				1	24	20.7	20.6	33.0	-12.4
				12	0	20.7	20.6	33.0	-12.4
				12	7	20.7	20.6	33.0	-12.4
				12	13	20.6	20.5	33.0	-12.5
			25	0	20.6	20.5	33.0	-12.5	
			16QAM	1	0	20.8	20.7	33.0	-12.3
				1	12	20.8	20.7	33.0	-12.4
				1	24	20.9	20.8	33.0	-12.3
12				0	20.8	20.7	33.0	-12.3	
12				7	20.8	20.7	33.0	-12.3	
12	13	20.8		20.7	33.0	-12.4			
25	0	20.6	20.5	33.0	-12.5				

Antenna gain (dBi)		-0.10							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	20000	1715.0	QPSK	1	0	20.8	20.7	33.0	-12.3
				1	25	20.7	20.6	33.0	-12.4
				1	49	20.7	20.6	33.0	-12.4
				25	0	20.8	20.7	33.0	-12.3
				25	12	20.7	20.6	33.0	-12.4
				25	25	20.8	20.7	33.0	-12.4
			50	0	20.8	20.7	33.0	-12.4	
			16QAM	1	0	20.9	20.8	33.0	-12.2
				1	25	20.8	20.7	33.0	-12.4
				1	49	20.7	20.6	33.0	-12.4
				25	0	20.9	20.8	33.0	-12.2
				25	12	20.9	20.8	33.0	-12.2
	25	25		20.9	20.8	33.0	-12.3		
	20175	1732.5	QPSK	1	0	20.8	20.7	33.0	-12.3
				1	25	20.7	20.6	33.0	-12.4
				1	49	20.6	20.5	33.0	-12.5
				25	0	20.8	20.7	33.0	-12.3
				25	12	20.8	20.7	33.0	-12.4
				25	25	20.7	20.6	33.0	-12.4
			50	0	20.7	20.6	33.0	-12.4	
			16QAM	1	0	21.0	20.9	33.0	-12.1
				1	25	21.0	20.9	33.0	-12.1
				1	49	20.9	20.8	33.0	-12.2
				25	0	20.8	20.7	33.0	-12.3
				25	12	20.8	20.7	33.0	-12.3
	25	25		20.8	20.7	33.0	-12.3		
	20350	1750.0	QPSK	1	0	20.7	20.6	33.0	-12.4
				1	25	20.6	20.5	33.0	-12.5
				1	49	20.7	20.6	33.0	-12.4
				25	0	20.7	20.6	33.0	-12.4
				25	12	20.7	20.6	33.0	-12.4
				25	25	20.6	20.5	33.0	-12.5
			50	0	20.7	20.6	33.0	-12.4	
			16QAM	1	0	20.7	20.6	33.0	-12.4
				1	25	20.5	20.4	33.0	-12.6
				1	49	20.7	20.6	33.0	-12.5
25				0	20.8	20.7	33.0	-12.3	
25				12	20.8	20.7	33.0	-12.4	
25	25	20.7		20.6	33.0	-12.4			
50	0	20.8	20.7	33.0	-12.3				

Antenna gain (dBi)		-0.10							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	20025	1717.5	QPSK	1	0	21.0	20.9	33.0	-12.1
				1	37	20.8	20.7	33.0	-12.3
				1	74	20.8	20.7	33.0	-12.3
				36	0	20.9	20.8	33.0	-12.2
				36	20	20.9	20.8	33.0	-12.2
				36	39	20.9	20.8	33.0	-12.3
				75	0	20.9	20.8	33.0	-12.2
			16QAM	1	0	21.0	20.9	33.0	-12.1
				1	37	21.0	20.9	33.0	-12.1
				1	74	21.0	20.9	33.0	-12.1
				36	0	20.9	20.8	33.0	-12.2
				36	20	20.9	20.8	33.0	-12.2
				36	39	20.9	20.8	33.0	-12.2
				75	0	20.9	20.8	33.0	-12.2
	20175	1732.5	QPSK	1	0	20.9	20.8	33.0	-12.2
				1	37	20.8	20.7	33.0	-12.4
				1	74	20.8	20.7	33.0	-12.3
				36	0	20.9	20.8	33.0	-12.2
				36	20	20.8	20.7	33.0	-12.3
				36	39	20.8	20.7	33.0	-12.3
				75	0	20.8	20.7	33.0	-12.3
			16QAM	1	0	21.0	20.9	33.0	-12.1
				1	37	21.0	20.9	33.0	-12.1
				1	74	21.0	20.9	33.0	-12.1
				36	0	21.0	20.9	33.0	-12.1
				36	20	21.0	20.9	33.0	-12.2
				36	39	20.8	20.7	33.0	-12.3
				75	0	20.9	20.8	33.0	-12.2
	20325	1747.5	QPSK	1	0	21.0	20.9	33.0	-12.1
				1	37	20.7	20.6	33.0	-12.4
				1	74	20.8	20.7	33.0	-12.3
				36	0	20.9	20.8	33.0	-12.2
				36	20	20.9	20.8	33.0	-12.3
				36	39	20.8	20.7	33.0	-12.3
				75	0	20.8	20.7	33.0	-12.3
			16QAM	1	0	21.0	20.9	33.0	-12.2
1				37	20.7	20.6	33.0	-12.4	
1				74	20.8	20.7	33.0	-12.3	
36				0	20.9	20.8	33.0	-12.2	
36				20	20.9	20.8	33.0	-12.2	
36				39	20.8	20.7	33.0	-12.3	
75				0	20.9	20.8	33.0	-12.2	

Antenna gain (dBi)		-0.10							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	20175	1732.5	QPSK	1	0	20.9	20.8	33.0	-12.2
				1	49	20.8	20.7	33.0	-12.4
				1	99	20.7	20.6	33.0	-12.4
				50	0	20.9	20.8	33.0	-12.2
				50	24	20.9	20.8	33.0	-12.3
				50	50	20.8	20.7	33.0	-12.3
				100	0	20.9	20.8	33.0	-12.2
			16QAM	1	0	21.0	20.9	33.0	-12.1
				1	49	21.0	20.9	33.0	-12.1
				1	99	21.0	20.9	33.0	-12.1
				50	0	21.0	20.9	33.0	-12.1
				50	24	20.9	20.8	33.0	-12.2
				50	50	20.8	20.7	33.0	-12.3
				100	0	20.9	20.8	33.0	-12.2

LTE Band 5

Antenna gain (dBi)		-3.00							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	20407	824.7	QPSK	1	0	22.4	16.9	38.5	-21.5
				1	3	22.5	17.0	38.5	-21.5
				1	5	22.4	16.9	38.5	-21.5
				3	0	22.4	16.9	38.5	-21.5
				3	1	22.5	17.0	38.5	-21.4
				3	3	22.5	17.0	38.5	-21.5
			16QAM	6	0	22.4	16.9	38.5	-21.5
				1	0	22.5	17.0	38.5	-21.5
				1	3	22.6	17.1	38.5	-21.4
				1	5	22.5	17.0	38.5	-21.5
				3	0	22.6	17.1	38.5	-21.3
				3	1	22.7	17.2	38.5	-21.3
	20525	836.5	QPSK	3	3	22.7	17.2	38.5	-21.3
				6	0	22.7	17.2	38.5	-21.3
				1	0	22.4	16.9	38.5	-21.5
				1	3	22.5	17.0	38.5	-21.5
				1	5	22.4	16.9	38.5	-21.5
				3	0	22.4	16.9	38.5	-21.5
			16QAM	3	1	22.5	17.0	38.5	-21.5
				3	3	22.4	16.9	38.5	-21.5
				6	0	22.4	16.9	38.5	-21.5
				1	0	22.8	17.3	38.5	-21.2
				1	3	22.8	17.3	38.5	-21.1
				1	5	22.8	17.3	38.5	-21.2
	20643	848.3	QPSK	3	0	22.6	17.1	38.5	-21.3
				3	1	22.6	17.1	38.5	-21.3
				3	3	22.6	17.1	38.5	-21.3
				6	0	22.3	16.8	38.5	-21.6
				1	0	22.1	16.6	38.5	-21.9
				1	3	22.1	16.6	38.5	-21.9
			16QAM	1	5	22.1	16.6	38.5	-21.9
				3	0	22.1	16.6	38.5	-21.9
				3	1	22.1	16.6	38.5	-21.9
				3	3	22.1	16.6	38.5	-21.9
				6	0	22.1	16.6	38.5	-21.9
				1	0	22.2	16.7	38.5	-21.8
16QAM	1	3	22.3	16.8	38.5	-21.7			
	1	5	22.2	16.7	38.5	-21.8			
	3	0	22.1	16.6	38.5	-21.9			
	3	1	22.2	16.7	38.5	-21.8			
	3	3	22.2	16.7	38.5	-21.8			
	6	0	22.2	16.7	38.5	-21.8			

Antenna gain (dBi)		-3.00							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	26705	825.5	QPSK	1	0	22.5	17.0	38.5	-21.5
				1	8	22.6	17.1	38.5	-21.4
				1	14	22.4	16.9	38.5	-21.6
				8	0	22.5	17.0	38.5	-21.5
				8	4	22.5	17.0	38.5	-21.5
				8	7	22.5	17.0	38.5	-21.5
			15	0	22.5	17.0	38.5	-21.5	
			16QAM	1	0	22.6	17.1	38.5	-21.4
				1	8	22.6	17.1	38.5	-21.4
				1	14	22.5	17.0	38.5	-21.5
				8	0	22.6	17.1	38.5	-21.4
				8	4	22.6	17.1	38.5	-21.4
	8	7		22.6	17.1	38.5	-21.4		
	26865	836.5	QPSK	1	0	22.4	16.9	38.5	-21.6
				1	8	22.6	17.1	38.5	-21.4
				1	14	22.4	16.9	38.5	-21.6
				8	0	22.5	17.0	38.5	-21.5
				8	4	22.5	17.0	38.5	-21.5
				8	7	22.5	17.0	38.5	-21.5
			15	0	22.5	17.0	38.5	-21.5	
			16QAM	1	0	22.8	17.3	38.5	-21.2
				1	8	23.0	17.5	38.5	-21.0
				1	14	22.8	17.3	38.5	-21.2
				8	0	22.6	17.1	38.5	-21.4
				8	4	22.6	17.1	38.5	-21.4
	8	7		22.6	17.1	38.5	-21.4		
	27025	847.5	QPSK	1	0	22.2	16.7	38.5	-21.8
				1	8	22.2	16.7	38.5	-21.8
				1	14	22.1	16.6	38.5	-21.9
				8	0	22.2	16.7	38.5	-21.8
				8	4	22.2	16.7	38.5	-21.8
				8	7	22.2	16.7	38.5	-21.8
			15	0	22.2	16.7	38.5	-21.8	
			16QAM	1	0	22.2	16.7	38.5	-21.8
				1	8	22.2	16.7	38.5	-21.8
				1	14	22.0	16.5	38.5	-22.0
8				0	22.4	16.9	38.5	-21.6	
8				4	22.3	16.8	38.5	-21.7	
8	7	22.4		16.9	38.5	-21.6			
15	0	22.3	16.8	38.5	-21.7				

Antenna gain (dBi)		-3.00							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	26715	826.5	QPSK	1	0	22.6	17.1	38.5	-21.4
				1	12	22.5	17.0	38.5	-21.5
				1	24	22.5	17.0	38.5	-21.5
				12	0	22.5	17.0	38.5	-21.5
				12	7	22.5	17.0	38.5	-21.5
				12	13	22.5	17.0	38.5	-21.5
			25	0	22.5	17.0	38.5	-21.5	
			16QAM	1	0	22.7	17.2	38.5	-21.3
				1	12	22.6	17.1	38.5	-21.4
				1	24	22.6	17.1	38.5	-21.4
				12	0	22.6	17.1	38.5	-21.4
				12	7	22.6	17.1	38.5	-21.4
	12	13		22.6	17.1	38.5	-21.4		
	26865	836.5	QPSK	1	0	22.4	16.9	38.5	-21.6
				1	12	22.4	16.9	38.5	-21.6
				1	24	22.4	16.9	38.5	-21.6
				12	0	22.4	16.9	38.5	-21.6
				12	7	22.5	17.0	38.5	-21.5
				12	13	22.5	17.0	38.5	-21.5
			25	0	22.5	17.0	38.5	-21.5	
			16QAM	1	0	23.0	17.5	38.5	-21.0
				1	12	23.0	17.5	38.5	-21.0
				1	24	23.0	17.5	38.5	-21.0
				12	0	22.5	17.0	38.5	-21.5
				12	7	22.6	17.1	38.5	-21.4
	12	13		22.6	17.1	38.5	-21.4		
	27015	846.5	QPSK	1	0	22.4	16.9	38.5	-21.6
				1	12	22.2	16.7	38.5	-21.8
				1	24	22.2	16.7	38.5	-21.8
				12	0	22.2	16.7	38.5	-21.8
				12	7	22.2	16.7	38.5	-21.8
				12	13	22.2	16.7	38.5	-21.8
			25	0	22.2	16.7	38.5	-21.8	
			16QAM	1	0	22.4	16.9	38.5	-21.6
				1	12	22.4	16.9	38.5	-21.6
				1	24	22.3	16.8	38.5	-21.7
12				0	22.3	16.8	38.5	-21.7	
12				7	22.3	16.8	38.5	-21.7	
12	13	22.3		16.8	38.5	-21.7			
25	0	22.2	16.7	38.5	-21.8				

Antenna gain (dBi)		-3.00							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	26725	829.0	QPSK	1	0	22.4	16.9	38.5	-21.6
				1	12	22.3	16.8	38.5	-21.7
				1	24	22.3	16.8	38.5	-21.7
				12	0	22.4	16.9	38.5	-21.6
				12	7	22.4	16.9	38.5	-21.6
				12	13	22.3	16.8	38.5	-21.7
			16QAM	25	0	22.4	16.9	38.5	-21.6
				1	0	22.5	17.0	38.5	-21.5
				1	12	22.4	16.9	38.5	-21.6
				1	24	22.4	16.9	38.5	-21.6
				12	0	22.5	17.0	38.5	-21.5
				12	7	22.5	17.0	38.5	-21.5
	26865	836.5	QPSK	12	13	22.4	16.9	38.5	-21.6
				25	0	22.4	16.9	38.5	-21.6
				1	0	22.6	17.1	38.5	-21.4
				1	12	22.5	17.0	38.5	-21.5
				1	24	22.4	16.9	38.5	-21.6
				12	0	22.5	17.0	38.5	-21.5
			16QAM	12	7	22.5	17.0	38.5	-21.5
				12	13	22.4	16.9	38.5	-21.6
				25	0	22.5	17.0	38.5	-21.5
				1	0	22.9	17.4	38.5	-21.1
				1	12	22.8	17.3	38.5	-21.2
				1	24	22.7	17.2	38.5	-21.3
	27005	844.0	QPSK	12	0	22.6	17.0	38.5	-21.5
				12	7	22.5	17.0	38.5	-21.5
				12	13	22.4	16.9	38.5	-21.6
				25	0	22.5	17.0	38.5	-21.5
				1	0	22.3	16.8	38.5	-21.7
				1	12	22.2	16.7	38.5	-21.8
			16QAM	1	24	22.1	16.6	38.5	-21.9
				12	0	22.3	16.8	38.5	-21.7
				12	7	22.3	16.8	38.5	-21.7
				12	13	22.2	16.7	38.5	-21.8
				25	0	22.3	16.8	38.5	-21.7
				1	0	22.3	16.8	38.5	-21.7
16QAM	1	12	22.1	16.6	38.5	-21.9			
	1	24	22.0	16.5	38.5	-22.0			
	12	0	22.4	16.9	38.5	-21.6			
	12	7	22.3	16.8	38.5	-21.7			
	12	13	22.2	16.7	38.5	-21.8			
	25	0	22.3	16.8	38.5	-21.7			

LTE Band 7

Antenna gain (dBi)		-4.40							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	20775	2052.5	QPSK	1	0	24.2	19.8	33.0	-13.2
				1	12	24.3	19.9	33.0	-13.1
				1	24	24.3	19.9	33.0	-13.1
				12	0	23.2	18.8	33.0	-14.2
				12	7	23.3	18.9	33.0	-14.1
				12	13	23.3	18.9	33.0	-14.1
			16QAM	25	0	23.3	18.9	33.0	-14.1
				1	0	23.3	18.9	33.0	-14.1
				1	12	23.4	19.0	33.0	-14.0
				1	24	23.3	18.9	33.0	-14.1
				12	0	22.2	17.8	33.0	-15.2
				12	7	22.4	18.0	33.0	-15.0
				12	13	22.3	17.9	33.0	-15.1
				25	0	22.3	17.9	33.0	-15.2
				21100	QPSK	2535.0	1	0	24.3
	1	12	24.4				20.0	33.0	-13.0
	1	24	24.4				20.0	33.0	-13.0
	12	0	23.5				19.1	33.0	-13.9
	12	7	23.5				19.1	33.0	-14.0
	12	13	23.4				19.0	33.0	-14.0
	16QAM	25	0		23.4		19.0	33.0	-14.0
		1	0		23.9		19.5	33.0	-13.5
		1	2		23.9		19.5	33.0	-13.5
		1	5		23.9		19.5	33.0	-13.5
		3	0		22.6		18.2	33.0	-14.8
		3	1		22.6		18.2	33.0	-14.8
		3	2		22.6		18.2	33.0	-14.8
		6	0		22.5		18.1	33.0	-14.9
		21425	QPSK		2567.5		1	0	24.3
	1			12		23.8	19.4	33.0	-13.6
	1			24		23.4	19.0	33.0	-14.0
	12			0		23.1	18.7	33.0	-14.3
	12			7		22.9	18.5	33.0	-14.5
	12			13		22.7	18.3	33.0	-14.7
	16QAM		25	0		22.9	18.5	33.0	-14.5
			1	0		23.4	19.0	33.0	-14.0
			1	12		22.9	18.5	33.0	-14.5
			1	24		22.6	18.2	33.0	-14.9
			12	0		22.3	17.9	33.0	-15.1
			12	7		22.1	17.7	33.0	-15.3
			12	13		21.9	17.5	33.0	-15.5
			25	0		22.0	17.6	33.0	-15.4

Antenna gain (dBi)		-4.40							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	20880	2505.0	QPSK	1	0	23.5	19.1	33.0	-13.9
				1	25	23.5	19.1	33.0	-13.9
				1	49	23.4	19.0	33.0	-14.0
				25	0	23.4	19.0	33.0	-14.1
				25	12	23.3	18.9	33.0	-14.1
				25	25	23.2	18.8	33.0	-14.2
				50	0	23.3	18.9	33.0	-14.1
			16QAM	1	0	23.7	19.3	33.0	-13.8
				1	25	23.6	19.2	33.0	-13.8
				1	49	23.2	18.8	33.0	-14.2
				25	0	22.4	18.0	33.0	-15.0
				25	12	22.4	18.0	33.0	-15.0
				25	25	22.2	17.8	33.0	-15.2
				50	0	22.3	17.9	33.0	-15.1
	21100	2535.0	QPSK	1	0	23.5	19.1	33.0	-13.9
				1	25	23.5	19.1	33.0	-13.9
				1	49	23.5	19.1	33.0	-13.9
				25	0	23.5	19.1	33.0	-13.9
				25	12	23.6	19.2	33.0	-13.8
				25	25	23.5	19.1	33.0	-13.9
				50	0	23.6	19.2	33.0	-13.8
			16QAM	1	0	23.5	19.1	33.0	-13.9
				1	25	23.5	19.1	33.0	-13.9
				1	49	23.4	19.0	33.0	-14.0
				25	0	22.6	18.2	33.0	-14.8
				25	12	22.6	18.2	33.0	-14.8
				25	25	22.6	18.2	33.0	-14.8
				50	0	22.6	18.2	33.0	-14.8
	21400	2565.0	QPSK	1	0	23.6	19.2	33.0	-13.8
				1	25	23.4	19.0	33.0	-14.0
				1	49	23.3	18.9	33.0	-14.1
				25	0	23.4	19.0	33.0	-14.0
				25	12	23.4	19.0	33.0	-14.0
				25	25	22.9	18.5	33.0	-14.5
				50	0	23.4	19.0	33.0	-14.1
			16QAM	1	0	23.5	19.1	33.0	-13.9
1				25	23.3	18.9	33.0	-14.1	
1				49	22.4	18.0	33.0	-15.1	
25				0	22.5	18.1	33.0	-14.9	
25				12	22.5	18.1	33.0	-14.9	
25				25	22.1	17.7	33.0	-15.3	
50				0	22.4	18.0	33.0	-15.0	

Antenna gain (dBi)		-4.40							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	20825	2507.5	QPSK	1	0	23.6	19.2	33.0	-13.8
				1	37	23.4	19.0	33.0	-14.0
				1	74	23.3	18.9	33.0	-14.1
				36	0	23.4	19.0	33.0	-14.0
				36	20	23.3	18.9	33.0	-14.1
				36	39	23.0	18.6	33.0	-14.4
			16QAM	75	0	23.3	18.9	33.0	-14.1
				1	0	23.8	19.4	33.0	-13.6
				1	37	23.4	19.0	33.0	-14.0
				1	74	23.3	18.9	33.0	-14.1
				36	0	22.4	18.0	33.0	-15.0
				36	20	22.2	17.8	33.0	-15.2
	21100	2535.0	QPSK	36	39	22.0	17.6	33.0	-15.4
				75	0	22.3	17.9	33.0	-15.2
				1	0	23.6	19.2	33.0	-13.8
				1	37	23.5	19.1	33.0	-13.9
				1	74	23.5	19.1	33.0	-13.9
				36	0	23.5	19.1	33.0	-13.9
			16QAM	36	20	23.6	19.2	33.0	-13.8
				36	39	23.6	19.2	33.0	-13.9
				75	0	23.6	19.2	33.0	-13.8
				1	0	24.0	19.6	33.0	-13.4
				1	37	23.9	19.5	33.0	-13.5
				1	74	23.8	19.4	33.0	-13.6
	21375	2562.5	QPSK	36	0	22.6	18.2	33.0	-14.8
				36	20	22.6	18.2	33.0	-14.8
				36	39	22.6	18.2	33.0	-14.8
				75	0	22.6	18.2	33.0	-14.8
				1	0	23.8	19.4	33.0	-13.6
				1	37	23.6	19.2	33.0	-13.8
			16QAM	1	74	23.3	18.9	33.0	-14.1
				36	0	23.6	19.2	33.0	-13.8
				36	20	23.6	19.2	33.0	-13.8
				36	39	23.3	18.9	33.0	-14.1
				75	0	23.6	19.2	33.0	-13.8
				1	0	23.8	19.4	33.0	-13.6
			16QAM	1	37	23.5	19.1	33.0	-13.9
				1	74	22.2	17.8	33.0	-15.2
				36	0	22.6	18.2	33.0	-14.8
				36	20	22.6	18.2	33.0	-14.8
				36	39	22.3	17.9	33.0	-15.1
				75	0	22.6	18.2	33.0	-14.8

Antenna gain (dBi)		-4.40										
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)			
20.0	20850	2510.0	QPSK	1	0	24.6	20.2	33.0	-12.8			
				1	49	23.8	19.4	33.0	-13.6			
				1	99	24.2	19.8	33.0	-13.2			
				50	0	23.5	19.1	33.0	-13.9			
				50	24	23.1	18.7	33.0	-14.3			
				50	50	23.2	18.8	33.0	-14.2			
			16QAM	100	0	23.4	19.0	33.0	-14.0			
				1	0	24.0	19.6	33.0	-13.4			
				1	49	23.2	18.8	33.0	-14.2			
				1	99	23.7	19.3	33.0	-13.7			
				50	0	22.5	18.1	33.0	-14.9			
				50	24	22.1	17.7	33.0	-15.3			
	21100	2535.0	QPSK	50	50	22.2	17.8	33.0	-15.2			
				100	0	22.4	18.0	33.0	-15.0			
				16QAM	1	0	24.6	20.2	33.0	-12.8		
					1	49	24.5	20.1	33.0	-12.9		
					1	99	24.4	20.0	33.0	-13.0		
					50	0	23.6	19.2	33.0	-13.8		
			50		24	23.6	19.2	33.0	-13.8			
			50		50	23.5	19.1	33.0	-13.9			
			21350	2560.0	QPSK	100	0	23.5	19.1	33.0	-13.9	
						16QAM	1	0	24.0	19.6	33.0	-13.4
							1	49	24.0	19.6	33.0	-13.4
							1	99	24.0	19.6	33.0	-13.4
	50	0					22.6	18.2	33.0	-14.8		
	50	24					22.6	18.2	33.0	-14.8		
	50	50			22.5		18.1	33.0	-14.9			
	21350	2560.0			QPSK	100	0	22.5	18.1	33.0	-14.9	
						16QAM	1	0	23.4	19.0	33.0	-14.0
							1	49	24.4	20.0	33.0	-13.0
							1	99	24.3	19.9	33.0	-13.1
							50	0	23.5	19.1	33.0	-14.0
			50	24			23.5	19.1	33.0	-13.9		
			50	50	23.4		19.0	33.0	-14.0			
			16QAM	100	0	23.4	19.0	33.0	-14.0			
				1	0	24.0	19.6	33.0	-13.4			
1				49	23.9	19.5	33.0	-13.5				
1				99	24.0	19.6	33.0	-13.4				
50				0	22.6	18.2	33.0	-14.8				
50	24	22.6		18.2	33.0	-14.8						
50	50	22.5	18.1	33.0	-14.9							
100	0	22.5	18.1	33.0	-14.9							

LTE Band 12

Antenna gain (dBi)		-6.30							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	23017	699.7	QPSK	1	0	24.4	15.6	34.7	-19.1
				1	3	24.5	15.7	34.7	-19.0
				1	5	24.4	15.6	34.7	-19.1
				3	0	24.4	15.6	34.7	-19.1
				3	1	24.5	15.7	34.7	-19.0
				3	3	24.5	15.7	34.7	-19.0
			16QAM	6	0	23.4	14.6	34.7	-20.1
				1	0	23.5	14.7	34.7	-20.0
				1	3	23.5	14.7	34.7	-20.0
				1	5	23.5	14.7	34.7	-20.0
				3	0	23.6	14.8	34.7	-19.9
				3	1	23.7	14.9	34.7	-19.8
	23095	707.5	QPSK	3	3	23.7	14.9	34.7	-19.8
				6	0	22.6	13.8	34.7	-20.9
				1	0	24.4	15.6	34.7	-19.1
				1	3	24.5	15.7	34.7	-19.0
				1	5	24.4	15.6	34.7	-19.1
				3	0	24.4	15.6	34.7	-19.1
			16QAM	3	1	24.5	15.7	34.7	-19.0
				3	3	24.5	15.7	34.7	-19.0
				6	0	23.4	14.6	34.7	-20.1
				1	0	23.8	15.0	34.7	-19.7
				1	3	23.8	15.0	34.7	-19.7
				1	5	23.8	15.0	34.7	-19.7
	23173	715.3	QPSK	3	0	23.6	14.8	34.7	-19.9
				3	1	23.7	14.9	34.7	-19.8
				3	3	23.6	14.8	34.7	-19.9
				6	0	22.3	13.5	34.7	-21.2
				1	0	24.4	15.6	34.7	-19.1
				1	3	24.4	15.6	34.7	-19.1
			16QAM	1	5	24.4	15.6	34.7	-19.1
				3	0	24.4	15.6	34.7	-19.1
				3	1	24.4	15.6	34.7	-19.1
				3	3	24.3	15.5	34.7	-19.2
				6	0	23.4	14.6	34.7	-20.1
				1	0	23.5	14.7	34.7	-20.0
16QAM	1	3	23.5	14.7	34.7	-20.0			
	1	5	23.4	14.6	34.7	-20.1			
	3	0	23.5	14.7	34.7	-20.0			
	3	1	23.5	14.7	34.7	-20.0			
	3	3	23.5	14.7	34.7	-20.0			
	6	0	22.5	13.7	34.7	-21.0			

Antenna gain (dBi)		-6.30							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3.0	23025	700.5	QPSK	1	0	24.5	15.7	34.7	-19.0
				1	8	24.5	15.7	34.7	-19.0
				1	14	24.4	15.6	34.7	-19.1
				8	0	23.5	14.7	34.7	-20.0
				8	4	23.5	14.7	34.7	-20.0
				8	7	23.5	14.7	34.7	-20.0
			15	0	23.4	14.6	34.7	-20.1	
			16QAM	1	0	23.6	14.8	34.7	-19.9
				1	8	23.6	14.8	34.7	-19.9
				1	14	23.5	14.7	34.7	-20.0
				8	0	22.5	13.7	34.7	-21.0
				8	4	22.5	13.7	34.7	-21.0
	8	7		22.5	13.7	34.7	-21.0		
	23095	707.5	QPSK	1	0	24.4	15.6	34.7	-19.1
				1	8	24.6	15.8	34.7	-18.9
				1	14	24.5	15.7	34.7	-19.0
				8	0	23.4	14.6	34.7	-20.1
				8	4	23.5	14.7	34.7	-20.0
				8	7	23.4	14.6	34.7	-20.1
			15	0	23.4	14.6	34.7	-20.1	
			16QAM	1	0	23.8	15.0	34.7	-19.7
				1	8	23.9	15.1	34.7	-19.6
				1	14	23.8	15.0	34.7	-19.7
				8	0	22.6	13.8	34.7	-20.9
				8	4	22.6	13.8	34.7	-20.9
	8	7		22.5	13.7	34.7	-21.0		
	23165	714.5	QPSK	1	0	24.4	15.6	34.7	-19.1
				1	8	24.5	15.7	34.7	-19.0
				1	14	24.4	15.6	34.7	-19.1
				8	0	23.5	14.7	34.7	-20.0
8				4	23.5	14.7	34.7	-20.0	
8				7	23.5	14.7	34.7	-20.0	
15			0	23.5	14.7	34.7	-20.0		
16QAM			1	0	23.4	14.6	34.7	-20.1	
			1	8	23.4	14.6	34.7	-20.1	
			1	14	23.2	14.4	34.7	-20.3	
			8	0	22.6	13.8	34.7	-20.9	
			8	4	22.6	13.8	34.7	-20.9	
	8	7	22.6	13.8	34.7	-20.9			
15	0	22.5	13.7	34.7	-21.0				

Antenna gain (dBi)		-6.30							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	23035	701.5	QPSK	1	0	24.1	15.3	34.7	-19.4
				1	12	24.0	15.2	34.7	-19.5
				1	24	24.0	15.2	34.7	-19.5
				12	0	23.4	14.6	34.7	-20.1
				12	7	23.5	14.7	34.7	-20.0
				12	13	23.4	14.6	34.7	-20.1
			25	0	23.5	14.7	34.7	-20.0	
			16QAM	1	0	23.7	14.9	34.7	-19.8
				1	12	23.6	14.8	34.7	-19.9
				1	24	23.6	14.8	34.7	-19.9
				12	0	22.5	13.7	34.7	-21.0
				12	7	22.5	13.7	34.7	-21.0
	12	13		22.5	13.7	34.7	-21.0		
	23095	707.5	QPSK	1	0	23.9	15.1	34.7	-19.6
				1	12	23.9	15.1	34.7	-19.6
				1	24	23.9	15.1	34.7	-19.6
				12	0	23.5	14.7	34.7	-20.0
				12	7	23.5	14.7	34.7	-20.0
				12	13	23.5	14.7	34.7	-20.0
			25	0	23.5	14.7	34.7	-20.0	
			16QAM	1	0	23.6	14.8	34.7	-19.9
				1	12	23.6	14.8	34.7	-19.9
				1	24	23.5	14.7	34.7	-20.0
				12	0	22.6	13.8	34.7	-20.9
				12	7	22.5	13.7	34.7	-21.0
	12	13		22.5	13.7	34.7	-21.0		
	23155	713.5	QPSK	1	0	23.9	15.1	34.7	-19.6
				1	12	23.8	15.0	34.7	-19.7
				1	24	23.8	15.0	34.7	-19.7
				12	0	23.5	14.7	34.7	-20.0
				12	7	23.5	14.7	34.7	-20.0
				12	13	23.4	14.6	34.7	-20.1
			25	0	23.5	14.7	34.7	-20.0	
			16QAM	1	0	24.0	15.2	34.7	-19.5
				1	12	24.0	15.2	34.7	-19.5
				1	24	23.9	15.1	34.7	-19.6
12				0	22.6	13.8	34.7	-20.9	
12				7	22.6	13.8	34.7	-20.9	
12	13	22.6		13.8	34.7	-20.9			
25	0	22.5	13.7	34.7	-21.0				

Antenna gain (dBi)		-6.30							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	23060	704.0	QPSK	1	0	24.5	15.7	34.7	-19.0
				1	12	24.3	15.5	34.7	-19.2
				1	24	24.3	15.5	34.7	-19.2
				12	0	23.4	14.6	34.7	-20.1
				12	7	23.3	14.5	34.7	-20.2
				12	13	23.3	14.5	34.7	-20.2
			16QAM	25	0	23.4	14.6	34.7	-20.1
				1	0	23.6	14.8	34.7	-19.9
				1	12	23.3	14.5	34.7	-20.2
				1	24	23.3	14.5	34.7	-20.2
				12	0	22.5	13.7	34.7	-21.0
				12	7	22.4	13.6	34.7	-21.1
	23095	707.5	QPSK	12	13	22.3	13.5	34.7	-21.2
				25	0	22.5	13.7	34.7	-21.0
				1	0	24.6	15.8	34.7	-18.9
				1	12	24.5	15.7	34.7	-19.0
				1	24	24.4	15.6	34.7	-19.1
				12	0	23.4	14.6	34.7	-20.1
			16QAM	12	7	23.5	14.7	34.7	-20.0
				12	13	23.4	14.6	34.7	-20.1
				25	0	23.5	14.7	34.7	-20.0
				1	0	23.9	15.1	34.7	-19.6
				1	12	23.8	15.0	34.7	-19.7
				1	24	23.7	14.9	34.7	-19.8
	23130	711.0	QPSK	12	0	22.5	13.7	34.7	-21.0
				12	7	22.5	13.7	34.7	-21.0
				12	13	22.4	13.6	34.7	-21.1
				25	0	22.5	13.7	34.7	-21.0
				1	0	24.6	15.8	34.7	-18.9
				1	12	24.5	15.7	34.7	-19.0
			16QAM	1	24	24.4	15.6	34.7	-19.1
				12	0	23.6	14.8	34.7	-19.9
				12	7	23.5	14.7	34.7	-20.0
				12	13	23.5	14.7	34.7	-20.0
				25	0	23.5	14.7	34.7	-20.0
				1	0	23.5	14.7	34.7	-20.0
16QAM	1	12	23.4	14.6	34.7	-20.1			
	1	24	23.3	14.5	34.7	-20.2			
	12	0	22.6	13.8	34.7	-20.9			
	12	7	22.6	13.8	34.7	-20.9			
	12	13	22.5	13.7	34.7	-21.0			
	25	0	22.5	13.7	34.7	-21.0			

LTE Band 13

Antenna gain (dBi)		-2.60							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5.0	23230	782.0	QPSK	1	0	23.6	18.5	34.7	-16.2
				1	12	23.5	18.4	34.7	-16.3
				1	24	23.5	18.4	34.7	-16.3
				12	0	22.5	17.4	34.7	-17.3
				12	7	22.5	17.4	34.7	-17.3
				12	13	22.5	17.4	34.7	-17.3
			16QAM	25	0	22.4	17.3	34.7	-17.4
				1	0	22.6	17.5	34.7	-17.2
				1	12	22.5	17.4	34.7	-17.3
				1	24	22.6	17.5	34.7	-17.2
				12	0	21.5	16.4	34.7	-18.3
				12	7	21.5	16.4	34.7	-18.3
				12	13	21.6	16.5	34.7	-18.2
				25	0	21.4	16.3	34.7	-18.4

Antenna gain (dBi)		-2.60							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	23230	782.0	QPSK	1	0	23.5	18.4	34.7	-16.3
				1	25	23.4	18.3	34.7	-16.4
				1	49	23.5	18.4	34.7	-16.3
				25	0	22.5	17.4	34.7	-17.3
				25	12	22.5	17.4	34.7	-17.3
				25	25	22.5	17.4	34.7	-17.3
				50	0	22.4	17.3	34.7	-17.4
			16QAM	1	0	22.5	17.4	34.7	-17.3
				1	25	22.4	17.3	34.7	-17.4
				1	49	22.4	17.3	34.7	-17.4
				25	0	21.5	16.4	34.7	-18.3
				25	12	21.5	16.4	34.7	-18.3
				25	25	21.5	16.4	34.7	-18.3
				50	0	21.4	16.3	34.7	-18.4

LTE Band 41

Antenna gain (dBi)		-3.60									
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)		
5.0	39675	2498.5	QPSK	1	0	24.3	20.7	33.0	-12.3		
				1	12	24.3	20.7	33.0	-12.3		
				1	24	24.2	20.6	33.0	-12.4		
				12	0	23.3	19.7	33.0	-13.3		
				12	7	23.4	19.8	33.0	-13.3		
				12	13	23.3	19.7	33.0	-13.3		
			25	0	23.3	19.7	33.0	-13.3			
			16QAM	1	0	23.3	19.7	33.0	-13.3		
				1	12	23.3	19.7	33.0	-13.4		
				1	24	23.2	19.6	33.0	-13.4		
				12	0	22.3	18.7	33.0	-14.3		
				12	7	22.4	18.8	33.0	-14.2		
				12	13	22.3	18.7	33.0	-14.3		
			25	0	22.3	18.7	33.0	-14.3			
			40620	2593.0	QPSK	1	0	24.7	21.1	33.0	-11.9
						1	12	24.7	21.1	33.0	-11.9
						1	24	24.6	21.0	33.0	-12.0
						12	0	23.8	20.2	33.0	-12.8
	12	7				23.8	20.2	33.0	-12.8		
	12	13				23.8	20.2	33.0	-12.9		
	25	0			23.8	20.2	33.0	-12.9			
	16QAM	1			0	23.7	20.1	33.0	-12.9		
		1			2	23.7	20.1	33.0	-12.9		
		1			5	23.6	20.0	33.0	-13.0		
		3			0	22.8	19.2	33.0	-13.8		
		3			1	22.8	19.2	33.0	-13.8		
		3			2	22.8	19.2	33.0	-13.8		
	6	0			22.8	19.2	33.0	-13.9			
	41565	2687.5			QPSK	1	0	24.6	21.0	33.0	-12.0
						1	12	24.6	21.0	33.0	-12.0
						1	24	24.6	21.0	33.0	-12.0
						12	0	23.7	20.1	33.0	-12.9
			12	7		23.7	20.1	33.0	-13.0		
			12	13		23.6	20.0	33.0	-13.0		
			25	0	23.6	20.0	33.0	-13.0			
			16QAM	1	0	23.7	20.1	33.0	-12.9		
				1	12	23.7	20.1	33.0	-12.9		
				1	24	23.7	20.1	33.0	-12.9		
				12	0	22.7	19.1	33.0	-13.9		
				12	7	22.7	19.1	33.0	-13.9		
				12	13	22.7	19.1	33.0	-13.9		
			25	0	22.6	19.0	33.0	-14.0			

Antenna gain (dBi)		-3.60							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10.0	39700	2501.0	QPSK	1	0	23.4	19.8	33.0	-13.2
				1	25	23.3	19.7	33.0	-13.3
				1	49	23.3	19.7	33.0	-13.3
				25	0	23.4	19.8	33.0	-13.2
				25	12	23.4	19.8	33.0	-13.2
				25	25	23.3	19.7	33.0	-13.3
				50	0	23.3	19.7	33.0	-13.3
			16QAM	1	0	23.5	19.9	33.0	-13.1
				1	25	23.5	19.9	33.0	-13.1
				1	49	23.4	19.8	33.0	-13.2
				25	0	22.4	18.8	33.0	-14.2
				25	12	22.4	18.8	33.0	-14.2
				25	25	22.3	18.7	33.0	-14.3
				50	0	22.4	18.8	33.0	-14.2
	40620	QPSK	2593.0	1	0	24.0	20.4	33.0	-12.7
				1	25	23.9	20.3	33.0	-12.7
				1	49	23.8	20.2	33.0	-12.8
				25	0	23.8	20.2	33.0	-12.8
				25	12	23.8	20.2	33.0	-12.8
				25	25	23.7	20.1	33.0	-12.9
				50	0	23.8	20.2	33.0	-12.8
		16QAM		1	0	23.8	20.2	33.0	-12.8
				1	25	23.8	20.2	33.0	-12.9
				1	49	23.7	20.1	33.0	-12.9
				25	0	22.8	19.2	33.0	-13.8
				25	12	22.8	19.2	33.0	-13.8
				25	25	22.8	19.2	33.0	-13.8
				50	0	22.8	19.2	33.0	-13.8
	41540	QPSK	2685.0	1	0	24.0	20.4	33.0	-12.6
				1	25	23.9	20.3	33.0	-12.8
1				49	23.8	20.2	33.0	-12.8	
25				0	23.7	20.1	33.0	-12.9	
25				12	23.7	20.1	33.0	-12.9	
25				25	23.6	20.0	33.0	-13.0	
50				0	23.6	20.0	33.0	-13.0	
16QAM		1		0	23.7	20.1	33.0	-12.9	
		1		25	23.5	19.9	33.0	-13.1	
		1		49	23.5	19.9	33.0	-13.1	
		25		0	22.7	19.1	33.0	-13.9	
		25		12	22.6	19.0	33.0	-14.0	
		25		25	22.6	19.0	33.0	-14.0	
		50		0	22.6	19.0	33.0	-14.0	

Antenna gain (dBi)		-3.60							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15.0	39725	2503.5	QPSK	1	0	23.7	20.1	33.0	-12.9
				1	37	23.5	19.9	33.0	-13.1
				1	74	23.4	19.8	33.0	-13.2
				36	0	23.4	19.8	33.0	-13.2
				36	20	23.5	19.9	33.0	-13.2
				36	39	23.4	19.8	33.0	-13.2
			16QAM	75	0	23.4	19.8	33.0	-13.2
				1	0	23.4	19.8	33.0	-13.2
				1	37	23.3	19.7	33.0	-13.3
				1	74	23.2	19.6	33.0	-13.4
				36	0	22.5	18.9	33.0	-14.2
				36	20	22.5	18.9	33.0	-14.1
	40620	2593.0	QPSK	36	39	22.4	18.8	33.0	-14.2
				75	0	22.4	18.8	33.0	-14.2
				1	0	24.1	20.5	33.0	-12.5
				1	37	23.8	20.2	33.0	-12.8
				1	74	23.8	20.2	33.0	-12.8
				36	0	23.8	20.2	33.0	-12.8
			16QAM	36	20	23.8	20.2	33.0	-12.8
				36	39	23.7	20.1	33.0	-12.9
				75	0	23.8	20.2	33.0	-12.8
				1	0	23.7	20.1	33.0	-12.9
				1	37	23.5	19.9	33.0	-13.1
				1	74	23.5	19.9	33.0	-13.1
	41515	2682.5	QPSK	36	0	22.8	19.2	33.0	-13.8
				36	20	22.8	19.2	33.0	-13.8
				36	39	22.7	19.1	33.0	-13.9
				75	0	22.8	19.2	33.0	-13.9
				1	0	24.1	20.5	33.0	-12.5
				1	37	23.8	20.2	33.0	-12.8
			16QAM	1	74	23.7	20.1	33.0	-12.9
				36	0	23.7	20.1	33.0	-13.0
				36	20	23.7	20.1	33.0	-13.0
				36	39	23.6	20.0	33.0	-13.0
				75	0	23.6	20.0	33.0	-13.0
				1	0	23.7	20.1	33.0	-13.0
16QAM	1	37	23.4	19.8	33.0	-13.2			
	1	74	23.3	19.7	33.0	-13.3			
	36	0	22.7	19.1	33.0	-13.9			
	36	20	22.6	19.0	33.0	-14.0			
	36	39	22.6	19.0	33.0	-14.0			
	75	0	22.6	19.0	33.0	-14.0			

Antenna gain (dBi)		-3.60							
Bandwidth	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20.0	39750	2506.0	QPSK	1	0	24.6	24.8	33.0	-8.2
				1	49	24.4	24.5	33.0	-8.5
				1	99	24.3	24.4	33.0	-8.6
				50	0	23.4	23.7	33.0	-9.3
				50	24	23.4	23.5	33.0	-9.5
				50	50	23.3	23.4	33.0	-9.6
			100	0	23.4	23.5	33.0	-9.5	
			16QAM	1	0	23.2	23.7	33.0	-9.3
				1	49	23.0	23.4	33.0	-9.6
				1	99	22.9	23.4	33.0	-9.6
				50	0	22.4	22.6	33.0	-10.4
				50	24	22.4	22.5	33.0	-10.5
	50	50		22.3	22.4	33.0	-10.6		
	100	0	22.4	22.5	33.0	-10.5			
	40620	2593.0	QPSK	1	0	25.0	25.0	33.0	-8.0
				1	49	24.8	24.9	33.0	-8.1
				1	99	24.7	24.8	33.0	-8.2
				50	0	23.9	24.0	33.0	-9.0
				50	24	23.8	24.0	33.0	-9.0
				50	50	23.7	24.0	33.0	-9.0
			100	0	23.8	24.0	33.0	-9.0	
			16QAM	1	0	23.9	24.0	33.0	-9.0
				1	49	23.7	23.9	33.0	-9.2
				1	99	23.6	23.7	33.0	-9.3
				50	0	22.9	23.0	33.0	-10.0
				50	24	22.8	23.0	33.0	-10.0
	50	50		22.8	23.0	33.0	-10.0		
	100	0	22.8	23.0	33.0	-10.0			
	41490	2680.0	QPSK	1	0	24.8	24.7	33.0	-8.3
				1	49	24.5	24.8	33.0	-8.3
				1	99	24.4	24.6	33.0	-8.4
				50	0	23.7	23.5	33.0	-9.5
				50	24	23.6	23.6	33.0	-9.4
				50	50	23.5	23.5	33.0	-9.5
			100	0	23.7	23.1	33.0	-9.9	
			16QAM	1	0	23.7	23.7	33.0	-9.3
1				49	23.3	23.9	33.0	-9.2	
1				99	23.2	23.8	33.0	-9.2	
50				0	22.7	22.7	33.0	-10.3	
50				24	22.6	22.7	33.0	-10.3	
50	50	22.5		22.6	33.0	-10.4			
100	0	22.6	22.5	33.0	-10.5				

12. PEAK TO AVERAGE RATIO

TEST PROCEDURE


Per KDB 971168 D01 Power Meas License Digital Systems v02r02

TEST SPEC


In addition, when the transmitter power is measured in terms of average value, the peak-to-average ratio of the power shall not exceed 13 dB.

12.1. CONDUCTED PEAK TO AVERAGE RESULT


GSM




GSM850 GPRS Middle Channel



GSM850 EGPRS Middle Channel




GSM1900 GPRS Middle Channel




GSM1900 EGPRS Middle Channel


WCDMA




LTE Band 4




LTE B4 1.4MHz QPSK Middle Channel





LTE B4 1.4MHz 16QAM Middle Channel




LTE B4 3MHz QPSK Middle Channel





LTE B4 3MHz 16QAM Middle Channel






LTE Band 5







LTE Band 7




LTE B7 5MHz QPSK Middle Channel




LTE B7 5MHz 16QAM Middle Channel




LTE B7 10MHz QPSK Middle Channel




LTE B7 10MHz 16QAM Middle Channel




LTE B7 15MHz QPSK Middle Channel




LTE B7 15MHz 16QAM Middle Channel




LTE Band 12




LTE B12 1.4MHz QPSK Middle Channel




LTE B12 1.4MHz 16QAM Middle Channel




LTE B12 3MHz QPSK Middle Channel




LTE B12 3MHz 16QAM Middle Channel




LTE B12 5MHz QPSK Middle Channel



LTE B12 5MHz 16QAM Middle Channel




LTE B12 10MHz QPSK Middle Channel






LTE B12 10MHz 16QAM Middle Channel

LTE Band 13



LTE Band 41





13. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

LIMITS

For reporting purposes only

TEST PROCEDURE


The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the low, middle and high channel in each band. The -26dB bandwidth was also measured and recorded.

(KDB 971168 D01 Power Meas License Digital Systems v02r02)


13.1. OCCUPIED BANDWIDTH RESULTS AND PLOTS

GSM


Band	Mode	Channel	f (MHz)	99% BW (kHz)	-26dB (kHz)
GSM 850	GPRS	128	824.2	243.44	279.6
		190	836.6	241.10	273.1
		251	848.8	246.43	284.9
	EGPRS	128	824.2	238.97	267.2
		190	836.6	246.06	280.1
		251	848.8	241.20	273.9
GSM 1900	GPRS	512	1850.2	246.00	271.5
		661	1880	246.66	285.2
		810	1909.8	245.93	277.4
	EGPRS	512	1850.2	245.38	287.7
		661	1880	247.91	288.2
		810	1909.8	244.11	278.1




GSM850 GPRS Middle Channel



GSM850 EGPRS Middle Channel




GSM1900 GPRS Middle Channel



GSM1900 EGPRS Middle Channel

WCDMA


Band	Mode	Channel	f (MHz)	99% BW (MHz)	-26dB (MHz)
Band 5	REL99	4132	826.4	4.1162	4.534
		4183	836.6	4.1198	4.571
		4233	846.6	4.1150	4.557
	HSDPA	4132	826.4	4.1387	4.572
		4183	836.6	4.1320	4.547
		4233	846.6	4.1079	4.542




LTE Band 4

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE4	1.4	QPSK	6/0	1710.7	1.0876	1.228
			6/0	1732.5	1.0944	1.244
			6/0	1754.3	1.0832	1.230
		16QAM	6/0	1710.7	1.0901	1.233
			6/0	1732.5	1.0852	1.232
			6/0	1754.3	1.0855	1.231
	3	QPSK	15/0	1711.5	2.6965	2.987
			15/0	1732.5	2.7000	2.997
			15/0	1753.5	2.6943	2.963
		16QAM	15/0	1711.5	2.7020	3.002
			15/0	1732.5	2.7001	3.014
			15/0	1753.5	2.6955	2.998
	5	QPSK	25/0	1712.5	4.5000	4.934
			25/0	1732.5	4.4932	4.952
			25/0	1752.5	4.4983	4.931
		16QAM	25/0	1712.5	4.4952	4.944
			25/0	1732.5	4.4893	4.945
			25/0	1752.5	4.4794	4.914
	10	QPSK	50/0	1715	8.9712	9.759
			50/0	1732.5	8.9615	9.778
			50/0	1750	8.9840	9.903
16QAM		50/0	1715	8.9794	9.763	
		50/0	1732.5	8.9645	9.780	
		50/0	1750	8.9835	9.735	


Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE4	15	QPSK	75/0	1717.5	13.438	14.64
			75/0	1732.5	13.421	14.56
			75/0	1747.5	13.430	14.59
		16QAM	75/0	1717.5	13.444	14.58
			75/0	1732.5	13.420	14.69
			75/0	1747.5	13.392	14.53
	20	QPSK	100/0	1720	17.915	19.31
			100/0	1732.5	17.894	19.26
			100/0	1745	17.856	19.25
		16QAM	100/0	1720	17.910	19.41
			100/0	1732.5	17.889	19.30
			100/0	1745	17.864	19.25




LTE B4 1.4MHz QPSK Middle Channel




LTE B4 1.4MHz 16QAM Middle Channel




LTE B4 3MHz QPSK Middle Channel




LTE B4 3MHz 16QAM Middle Channel




LTE B4 5MHz QPSK Middle Channel




LTE B4 5MHz 16QAM Middle Channel




LTE B4 10MHz QPSK Middle Channel




LTE B4 10MHz 16QAM Middle Channel




LTE B4 15MHz QPSK Middle Channel



LTE B4 15MHz 16QAM Middle Channel









LTE B4 20MHz QPSK Middle Channel




LTE B4 20MHz 16QAM Middle Channel

LTE Band 5

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE5	1.4	QPSK	6/0	824.7	1.0824	1.225
			6/0	836.5	1.0843	1.223
			6/0	848.3	1.0790	1.216
		16QAM	6/0	824.7	1.0850	1.221
			6/0	836.5	1.0778	1.223
			6/0	848.3	1.0846	1.225
	3	QPSK	25/0	825.5	2.6873	2.937
			25/0	836.5	2.6858	2.939
			25/0	847.5	2.6883	2.989
		16QAM	25/0	825.5	2.6864	2.946
			25/0	836.5	2.6889	2.947
			25/0	847.5	2.6824	2.994
	5	QPSK	25/0	826.5	4.5111	4.967
			25/0	836.5	4.4913	4.924
			25/0	846.5	4.4934	4.914
		16QAM	25/0	826.5	4.5007	4.944
			25/0	836.5	4.4884	4.931
			25/0	846.5	4.4779	4.894
	10	QPSK	50/0	829	8.9616	9.824
			50/0	836.5	8.9718	9.807
			50/0	844	8.9703	9.694
		16QAM	50/0	829	8.9845	9.773
			50/0	836.5	8.9620	9.742
			50/0	844	8.9774	9.765





LTE Band 7

Band	BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE7	5	QPSK	50/0	2502.5	4.4929	4.764
			50/0	2535	4.4900	4.768
			50/0	2567.5	4.5149	4.800
		16QAM	25/0	2502.5	4.4774	4.748
			25/0	2535	4.4857	4.789
			25/0	2567.5	4.4955	4.820
	10	QPSK	1/0	2505	8.9632	9.474
			50/0	2535	8.9668	9.489
			1/0	2565	8.9531	9.520
		16QAM	50/0	2505	8.9800	9.478
			50/0	2535	8.9440	9.463
			50/0	2565	8.9761	9.491
	15	QPSK	1/0	2507.5	13.426	14.11
			75/0	2535	13.396	14.18
			1/0	2562.5	13.420	14.25
		16QAM	1/0	2507.5	13.400	14.21
			75/0	2535	13.412	14.16
			75/0	2562.5	13.415	14.17
	20	QPSK	1/0	2510	17.877	18.89
			100/0	2535	17.872	18.78
			1/0	2560	17.882	18.91
16QAM		100/0	2510	17.855	18.87	
		100/0	2535	17.895	18.85	
		100/0	2560	17.890	18.85	