



Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph



Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5861.96	37.77	15.57	53.34	68.20	14.86	PK	242	0	Horizontal
2	5895.99	37.80	15.79	53.59	68.20	14.61	PK	120	299	Horizontal
3	5915.44	38.15	15.81	53.96	68.20	14.24	PK	223	154	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5855.20	37.12	15.53	52.65	68.20	15.55	PK	189	78	Vertical
2	5892.75	37.55	15.77	53.32	68.20	14.88	PK	119	143	Vertical
3	5921.12	38.04	15.81	53.85	68.20	14.35	PK	266	172	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5854.93	37.30	15.53	52.83	68.20	15.37	PK	209	124	Horizontal
2	5879.24	38.41	15.68	54.09	68.20	14.11	PK	189	205	Horizontal
3	5922.20	37.75	15.81	53.56	68.20	14.64	PK	115	128	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5851.96	37.79	15.51	53.30	68.20	14.90	PK	231	356	Vertical
2	5872.22	37.78	15.64	53.42	68.20	14.78	PK	190	352	Vertical
3	5903.56	37.75	15.81	53.56	68.20	14.64	PK	132	202	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5854.93	37.17	15.53	52.70	68.20	15.50	PK	162	0	Horizontal
2	5874.92	37.36	15.65	53.01	68.20	15.19	PK	218	288	Horizontal
3	5889.78	37.35	15.75	53.10	68.20	15.10	PK	157	73	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5853.85	37.34	15.52	52.86	68.20	15.34	PK	167	35	Vertical
2	5867.36	38.02	15.61	53.63	68.20	14.57	PK	233	323	Vertical
3	5885.19	37.30	15.72	53.02	68.20	15.18	PK	137	67	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5853.04	38.08	15.52	53.60	68.20	14.60	PK	262	209	Horizontal
2	5888.97	37.81	15.74	53.55	68.20	14.65	PK	124	356	Horizontal
3	5940.84	37.32	15.82	53.14	68.20	15.06	PK	142	319	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5854.39	38.30	15.53	53.83	68.20	14.37	PK	246	186	Vertical
2	5900.86	37.79	15.81	53.60	68.20	14.60	PK	198	169	Vertical
3	5935.70	37.26	15.82	53.08	68.20	15.12	PK	223	219	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5854.93	37.82	15.53	53.35	68.20	14.85	PK	166	279	Horizontal
2	5873.84	37.97	15.65	53.62	68.20	14.58	PK	231	242	Horizontal
3	5885.73	37.48	15.72	53.20	68.20	15.00	PK	124	32	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5852.50	37.61	15.52	53.13	68.20	15.07	PK	178	262	Vertical
2	5868.71	37.39	15.62	53.01	68.20	15.19	PK	216	104	Vertical
3	5895.99	38.28	15.79	54.07	68.20	14.13	PK	297	290	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5850.34	37.79	15.50	53.29	68.20	14.91	PK	143	283	Horizontal
2	5866.55	38.21	15.60	53.81	68.20	14.39	PK	273	174	Horizontal
3	5876.54	37.92	15.66	53.58	68.20	14.62	PK	199	137	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			

Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5851.96	37.20	15.51	52.71	68.20	15.49	PK	162	40	Vertical
2	5865.20	38.16	15.59	53.75	68.20	14.45	PK	224	59	Vertical
3	5892.48	37.70	15.76	53.46	68.20	14.74	PK	152	358	Vertical

FCC ID: PY7-25130W (This Model)

Test Result

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5354.11	50.77	14.07	64.84	74.00	9.16	PK	159	304	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.67	32.54	14.05	46.59	54.00	7.41	AV	189	311	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5351.67	52.94	14.06	67.00	74.00	7.00	PK	243	35	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			

Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5351.05	35.55	14.05	49.60	54.00	4.40	AV	230	35	Vertical

~The End~