

#### HAC T-COIL SIGNAL TEST REPORT

#### FCC CFR47 PART 20.19 ANSI C63.19-2011

For GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n/ac, GPS & NFC

FCC ID: PY7-32042D

Report Number: 11760905-S2V1 Issue Date: 8/4/2017

Prepared for

SONY MOBILE COMMUNICATIONS INC. 4-12-3 HIGASHI-SHINAGAWA SHINAGAWA-KU,TOKYO, 140-0002, JAPAN

Prepared by

UL VERIFICATION SERVICES INC. 47173 BENICIA STREET FREMONT, CA 94538, U.S.A. TEL: (510) 771-1000

FAX: (510) 661-0888

TESTING

NVLAP LAB CODE 200065-0

## **Revision History**

Rev.	Date	Revisions	Revised By
V1	8/4/2017	Initial Issue	

# **Table of Contents**

1. <i>A</i>	Attestation of Test Results	4
2. T	Test Methodology	5
	Facilities and Accreditation	
4. C	Calibration and Uncertainty	5
4.1	1. Measuring Instrument Calibration	5
4.2	P. Measurement Uncertainty	6
5. T	Test Procedures for all Technologies	7
6. <i>A</i>	Audio Level and Gain Measurements	9
7. T	T-coil Measurement Criteria	10
7.1	1. Frequency Response	10
7.2	2. Signal to Noise	11
8. C	Device Under Test	12
8.1	1. Air Interfaces and Operating Mode	12
9. F	HAC (T-coil) Test Results	13
9.1	1. Worst Case T-Coil Test Plot	14
Appe	endix	15
117	760905-S2V1 HAC_T_App A Setup Photo	15
117	760905-S2V1 HAC_T_App B Frequency Response & SNR Test Plots	15
117	760905-S2V1 HAC T Ann C Prohe Cal Certificate	15

#### 1. Attestation of Test Results

Applicant Name	SONY MOBILE COMMUNICATIONS INC.
FCC ID	PY7-32042D
Applicable Standards	FCC 47 CFR § 20.19 ANSI C63.19-2011
HAC Rating	Т3
Date Tested	7/24/2017 to 7/25/2017
Test Results	Pass

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

**Note:** The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government (NIST Handbook 150, Annex A). This report is written to support regulatory compliance of the applicable standards stated above.

Approved & Released By:	Prepared By:
	Colleg Suns
David Weaver	Coltyce Sanders
Program Manager	Engineer
UL Verification Services Inc.	UL Verification Services Inc.

## 2. Test Methodology

The tests documented in this report were performed in accordance with ANSI C63.19-2011 Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids and FCC published procedure KDB 285076 D01 HAC Guidance v04r01 and KDB 285076 D02 T-Coil testing for CMRS IP v02 and TCB workshop updates

## 3. Facilities and Accreditation

The test sites and measurement facilities used to collect data are located at

47173 Benicia Street	47266 Benicia Street		
SAR Lab C	SAR Lab 2		

UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0.

## 4. Calibration and Uncertainty

## 4.1. Measuring Instrument Calibration

The measuring equipment used to perform the tests documented in this report has been calibrated in accordance with the manufacturers' recommendations, and is traceable to recognized national standards.

Name of Equipment	Manufacturer	Type/Model	Serial No.	Cal. Due Date
ABM Probe	SPEAG	AM1DV3	3083	1/23/2018
Data Acquisition Electronics	SPEAG	DAE4	1433	3/8/2018
Radio Communication Tester	R&S	CMW 500	125236	3/6/2018

## 4.2. Measurement Uncertainty

Measurement Uncertainty for Audio Band Magnetic Measurement

induction of the original particular particu	Uncertainty	Probe		C <sub>i</sub>	Ci	Std. Unc.	
Error Description	values (±%)	Dist.	Div.	ABM1	ABM2	ABM1 (±%)	ABM2 (±%)
Probe Sensitivity							
Reference level	3.0	N	1	1	1	3.0	3.0
AMCC geometry	0.4	R	√3	1	1	0.2	0.2
AMCC current	1.0	R	√3	1	1	0.6	0.6
Probe positioning during calibration	0.1	R	√3	1	1	0.1	0.1
Noise contribution	0.7	R	√3	0.0143	1	0.0	0.4
Frequency slope	5.9	R	√3	0.1	1.00	0.3	3.5
Probe System							
Repeatability / drift	1.0	R	√3	1	1	0.6	0.6
Linearity / Dynamic range	0.6	R	√3	1	1	0.4	0.4
Acoustic noise	1.0	R	√3	0.1	1	0.1	0.6
Probe angle	2.3	R	√3	1	1	1.4	1.4
Spectral processing	0.9	R	√3	1	1	0.5	0.5
Integration time	0.6	N	1	1	5	0.6	3.0
Field disturbation	0.2	R	√3	1	1	0.1	0.1
Test Signal							
Reference signal spectral response	0.6	R	√3	0	1	0.0	0.4
Positioning							
Probe positioning	1.9	R	√3	1	1	1.1	1.1
Phantom positioning	0.9	R	√3	1	1	0.5	0.5
EUT positioning	1.9	R	√3	1	1	1.1	1.1
External Contributions							
RF interference	0.0	R	√3	1	0.3	0.0	0.0
Test signal variation	2.0	R	√3	1	1	1.2	1.2
Combined Std. Uncertainty (ABM field)						4.1	6.1
Expanded Std. Uncertainty (%)						8.1	12.3

Notes for table

<sup>1.</sup> N - Nomal

<sup>2.</sup> R - Rectangular

<sup>3.</sup> Div. - Divisor used to obtain standard uncertainty

## 5. Test Procedures for all Technologies

ANSI C63.19-2011, Section 7

This document describes the procedures used to measure the ABM (T-Coil) performance of the WD. In addition to measuring the absolute signal levels, the A-weighted magnitude of the unintended signal shall also be determined. In order to assure that the required signal quality is measured, the measurement of the intended signal and the measurement of the unintended signal must be made at the same location for all measurement positions. In addition, the RF field strength at each measurement location must be at or below that required for the assigned category.

Measurements shall not include undesired properties from the WD's RF field; therefore, use of a coaxial connection to a base station simulator or non-radiating load may be necessary. However, even then with a coaxial connection to a base station simulator or non-radiating load there may still be RF leakage from the WD, which may interfere with the desired measurement. Pre-measurement checks should be made to avoid this possibility. All measurements shall be done with the WD operating on battery power with an appropriate normal speech audio signal input level given in Table 7.1. If the device display can be turned off during a phone call then that may be done during the measurement as well.

Measurements shall be performed at two locations specified in A.3, with the correct probe orientation for a particular location, in a multistage sequence by first measuring the field intensity of the desired T-Coil signal (ABM1) that is useful to a hearing aid T-Coil. The undesired magnetic components (ABM2) must be measured at the same location as the desired ABM or T-Coil signal (ABM1), and the ratio of desired to undesired ABM signals must be calculated. For the perpendicular field location, only the ABM1 frequency response shall be determined in a third measurement stage. The flow chart in Figure 7.3 illustrates this three-stage, two orientation process.

The following steps summarize the basic test flow for determining ABM1<sup>1</sup> and ABM2<sup>2</sup>. These steps assume that a sine wave or narrowband 1/3 octave signal can be used for the measurement of ABM1.

- a. A validation of the test setup and instrumentation may be performed using a TMFS or Helmholtz coil. Measure the emissions and confirm that they are within the specified tolerance.
- b. Position the WD in the test setup and connect the WD RF connector to a base station simulator or a non-radiating load as shown in Figure 7.1 or Figure 7.2. Confirm that equipment that requires calibration has been calibrated, and that the noise level meets the requirements given in 7.3.1.
- c. The drive level to the WD is set such that the reference input level specified in Table 7.1 is input to the base station simulator (or manufacturer's test mode equivalent) in the 1 kHz, 1/3 octave band. This drive level shall be used for the T-Coil signal test (ABM1) at *f* = 1 kHz. Either a sine wave at 1025 Hz or a voice-like signal, band-limited to the 1 kHz 1/3 octave, as defined in 7.4.2, shall be used for the reference audio signal. If interference is found at 1025 Hz an alternative nearby reference audio signal frequency may be used.46 The same drive level will be used for the ABM1 frequency response measurements at each 1/3 octave band center frequency. The WD volume control may be set at any level up to maximum, provided that a signal at any frequency at maximum modulation would not result in clipping or signal overload.
- d. Determine the magnetic measurement locations for the WD device (A.3), if not already specified by the manufacturer, as described in 7.4.4.1.1 and 7.4.4.2.

Page 7 of 15

<sup>&</sup>lt;sup>1</sup> Audio Band Magnetic signal - desired (ABM1): Measured quantity of the desired magnetic signal


<sup>&</sup>lt;sup>2</sup> Audio Band Magnetic signal - undesired (ABM2): Measured quantity of the undesired magnetic signal, such as interference from battery current and similar non-signal elements.

e. At each measurement location, measure and record the desired T-Coil magnetic signals (ABM1 at  $f_i$ ) as described in 7.4.4.2 in each individual ISO 266-1975 R10 standard 1/3 octave band. The desired audio band input frequency ( $f_i$ ) shall be centered in each 1/3 octave band maintaining the same drive level as determined in item c) and the reading taken for that band.

Equivalent methods of determining the frequency response may also be employed, such as fast Fourier transform (FFT) analysis using noise excitation or input—output comparison using simulated speech. The full-band integrated or half-band integrated probe output, as specified in D.9, may be used, as long as the appropriate calibration curve is applied to the measured result, so as to yield an accurate measurement of the field magnitude. (The resulting measurement shall be an accurate measurement in dB A/m.)

All measurements of the desired signal shall be shown to be of the desired signal and not of an undesired signal. This may be shown by turning the desired signal ON and OFF with the probe measuring the same location. If the scanning method is used the scans shall show that all measurement points selected for the ABM1 measurement meet the ambient and test system noise criteria in 7.3.1.

- f. At the measurement location for each orientation, measure and record the undesired broadband audio magnetic signal (ABM2) as specified in 7.4.4.4 with no audio signal applied (or digital zero applied, if appropriate) using A-weighting and the half-band integrator. Calculate the ratio of the desired to undesired signal strength (i.e., signal quality).
- g. Obtain the data from the postprocessor, SEMCAD, and determine the category that properly classifies the signal quality based on Table 8.5.



#### 6. Audio Level and Gain Measurements

#### W-CDMA/GSM

No correction gain factors were measured for W-CDMA/GSM due to the Rohde & Schwarz CMW500, hosting a calibrated audio board. The gains used to measure W-CDMA/GSM are set to 100.

#### **VoLTE**

No correction gain factors were measured for VoLTE due to the Rohde & Schwarz CMW500, hosting a calibrated audio board. The gains used to measure VoLTE are set to100.

The following software/firmware was used to simulate the VoLTE server for testing:


Firmware	License Keys	Software Name
V3.5.52 for LTE	KS500	LTE FDD R8 SIG BASIC
	KS510	LTE FDD R8 SIG ADV
	KS550	LTE TDD R8 SIG BASIC
V3.5.30 for Audio	KA100	IP APPL ENABLING IPv4
	KA150	IP APPL ENABLING IPv4
	KAA20	IP APPL IMS BASIC
	KM050	DATA APPL MEAS
	KM051	DATA APPL ANALYSIS

#### 7. T-coil Measurement Criteria

## 7.1. Frequency Response


The frequency response of the axial component of the magnetic field, measured in 1/3 octave bands, shall follow the response curve, over the frequency range 300 Hz to 3000 Hz.

Figure 8.1 and Figure 8.2 provide the boundaries for the specified frequency. These response curves are for true field strength measurements of the T-Coil signal. Thus the 6 dB/octave probe response has been corrected from the raw readings.



NOTE—The frequency response is between 300 Hz and 3000 Hz.

Figure 8.1—Magnetic field frequency response for WDs with field strength ≤ −15 dB (A/m) at 1 kHz



NOTE—The frequency response is between 300 Hz and 3000 Hz.

Figure 8.2—Magnetic field frequency response for WDs with a field that exceeds -15 dB(A/m) at 1 kHz

## 7.2. Signal to Noise


This specifies the signal-to-noise quality requirement for the intended T-Coil signal from a WD. The worst signal to noise of the two T-Coil signal measurements, as determined in Clause 7, shall be used to determine the T-Coil mode category per Table 8.5.

Only the RF immunity of the hearing aid is measured in T-Coil mode. It is assumed that a hearing aid can have no immunity to an interference signal in the audio band, which is the intended reception band for this mode. So, the only criterion that can be measured is the RF immunity in T-Coil Mode. This is measured using the same procedure as for the audio coupling mode and at the same levels as specified in 6.4.

Table 8.5—T-Coil signal-to-noise categories

Category	Telephone parameters WD signal quality [(signal + noise)-to-noise ratio in decibels]
Category T1	0 dB to 10 dB
Category T2	10 dB to 20 dB
Category T3	20 dB to 30 dB
Category T4	>30 dB

Measurement locations and reference plane to be used for the T-coil measurements



## 8. Device Under Test

Normal operation	Held to head								
Back Cover	⊠ The Back cover is n	☑ The Back cover is not removable							
Test sample information	S/N	Technology	Notes						
	BH9000V47W	HAC-T	Radiated						

## 8.1. Air Interfaces and Operating Mode

Air Interface	Bands (MHz)	Туре	C63.19 Tested	Simultaneous Transmitter	ОПТ	Power Reduction
	850	VO	Yes	Wi-Fi and BT	NA	NA
GSM	1900	VO Yes		Wi-ri and bi	NA .	NA
	GPRS/EDGE	DT	No	Wi-Fi and BT	Yes	NA
	850					
W-CDMA	1700	VO	Yes	Wi-Fi and BT	NA	NA
W-CDIVIA	1900					
	HSPA	DT	No	Wi-Fi and BT	Yes	NA
	700		Yes	Wi-Fi and BT	Yes	NA
	850					
LTE - FDD	1700	VD				
	1900					
	2500					
LTE - TDD	2600	VD	Yes	Wi-Fi and BT	Yes	NA
	2450				Yes	
	5200					NA
Wi-Fi	5300	VD <sup>1</sup>	No	WWAN and BT		
	5500					
	5800	_				_
ВТ	2450	DT	NA	WWAN and Wi-Fi	NA	NA

Type

VO=CMRS Voice Service

DT – Digital Transport

VD=CMRS IP Voice Service and Digital Transport

Note:

 No Associated T-Coil measurement has been made in accordance with 285076 D02 T-Coil testing for CMRS IP.

## 9. HAC (T-coil) Test Results

		z (axial)			y (Tran	sverse)		
Mode	Channel and Frequency	Freq. Response Diff (dB)	ABM SNR (dB)	ABM1 ≥ -18 dB (dBA/m)	ABM SNR (dB)	ABM1 ≥ -18 dB (dBA/m)	T-Rating	Plots page #
GSM850	190							
Voice Coder	836.6 MHz	1.25	27.74	14.09	20.76	14.09	T3	1-3
Speechcodec Low	000.0 17# 12							
GSM1900	661							
Voice Coder	1880 MHz	2.00	30.57	14.26	24.49	-4.54	T3	4-6
Speechcodec Low								
W-CDMA Band II	9400	0.00	55.07	40.70	40.00	0.70		7.0
Voice Coder	1880 MHz	2.00	55.37	13.78	49.69	3.70	T4	7-9
Speechcodec Low								
W-CDMA Band IV	1413	0.00	50.77	40.40	40.00	F 70		40.40
Voice Coder	1732.6 MHz	2.00	52.77	13.10	49.88	5.76	T4	10-12
Speechcodec Low W-CDMA Band V								
Voice Coder	4183	1.65	52.88	12.83	48.55	0.36	T4	13-15
	836.6 MHz	1.05	32.00	12.03	40.55	0.30	14	13-13
Speechcodec Low  LTE Band 2	20 MHz BW							
Voice Wideband	18900	1.71	47.00	8.17	43.67	-3.42	T4	16-18
AMR Codec: 23.85 kbit/s	1880 MHz	1.71	47.00	0.17	45.07	-5.42	1-	10-10
LTE Band 4	20 MHz BW							
Voice Wideband	20175	1.35	46.72	6.30	40.35	-5.87	T4	19-21
AMR Codec: 23.85 kbit/s	1732.5 MHz	1.55	40.72	0.50	40.00	0.07	'-	13 21
LTE Band 5	10 MHz BW							
Voice Wideband	20525	1.69	46.90	11.45	43.35	-3.66	T4	22-24
AMR Codec: 23.85 kbit/s	836.5 MHz	1.00	10.00	11.10	10.00	0.00		
LTE Band 7	20 MHz BW							
Voice Wideband	21100	1.27	45.20	11.11	42.22	-4.32	T4	25-27
AMR Codec: 23.85 kbit/s	2535 MHz		.0.20					20 2.
LTE Band 12	10 MHz BW							
Voice Wideband	23095	2.00	42.96	11.75	42.83	3.28	T4	28-30
AMR Codec: 23.85 kbit/s	707.5 MHz							
LTE Band 13	10 MHz BW							
Voice Wideband	23230	2.00	45.31	7.10	43.00	-0.59	T4	31-33
AMR Codec: 23.85 kbit/s	782 MHz							
LTE Band 17	10 MHz BW							
Voice Wideband	23790	1.74	46.50	9.53	43.64	1.04	T4	34-36
AMR Codec: 23.85 kbit/s	710 MHz							
LTE Band 25	20 MHz BW							
Voice Wideband	26365	2.00	47.75	9.83	46.14	-0.08	T4	37-39
AMR Codec: 23.85 kbit/s	1882.5 MHz							
LTE Band 26	15 MHz BW							
Voice Wideband	26865	2.00	47.63	9.42	44.66	-0.56	T4	40-42
AMR Codec: 23.85 kbit/s	831.5 MHz							
LTE Band 38	20 MHz BW							
Voice Wideband	38000	1.94	40.20	10.79	34.38	-5.23	T4	43-45
AMR Codec: 23.85 kbit/s	2595 MHz							
LTE Band 41	20 MHz BW							
Voice Wideband	40620	2.00	40.48	11.27	33.53	-5.58	T4	46-48
AMR Codec: 23.85 kbit/s	2593 MHz							
LTE Band 66	20 MHz BW							
Voice Wideband	132322	1.68	45.38	7.24	44.70	0.23	T4	49-51
AMR Codec: 23.85 kbit/s	1745 MHz							

#### **Note**

The radial longitudinal (x axis) measurements are no longer required per ANSI C63.19-2011

Date: 7/24/2017

#### 9.1. Worst Case T-Coil Test Plot

Test Laboratory: UL Verification Services Inc., SAR Lab 2

#### **GSM 850**

Communication System: UID 0, GPRS-FDD (TDMA, GMSK, 1 slot) (0); Frequency: 836.6 MHz; Duty Cycle: 1:8.00018

Phantom section: TCoil Section

**DASY5** Configuration:

- Probe: AM1DV3 3083; ; Calibrated: 1/23/2017
- Sensor-Surface: 0mm (Fix Surface)
- Electronics: DAE4 Sn1433; Calibrated: 3/8/2017
- Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BB
- Measurement SW: DASY52, Version 52.8 (7); SEMCAD X Version 14.6.10 (7164)

# T-Coil scan (scan for ANSI C63.19 2011 compliance)/General Scans ch 190/y (transversal) 4.2mm 50 x 50/ABM SNR Category(x,y,z) (121x121x1): Interpolated grid: dx=1.000

mm, dy=1.000 mm

Signal Type: Audio File (.wav) 48k\_voice\_1kHz\_1s.wav

Output Gain: 100


Measure Window Start: 300ms Measure Window Length: 1000ms

BWC applied: 0.16 dB

Device Reference Point: 0, 0, -6.3 mm

#### **Cursor:**

ABM1/ABM2 = 20.76 dB ABM1 comp = -0.78 dBA/m BWC Factor = 0.16 dB Location: -3.7, 4.2, 3.7 mm



## **Appendix**

Refer to separated files for the following appendixes

11760905-S2V1 HAC\_T\_App A Setup Photo

11760905-S2V1 HAC\_T\_App B Frequency Response & SNR Test Plots

11760905-S2V1 HAC\_T\_App C Probe Cal. Certificate

**END OF REPORT**