



11B-CDD-Ant7-2412-30~1000-PASS




11B-CDD-Ant7-2412-1000~26500-PASS



11B-CDD-Ant6-2437-0~Reference-PASS




11B-CDD-Ant6-2437-30~1000-PASS




11B-CDD-Ant6-2437-1000~26500-PASS




11B-CDD-Ant7-2437-0~Reference-PASS




11B-CDD-Ant7-2437-30~1000-PASS




11B-CDD-Ant7-2437-1000~26500-PASS



11B-CDD-Ant6-2462-0~Reference-PASS




11B-CDD-Ant6-2462-30~1000-PASS




11B-CDD-Ant6-2462-1000~26500-PASS




11B-CDD-Ant7-2462-0~Reference-PASS




11B-CDD-Ant7-2462-30~1000-PASS




11B-CDD-Ant7-2462-1000~26500-PASS



11G-CDD-Ant6-2412-0~Reference-PASS




11G-CDD-Ant6-2412-30~1000-PASS




11G-CDD-Ant6-2412-1000~26500-PASS



11G-CDD-Ant7-2412-0~Reference-PASS




11G-CDD-Ant7-2412-30~1000-PASS




11G-CDD-Ant7-2412-1000~26500-PASS



11G-CDD-Ant6-2437-0~Reference-PASS







11G-CDD-Ant6-2437-30~1000-PASS




11G-CDD-Ant6-2437-1000~26500-PASS



11G-CDD-Ant7-2437-0~Reference-PASS







11G-CDD-Ant6-2462-1000~26500-PASS




11G-CDD-Ant7-2462-0~Reference-PASS




11G-CDD-Ant7-2462-30~1000-PASS




11G-CDD-Ant7-2462-1000~26500-PASS



11N20MIMO-Ant6-2412-0~Reference-PASS




11N20MIMO-Ant6-2412-30~1000-PASS




11N20MIMO-Ant6-2412-1000~26500-PASS




11N20MIMO-Ant7-2412-0~Reference-PASS




11N20MIMO-Ant7-2412-30~1000-PASS




11N20MIMO-Ant7-2412-1000~26500-PASS



11N20MIMO-Ant6-2437-0~Reference-PASS




11N20MIMO-Ant6-2437-30~1000-PASS




11N20MIMO-Ant6-2437-1000~26500-PASS




11N20MIMO-Ant7-2437-0~Reference-PASS




11N20MIMO-Ant7-2437-30~1000-PASS




11N20MIMO-Ant7-2437-1000~26500-PASS



11N20MIMO-Ant6-2462-0~Reference-PASS




11N20MIMO-Ant6-2462-30~1000-PASS




11N20MIMO-Ant6-2462-1000~26500-PASS



11N20MIMO-Ant7-2462-0~Reference-PASS



11N20MIMO-Ant7-2462-30~1000-PASS




11N20MIMO-Ant7-2462-1000~26500-PASS


Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B-CDD	Ant6	2412	12.43	12.59	98.73	0.06
11B-CDD	Ant7	2412	12.44	12.58	98.89	0.05
11B-CDD	Ant6	2437	12.43	12.61	98.57	0.06
11B-CDD	Ant7	2437	12.44	12.59	98.81	0.05
11B-CDD	Ant6	2462	12.43	12.60	98.65	0.06
11B-CDD	Ant7	2462	12.43	12.58	98.81	0.05
11G-CDD	Ant6	2412	2.07	2.10	98.57	0.06
11G-CDD	Ant7	2412	2.06	2.10	98.10	0.08
11G-CDD	Ant6	2437	2.06	2.10	98.10	0.08
11G-CDD	Ant7	2437	2.06	2.10	98.10	0.08
11G-CDD	Ant6	2462	2.06	2.10	98.10	0.08
11G-CDD	Ant7	2462	2.06	2.10	98.10	0.08
11N20MIMO	Ant6	2412	1.93	1.96	98.47	0.07
11N20MIMO	Ant7	2412	1.93	1.96	98.47	0.07
11N20MIMO	Ant6	2437	1.92	1.96	97.96	0.09
11N20MIMO	Ant7	2437	1.92	1.96	97.96	0.09
11N20MIMO	Ant6	2462	1.92	1.96	97.96	0.09
11N20MIMO	Ant7	2462	1.92	1.96	97.96	0.09


Test Graphs




NTVN-11B-CDD-Ant6-2412




NTVN-11B-CDD-Ant7-2412




NTVN-11B-CDD-Ant6-2437




NTVN-11B-CDD-Ant7-2437




NTNV-11B-CDD-Ant6-2462




NTNV-11B-CDD-Ant7-2462




NTNV-11G-CDD-Ant6-2412




NTNV-11G-CDD-Ant7-2412




NTNV-11G-CDD-Ant6-2437




NTNV-11G-CDD-Ant7-2437




NTNV-11G-CDD-Ant6-2462




NTNV-11G-CDD-Ant7-2462




NTNV-11N20MIMO-Ant6-2412




NTNV-11N20MIMO-Ant7-2412




NTNV-11N20MIMO-Ant6-2437



NTNV-11N20MIMO-Ant7-2437



NTNV-11N20MIMO-Ant6-2462



NTNV-11N20MIMO-Ant7-2462


Radiated Spurious Emissions Test Result

FCC ID: PY7-64228M (Lead Model)

Below 1GHz

Project Information			
Mode:	2.4G WIFI	Voltage:	120V 60HZ
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	104.108	57.17	-29.85	27.32	43.50	16.18	260	281	PK	Horizontal	PASS
2	172.881	55.72	-30.07	25.65	43.50	17.85	103	114	PK	Horizontal	PASS
3	314.695	45.94	-24.85	21.09	46.00	24.91	275	144	PK	Horizontal	PASS
4	442.25	41.09	-14.76	26.33	46.00	19.67	169	80	PK	Horizontal	PASS
5	495.503	39.37	-14.21	25.16	46.00	20.84	116	266	PK	Horizontal	PASS
6	997.284	37.63	-11.72	25.91	54.00	28.09	181	168	PK	Horizontal	PASS

Project Information			
Mode:	2.4G WIFI	Voltage:	120V 60HZ
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			

Test Graph




NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Trace	Polarity	Verdict
1	34.85	58.18	-30.86	27.32	40.00	12.68	192	225	PK	Vertical	PASS
2	46.199	55.41	-29.21	26.20	40.00	13.80	287	195	PK	Vertical	PASS
3	104.108	52.82	-29.58	23.24	43.50	20.26	211	9	PK	Vertical	PASS
4	164.636	55.38	-31.26	24.12	43.50	19.38	115	261	PK	Vertical	PASS
5	447.197	43.14	-15.01	28.13	46.00	17.87	240	81	PK	Vertical	PASS
6	949.463	36.82	-11.95	24.87	46.00	21.13	168	290	PK	Vertical	PASS

Above 1GHz

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4824	50.49	-7.84	42.65	74.00	31.35	PK	190	119	Horizontal
2	14618.5	40.67	9.18	49.85	74.00	24.15	PK	279	288	Horizontal
3	17861	39.19	13.29	52.48	74.00	21.52	PK	164	54	Horizontal

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4824	49.19	-7.84	41.35	74.00	32.65	PK	179	53	Vertical
2	15248	40.03	9.30	49.33	74.00	24.67	PK	154	360	Vertical
3	17351.5	40.46	12.80	53.26	74.00	20.74	PK	284	178	Vertical

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Mid
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4874	49.44	-8.08	41.36	74.00	32.64	PK	150	157	Horizontal
2	15076.5	39.82	8.98	48.80	74.00	25.20	PK	150	353	Horizontal
3	17965.5	39.48	12.99	52.47	74.00	21.53	PK	150	157	Horizontal

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Mid
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4874	48.50	-8.08	40.42	74.00	33.58	PK	195	156	Vertical
2	14622.5	39.82	9.27	49.09	74.00	24.91	PK	270	186	Vertical
3	17999	39.12	13.44	52.56	74.00	21.44	PK	187	281	Vertical

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4924	50.23	-7.76	42.47	74.00	31.53	PK	133	119	Horizontal
2	7384.5	44.58	-1.18	43.40	74.00	30.60	PK	106	344	Horizontal
3	17359.5	39.83	12.49	52.32	74.00	21.68	PK	232	227	Horizontal

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4924	49.49	-7.76	41.73	74.00	32.27	PK	149	164	Vertical
2	7388	46.12	-1.14	44.98	74.00	29.02	PK	278	120	Vertical
3	17855	39.06	13.36	52.42	74.00	21.58	PK	139	3	Vertical

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14084	40.31	8.08	48.39	74.00	25.61	PK	165	244	Horizontal
2	14319.5	40.63	8.60	49.23	74.00	24.77	PK	135	302	Horizontal
3	17981	39.71	13.19	52.90	74.00	21.10	PK	246	353	Horizontal

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13472	40.94	6.89	47.83	74.00	26.17	PK	139	357	Vertical
2	14611.5	40.30	9.01	49.31	74.00	24.69	PK	166	222	Vertical
3	17851.5	38.63	13.40	52.03	74.00	21.97	PK	228	98	Vertical

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	Mid
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14413	41.02	8.08	49.10	74.00	24.90	PK	120	10	Horizontal
2	15078	40.07	8.99	49.06	74.00	24.94	PK	207	18	Horizontal
3	17356	39.43	12.63	52.06	74.00	21.94	PK	253	228	Horizontal

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	Mid
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13417	41.77	7.04	48.81	74.00	25.19	PK	229	164	Vertical
2	15122.5	40.95	8.74	49.69	74.00	24.31	PK	163	127	Vertical
3	17848.5	39.24	13.40	52.64	74.00	21.36	PK	217	62	Vertical

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13583.5	41.38	6.95	48.33	74.00	25.67	PK	255	302	Horizontal
2	14604	40.95	8.83	49.78	74.00	24.22	PK	197	192	Horizontal
3	17366.5	39.91	12.22	52.13	74.00	21.87	PK	157	3	Horizontal

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14320.5	40.58	8.62	49.20	74.00	24.80	PK	166	252	Vertical
2	15062.5	40.32	8.93	49.25	74.00	24.75	PK	179	310	Vertical
3	17970	39.14	13.05	52.19	74.00	21.81	PK	257	25	Vertical

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14504.5	40.92	8.19	49.11	74.00	24.89	PK	238	83	Horizontal
2	15080	40.02	8.99	49.01	74.00	24.99	PK	153	353	Horizontal
3	17858	38.68	13.33	52.01	74.00	21.99	PK	218	222	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14348.5	39.64	9.31	48.95	74.00	25.05	PK	172	288	Vertical
2	15235	40.72	9.00	49.72	74.00	24.28	PK	255	357	Vertical
3	17991	38.56	13.33	51.89	74.00	22.11	PK	197	185	Vertical

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	Mid
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13695	40.52	7.77	48.29	74.00	25.71	PK	211	84	Horizontal
2	15251.5	40.12	9.33	49.45	74.00	24.55	PK	148	112	Horizontal
3	17801	39.33	12.70	52.03	74.00	21.97	PK	185	236	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	Mid
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14338.5	40.78	9.07	49.85	74.00	24.15	PK	142	10	Vertical
2	15085.5	39.76	9.01	48.77	74.00	25.23	PK	160	207	Vertical
3	17360.5	39.43	12.45	51.88	74.00	22.12	PK	277	184	Vertical

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13519.5	41.27	6.76	48.03	74.00	25.97	PK	194	113	Horizontal
2	14676.5	40.03	9.19	49.22	74.00	24.78	PK	179	224	Horizontal
3	17890.5	40.10	12.94	53.04	74.00	20.96	PK	206	238	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13820	41.05	8.25	49.30	74.00	24.70	PK	218	274	Vertical
2	15235	40.12	9.00	49.12	74.00	24.88	PK	185	326	Vertical
3	17809	39.35	12.82	52.17	74.00	21.83	PK	224	32	Vertical

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	35909.0	50.93	0.37	51.30	74.00	22.70	PK	156	345	Horizontal
2	39065.3	49.68	3.29	52.97	74.00	21.03	PK	131	40	Horizontal
3	39853.3	49.76	3.73	53.49	74.00	20.51	PK	245	148	Horizontal

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			

Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	36084.1	50.37	0.44	50.81	74.00	23.19	PK	118	32	Vertical
2	38249.5	49.61	2.83	52.44	74.00	21.56	PK	193	317	Vertical
3	39468.5	49.60	3.90	53.50	74.00	20.50	PK	243	119	Vertical

FCC ID: PY7-37016L (This Model)

Above 1GHz

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4824	51.36	-7.84	43.52	74.00	30.48	PK	216	153	Horizontal
2	14640.5	40.18	9.70	49.88	74.00	24.12	PK	129	146	Horizontal
3	17368.5	39.78	12.14	51.92	74.00	22.08	PK	276	60	Horizontal

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			

Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4824	48.29	-7.84	40.45	74.00	33.55	PK	197	169	Vertical
2	15261.5	39.88	9.16	49.04	74.00	24.96	PK	118	95	Vertical
3	17825	39.18	13.05	52.23	74.00	21.77	PK	179	307	Vertical

Radiated Band Edge FCC ID: PY7-64228M (Lead Model)

Test Result

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2378.52	40.65	3.35	44.00	74.00	30.00	PK	185	336	Horizontal
2	2383.53	44.63	3.37	48.00	74.00	26.00	PK	222	24	Horizontal
3	2387.52	45.89	3.39	49.28	74.00	24.72	PK	237	28	Horizontal

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2364.71	39.79	3.29	43.08	74.00	30.92	PK	167	215	Vertical
2	2384.99	41.53	3.38	44.91	74.00	29.09	PK	249	308	Vertical
3	2388.83	41.54	3.40	44.94	74.00	29.06	PK	127	303	Vertical

Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			

Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2484.12	44.76	4.26	49.02	74.00	24.98	PK	126	0	Horizontal
2	2486.52	44.45	4.27	48.72	74.00	25.28	PK	194	342	Horizontal
3	2491.49	42.11	4.29	46.40	74.00	27.60	PK	216	4	Horizontal