


Project Information			
Mode:	802.11 b	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2486.88	41.28	4.27	45.55	74.00	28.45	PK	146	253	Vertical
2	2489.12	40.27	4.28	44.55	74.00	29.45	PK	129	306	Vertical
3	2495.17	39.37	4.30	43.67	74.00	30.33	PK	229	338	Vertical

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2381.55	49.03	3.36	52.39	74.00	21.61	PK	171	37	Horizontal
2	2385.69	51.26	3.38	54.64	74.00	19.36	PK	122	350	Horizontal
3	2388.94	53.91	3.40	57.31	74.00	16.69	PK	199	29	Horizontal

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X AV		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2371.84	26.59	3.32	29.91	54.00	24.09	AV	159	31	Horizontal
2	2382.93	34.57	3.37	37.94	54.00	16.06	AV	218	348	Horizontal
3	2389.77	39.70	3.40	43.10	54.00	10.90	AV	275	352	Horizontal

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2352.01	43.61	3.23	46.84	74.00	27.16	PK	209	18	Vertical
2	2384.01	46.43	3.37	49.80	74.00	24.20	PK	189	355	Vertical
3	2389.99	50.33	3.40	53.73	74.00	20.27	PK	252	305	Vertical

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X AV		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2373.37	25.58	3.33	28.91	54.00	25.09	AV	136	308	Vertical
2	2383.45	30.22	3.37	33.59	54.00	20.41	AV	232	308	Vertical
3	2389.06	34.03	3.40	37.43	54.00	16.57	AV	174	308	Vertical

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.64	57.93	4.25	62.18	74.00	11.82	PK	147	27	Horizontal
2	2485.97	49.22	4.26	53.48	74.00	20.52	PK	207	24	Horizontal
3	2489.53	50.09	4.28	54.37	74.00	19.63	PK	269	27	Horizontal

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X AV		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.83	39.34	4.26	43.60	54.00	10.40	AV	205	25	Horizontal
2	2487.08	35.28	4.27	39.55	54.00	14.45	AV	167	341	Horizontal
3	2489.67	35.25	4.28	39.53	54.00	14.47	AV	144	21	Horizontal

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.69	50.32	4.25	54.57	74.00	19.43	PK	158	277	Vertical
2	2485.95	44.81	4.26	49.07	74.00	24.93	PK	182	31	Vertical
3	2490.75	43.71	4.28	47.99	74.00	26.01	PK	230	318	Vertical

Project Information			
Mode:	802.11 g	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X AV		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.93	33.21	4.26	37.47	54.00	16.53	AV	150	193	Vertical
2	2489.67	30.92	4.28	35.20	54.00	18.80	AV	150	166	Vertical
3	2493.37	29.25	4.29	33.54	54.00	20.46	AV	150	253	Vertical

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2373.45	40.16	3.33	43.49	74.00	30.51	PK	273	63	Horizontal
2	2384.99	51.36	3.38	54.74	74.00	19.26	PK	183	347	Horizontal
3	2389.91	56.03	3.40	59.43	74.00	14.57	PK	134	352	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X AV		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2383.57	39.05	3.37	42.42	54.00	11.58	AV	127	347	Horizontal
2	2386.14	41.25	3.38	44.63	54.00	9.37	AV	169	351	Horizontal
3	2389.50	43.91	3.40	47.31	54.00	6.69	AV	289	351	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2363.10	39.72	3.29	43.01	74.00	30.99	PK	212	229	Vertical
2	2382.60	43.09	3.37	46.46	74.00	27.54	PK	187	316	Vertical
3	2389.80	48.92	3.40	52.32	74.00	21.68	PK	160	3	Vertical

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	Low
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X AV		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2384.87	35.27	3.38	38.65	54.00	15.35	AV	130	349	Vertical
2	2387.08	37.42	3.38	40.80	54.00	13.20	AV	229	349	Vertical
3	2389.65	40.20	3.40	43.60	54.00	10.40	AV	188	358	Vertical

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.83	58.23	4.26	62.49	74.00	11.51	PK	152	26	Horizontal
2	2487.32	52.46	4.27	56.73	74.00	17.27	PK	195	22	Horizontal
3	2492.94	49.43	4.29	53.72	74.00	20.28	PK	252	26	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X AV		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.55	43.84	4.25	48.09	54.00	5.91	AV	141	24	Horizontal
2	2486.04	40.70	4.26	44.96	54.00	9.04	AV	161	24	Horizontal
3	2488.73	35.53	4.27	39.80	54.00	14.20	AV	242	24	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X		
Test Standard: FCC Part15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.69	50.98	4.25	55.23	74.00	18.77	PK	161	306	Vertical
2	2486.67	47.31	4.27	51.58	74.00	22.42	PK	191	278	Vertical
3	2492.84	43.86	4.29	48.15	74.00	25.85	PK	201	359	Vertical

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHz	Channel	High
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:X AV		
Test Standard: FCC Part15C			

Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.98	36.41	4.26	40.67	54.00	13.33	AV	232	278	Vertical
2	2486.21	33.33	4.26	37.59	54.00	16.41	AV	253	278	Vertical
3	2491.23	30.74	4.28	35.02	54.00	18.98	AV	273	278	Vertical

FCC ID: PY7-37016L (This Model)

Test Result

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHZ	Channel	11
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2485.20	58.68	4.26	62.94	74.00	11.06	PK	150	28	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHZ	Channel	11
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2484.51	49.58	4.26	53.84	74.00	20.16	PK	150	270	Vertical

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHZ	Channel	11
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC Part 15C			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2483.79	45.06	4.26	49.32	54.00	4.68	AV	150	353	Horizontal

Project Information			
Mode:	802.11 n20	Band:	/
Bandwidth	20MHZ	Channel	11
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	2484.17	36.45	4.26	40.71	54.00	13.29	AV	150	274	Vertical

~The End~