


Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13699.2	39.99	9.42	49.41	68.20	18.79	PK	127	102	Horizontal
2	15246.4	39.46	9.83	49.29	68.20	18.91	PK	226	314	Horizontal
3	17980.0	38.76	13.50	52.26	74.00	21.74	PK	208	299	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13681.9	40.59	9.29	49.88	68.20	18.32	PK	164	0	Vertical
2	15252.5	39.41	9.87	49.28	68.20	18.92	PK	157	283	Vertical
3	17845.5	38.59	13.80	52.39	74.00	21.61	PK	182	157	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13664.3	40.16	9.16	49.32	68.20	18.88	PK	106	154	Horizontal
2	15248.3	39.67	9.89	49.56	68.20	18.64	PK	240	182	Horizontal
3	17845.5	38.44	13.80	52.24	74.00	21.76	PK	274	65	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13685.8	39.64	9.32	48.96	68.20	19.24	PK	153	350	Vertical
2	15236.8	40.36	9.50	49.86	68.20	18.34	PK	156	117	Vertical
3	17853.5	38.94	13.95	52.89	74.00	21.11	PK	186	321	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13697.7	40.29	9.41	49.70	68.20	18.50	PK	279	99	Horizontal
2	15237.2	39.93	9.52	49.45	68.20	18.75	PK	133	357	Horizontal
3	17996.5	39.30	13.74	53.04	74.00	20.96	PK	158	44	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13707.6	39.97	9.03	49.00	68.20	19.20	PK	153	36	Vertical
2	15249.8	39.46	9.95	49.41	68.20	18.79	PK	142	0	Vertical
3	17846.2	39.27	13.83	53.10	74.00	20.90	PK	263	335	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13700.0	40.55	9.42	49.97	68.20	18.23	PK	169	1	Horizontal
2	17355.5	39.20	12.23	51.43	68.20	16.77	PK	130	197	Horizontal
3	17837.8	39.00	13.48	52.48	74.00	21.52	PK	165	182	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13686.5	39.59	9.33	48.92	68.20	19.28	PK	104	277	Vertical
2	15230.3	40.50	9.29	49.79	68.20	18.41	PK	285	1	Vertical
3	17837.4	38.72	13.45	52.17	74.00	21.83	PK	114	7	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13719.9	40.75	8.40	49.15	68.20	19.05	PK	223	145	Horizontal
2	15246.0	39.72	9.81	49.53	68.20	18.67	PK	223	248	Horizontal
3	17836.6	38.83	13.42	52.25	74.00	21.75	PK	223	203	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14511.5	41.38	8.02	49.40	68.20	18.80	PK	166	152	Vertical
2	17367.0	39.98	12.18	52.16	68.20	16.04	PK	172	50	Vertical
3	17857.0	38.56	13.89	52.45	74.00	21.55	PK	186	349	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13706.1	40.98	9.11	50.09	68.20	18.11	PK	215	37	Horizontal
2	17349.0	39.77	12.21	51.98	68.20	16.22	PK	258	350	Horizontal
3	17997.6	39.72	13.76	53.48	74.00	20.52	PK	106	110	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	118
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13686.5	39.79	9.33	49.12	68.20	19.08	PK	225	306	Vertical
2	14680.2	40.08	9.15	49.23	68.20	18.97	PK	217	357	Vertical
3	17989.6	39.47	13.64	53.11	74.00	20.89	PK	191	160	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13457.3	41.87	7.29	49.16	68.20	19.04	PK	108	306	Horizontal
2	14640.7	39.58	9.65	49.23	68.20	18.97	PK	188	285	Horizontal
3	17894.9	38.56	13.41	51.97	74.00	22.03	PK	296	153	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13707.2	40.09	9.05	49.14	68.20	19.06	PK	217	123	Vertical
2	15251.7	39.69	9.89	49.58	68.20	18.62	PK	110	0	Vertical
3	17996.9	38.84	13.75	52.59	74.00	21.41	PK	221	123	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13644.8	40.62	8.87	49.49	68.20	18.71	PK	181	179	Horizontal
2	15247.9	40.00	9.88	49.88	68.20	18.32	PK	246	312	Horizontal
3	17859.3	39.07	13.87	52.94	74.00	21.06	PK	119	62	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13702.6	39.73	9.28	49.01	68.20	19.19	PK	169	112	Vertical
2	15253.3	39.28	9.84	49.12	68.20	19.08	PK	209	120	Vertical
3	17999.2	38.86	13.78	52.64	74.00	21.36	PK	162	142	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13508.3	41.72	7.12	48.84	68.20	19.36	PK	123	120	Horizontal
2	14358.2	40.44	8.91	49.35	68.20	18.85	PK	107	348	Horizontal
3	17995.7	38.99	13.73	52.72	74.00	21.28	PK	106	112	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13031.4	42.06	6.50	48.56	68.20	19.64	PK	135	288	Vertical
2	15063.5	39.89	9.17	49.06	68.20	19.14	PK	281	237	Vertical
3	17876.5	38.79	13.64	52.43	74.00	21.57	PK	263	76	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	11488.4	45.51	4.87	50.38	74.00	23.62	PK	114	232	Horizontal
2	15290.1	40.59	8.64	49.23	68.20	18.97	PK	228	137	Horizontal
3	17850.4	38.01	13.98	51.99	74.00	22.01	PK	167	41	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13693.8	40.09	9.37	49.46	68.20	18.74	PK	179	187	Vertical
2	17052.3	39.55	9.93	49.48	68.20	18.72	PK	202	173	Vertical
3	17988.1	38.57	13.62	52.19	74.00	21.81	PK	104	2	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13665.5	40.61	9.18	49.79	68.20	18.41	PK	270	70	Horizontal
2	17354.4	39.37	12.22	51.59	68.20	16.61	PK	162	291	Horizontal
3	17844.7	39.03	13.77	52.80	74.00	21.20	PK	212	350	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13702.6	39.82	9.28	49.10	68.20	19.10	PK	109	357	Vertical
2	17384.3	39.00	12.12	51.12	68.20	17.08	PK	168	176	Vertical
3	17995.3	39.00	13.72	52.72	74.00	21.28	PK	270	169	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15241.0	40.14	9.65	49.79	68.20	18.41	PK	187	313	Horizontal
2	17396.2	40.57	12.09	52.66	68.20	15.54	PK	197	290	Horizontal
3	17991.5	39.28	13.67	52.95	74.00	21.05	PK	290	158	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13653.2	40.06	9.08	49.14	68.20	19.06	PK	175	225	Vertical
2	15244.8	40.43	9.78	50.21	68.20	17.99	PK	107	129	Vertical
3	17995.0	38.93	13.72	52.65	74.00	21.35	PK	141	321	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13692.7	40.13	9.36	49.49	68.20	18.71	PK	212	0	Horizontal
2	17341.4	39.78	11.97	51.75	68.20	16.45	PK	182	20	Horizontal
3	17846.6	38.36	13.84	52.20	74.00	21.80	PK	148	50	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14654.1	39.62	9.80	49.42	68.20	18.78	PK	158	79	Vertical
2	17368.2	39.35	12.18	51.53	68.20	16.67	PK	137	114	Vertical
3	17972.0	39.28	13.39	52.67	74.00	21.33	PK	138	188	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	11569.7	43.63	5.23	48.86	74.00	25.14	PK	270	233	Horizontal
2	15249.1	39.71	9.92	49.63	68.20	18.57	PK	162	336	Horizontal
3	17937.5	39.74	13.14	52.88	74.00	21.12	PK	212	160	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15249.1	40.32	9.92	50.24	68.20	17.96	PK	166	270	Vertical
2	17395.4	39.60	12.09	51.69	68.20	16.51	PK	125	6	Vertical
3	17861.6	38.39	13.84	52.23	74.00	21.77	PK	230	233	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13696.1	39.74	9.40	49.14	68.20	19.06	PK	270	268	Horizontal
2	15234.5	40.16	9.44	49.60	68.20	18.60	PK	162	357	Horizontal
3	17839.7	39.31	13.55	52.86	74.00	21.14	PK	212	28	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13701.1	40.09	9.36	49.45	68.20	18.75	PK	197	320	Vertical
2	15217.6	41.22	8.86	50.08	68.20	18.12	PK	126	270	Vertical
3	17853.1	38.49	13.95	52.44	74.00	21.56	PK	246	77	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	11484.2	45.80	4.90	50.70	74.00	23.30	PK	137	232	Horizontal
2	15071.6	40.52	9.14	49.66	68.20	18.54	PK	117	107	Horizontal
3	17859.6	38.48	13.86	52.34	74.00	21.66	PK	211	49	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13720.7	41.62	8.36	49.98	68.20	18.22	PK	146	174	Vertical
2	15110.3	40.71	8.75	49.46	68.20	18.74	PK	201	137	Vertical
3	17994.2	38.64	13.71	52.35	74.00	21.65	PK	169	174	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14662.5	39.98	9.59	49.57	68.20	18.63	PK	217	136	Horizontal
2	17355.5	39.55	12.23	51.78	68.20	16.42	PK	110	151	Horizontal
3	17888.0	39.00	13.50	52.50	74.00	21.50	PK	221	276	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15074.3	40.36	9.13	49.49	68.20	18.71	PK	124	65	Vertical
2	17336.0	40.19	11.80	51.99	68.20	16.21	PK	255	291	Vertical
3	17981.2	38.90	13.51	52.41	74.00	21.59	PK	109	79	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15248.7	39.91	9.91	49.82	68.20	18.38	PK	142	226	Horizontal
2	17392.7	39.40	12.09	51.49	68.20	16.71	PK	188	196	Horizontal
3	17855.0	38.28	13.92	52.20	74.00	21.80	PK	165	0	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15080.8	40.48	9.10	49.58	68.20	18.62	PK	102	12	Vertical
2	17396.9	39.25	12.08	51.33	68.20	16.87	PK	223	247	Vertical
3	17996.9	38.63	13.75	52.38	74.00	21.62	PK	106	64	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14349.0	40.88	9.00	49.88	68.20	18.32	PK	213	255	Horizontal
2	17370.5	39.33	12.17	51.50	68.20	16.70	PK	103	79	Horizontal
3	17992.7	39.66	13.68	53.34	74.00	20.66	PK	181	350	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13693.8	40.12	9.37	49.49	68.20	18.71	PK	206	157	Vertical
2	15251.4	39.90	9.91	49.81	68.20	18.39	PK	136	224	Vertical
3	17853.5	38.07	13.95	52.02	74.00	21.98	PK	113	231	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13706.9	40.89	9.07	49.96	68.20	18.24	PK	127	291	Horizontal
2	15059.7	40.40	9.19	49.59	68.20	18.61	PK	193	232	Horizontal
3	17859.3	39.62	13.87	53.49	74.00	20.51	PK	261	166	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13688.1	40.47	9.34	49.81	68.20	18.39	PK	175	202	Vertical
2	15246.0	39.42	9.81	49.23	68.20	18.97	PK	149	137	Vertical
3	17888.4	39.43	13.49	52.92	74.00	21.08	PK	167	262	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13699.2	40.19	9.42	49.61	68.20	18.59	PK	162	167	Horizontal
2	14333.6	40.37	8.90	49.27	68.20	18.93	PK	245	188	Horizontal
3	17867.3	38.95	13.76	52.71	74.00	21.29	PK	225	277	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13699.6	40.75	9.42	50.17	68.20	18.03	PK	130	320	Vertical
2	15244.5	40.15	9.77	49.92	68.20	18.28	PK	255	56	Vertical
3	17972.0	39.02	13.39	52.41	74.00	21.59	PK	180	181	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13692.7	39.68	9.36	49.04	68.20	19.16	PK	162	262	Horizontal
2	15069.7	40.63	9.15	49.78	68.20	18.42	PK	108	320	Horizontal
3	17995.7	38.83	13.73	52.56	74.00	21.44	PK	216	328	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13671.6	40.35	9.21	49.56	68.20	18.64	PK	111	277	Vertical
2	15241.0	39.24	9.65	48.89	68.20	19.31	PK	191	43	Vertical
3	17858.5	39.54	13.88	53.42	74.00	20.58	PK	273	313	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13920.0	41.71	7.87	49.58	68.20	18.62	PK	197	110	Horizontal
2	15251.7	39.64	9.89	49.53	68.20	18.67	PK	119	110	Horizontal
3	17846.6	38.73	13.84	52.57	74.00	21.43	PK	207	0	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	12841.6	41.66	5.96	47.62	68.20	20.58	PK	127	214	Vertical
2	14368.1	40.55	8.79	49.34	68.20	18.86	PK	155	207	Vertical
3	17848.9	39.52	13.95	53.47	74.00	20.53	PK	249	297	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHZ	Channel	36
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	33771.792393	52.24	-1.16	51.08	68.20	17.12	PK	157	17	Horizontal
2	38113.987133	48.71	3.24	51.95	68.20	16.25	PK	259	268	Horizontal
3	39889.29631	49.70	3.64	53.34	68.20	14.86	PK	191	320	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHZ	Channel	36
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	33668.288943	53.89	-1.35	52.54	68.20	15.66	PK	194	312	Vertical
2	36179.372646	50.58	0.69	51.27	68.20	16.93	PK	206	333	Vertical
3	39765.542185	50.41	3.87	54.28	68.20	13.92	PK	144	112	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13631.771059	41.50	8.41	49.91	68.20	18.29	PK	240	326	Horizontal
2	15249.49165	39.58	9.93	49.51	68.20	18.69	PK	203	120	Horizontal
3	17983.899463	40.62	13.56	54.18	74.00	19.82	PK	130	359	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4803.165158	21.74	14.64	36.38	54.00	17.62	AV	150	43	Horizontal
2	11491.166372	31.19	4.86	36.05	54.00	17.95	AV	150	194	Horizontal
3	17997.699923	28.47	13.76	42.23	54.00	11.77	AV	150	18	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13682.756092	40.53	9.29	49.82	68.20	18.38	PK	125	120	Vertical
2	15251.40838	39.96	9.91	49.87	68.20	18.33	PK	211	47	Vertical
3	17972.39908	39.74	13.39	53.13	74.00	20.87	PK	190	11	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	4801.515076	21.82	14.69	36.51	54.00	17.49	AV	150	333	Vertical
2	11476.215874	31.36	4.93	36.29	54.00	17.71	AV	150	360	Vertical
3	17987.349578	28.65	13.61	42.26	54.00	11.74	AV	150	119	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13694.639821	40.02	9.38	49.40	68.20	18.80	PK	223	107	Horizontal
2	14349.778326	40.67	9.01	49.68	68.20	18.52	PK	183	76	Horizontal
3	17853.945132	38.90	13.94	52.84	74.00	21.16	PK	205	11	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13425.147505	41.33	6.99	48.32	68.20	19.88	PK	248	40	Vertical
2	14230.174339	41.61	7.90	49.51	68.20	18.69	PK	107	348	Vertical
3	17844.744825	38.77	13.77	52.54	74.00	21.46	PK	173	18	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13703.073436	40.15	9.26	49.41	68.20	18.79	PK	196	216	Horizontal
2	15237.60792	39.93	9.53	49.46	68.20	18.74	PK	271	76	Horizontal
3	17862.762092	38.01	13.83	51.84	74.00	22.16	PK	188	163	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14404.213474	41.38	8.36	49.74	68.20	18.46	PK	232	360	Vertical
2	15246.041535	39.46	9.81	49.27	68.20	18.93	PK	172	179	Vertical
3	17987.732924	38.80	13.61	52.41	74.00	21.59	PK	153	75	Vertical