


Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13590.753025	43.12	7.17	50.29	68.20	17.91	PK	214	97	Horizontal
2	15078.135938	40.30	9.11	49.41	68.20	18.79	PK	189	25	Horizontal
3	17989.266309	38.93	13.64	52.57	74.00	21.43	PK	274	186	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13679.305977	40.07	9.27	49.34	68.20	18.86	PK	243	126	Vertical
2	15237.991266	40.57	9.54	50.11	68.20	18.09	PK	146	24	Vertical
3	17983.132771	39.07	13.54	52.61	74.00	21.39	PK	235	252	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13693.873129	40.12	9.37	49.49	68.20	18.71	PK	234	83	Horizontal
2	14362.812094	40.74	8.86	49.60	68.20	18.60	PK	200	76	Horizontal
3	17988.116271	39.09	13.62	52.71	74.00	21.29	PK	195	156	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13698.856629	40.14	9.41	49.55	68.20	18.65	PK	181	18	Vertical
2	15243.358112	40.06	9.73	49.79	68.20	18.41	PK	167	295	Vertical
3	17928.697623	39.39	13.18	52.57	74.00	21.43	PK	141	252	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13640.971366	41.33	8.74	50.07	68.20	18.13	PK	208	358	Horizontal
2	14661.438715	39.84	9.62	49.46	68.20	18.74	PK	153	360	Horizontal
3	17979.29931	38.71	13.49	52.20	74.00	21.80	PK	278	193	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

Test Graph




NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13722.240741	41.19	8.28	49.47	68.20	18.73	PK	254	360	Vertical
2	15237.991266	39.71	9.54	49.25	68.20	18.95	PK	158	324	Vertical
3	17844.744825	39.16	13.77	52.93	74.00	21.07	PK	182	310	Vertical

FCC ID: PY7-37016L (This Model)

Above 1GHz

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13683.5	40.06	9.30	49.36	68.20	18.84	PK	149	116	Horizontal
2	15242.5	40.40	9.70	50.10	68.20	18.10	PK	135	123	Horizontal
3	17860.4	38.50	13.85	52.35	74.00	21.65	PK	228	168	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13661.6	40.18	9.14	49.32	68.20	18.88	PK	129	225	Vertical
2	15081.9	40.73	9.10	49.83	68.20	18.37	PK	173	254	Vertical
3	17981.9	39.07	13.53	52.60	74.00	21.40	PK	158	102	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	17852.7	28.74	13.96	42.70	54.00	11.30	AV	128	179	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	17988.4	29.18	13.62	42.80	54.00	11.20	AV	193	69	Vertical

Radiated Band Edge FCC ID: PY7-64228M (Lead Model)

Test Result

Project Information			
Mode:	802.11 a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5144.24	46.82	13.86	60.68	74.00	13.32	PK	191	214	Horizontal
2	5147.14	50.25	13.91	64.16	74.00	9.84	PK	241	214	Horizontal
3	5149.48	50.30	13.94	64.24	74.00	9.76	PK	130	218	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.33	32.66	13.90	46.56	54.00	7.44	AV	135	192	Horizontal
2	5148.63	34.09	13.92	48.01	54.00	5.99	AV	177	192	Horizontal
3	5149.80	35.30	13.95	49.25	54.00	4.75	AV	259	192	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5144.02	45.92	13.86	59.78	74.00	14.22	PK	191	188	Vertical
2	5147.20	48.09	13.91	62.00	74.00	12.00	PK	242	226	Vertical
3	5149.84	48.85	13.95	62.80	74.00	11.20	PK	137	156	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5147.111	34.03	13.91	47.94	54.00	6.06	AV	193	238	Vertical
2	5149.12	34.13	13.94	48.07	54.00	5.93	AV	120	198	Vertical
3	5149.90	34.70	13.95	48.65	54.00	5.35	AV	268	238	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.07	42.84	14.06	56.90	74.00	17.10	PK	175	113	Horizontal
2	5356.84	40.93	14.10	55.03	74.00	18.97	PK	204	121	Horizontal
3	5361.68	40.10	14.14	54.24	74.00	19.76	PK	245	125	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.51	29.73	14.05	43.78	54.00	10.22	AV	177	278	Horizontal
2	5352.59	29.35	14.06	43.41	54.00	10.59	AV	151	303	Horizontal
3	5355.00	28.37	14.08	42.45	54.00	11.55	AV	262	307	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.76	43.85	14.05	57.90	74.00	16.10	PK	184	75	Vertical
2	5354.88	42.04	14.08	56.12	74.00	17.88	PK	225	96	Vertical
3	5361.11	42.00	14.13	56.13	74.00	17.87	PK	195	104	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.32	31.55	14.04	45.59	54.00	8.41	AV	137	239	Vertical
2	5352.56	30.73	14.06	44.79	54.00	9.21	AV	178	255	Vertical
3	5355.62	29.56	14.09	43.65	54.00	10.35	AV	214	255	Vertical

Project Information			
Mode:	802.11 N20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5142.46	42.90	13.83	56.73	74.00	17.27	PK	191	181	Horizontal
2	5147.04	44.59	13.90	58.49	74.00	15.51	PK	241	197	Horizontal
3	5149.45	45.38	13.94	59.32	74.00	14.68	PK	130	185	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.74	29.46	13.88	43.34	54.00	10.66	AV	122	190	Horizontal
2	5148.18	30.36	13.92	44.28	54.00	9.72	AV	159	190	Horizontal
3	5149.48	31.10	13.94	45.04	54.00	8.96	AV	226	185	Horizontal

Project Information			
Mode:	802.11 N20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.58	44.53	13.88	58.41	74.00	15.59	PK	182	227	Vertical
2	5147.111	45.52	13.91	59.43	74.00	14.57	PK	143	220	Vertical
3	5149.93	45.88	13.95	59.83	74.00	14.17	PK	248	248	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.91	30.55	13.90	44.45	54.00	9.55	AV	287	243	Vertical
2	5148.57	31.37	13.92	45.29	54.00	8.71	AV	184	231	Vertical
3	5149.64	31.21	13.95	45.16	54.00	8.84	AV	135	236	Vertical

Project Information			
Mode:	802.11 N20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.43	44.50	14.06	58.56	74.00	15.44	PK	164	303	Horizontal
2	5356.07	41.06	14.09	55.15	74.00	18.85	PK	138	307	Horizontal
3	5359.65	39.98	14.12	54.10	74.00	19.90	PK	235	296	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5351.23	28.55	14.05	42.60	54.00	11.40	AV	231	310	Horizontal
2	5354.18	27.76	14.07	41.83	54.00	12.17	AV	124	310	Horizontal
3	5357.63	27.04	14.10	41.14	54.00	12.86	AV	192	302	Horizontal

Project Information			
Mode:	802.11 N20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.36	43.82	14.06	57.88	74.00	16.12	PK	136	246	Vertical
2	5356.72	41.38	14.10	55.48	74.00	18.52	PK	168	237	Vertical
3	5359.48	41.12	14.12	55.24	74.00	18.76	PK	256	242	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.22	29.65	14.04	43.69	54.00	10.31	AV	202	239	Vertical
2	5352.95	28.65	14.06	42.71	54.00	11.29	AV	127	256	Vertical
3	5355.84	28.29	14.09	42.38	54.00	11.62	AV	217	256	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5143.95	44.86	13.86	58.72	74.00	15.28	PK	150	260	Horizontal
2	5146.78	47.85	13.90	61.75	74.00	12.25	PK	198	191	Horizontal
3	5149.48	49.28	13.94	63.22	74.00	10.78	PK	213	304	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.61	30.97	13.88	44.85	54.00	9.15	AV	249	189	Horizontal
2	5146.91	32.47	13.90	46.37	54.00	7.63	AV	204	185	Horizontal
3	5149.32	32.63	13.94	46.57	54.00	7.43	AV	186	189	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5142.29	44.21	13.83	58.04	74.00	15.96	PK	150	222	Vertical
2	5145.81	45.36	13.88	59.24	74.00	14.76	PK	219	266	Vertical
3	5148.54	48.15	13.92	62.07	74.00	11.93	PK	172	239	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.03	31.34	13.88	45.22	54.00	8.78	AV	197	206	Vertical
2	5148.37	32.48	13.92	46.40	54.00	7.60	AV	264	178	Vertical
3	5149.67	33.33	13.95	47.28	54.00	6.72	AV	217	171	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.27	42.40	14.06	56.46	74.00	17.54	PK	219	307	Horizontal
2	5357.89	40.11	14.10	54.21	74.00	19.79	PK	147	307	Horizontal
3	5362.77	39.12	14.14	53.26	74.00	20.74	PK	190	274	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.74	28.97	14.05	43.02	54.00	10.98	AV	174	266	Horizontal
2	5352.40	28.62	14.06	42.68	54.00	11.32	AV	232	189	Horizontal
3	5354.48	27.96	14.08	42.04	54.00	11.96	AV	155	266	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.36	43.62	14.06	57.68	74.00	16.32	PK	139	248	Vertical
2	5354.74	42.63	14.08	56.71	74.00	17.29	PK	168	239	Vertical
3	5358.51	41.39	14.11	55.50	74.00	18.50	PK	247	230	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.28	30.31	14.04	44.35	54.00	9.65	AV	208	247	Vertical
2	5353.70	29.47	14.07	43.54	54.00	10.46	AV	149	247	Vertical
3	5356.46	28.71	14.10	42.81	54.00	11.19	AV	238	247	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5142.34	47.98	13.83	61.81	74.00	12.19	PK	143	263	Horizontal
2	5146.81	46.28	13.90	60.18	74.00	13.82	PK	186	266	Horizontal
3	5148.85	47.01	13.94	60.95	74.00	13.05	PK	204	263	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.09	33.16	13.88	47.04	54.00	6.96	AV	170	270	Horizontal
2	5148.00	34.77	13.92	48.69	54.00	5.31	AV	252	270	Horizontal
3	5149.70	35.46	13.95	49.41	54.00	4.59	AV	118	266	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.92	47.97	13.88	61.85	74.00	12.15	PK	136	236	Vertical
2	5147.96	47.68	13.92	61.60	74.00	12.40	PK	215	236	Vertical
3	5149.27	48.12	13.94	62.06	74.00	11.94	PK	200	236	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.66	35.49	13.88	49.37	54.00	4.63	AV	167	236	Vertical
2	5148.00	36.34	13.92	50.26	54.00	3.74	AV	251	236	Vertical
3	5149.74	36.09	13.95	50.04	54.00	3.96	AV	114	236	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5351.57	45.77	14.06	59.83	74.00	14.17	PK	114	310	Horizontal
2	5353.31	45.34	14.06	59.40	74.00	14.60	PK	213	305	Horizontal
3	5362.15	44.49	14.14	58.63	74.00	15.37	PK	164	305	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.12	33.32	14.04	47.36	54.00	6.64	AV	182	274	Horizontal
2	5353.22	32.88	14.06	46.94	54.00	7.06	AV	176	274	Horizontal
3	5355.90	31.60	14.09	45.69	54.00	8.31	AV	278	271	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.46	47.58	14.04	61.62	74.00	12.38	PK	258	234	Vertical
2	5353.61	46.25	14.07	60.32	74.00	13.68	PK	199	217	Vertical
3	5364.49	45.95	14.16	60.11	74.00	13.89	PK	143	242	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.16	35.23	14.04	49.27	54.00	4.73	AV	161	242	Vertical
2	5352.71	34.37	14.06	48.43	54.00	5.57	AV	193	235	Vertical
3	5355.61	32.84	14.09	46.93	54.00	7.07	AV	214	246	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5147.40	47.11	13.91	61.02	74.00	12.98	PK	157	189	Horizontal
2	5148.51	47.19	13.92	61.11	74.00	12.89	PK	130	189	Horizontal
3	5149.40	47.89	13.94	61.83	74.00	12.17	PK	234	185	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5146.26	34.39	13.90	48.29	54.00	5.71	AV	205	189	Horizontal
2	5147.70	35.13	13.91	49.04	54.00	4.96	AV	165	189	Horizontal
3	5149.70	35.56	13.95	49.51	54.00	4.49	AV	237	192	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5144.09	46.69	13.86	60.55	74.00	13.45	PK	252	265	Vertical
2	5145.96	48.79	13.88	62.67	74.00	11.33	PK	117	237	Vertical
3	5149.19	48.98	13.94	62.92	74.00	11.08	PK	181	244	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.58	34.48	13.88	48.36	54.00	5.64	AV	171	211	Vertical
2	5147.57	36.17	13.91	50.08	54.00	3.92	AV	228	252	Vertical
3	5149.23	36.94	13.94	50.88	54.00	3.12	AV	138	260	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.55	44.44	14.05	58.49	74.00	15.51	PK	240	270	Horizontal
2	5352.33	43.86	14.06	57.92	74.00	16.08	PK	132	270	Horizontal
3	5353.56	43.37	14.07	57.44	74.00	16.56	PK	154	270	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.63	31.88	14.05	45.93	54.00	8.07	AV	187	274	Horizontal
2	5352.42	30.84	14.06	44.90	54.00	9.10	AV	164	274	Horizontal
3	5353.95	30.29	14.07	44.36	54.00	9.64	AV	224	270	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.12	48.02	14.04	62.06	74.00	11.94	PK	173	243	Vertical
2	5351.61	47.04	14.06	61.10	74.00	12.90	PK	155	231	Vertical
3	5352.50	46.76	14.06	60.82	74.00	13.18	PK	240	238	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.04	35.04	14.04	49.08	54.00	4.92	AV	226	240	Vertical
2	5351.65	33.39	14.06	47.45	54.00	6.55	AV	156	240	Vertical
3	5353.52	32.52	14.07	46.59	54.00	7.41	AV	258	231	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5134.94	47.10	13.71	60.81	74.00	13.19	PK	186	177	Horizontal
2	5140.19	48.06	13.79	61.85	74.00	12.15	PK	226	189	Horizontal
3	5147.38	48.27	13.91	62.18	74.00	11.82	PK	265	185	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5138.38	31.37	13.76	45.13	54.00	8.87	AV	141	181	Horizontal
2	5145.57	32.25	13.88	46.13	54.00	7.87	AV	156	193	Horizontal
3	5147.69	32.46	13.91	46.37	54.00	7.63	AV	231	193	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5134.19	44.72	13.70	58.42	74.00	15.58	PK	199	224	Vertical
2	5140.82	46.56	13.80	60.36	74.00	13.64	PK	194	232	Vertical
3	5147.19	47.03	13.91	60.94	74.00	13.06	PK	246	232	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5145.38	31.62	13.87	45.49	54.00	8.51	AV	162	233	Vertical
2	5147.69	31.79	13.91	45.70	54.00	8.30	AV	221	228	Vertical
3	5149.94	31.32	13.95	45.27	54.00	8.73	AV	147	204	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5352.42	48.66	14.06	62.72	74.00	11.28	PK	174	311	Horizontal
2	5353.98	48.09	14.07	62.16	74.00	11.84	PK	232	307	Horizontal
3	5356.74	47.84	14.10	61.94	74.00	12.06	PK	155	299	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.55	32.24	14.05	46.29	54.00	7.71	AV	161	302	Horizontal
2	5352.92	31.73	14.06	45.79	54.00	8.21	AV	203	311	Horizontal
3	5358.24	31.60	14.10	45.70	54.00	8.30	AV	178	307	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.48	50.15	14.04	64.19	74.00	9.81	PK	176	236	Vertical
2	5353.48	49.77	14.07	63.84	74.00	10.16	PK	200	236	Vertical
3	5357.05	50.16	14.10	64.26	74.00	9.74	PK	236	244	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5350.80	33.99	14.05	48.04	54.00	5.96	AV	195	247	Vertical
2	5355.24	33.42	14.08	47.50	54.00	6.50	AV	123	247	Vertical
3	5360.05	33.81	14.12	47.93	54.00	6.07	AV	220	252	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5459.78	40.72	14.24	54.96	74.00	19.04	PK	223	274	Horizontal
2	5465.39	42.08	14.27	56.35	68.20	11.85	PK	238	274	Horizontal
3	5468.06	43.37	14.29	57.66	68.20	10.54	PK	215	302	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.54	26.21	14.22	40.43	54.00	13.57	AV	166	267	Horizontal
2	5458.46	26.22	14.23	40.45	54.00	13.55	AV	226	271	Horizontal
3	5459.84	26.00	14.24	40.24	54.00	13.76	AV	246	267	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5465.39	43.48	14.27	57.75	68.20	10.45	PK	201	235	Vertical
2	5468.06	45.21	14.29	59.50	68.20	8.70	PK	240	243	Vertical
3	5469.68	45.57	14.30	59.87	68.20	8.33	PK	186	235	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.72	26.80	14.22	41.02	54.00	12.98	AV	189	242	Vertical
2	5458.58	27.39	14.23	41.62	54.00	12.38	AV	127	263	Vertical
3	5459.81	27.76	14.24	42.00	54.00	12.00	AV	270	251	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5727.09	42.86	15.16	58.02	68.20	10.18	PK	185	298	Horizontal
2	5731.21	40.51	15.15	55.66	68.20	12.54	PK	267	286	Horizontal
3	5735.56	39.22	15.14	54.36	68.20	13.84	PK	120	303	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5725.89	44.69	15.17	59.86	68.20	8.34	PK	130	247	Vertical
2	5730.04	42.51	15.16	57.67	68.20	10.53	PK	160	218	Vertical
3	5735.05	40.44	15.14	55.58	68.20	12.62	PK	206	239	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			

Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5462.75	39.89	14.26	54.15	68.20	14.05	PK	161	306	Horizontal
2	5466.11	41.22	14.28	55.50	68.20	12.70	PK	249	311	Horizontal
3	5469.56	41.51	14.30	55.81	68.20	12.39	PK	209	311	Horizontal