


Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5455.97	25.77	14.22	39.99	54.00	14.01	AV	147	276	Horizontal
2	5458.01	26.22	14.23	40.45	54.00	13.55	AV	202	276	Horizontal
3	5459.57	26.54	14.24	40.78	54.00	13.22	AV	133	279	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5462.75	42.58	14.26	56.84	68.20	11.36	PK	130	214	Vertical
2	5467.61	43.58	14.29	57.87	68.20	10.33	PK	262	258	Vertical
3	5469.77	43.74	14.30	58.04	68.20	10.16	PK	181	251	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.54	27.05	14.22	41.27	54.00	12.73	AV	241	251	Vertical
2	5458.25	27.42	14.23	41.65	54.00	12.35	AV	162	235	Vertical
3	5459.78	27.73	14.24	41.97	54.00	12.03	AV	194	235	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.46	41.08	15.17	56.25	68.20	11.95	PK	198	310	Horizontal
2	5729.49	41.58	15.16	56.74	68.20	11.46	PK	143	281	Horizontal
3	5731.63	40.22	15.15	55.37	68.20	12.83	PK	177	298	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.19	44.45	15.17	59.62	68.20	8.58	PK	245	250	Vertical
2	5729.16	44.75	15.16	59.91	68.20	8.29	PK	143	245	Vertical
3	5732.65	41.03	15.15	56.18	68.20	12.02	PK	170	263	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5465.78	42.37	14.27	56.64	68.20	11.56	PK	176	238	Horizontal
2	5467.46	43.04	14.28	57.32	68.20	10.88	PK	193	303	Horizontal
3	5469.95	42.73	14.30	57.03	68.20	11.17	PK	143	243	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5457.17	26.00	14.22	40.22	54.00	13.78	AV	258	278	Horizontal
2	5458.49	26.18	14.23	40.41	54.00	13.59	AV	208	275	Horizontal
3	5459.60	26.13	14.24	40.37	54.00	13.63	AV	137	275	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.14	42.13	14.26	56.39	68.20	11.81	PK	188	271	Vertical
2	5465.57	45.78	14.27	60.05	68.20	8.15	PK	155	259	Vertical
3	5469.80	45.63	14.30	59.93	68.20	8.27	PK	193	251	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5457.23	27.18	14.22	41.40	54.00	12.60	AV	234	247	Vertical
2	5458.91	27.61	14.23	41.84	54.00	12.16	AV	171	254	Vertical
3	5459.99	28.05	14.24	42.29	54.00	11.71	AV	196	242	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.58	41.47	15.17	56.64	68.20	11.56	PK	203	282	Horizontal
2	5728.62	42.11	15.16	57.27	68.20	10.93	PK	148	302	Horizontal
3	5731.18	40.66	15.15	55.81	68.20	12.39	PK	230	302	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.97	43.77	15.16	58.93	68.20	9.27	PK	185	242	Vertical
2	5729.79	43.80	15.16	58.96	68.20	9.24	PK	144	254	Vertical
3	5733.13	41.01	15.15	56.16	68.20	12.04	PK	227	254	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5461.52	44.05	14.25	58.30	68.20	9.90	PK	149	274	Horizontal
2	5467.88	44.95	14.29	59.24	68.20	8.96	PK	164	274	Horizontal
3	5469.04	45.13	14.29	59.42	68.20	8.78	PK	228	271	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.20	30.89	14.22	45.11	54.00	8.89	AV	195	268	Horizontal
2	5458.16	31.34	14.23	45.57	54.00	8.43	AV	267	268	Horizontal
3	5459.72	31.03	14.24	45.27	54.00	8.73	AV	175	268	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.20	47.51	14.26	61.77	68.20	6.43	PK	242	242	Vertical
2	5466.00	47.11	14.28	61.39	68.20	6.81	PK	165	242	Vertical
3	5469.08	47.98	14.29	62.27	68.20	5.93	PK	236	247	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.48	31.72	14.22	45.94	54.00	8.06	AV	213	247	Vertical
2	5458.12	32.49	14.23	46.72	54.00	7.28	AV	158	259	Vertical
3	5459.72	33.21	14.24	47.45	54.00	6.55	AV	251	247	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5725.68	38.73	15.17	53.90	68.20	14.30	PK	152	290	Horizontal
2	5734.04	39.22	15.14	54.36	68.20	13.84	PK	272	133	Horizontal
3	5741.04	39.13	15.13	54.26	68.20	13.94	PK	226	145	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5726.03	41.15	15.17	56.32	68.20	11.88	PK	194	251	Vertical
2	5731.39	39.87	15.15	55.02	68.20	13.18	PK	127	268	Vertical
3	5737.84	39.49	15.13	54.62	68.20	13.58	PK	151	284	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.84	44.90	14.26	59.16	68.20	9.04	PK	245	308	Horizontal
2	5466.00	44.91	14.28	59.19	68.20	9.01	PK	195	304	Horizontal
3	5469.40	45.65	14.30	59.95	68.20	8.25	PK	129	312	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5456.04	31.18	14.22	45.40	54.00	8.60	AV	150	266	Horizontal
2	5458.28	30.99	14.23	45.22	54.00	8.78	AV	150	266	Horizontal
3	5459.80	31.15	14.24	45.39	54.00	8.61	AV	150	271	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5459.36	47.01	14.24	61.25	74.00	12.75	PK	217	244	Vertical
2	5463.64	47.45	14.26	61.71	68.20	6.49	PK	141	235	Vertical
3	5469.48	48.96	14.30	63.26	68.20	4.94	PK	246	244	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5457.44	32.14	14.22	46.36	54.00	7.64	AV	255	259	Vertical
2	5458.56	32.87	14.23	47.10	54.00	6.90	AV	127	259	Vertical
3	5459.48	33.19	14.24	47.43	54.00	6.57	AV	247	259	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5728.78	39.27	15.16	54.43	68.20	13.77	PK	154	286	Horizontal
2	5731.84	38.60	15.15	53.75	68.20	14.45	PK	208	327	Horizontal
3	5736.64	38.96	15.14	54.10	68.20	14.10	PK	184	295	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5725.93	41.36	15.17	56.53	68.20	11.67	PK	136	256	Vertical
2	5731.39	40.36	15.15	55.51	68.20	12.69	PK	178	271	Vertical
3	5735.89	39.30	15.14	54.44	68.20	13.76	PK	265	251	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.38	40.01	14.26	54.27	68.20	13.93	PK	182	294	Horizontal
2	5466.08	39.50	14.28	53.78	68.20	14.42	PK	220	290	Horizontal
3	5469.62	39.22	14.30	53.52	68.20	14.68	PK	206	210	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5455.76	28.42	14.21	42.63	54.00	11.37	AV	138	266	Horizontal
2	5457.44	28.41	14.22	42.63	54.00	11.37	AV	246	270	Horizontal
3	5459.18	28.42	14.24	42.66	54.00	11.34	AV	197	266	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5463.38	41.50	14.26	55.76	68.20	12.44	PK	189	251	Vertical
2	5466.62	41.50	14.28	55.78	68.20	12.42	PK	233	235	Vertical
3	5468.48	41.12	14.29	55.41	68.20	12.79	PK	214	235	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5454.80	28.63	14.21	42.84	54.00	11.16	AV	210	263	Vertical
2	5457.50	29.08	14.23	43.31	54.00	10.69	AV	179	258	Vertical
3	5459.72	29.42	14.24	43.66	54.00	10.34	AV	164	258	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5731.99	37.91	15.15	53.06	68.20	15.14	PK	169	122	Horizontal
2	5735.32	38.55	15.14	53.69	68.20	14.51	PK	181	359	Horizontal
3	5745.49	38.10	15.11	53.21	68.20	14.99	PK	205	204	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5729.82	38.81	15.16	53.97	68.20	14.23	PK	264	84	Vertical
2	5739.37	38.29	15.13	53.42	68.20	14.78	PK	163	254	Vertical
3	5746.12	38.18	15.11	53.29	68.20	14.91	PK	148	1	Vertical


Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph



Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5861.96	37.77	15.57	53.34	68.20	14.86	PK	242	0	Horizontal
2	5895.99	37.80	15.79	53.59	68.20	14.61	PK	120	299	Horizontal
3	5915.44	38.15	15.81	53.96	68.20	14.24	PK	223	154	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5855.20	37.12	15.53	52.65	68.20	15.55	PK	189	78	Vertical
2	5892.75	37.55	15.77	53.32	68.20	14.88	PK	119	143	Vertical
3	5921.12	38.04	15.81	53.85	68.20	14.35	PK	266	172	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5854.93	37.30	15.53	52.83	68.20	15.37	PK	209	124	Horizontal
2	5879.24	38.41	15.68	54.09	68.20	14.11	PK	189	205	Horizontal
3	5922.20	37.75	15.81	53.56	68.20	14.64	PK	115	128	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5851.96	37.79	15.51	53.30	68.20	14.90	PK	231	356	Vertical
2	5872.22	37.78	15.64	53.42	68.20	14.78	PK	190	352	Vertical
3	5903.56	37.75	15.81	53.56	68.20	14.64	PK	132	202	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5854.93	37.17	15.53	52.70	68.20	15.50	PK	162	0	Horizontal
2	5874.92	37.36	15.65	53.01	68.20	15.19	PK	218	288	Horizontal
3	5889.78	37.35	15.75	53.10	68.20	15.10	PK	157	73	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5853.85	37.34	15.52	52.86	68.20	15.34	PK	167	35	Vertical
2	5867.36	38.02	15.61	53.63	68.20	14.57	PK	233	323	Vertical
3	5885.19	37.30	15.72	53.02	68.20	15.18	PK	137	67	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5853.04	38.08	15.52	53.60	68.20	14.60	PK	262	209	Horizontal
2	5888.97	37.81	15.74	53.55	68.20	14.65	PK	124	356	Horizontal
3	5940.84	37.32	15.82	53.14	68.20	15.06	PK	142	319	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5854.39	38.30	15.53	53.83	68.20	14.37	PK	246	186	Vertical
2	5900.86	37.79	15.81	53.60	68.20	14.60	PK	198	169	Vertical
3	5935.70	37.26	15.82	53.08	68.20	15.12	PK	223	219	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5854.93	37.82	15.53	53.35	68.20	14.85	PK	166	279	Horizontal
2	5873.84	37.97	15.65	53.62	68.20	14.58	PK	231	242	Horizontal
3	5885.73	37.48	15.72	53.20	68.20	15.00	PK	124	32	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5852.50	37.61	15.52	53.13	68.20	15.07	PK	178	262	Vertical
2	5868.71	37.39	15.62	53.01	68.20	15.19	PK	216	104	Vertical
3	5895.99	38.28	15.79	54.07	68.20	14.13	PK	297	290	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5850.34	37.79	15.50	53.29	68.20	14.91	PK	143	283	Horizontal
2	5866.55	38.21	15.60	53.81	68.20	14.39	PK	273	174	Horizontal
3	5876.54	37.92	15.66	53.58	68.20	14.62	PK	199	137	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			

Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5851.96	37.20	15.51	52.71	68.20	15.49	PK	162	40	Vertical
2	5865.20	38.16	15.59	53.75	68.20	14.45	PK	224	59	Vertical
3	5892.48	37.70	15.76	53.46	68.20	14.74	PK	152	358	Vertical

FCC ID: PY7-37016L (This Model)

Test Result

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHZ	Channel	38
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5149.15	34.95	13.94	48.89	54.00	5.11	AV	134	192	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHZ	Channel	38
SN:	HQ63B1049E	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			

Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	5148.42	35.39	13.92	49.31	54.00	4.69	AV	182	218	Vertical

~The End~