


Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14675.2	40.11	9.27	49.38	68.20	18.82	PK	100	325	Horizontal
2	17368.6	40.37	12.18	52.55	68.20	15.65	PK	170	296	Horizontal
3	17891.8	39.58	13.44	53.02	74.00	20.98	PK	161	53	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13737.9	41.33	7.48	48.81	68.20	19.39	PK	219	4	Vertical
2	15226.8	39.87	9.17	49.04	68.20	19.16	PK	118	4	Vertical
3	17986.9	40.01	13.60	53.61	74.00	20.39	PK	241	360	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13697.7	39.51	9.41	48.92	68.20	19.28	PK	118	40	Horizontal
2	15068.1	39.80	9.15	48.95	68.20	19.25	PK	252	259	Horizontal
3	17836.6	39.05	13.42	52.47	74.00	21.53	PK	190	304	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13692.3	40.23	9.36	49.59	68.20	18.61	PK	180	105	Vertical
2	15247.5	39.40	9.87	49.27	68.20	18.93	PK	113	90	Vertical
3	17840.1	38.46	13.57	52.03	74.00	21.97	PK	168	105	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13700.3	40.29	9.40	49.69	68.20	18.51	PK	123	319	Horizontal
2	15109.9	40.76	8.76	49.52	68.20	18.68	PK	213	157	Horizontal
3	17996.9	38.96	13.75	52.71	74.00	21.29	PK	111	304	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13647.8	40.03	8.99	49.02	68.20	19.18	PK	245	360	Vertical
2	15244.8	39.17	9.78	48.95	68.20	19.25	PK	108	105	Vertical
3	17868.8	38.43	13.75	52.18	74.00	21.82	PK	298	289	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13677.0	40.03	9.26	49.29	68.20	18.91	PK	123	201	Horizontal
2	15252.5	39.31	9.87	49.18	68.20	19.02	PK	235	201	Horizontal
3	17986.9	38.79	13.60	52.39	74.00	21.61	PK	214	274	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

### Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13653.2	40.31	9.08	49.39	68.20	18.81	PK	162	252	Vertical
2	15251.0	40.36	9.92	50.28	68.20	17.92	PK	197	69	Vertical
3	17995.7	38.17	13.73	51.90	74.00	22.10	PK	107	201	Vertical



Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13682.7	40.11	9.29	49.40	68.20	18.80	PK	287	252	Horizontal
2	14623.1	39.98	9.17	49.15	68.20	19.05	PK	171	245	Horizontal
3	17988.1	38.99	13.62	52.61	74.00	21.39	PK	251	32	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13701.5	40.70	9.34	50.04	68.20	18.16	PK	120	142	Vertical
2	14637.2	40.22	9.55	49.77	68.20	18.43	PK	217	208	Vertical
3	17852.4	38.47	13.95	52.42	74.00	21.58	PK	109	208	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13727.6	41.47	8.01	49.48	68.20	18.72	PK	245	90	Horizontal
2	15227.6	40.15	9.20	49.35	68.20	18.85	PK	204	46	Horizontal
3	17997.6	38.42	13.76	52.18	74.00	21.82	PK	131	360	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13701.1	39.83	9.36	49.19	68.20	19.01	PK	246	107	Vertical
2	15075.8	40.77	9.12	49.89	68.20	18.31	PK	106	246	Vertical
3	17945.9	39.07	13.09	52.16	74.00	21.84	PK	153	360	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13689.2	39.84	9.34	49.18	68.20	19.02	PK	143	105	Horizontal
2	15244.1	39.48	9.76	49.24	68.20	18.96	PK	185	348	Horizontal
3	17979.2	38.64	13.49	52.13	74.00	21.87	PK	155	230	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13688.5	40.12	9.34	49.46	68.20	18.74	PK	184	141	Vertical
2	15246.8	39.59	9.84	49.43	68.20	18.77	PK	131	68	Vertical
3	17996.5	39.50	13.74	53.24	74.00	20.76	PK	122	104	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14329.0	40.65	8.86	49.51	68.20	18.69	PK	151	179	Horizontal
2	15250.2	40.01	9.94	49.95	68.20	18.25	PK	169	354	Horizontal
3	17997.3	39.77	13.75	53.52	74.00	20.48	PK	132	186	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

### Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13720.7	40.88	8.36	49.24	68.20	18.96	PK	170	216	Vertical
2	15067.0	40.44	9.16	49.60	68.20	18.60	PK	223	296	Vertical
3	17995.0	39.48	13.72	53.20	74.00	20.80	PK	172	360	Vertical



Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	15083.1	40.40	9.09	49.49	68.20	18.71	PK	194	360	Horizontal
2	17342.1	40.27	11.99	52.26	68.20	15.94	PK	154	172	Horizontal
3	17862.3	38.53	13.82	52.35	74.00	21.65	PK	212	295	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14631.5	40.45	9.40	49.85	68.20	18.35	PK	196	295	Vertical
2	17348.6	38.93	12.20	51.13	68.20	17.07	PK	147	11	Vertical
3	17996.9	39.35	13.75	53.10	74.00	20.90	PK	145	178	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13667.8	39.82	9.19	49.01	68.20	19.19	PK	109	360	Horizontal
2	15070.4	40.10	9.14	49.24	68.20	18.96	PK	141	113	Horizontal
3	17973.9	39.90	13.42	53.32	74.00	20.68	PK	219	54	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13704.9	40.53	9.16	49.69	68.20	18.51	PK	163	268	Vertical
2	15256.0	40.24	9.75	49.99	68.20	18.21	PK	197	358	Vertical
3	17847.0	38.45	13.86	52.31	74.00	21.69	PK	128	98	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14317.5	39.77	8.78	48.55	68.20	19.65	PK	208	360	Horizontal
2	15089.2	40.54	9.07	49.61	68.20	18.59	PK	173	185	Horizontal
3	17868.5	39.61	13.75	53.36	74.00	20.64	PK	142	353	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13717.2	40.79	8.54	49.33	68.20	18.87	PK	227	54	Vertical
2	15081.9	40.21	9.10	49.31	68.20	18.89	PK	116	62	Vertical
3	17343.3	40.09	12.02	52.11	68.20	16.09	PK	138	76	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13709.9	40.76	8.91	49.67	68.20	18.53	PK	199	333	Horizontal
2	14618.8	40.04	9.05	49.09	68.20	19.11	PK	201	359	Horizontal
3	17844.7	39.55	13.77	53.32	74.00	20.68	PK	167	121	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

### Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13707.6	39.84	9.03	48.87	68.20	19.33	PK	112	77	Vertical
2	15253.7	39.24	9.83	49.07	68.20	19.13	PK	204	312	Vertical
3	17344.8	40.14	12.07	52.21	68.20	15.99	PK	110	165	Vertical



Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13821.1	41.10	7.64	48.74	68.20	19.46	PK	138	230	Horizontal
2	15170.9	41.16	7.95	49.11	68.20	19.09	PK	162	3	Horizontal
3	17857.3	38.96	13.89	52.85	74.00	21.15	PK	128	358	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13699.6	39.66	9.42	49.08	68.20	19.12	PK	217	333	Vertical
2	15248.3	39.85	9.89	49.74	68.20	18.46	PK	110	304	Vertical
3	17993.8	38.59	13.71	52.30	74.00	21.70	PK	197	11	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13697.3	39.83	9.40	49.23	68.20	18.97	PK	151	238	Horizontal
2	15252.1	38.89	9.88	48.77	68.20	19.43	PK	167	360	Horizontal
3	17807.1	39.98	12.16	52.14	74.00	21.86	PK	193	3	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13669.7	39.45	9.20	48.65	68.20	19.55	PK	189	142	Vertical
2	15246.8	39.36	9.84	49.20	68.20	19.00	PK	161	230	Vertical
3	17996.1	38.41	13.73	52.14	74.00	21.86	PK	138	164	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13701.5	39.48	9.34	48.82	68.20	19.38	PK	232	348	Horizontal
2	15059.3	40.34	9.19	49.53	68.20	18.67	PK	198	91	Horizontal
3	17838.6	39.03	13.51	52.54	74.00	21.46	PK	239	4	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13681.2	39.44	9.28	48.72	68.20	19.48	PK	248	229	Vertical
2	15063.1	40.20	9.17	49.37	68.20	18.83	PK	204	237	Vertical
3	17871.1	38.78	13.71	52.49	74.00	21.51	PK	141	127	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13698.4	40.12	9.41	49.53	68.20	18.67	PK	157	47	Horizontal
2	15246.4	39.38	9.83	49.21	68.20	18.99	PK	224	340	Horizontal
3	17982.7	38.48	13.54	52.02	74.00	21.98	PK	185	359	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

### Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	11421.7	42.04	5.25	47.29	74.00	26.71	PK	107	230	Vertical
2	14677.5	40.06	9.22	49.28	68.20	18.92	PK	179	112	Vertical
3	17839.3	38.67	13.54	52.21	74.00	21.79	PK	121	47	Vertical



Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13697.7	39.63	9.41	49.04	68.20	19.16	PK	198	267	Horizontal
2	15086.5	39.61	9.08	48.69	68.20	19.51	PK	154	91	Horizontal
3	17997.3	38.70	13.75	52.45	74.00	21.55	PK	144	360	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13677.3	40.17	9.26	49.43	68.20	18.77	PK	113	214	Vertical
2	14266.9	41.64	8.30	49.94	68.20	18.26	PK	153	25	Vertical
3	17889.2	39.01	13.48	52.49	74.00	21.51	PK	133	83	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13705.7	39.97	9.13	49.10	68.20	19.10	PK	156	39	Horizontal
2	15244.1	39.94	9.76	49.70	68.20	18.50	PK	165	201	Horizontal
3	17852.0	38.63	13.96	52.59	74.00	21.41	PK	177	120	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13715.7	40.56	8.61	49.17	68.20	19.03	PK	124	144	Vertical
2	14628.4	40.16	9.31	49.47	68.20	18.73	PK	180	210	Vertical
3	17982.7	38.73	13.54	52.27	74.00	21.73	PK	233	166	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13703.8	39.46	9.22	48.68	68.20	19.52	PK	178	313	Horizontal
2	15249.1	39.07	9.92	48.99	68.20	19.21	PK	117	262	Horizontal
3	17993.0	38.47	13.69	52.16	74.00	21.84	PK	137	11	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13690.8	39.89	9.35	49.24	68.20	18.96	PK	171	333	Vertical
2	15241.8	39.84	9.68	49.52	68.20	18.68	PK	144	360	Vertical
3	17834.3	39.17	13.33	52.50	74.00	21.50	PK	200	98	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13693.4	39.47	9.37	48.84	68.20	19.36	PK	181	40	Horizontal
2	15244.8	39.55	9.78	49.33	68.20	18.87	PK	202	187	Horizontal
3	17838.6	39.11	13.51	52.62	74.00	21.38	PK	182	26	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

### Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
2	13697.3	39.75	9.40	49.15	68.20	19.05	PK	142	360	Vertical
3	17363.6	38.97	12.19	51.16	68.20	17.04	PK	164	164	Vertical
4	17835.5	39.03	13.37	52.40	74.00	21.60	PK	177	40	Vertical



Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13704.9	40.37	9.16	49.53	68.20	18.67	PK	189	360	Horizontal
2	14666.4	40.10	9.49	49.59	68.20	18.61	PK	153	55	Horizontal
3	17979.2	38.93	13.49	52.42	74.00	21.58	PK	198	358	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13700.0	40.06	9.42	49.48	68.20	18.72	PK	118	25	Vertical
2	15082.3	40.19	9.09	49.28	68.20	18.92	PK	102	173	Vertical
3	17937.1	39.18	13.14	52.32	74.00	21.68	PK	194	32	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13698.4	39.39	9.41	48.80	68.20	19.40	PK	185	25	Horizontal
2	15250.2	39.13	9.94	49.07	68.20	19.13	PK	202	134	Horizontal
3	17981.5	38.41	13.53	51.94	74.00	22.06	PK	128	193	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14503.5	41.03	8.25	49.28	68.20	18.92	PK	118	295	Vertical
2	17383.1	40.09	12.12	52.21	68.20	15.99	PK	238	208	Vertical
3	17978.9	39.48	13.49	52.97	74.00	21.03	PK	123	83	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13684.6	40.44	9.30	49.74	68.20	18.46	PK	144	269	Horizontal
2	15067.4	39.94	9.16	49.10	68.20	19.10	PK	206	26	Horizontal
3	17993.8	38.45	13.71	52.16	74.00	21.84	PK	117	328	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13663.9	39.53	9.16	48.69	68.20	19.51	PK	190	313	Vertical
2	15247.5	39.27	9.87	49.14	68.20	19.06	PK	188	357	Vertical
3	17845.8	38.54	13.81	52.35	74.00	21.65	PK	198	135	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13700.3	40.06	9.40	49.46	68.20	18.74	PK	154	220	Horizontal
2	15082.7	40.03	9.09	49.12	68.20	19.08	PK	151	21	Horizontal
3	17990.4	39.42	13.65	53.07	74.00	20.93	PK	205	322	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

### Test Graph




NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13742.1	42.09	7.26	49.35	68.20	18.85	PK	164	145	Vertical
2	15073.5	40.02	9.13	49.15	68.20	19.05	PK	139	86	Vertical
3	17997.3	39.05	13.75	52.80	74.00	21.20	PK	209	313	Vertical



Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14092.1	41.41	8.17	49.58	68.20	18.62	PK	164	27	Horizontal
2	15066.6	40.59	9.16	49.75	68.20	18.45	PK	122	335	Horizontal
3	17860.8	38.95	13.85	52.80	74.00	21.20	PK	194	101	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	14131.6	40.56	8.45	49.01	68.20	19.19	PK	150	335	Vertical
2	15226.4	40.00	9.16	49.16	68.20	19.04	PK	136	85	Vertical
3	17843.2	38.81	13.70	52.51	74.00	21.49	PK	132	0	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13683.5	39.88	9.30	49.18	68.20	19.02	PK	132	52	Horizontal
2	15087.7	40.35	9.07	49.42	68.20	18.78	PK	263	38	Horizontal
3	17897.6	39.59	13.38	52.97	74.00	21.03	PK	168	260	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13847.2	40.99	7.70	48.69	68.20	19.51	PK	228	40	Vertical
2	15242.9	39.18	9.72	48.90	68.20	19.30	PK	168	84	Vertical
3	17994.2	38.72	13.71	52.43	74.00	21.57	PK	245	55	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13680.4	40.12	9.28	49.40	68.20	18.80	PK	126	123	Horizontal
2	15090.7	40.17	9.06	49.23	68.20	18.97	PK	104	190	Horizontal
3	17858.5	39.28	13.88	53.16	74.00	20.84	PK	273	154	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13682.7	40.48	9.29	49.77	68.20	18.43	PK	226	115	Vertical
2	15073.9	40.86	9.13	49.99	68.20	18.21	PK	214	276	Vertical
3	17870.8	38.92	13.72	52.64	74.00	21.36	PK	106	6	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13698.4	40.42	9.41	49.83	68.20	18.37	PK	169	35	Horizontal
2	15091.5	40.54	9.06	49.60	68.20	18.60	PK	211	151	Horizontal
3	17999.6	38.66	13.79	52.45	74.00	21.55	PK	237	181	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

### Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Trace	Height [cm]	Angle [°]	Polarity
1	13696.5	39.87	9.40	49.27	68.20	18.93	PK	291	164	Vertical
2	15248.3	38.99	9.89	48.88	68.20	19.32	PK	130	282	Vertical
3	17338.7	40.33	11.88	52.21	68.20	15.99	PK	138	230	Vertical