

Report No.: SEWM2212000310RG06

Rev.: 01 Page: 1 of 29

TEST REPORT

Application No.: SEWM2212000310RG

Applicant: Sony Corporation

Address of Applicant: 1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan

Manufacturer: Sony Corporation

Address of Manufacturer: 1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan

EUT Description: GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n/ac, NFC and GNSS

Trade Mark: Sony

FCC ID: PY7-38431P

Standard(s): FCC 47 CFR Part 15, Subpart B

Date of Receipt: 2022/11/30

Date of Test: 2023/01/06 to 2023/01/10

Date of Issue: 2023/01/13

Test Result: Pass*

Authorized Signature:

Panta Sun

Panta Sun

Wireless Laboratory Manager



中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 2 of 29

	Revision Record				
Version	Version Chapter Date Modifier Remark				
01		2023/01/13		Original	

Prepared By	King p Li) / Took Engineer
Checked By	(King-p Li) / Test Engineer (Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 3 of 29

Test Summary

Emission Part					
Item	Standard	Method	Requirement	Result	
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 4 of 29

Contents

1	Ger	eral Information	5
	1.1 1.2 1.3 1.4 1.5	Description of Support Units Test Location Test Facility Deviation from Standards Abnormalities from Standard Conditions	7 7 7
2	Emi	ssion Test Results	8
	2.1. 2.1. 2.2 2.2. 2.2. 2.2. 2.3. 2.3.	Conducted Emissions at Mains Terminals (150kHz-30MHz)	
_		3 Measurement Data	
3	Equ	ipment List	26
4	Mea	surement Uncertainty	28
5	Pho	tographs	29
		Test Setup	
	∵	1 00t 00top	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No.6 Plant, No.1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 5 of 29

1 General Information

EUT Description:	GSM/WCDMA/LTE Pho	GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n/ac, NFC and GNSS			
Trade Mark:	Sony	Sony			
Hardware Version:	A	A			
Software Version:	0.124	0.124			
SN:	HQ62B208FE	HQ62B208FE			
	Band	Tx (MHz)	Rx (MHz)		
	GSM850	824~849	869~894		
	GSM1900	1850~1910	1930~1990		
	WCDMA Band V	824~849	869~894		
	LTE Band 12	699~716	729~746		
	LTE Band 41	2496~2690	2496~2690		
Frequency Bands:	Wi-Fi 2.4G	2412~2462	2412~2462		
	Bluetooth	2402~2480	2402~2480		
	Wi-Fi 5G	5150~5850	5150~5850		
	NFC	13.56	13.56		
	GNSS (GPS L1C/A+Glonass G1+ Beidou B1I+Galileo E1)	1	1559~1610		

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testand for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 6 of 29

Accessory:

Adapter No.	Model No.	Manufacturer
1	XQZ-UC1	Sony Corporation

	USB cable no.	Model no.	Manufacturer
	1	XQZ-UB1	Sony Corporation
Ī	2	UCB20	Sony Corporation

Earphone No.	Model No.	Manufacturer
1	MDR-EX15AP	Sony Corporation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 7 of 29

1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01
Computer	Lenovo	T14	SUWI-03-33-04
Mouse	Lenovo	3D optical Mouse	SUWI-03-33-05

1.2 Test Location

All tests were performed at:

·		
Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.	
Address: South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Pa Suzhou Area, China (Jiangsu) Pilot Free Trade Zone		
Post code:	215000	
Test engineer:	King-p Li	

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327

1.4 Deviation from Standards

None

1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.apsx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sg: t (86–512) 62992980 sgs.chin

sgs.china@sgs.com



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 8 of 29

2 Emission Test Results

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B			
Test Method:	ANSI C63.4:2014			
Frequency Range:	150kHz to 30MHz			
Receiver Setup:	RBW = 9kHz, VBW = 30kHz			
	Frequency Range (MHz)	Limit(dBµV)		
		Quasi-peak	average	
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*	
Limit:	0.5M-5MHz	56	46	
	5M-30MHz 60 50		50	
	*Decreases with the logarithm	of the frequency		
	Detector: Peak for pre-scan (9	kHz resolution bandwidth) 0.15M to 30MHz	

2.1.1 E.U.T. Operation

Operating Environment:

Operating Environment.	
Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0 kPa
	a: adapter+usb Cable+BT+2.4GWLAN +Camera(Rear)+GSM850
	b: adapter+usb Cable+BT+5GWLAN +Camera(Front)+WCDMA Band 5
Pretest these modes to	c: adapter+usb Cable+BT+2.4GWLAN +MP4+LTE Band 12
find the worst case:	d: adapter+usb Cable+BT+5GWLAN +GPS RX+GSM1900
	e: adapter+usb Cable+BT+2.4GWLAN +NFC ON+LTE Band 41
	f: Transfer data between the EUT and the PC+USB cable
The worst case for final	d: adapter+usb Cable+BT+5GWLAN +GPS RX+GSM1900
test:	f: Transfer data between the EUT and the PC+USB cable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2212000310RG06

Rev.: 01 Page: 9 of 29

2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.apsx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.


South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

000 t (86–512) 6299290 000 t (86–512) 6299290



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 10 of 29



Final	Final Data List										
NO	Frequenc y [MHz]	Facto r [dB]	QP Readin g [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margi n [dB]	AV Readin g [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margi n [dB]	Verdic t
1	0.1815	10.76	34.19	44.95	64.42	19.47	23.68	34.44	54.42	19.98	PASS
2	0.2670	10.74	27.17	37.91	61.21	23.30	10.59	21.33	51.21	29.88	PASS
3	1.2705	10.78	26.89	37.67	56.00	18.33	18.05	28.83	46.00	17.17	PASS
4	4.2405	10.72	19.06	29.78	56.00	26.22	11.26	21.98	46.00	24.02	PASS
5	10.1670	10.63	18.16	28.79	60.00	31.21	9.38	20.01	50.00	29.99	PASS
6	21.6195	10.37	14.62	24.99	60.00	35.01	10.61	20.98	50.00	29.02	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBµV] Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.apsx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 11 of 29



Final	Final Data List										
NO	Frequenc y [MHz]	Facto r [dB]	QP Readin g [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margi n [dB]	AV Readin g [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margi n [dB]	Verdic t
1	0.1770	10.71	36.57	47.28	64.63	17.35	29.08	39.79	54.63	14.84	PASS
2	0.4560	10.81	16.27	27.08	56.77	29.69	2.10	12.91	46.77	33.86	PASS
3	1.2660	10.78	30.18	40.96	56.00	15.04	22.45	33.23	46.00	12.77	PASS
4	3.8940	10.73	18.61	29.34	56.00	26.66	6.35	17.08	46.00	28.92	PASS
5	8.6235	10.60	20.91	31.51	60.00	28.49	13.27	23.87	50.00	26.13	PASS
6	24.1755	10.51	7.66	18.17	60.00	41.83	-0.35	10.16	50.00	39.84	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBμV] Value[dBμV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.apsx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 12 of 29



Final	Final Data List										
NO	Frequenc y [MHz]	Facto r [dB]	QP Readin g [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margi n [dB]	AV Readin g [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margi n [dB]	Verdic t
1	0.1680	10.71	35.11	45.82	65.06	19.24	21.54	32.25	55.06	22.81	PASS
2	0.2535	10.79	27.88	38.67	61.64	22.97	12.30	23.09	51.64	28.55	PASS
3	1.2660	10.78	28.07	38.85	56.00	17.15	19.47	30.25	46.00	15.75	PASS
4	3.8805	10.73	16.21	26.94	56.00	29.06	7.06	17.79	46.00	28.21	PASS
5	9.9825	10.63	18.59	29.22	60.00	30.78	13.05	23.68	50.00	26.32	PASS
6	15.4995	10.52	10.86	21.38	60.00	38.62	6.41	16.93	50.00	33.07	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBμV] Value[dBμV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.apsx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 13 of 29



Final	Final Data List										
NO	Frequenc y [MHz]	Facto r [dB]	QP Readin g [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margi n [dB]	AV Readin g [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margi n [dB]	Verdic t
1	0.2040	10.67	32.21	42.88	63.45	20.57	18.56	29.23	53.45	24.22	PASS
2	1.3200	10.78	29.01	39.79	56.00	16.21	21.66	32.44	46.00	13.56	PASS
3	4.2315	10.72	21.19	31.91	56.00	24.09	13.39	24.11	46.00	21.89	PASS
4	8.1870	10.58	20.24	30.82	60.00	29.18	12.82	23.40	50.00	26.60	PASS
5	11.9040	10.65	23.12	33.77	60.00	26.23	20.09	30.74	50.00	19.26	PASS
6	24.3060	10.51	6.47	16.98	60.00	43.02	-1.90	8.61	50.00	41.39	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBµV] Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.apsx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 14 of 29

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B							
Test Method:	ANSI C63.4:2014							
Frequency Range:	30MHz to 1GHz							
Measurement Distance:	3m							
	Frequency Range (MHz)	Limit(dBµV/m)	Detector					
	30MHz -88MHz	40.0	Quasi-peak					
Limit:	88MHz-216MHz	43.5	Quasi-peak					
	216MHz-960MHz	46.0	Quasi-peak					
	960MHz-1000MHz 54.0 Quasi-peak							
Detector:	Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz							

2.2.1 E.U.T. Operation

z.z.i L.o.ii. opciation	
Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0 kPa
Pretest these modes to find the worst case:	a: adapter+usb Cable+BT+2.4GWLAN +Camera(Rear)+GSM850 b: adapter+usb Cable+BT+5GWLAN +Camera(Front)+WCDMA Band 5 c: adapter+usb Cable+BT+2.4GWLAN +MP4+LTE Band 12 d: adapter+usb Cable+BT+5GWLAN +GPS RX+GSM1900 e: adapter+usb Cable+BT+2.4GWLAN +NFC ON+LTE Band 41 f: Transfer data between the EUT and the PC+USB cable
The worst case for final test:	e: adapter+usb Cable+BT+2.4GWLAN +NFC ON+LTE Band 41 f: Transfer data between the EUT and the PC+USB cable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2212000310RG06

Rev.: Page: 15 of 29

2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 **Measurement Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.apsx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

sgs.china@sgs.com



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 16 of 29



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	42.3675	32.41	13.87	-28.06	18.22	40.00	21.78	215	288	Horizontal	
2	99.84	39.74	10.14	-27.36	22.51	43.50	20.99	173	47	Horizontal	
3	111.7225	42.37	11.32	-27.47	26.22	43.50	17.28	296	57	Horizontal	
4	164.5875	36.28	14.26	-26.63	23.92	43.50	19.58	248	317	Horizontal	
5	298.69	32.77	12.77	-26.27	19.27	46.00	26.73	186	22	Horizontal	
6	754.59	30.24	20.31	-23.73	26.82	46.00	19.18	261	11	Horizontal	

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 17 of 29



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	42.8525	45.87	13.83	-28.06	31.64	40.00	8.36	255	254	Vertical	
2	69.5275	41.58	10.91	-27.73	24.76	40.00	15.24	247	349	Vertical	
3	115.36	36.74	11.72	-27.58	20.89	43.50	22.61	196	22	Vertical	
4	164.1025	36.12	14.25	-26.64	23.73	43.50	19.77	207	360	Vertical	
5	211.39	38.69	10.28	-26.64	22.34	43.50	21.16	167	354	Vertical	
6	491.72	30.93	16.42	-25.04	22.31	46.00	23.69	199	175	Vertical	

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 18 of 29 Page:



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	41.3975	41.26	13.95	-28.07	27.14	40.00	12.86	251	309	Horizontal	
2	99.355	53.62	10.10	-27.38	36.34	43.50	7.16	269	46	Horizontal	
3	188.8375	47.82	12.57	-27.21	33.18	43.50	10.32	203	46	Horizontal	
4	322.2125	47.63	13.26	-26.25	34.64	46.00	11.36	196	334	Horizontal	
5	480.08	31.62	16.29	-25.04	22.87	46.00	23.13	174	46	Horizontal	
6	960.23	30.24	22.16	-22.75	29.65	54.00	24.35	205	304	Horizontal	

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 19 of 29



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	41.8825	47.13	13.91	-28.07	32.98	40.00	7.02	214	224	Vertical	
2	102.265	41.93	10.37	-27.37	24.93	43.50	18.57	284	337	Vertical	
3	179.865	41.08	14.68	-26.88	28.87	43.50	14.63	218	66	Vertical	
4	331.9125	38.62	13.46	-25.79	26.29	46.00	19.71	206	247	Vertical	
5	480.08	30.68	16.29	-25.04	21.93	46.00	24.07	293	360	Vertical	
6	827.0975	34.13	20.88	-23.59	31.42	46.00	14.58	198	218	Vertical	

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 20 of 29

2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Subpa	art B						
Test Method:	ANSI C63.4:2014	ANSI C63.4:2014						
Frequency Range:	Above 1GHz							
Measurement Distance:	3m							
	Frequency (MHz)	Limit (dBµV/m)	Detector					
Limit:	Above 4011-	74	Peak					
	Above 1GHz 54 Average							
Detector:	Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower.							

2.3.1 E.U.T. Operation

2.0.1 L.O.1. Operation				
Temperature:	22~23°C			
Humidity:	44~46%RH			
Atmospheric Pressure:	101.0 kPa			
	a: adapter+usb Cable+BT+2.4GWLAN +Camera(Rear)+GSM850			
	b: adapter+usb Cable+BT+5GWLAN +Camera(Front)+WCDMA Band 5			
Pretest these modes to	c: adapter+usb Cable+BT+2.4GWLAN +MP4+LTE Band 12			
find the worst case:	d: adapter+usb Cable+BT+5GWLAN +GPS RX+GSM1900			
	e: adapter+usb Cable+BT+2.4GWLAN +NFC ON+LTE Band 41			
	f: Transfer data between the EUT and the PC+USB cable			
The worst case for final	e: adapter+usb Cable+BT+2.4GWLAN +NFC ON+LTE Band 41			
test:	f: Transfer data between the EUT and the PC+USB cable			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.china




Report No.: SEWM2212000310RG06

Rev.: Page: 21 of 29

2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.



2.3.3 **Measurement Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Document-gray-Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced printly without prior written approved of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) test explication as well as a content or results shown in this test report refer only to the sample(s) test explication of the company is a property of the company of the sample(s) are retained for 30 days only. results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 22 of 29



Final	Final Data List									
NO.	Frequency	Reading	AF	Level	Factor	Limit	Margin	Height	Angle	Polarity
	[MHz]	[dBµV]	[dB/m]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	,
1	2314.1	53.27	27.53	33.17	-47.62	74.00	40.83	296	290	Horizontal
2	8927.1	46.32	38.52	45.59	-39.25	74.00	28.41	265	80	Horizontal
3	16468.3	41.16	38.23	46.15	-33.24	74.00	27.85	241	359	Horizontal
4	3262.7	43.16	29.49	26.49	-46.17	54.00	27.51	142	356	Horizontal
5	9600.3	36.33	38.54	36.69	-38.18	54.00	17.31	263	264	Horizontal
6	13700.7	32.64	40.02	37.76	-34.90	54.00	16.24	221	80	Horizontal

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] - Level[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 23 of 29



Final	Final Data List									
NO.	Frequency	Reading	AF	Level	Factor	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB/m]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	Polatily
1	2496	52.79	27.89	33.91	-46.77	74.00	40.09	196	233	Vertical
2	8419.65	46.63	37.96	44.39	-40.20	74.00	29.61	265	307	Vertical
3	13594.45	43.53	39.96	49.13	-34.36	74.00	24.87	241	335	Vertical
4	3822.85	42.85	30.17	27.42	-45.61	54.00	26.58	142	74	Vertical
5	10218.25	34.79	38.74	36.56	-36.97	54.00	17.44	263	106	Vertical
6	17966	30.96	42.46	43.23	-30.19	54.00	10.77	100	0	Vertical

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] - Level[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 ww t (86–512) 62992980 sgs



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 24 of 29



Final	Final Data List									
NO.	Frequency	Reading	AF	Level	Factor	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB/m]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	Polarity
1	2131.35	53.59	27.16	32.92	-47.84	74.00	41.08	296	265	Horizontal
2	5578.95	49.93	32.85	39.08	-43.70	74.00	34.92	265	201	Horizontal
3	12055.1	42.32	38.66	45.75	-35.23	74.00	28.25	241	141	Horizontal
4	3222.75	43.22	29.51	26.50	-46.23	54.00	27.50	142	3	Horizontal
5	7754.95	38.86	37.01	34.78	-41.09	54.00	19.22	232	26	Horizontal
6	13639.5	33.61	39.98	39.01	-34.59	54.00	14.99	214	355	Horizontal

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] - Level[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 25 of 29



Final	Final Data List									
NO.	Frequency	Reading	AF	Level	Factor	Limit	Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB/m]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	Folanty
1	2147.5	53.64	27.20	33.02	-47.81	74.00	40.98	196	1	Vertical
2	6187.55	50.31	34.58	41.81	-43.07	74.00	32.19	265	99	Vertical
3	12701.1	42.17	39.30	46.20	-35.27	74.00	27.80	241	282	Vertical
4	3004.3	42.88	29.60	26.00	-46.48	54.00	28.00	142	46	Vertical
5	8925.4	37.60	38.52	36.85	-39.27	54.00	17.15	263	127	Vertical
6	15217.1	31.91	38.92	37.91	-32.92	54.00	16.09	221	357	Vertical

Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] - Level[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 26 of 29

3 Equipment List

CE Test System									
Equipment	Manufacturer	Model No. Inventory No.		Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)				
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2022/02/14	2023/02/13				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2022/02/16	2023/02/15				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/02/19	2023/02/18				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2022/02/19	2023/02/18				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2022/02/19	2023/02/18				
Measurement Software CE	Tonsend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed evertest, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to a subject to a subject to the first process of the control of t



Report No.: SEWM2212000310RG06

Rev.: 01 Page: 27 of 29

	RE Test System									
Equipment	Manufacturer	Model No. Inventory No.		Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)					
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07					
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2022/02/16	2023/02/15					
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27					
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/02/19	2023/02/18					
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/05/16	2023/05/15					
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/05/16	2023/05/15					
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/05/14	2023/05/13					
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2022/02/14	2023/02/13					
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2022/02/14	2023/02/13					
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2022/02/19	2023/02/18					
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/06/10	2023/06/09					
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2022/02/14	2023/02/13					
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) t (86–512)



Report No.: SEWM2212000310RG06

Rev.: Page: 28 of 29

Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)
		± 4.8dB (30MHz -1GHz)
2	Radiated Emission	± 4.8dB (1GHz to 18GHz)
		± 4.80dB (Above 18GHz)

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.apsx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.



Report No.: SEWM2212000310RG06

Rev.: 01

Page: 29 of 29

5 Photographs

5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@ss.com