



# SPOT CHECK EVALUATION

FCC ID : PY7-53953L  
Equipment : GSM/WCDMA/LTE/5G Phone with BT, DTS/UNII  
a/b/g/n/ac/ax, GPS, and NFC  
Brand Name : Sony  
Applicant : Sony Corporation  
1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan  
Standard : FCC Part 15 Subpart C §15.225

The product was received on May 11, 2021 and testing was started from Jun. 07, 2021 and completed on Jun. 08, 2021. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this spot check data report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

*Louis Wu*

Approved by: Louis Wu

**Sporton International Inc. Wensan Laboratory**

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)



## Table of Contents

|   |   |
|---|---|
| History of this test report.....              | 3 |
| 1. Introduction Section .....                 | 4 |
| 2. Difference Section .....                   | 5 |
| 3. Spot Check Verification Data Section ..... | 6 |
| 4. Reference detail Section .....             | 7 |





## **1. Introduction Section**

Sony Corporation, hereby declares that the NFC hardware of PY7-53953L (this model) are HW identical to PY7-38061M (lead). In addition, PY7-53953L (this model) digital circuit is identical to PY7-38061M (lead). Therefore the following report of PY7-38061M (lead) may be used as reference test data for PY7-53953L (this model), along with the spot check verification data following the FCC KDB 484596 D01 v01.

- NFC



## **2. Difference Section**

Difference between PY7-38061M (lead) and PY7-53953L (this model):

Sony Corporation, hereby declares the difference between PY7-38061M (lead) and PY7-53953L (this model) are related only to the cellular. Therefore the NFC report/data of PY7-38061M (lead) may represent for PY7-53953L (this model).



### 3. Spot Check Verification Data Section

Conducted power test and radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing and the verification test results Similar to the original FCC ID. Detail spot check test result can be found in the variant model report, please refer to detail section table in section 4.

Summary of the spot check:

| Test Item                                      | Mode | PY7-38061M Worst Result | PY7- 53953L Worst Result | Difference (dB) |
|--|------|-------------------------|--------------------------|-----------------|
| Radiated Spurious Emission (Harmonic) (dBuV/m) | NFC  | 35.25                   | 32.51                    | 2.74            |
| Radiated fundamental (dBuV/m)                  | NFC  | 22.08                   | 21.25                    | 0.83            |



#### 4. Reference detail Section

| Rule Part | Equipment Class | Wireless Technology | Frequency Band (MHz) | Original FCC ID | Original Report      | Variant Model FCC ID | Variant Model Report |
|-----------|-----------------|---------------------|----------------------|-----------------|----------------------|----------------------|----------------------|
| 15C       | DXX             | NFC                 | 13.56                | PY7-38061M      | Part 15C (FR133140D) | PY7-53953L           | Part 15C (FR133144D) |

END of this report