



Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Report Number	Revision	Description	Issue Date
E1/2016/C0051	Rev.00	Initial creation of document	Mar. 01, 2017

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

1. GENERAL INFORMATION.....	4
1.1 APPLICANT & MANUFACTURER INFORMATION	4
1.2 GENERAL DESCRIPTION OF EUT	4
1.3 DETAILS OF EUT	4
1.4 OPERATION PROCEDURE	6
1.5 DESCRIPTION OF SUPPORT UNITS	7
1.6 MODIFICATION LIST	7
1.7 ACCESSORIES CABLE LIST	7
1.8 TEST SET-UP CONFIGURATION.....	7
1.9 MEASUREMENT PROCEDURE	8
1.10 STANDARDS APPLICABLE FOR TESTING.....	8
1.11 SUMMARY OF RESULTS	8
2. EMISSION	9
2.1 TEST RESULTS	9
2.2 FREQUENCY RANGE.....	9
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	10
2.3.1 LIMITS OF CONDUCTED EMISSION	10
2.3.2 LIMITS OF RADIATED EMISSIONS	10
2.4. TEST OF CONDUCTED EMISSION.....	12
2.4.1 TEST EQUIPMENTS	12
2.4.2 OPERATING ENVIRONMENT	12
2.4.3 MEASUREMENT LEVEL CALCULATION	12
2.4.4 MEASUREMENT DATA:.....	13
2.5 TEST OF RADIATED EMISSION.....	19
2.5.1 TEST EQUIPMENTS	19
2.5.2 OPERATING ENVIRONMENT	21
2.5.3 MEASUREMENT LEVEL CALCULATION	21
2.5.4 MEASUREMENT DATA.....	22

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1. General Information

1.1 Applicant & Manufacturer Information

Applicant : Sony Mobile Communications Inc.
 Address of Applicant : 4-12-3, Higashi-Shinagawa, Shinagawa-ku, Tokyo,
 140-0002 Japan
 Manufacturer : Sony Mobile Communications Inc.
 Address of Manufacturer : 4-12-3, Higashi-Shinagawa, Shinagawa-ku, Tokyo,
 140-0002 Japan

1.2 General Description of EUT

Brand Name : Sony
 FCC ID : PY7-55364J

1.3 Details of EUT

Power Supply : 11.1Vdc
 Worst case : CE_Worst_case : Config 1
 RE_Worst_case : Config 3 (MP3 Play)
 Highest operate description : 1.782 GHz
 Adapter : Model No.: UCH30C
 Supplier:PHIHONG
 I/P:100-240V, 50/60Hz, 1A
 O/P:5V, 3A
 9V, 3A
 15V,3A
 Ferrite core : Type number: ZCAT-2035-0930A-BK
 Supplier: TDK

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

	Config 1	Config 2	Config 3
Applicable standard (FCC 15B)			
Accessories	EUT +AC charger +HDMI Cabl	EUT +HDMI Cable +USB Cable	EUT +AC charger +HDMI Cable
	HDMI Data Transfer	USB Data Transfer	AC charger
	DATA Link(USB) + Idle(WWAN.WIFI.BT.GPS & NFC ON)	DATA Link(HDMI) + Idle(WWAN.WIFI.BT.GPS & NFC ON)	Recording + Play recording + MP3 Play Idle(WWAN.WIFI.BT.GPS & NFC ON)
Standard § 15.107 & 15.109			
radiated emission	HDMI Data Transfer	USB Data Transfer	Recording + Play recording + MP3 Play
conducted emission (DC Power)	NA	N/A	N/A
conducted emission (AC Power)	HDMI Data Transfer	USB Data Transfer	Recording + Play recording + MP3 Play

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.4 Operation Procedure

Config 1

1. EUT connected to the adapter and the HDMI cable, and place it in the center of the table edge.
2. Turn on the EUT to open the WIFI.BT.GPS.NFC function(Idle).
3. EUT projection of the screen in the computer by HDMI cable.
4. Start the test.

Configuration 2:

1. EUT connected to USB cable and HDMI cable , and place it in the center of the desk edge.
2. Turn on the EUT to start the WIFI.BT.GPS.NFC function(Idle).
3. EUT transmits data to the computer by USB cable.
4. Start the test.

Configuration 3: MP3 playback

1. EUT connected to the USB cable and HDMI cable, and place it in the center of the desk edge.
2. Turn on the EUT to open the WIFI.BT.GPS.NFC function(Idle).
3. After the EUT plays the music, start the test.

Configuration 3: Recording

1. EUT connected to the USB cable and the HDMI cable and place it in the center of the desk edge.
2. Turn on the EUT to open the WIFI.BT.GPS.NFC function(Idle).
3. After the EUT performs the recording function, start the test.

Configuration 3: Play the recording

1. EUT connected to the USB cable and HDMI cable , and place it in the center of the desk edge.
2. Turn on the EUT to open the WIFI.BT.GPS.NFC function(Idle).
3. After the EUT executes the playback function, start the test

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
Notebook	DELL	Latitude E6440	3VGS162
Mouse	DELL	MS111-T	CN-OKW2YH-71616-345-OL7T
Printer	HP	VCVRA-1004	CN33K19J3F
Notebook	Lenovo	X260	N/A
GPS Signal Generator	Spectracom	GSG53 GNSS4	200218

Support Equipment Used in Tested Cable

Cable Type	Core	Length	Shielding/Non-shielding
Mouse Cable	N/A	1.6m	Non-Shielding
Printer USB Cable	N/A	2.0m	Shielding

1.6 Modification List

No modification was made by SGS Taiwan Electronics & Communication Laboratory.

1.7 Accessories Cable List

Cable Type	Core	Length	Shielding/Non-shielding
Power Cable	N/A	1m	N/A
HDMI Cable	N/A	1m	Shielding
USB - Type C Cable	N/A	1m	Shielding

1.8 Test Set-Up Configuration

Config 1 & 2 & 3

1.9 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.10 Standards Applicable for Testing

Tests to be carried out under FCC Part 15, Subpart B/CISPR 22

Test Standards	Status
FCC Part 15, Subpart B/ CISPR 22	Applicable
Deviation from Standard	No deviation

1.11 Summary of Results

Standard	Test Type	Highest Emission			
		Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B Class B	Conducted Emission	PASS	Line	0.5900	-9.03 (AVG)
			Neutral	0.5900	-9.00 (AVG)
	Radiated Emission	PASS	Ver.	33.8800	-1.60 (QP)

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2. EMISSION

2.1 Test Results

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.3 Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

FCC Part 15, Subpart B/CISPR 22:

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note : (1) The lower limit shall apply at the transition frequencies.

(2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.

(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

2.3.2 Limits of Radiated Emissions

FCC Part 15, Subpart B Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 3m)
	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

- Detector Function : Peak , Average

FREQUENCY (MHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Peak	Average	Peak	Average
Above 1000-40000	79.3	59.3	73.9	53.9

CISPR 22 Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 10m)
	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY (GHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Average	Peak	Average	Peak
1~3	56	76	50	70
3~6	60	80	54	74

NOTE The lower limit applies at the transition frequency.



2.4. Test of Conducted Emission

2.4.1 Test Equipments

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.4.4 Measurement Data:

Config_1_L




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	dBuV	dB	ment	dBuV	dB	Detector	Comment
1		0.1700	44.47	0.34	44.81	64.96	-20.15	QP	
2		0.1700	30.17	0.34	30.51	54.96	-24.45	AVG	
3		0.2100	38.62	0.36	38.98	63.21	-24.23	QP	
4		0.2100	24.28	0.36	24.64	53.21	-28.57	AVG	
5		0.5900	36.88	0.36	37.24	56.00	-18.76	QP	
6 *		0.5900	36.61	0.36	36.97	46.00	-9.03	AVG	
7		2.2420	39.62	0.39	40.01	56.00	-15.99	QP	
8		2.2420	34.20	0.39	34.59	46.00	-11.41	AVG	
9		2.6620	39.42	0.39	39.81	56.00	-16.19	QP	
10		2.6620	34.00	0.39	34.39	46.00	-11.61	AVG	
11		4.8660	36.65	0.42	37.07	56.00	-18.93	QP	
12		4.8660	29.18	0.42	29.60	46.00	-16.40	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_1_N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1500	48.11	0.38	48.49	66.00	-17.51	QP	
2		0.1500	30.33	0.38	30.71	56.00	-25.29	AVG	
3		0.1940	41.01	0.39	41.40	63.86	-22.46	QP	
4		0.1940	26.42	0.39	26.81	53.86	-27.05	AVG	
5		0.5900	36.87	0.40	37.27	56.00	-18.73	QP	
6 *		0.5900	36.60	0.40	37.00	46.00	-9.00	AVG	
7		2.2620	40.23	0.42	40.65	56.00	-15.35	QP	
8		2.2620	34.77	0.42	35.19	46.00	-10.81	AVG	
9		2.6460	39.68	0.43	40.11	56.00	-15.89	QP	
10		2.6460	34.04	0.43	34.47	46.00	-11.53	AVG	
11		4.9940	38.82	0.46	39.28	56.00	-16.72	QP	
12		4.9940	31.14	0.46	31.60	46.00	-14.40	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_2_Internal Storage Resd_L




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	0.1540	51.70	0.33	52.03	65.78	-13.75	QP	
2		0.1540	38.50	0.33	38.83	55.78	-16.95	AVG	
3		0.1780	46.00	0.35	46.35	64.58	-18.23	QP	
4		0.1780	33.60	0.35	33.95	54.58	-20.63	AVG	
5		0.2220	43.70	0.36	44.06	62.74	-18.68	QP	
6		0.2220	31.50	0.36	31.86	52.74	-20.88	AVG	
7		0.2740	38.60	0.36	38.96	61.00	-22.04	QP	
8		0.2740	28.70	0.36	29.06	51.00	-21.94	AVG	
9		0.4020	32.00	0.37	32.37	57.81	-25.44	QP	
10		0.4020	19.80	0.37	20.17	47.81	-27.64	AVG	
11		0.4466	37.00	0.37	37.37	56.94	-19.57	QP	
12		0.4466	24.30	0.37	24.67	46.94	-22.27	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_2_Internal Storage Read_N




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1540	47.90	0.38	48.28	65.78	-17.50	QP	
2		0.1540	33.30	0.38	33.68	55.78	-22.10	AVG	
3	*	0.1740	47.50	0.38	47.88	64.77	-16.89	QP	
4		0.1740	37.30	0.38	37.68	54.77	-17.09	AVG	
5		0.2220	40.30	0.39	40.69	62.74	-22.05	QP	
6		0.2220	30.20	0.39	30.59	52.74	-22.15	AVG	
7		0.2660	37.30	0.39	37.69	61.24	-23.55	QP	
8		0.2660	27.40	0.39	27.79	51.24	-23.45	AVG	
9		0.4420	35.60	0.39	35.99	57.02	-21.03	QP	
10		0.4420	22.40	0.39	22.79	47.02	-24.23	AVG	
11		15.9540	34.90	0.74	35.64	60.00	-24.36	QP	
12		15.9540	29.20	0.74	29.94	50.00	-20.06	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_3_L




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1620	46.03	0.34	46.37	65.36	-18.99	QP	
2		0.1620	31.47	0.34	31.81	55.36	-23.55	AVG	
3		0.2100	39.12	0.36	39.48	63.21	-23.73	QP	
4		0.2100	25.52	0.36	25.88	53.21	-27.33	AVG	
5		0.5900	36.72	0.36	37.08	56.00	-18.92	QP	
6 *		0.5900	36.17	0.36	36.53	46.00	-9.47	AVG	
7		2.2500	41.37	0.39	41.76	56.00	-14.24	QP	
8		2.2500	35.51	0.39	35.90	46.00	-10.10	AVG	
9		2.6180	39.88	0.39	40.27	56.00	-15.73	QP	
10		2.6180	33.82	0.39	34.21	46.00	-11.79	AVG	
11		4.8220	36.37	0.42	36.79	56.00	-19.21	QP	
12		4.8220	27.87	0.42	28.29	46.00	-17.71	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config_3_N



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1540	45.60	0.38	45.98	65.78	-19.80	QP	
2		0.1540	30.67	0.38	31.05	55.78	-24.73	AVG	
3		0.1860	42.76	0.39	43.15	64.21	-21.06	QP	
4		0.1860	29.84	0.39	30.23	54.21	-23.98	AVG	
5		0.5900	36.99	0.40	37.39	56.00	-18.61	QP	
6	*	0.5900	35.82	0.40	36.22	46.00	-9.78	AVG	
7		2.2580	41.34	0.42	41.76	56.00	-14.24	QP	
8		2.2580	35.57	0.42	35.99	46.00	-10.01	AVG	
9		2.6540	41.07	0.43	41.50	56.00	-14.50	QP	
10		2.6540	35.05	0.43	35.48	46.00	-10.52	AVG	
11		4.8220	37.28	0.45	37.73	56.00	-18.27	QP	
12		4.8220	29.24	0.45	29.69	46.00	-16.31	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5 Test of Radiated Emission

2.5.1 Test Equipments

Below 1GHz

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Above 1GHz

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2.5.2 Operating Environment

Temperature : 18 degree C

Humidity : 59 %RH

Atmospheric Pressure : 996 mBar

2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain

Measurement Level = Reading Level + Correction Factor

Over (Margin) = Measurement Level – Limit

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

2.5.4 Measurement Data

Below 1GHz

Config 1_H



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		186.1700	44.05	-14.01	30.04	43.50	-13.46	peak	
2		186.1700	42.15	-14.01	28.14	43.50	-15.36	QP	
3		343.3100	44.05	-10.02	34.03	46.00	-11.97	peak	
4		343.3100	42.35	-10.02	32.33	46.00	-13.67	QP	
5 *		446.1300	45.19	-7.38	37.81	46.00	-8.19	peak	
6		446.1300	43.16	-7.38	35.78	46.00	-10.22	QP	
7		515.0000	42.26	-6.39	35.87	46.00	-10.13	peak	
8		515.0000	40.08	-6.39	33.69	46.00	-12.31	QP	
9		600.3600	40.50	-5.00	35.50	46.00	-10.50	peak	
10		600.3600	38.22	-5.00	33.22	46.00	-12.78	QP	
11		772.0500	37.08	-1.43	35.65	46.00	-10.35	peak	
12		772.0500	34.71	-1.43	33.28	46.00	-12.72	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_V




No.	Mk.	Freq.	Reading	Correct	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	38.7300	47.72	-12.19	35.53	40.00	-4.47	peak	
2		38.7300	45.99	-12.19	33.80	40.00	-6.20	QP	
3		67.8300	47.80	-13.95	33.85	40.00	-6.15	peak	
4		67.8300	45.50	-13.95	31.55	40.00	-8.45	QP	
5		133.7900	47.84	-13.08	34.76	43.50	-8.74	peak	
6		133.7900	45.54	-13.08	32.46	43.50	-11.04	QP	
7		156.1000	48.99	-11.97	37.02	43.50	-6.48	peak	
8		156.1000	47.42	-11.97	35.45	43.50	-8.05	QP	
9	!	185.2000	52.91	-13.90	39.01	43.50	-4.49	peak	
10		185.2000	49.80	-13.90	35.90	43.50	-7.60	QP	
11		600.3600	43.29	-5.00	38.29	46.00	-7.71	peak	
12		600.3600	41.33	-5.00	36.33	46.00	-9.67	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (SD Card Write)_H




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	32.9100	40.21	-12.85	27.36	40.00	-12.64	peak	
2		32.9100	38.73	-12.85	25.88	40.00	-14.12	QP	
3		95.9600	48.15	-17.68	30.47	43.50	-13.03	peak	
4		95.9600	44.87	-17.68	27.19	43.50	-16.31	QP	
5		165.8000	38.28	-12.10	26.18	43.50	-17.32	peak	
6		165.8000	36.43	-12.10	24.33	43.50	-19.17	QP	
7		231.7600	41.15	-13.75	27.40	46.00	-18.60	peak	
8		231.7600	39.94	-13.75	26.19	46.00	-19.81	QP	
9		275.4100	40.97	-11.75	29.22	46.00	-16.78	peak	
10		275.4100	40.01	-11.75	28.26	46.00	-17.74	QP	
11		298.6900	42.56	-11.14	31.42	46.00	-14.58	peak	
12		298.6900	40.73	-11.14	29.59	46.00	-16.41	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (SD Card Write)_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	32.9100	53.17	-12.85	40.32	40.00	0.32	peak	
2	!	32.9100	51.15	-12.85	38.30	40.00	-1.70	QP	
3		165.8000	41.36	-12.10	29.26	43.50	-14.24	peak	
4		165.8000	39.89	-12.10	27.79	43.50	-15.71	QP	
5		208.4800	47.91	-14.67	33.24	43.50	-10.26	peak	
6		208.4800	46.62	-14.67	31.95	43.50	-11.55	QP	
7		527.6100	37.02	-6.22	30.80	46.00	-15.20	peak	
8		527.6100	35.04	-6.22	28.82	46.00	-17.18	QP	
9		600.3600	39.81	-5.00	34.81	46.00	-11.19	peak	
10		600.3600	38.21	-5.00	33.21	46.00	-12.79	QP	
11		858.3800	35.76	-0.55	35.21	46.00	-10.79	peak	
12		858.3800	35.23	-0.55	34.68	46.00	-11.32	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (Play recording)_H



No.	Mk.	Freq.	Reading	Correct	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		144.4600	47.29	-12.22	35.07	43.50	-8.43	peak	
2		144.4600	43.22	-12.22	31.00	43.50	-12.50	QP	
3		455.8300	38.87	-7.22	31.65	46.00	-14.35	peak	
4		455.8300	32.82	-7.22	25.60	46.00	-20.40	QP	
5		527.6100	42.63	-6.22	36.41	46.00	-9.59	peak	
6		527.6100	40.42	-6.22	34.20	46.00	-11.80	QP	
7		600.3600	38.17	-5.00	33.17	46.00	-12.83	peak	
8		600.3600	35.50	-5.00	30.50	46.00	-15.50	QP	
9 *		772.0500	40.14	-1.43	38.71	46.00	-7.29	peak	
10		772.0500	37.93	-1.43	36.50	46.00	-9.50	QP	
11		858.3800	36.69	-0.55	36.14	46.00	-9.86	peak	
12		858.3800	35.45	-0.55	34.90	46.00	-11.10	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (Play recording)_V




No.	Mk.	Freq.	Reading	Correct	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	33.8800	54.90	-12.80	42.10	40.00	2.10	peak	
2	!	33.8800	51.20	-12.80	38.40	40.00	-1.60	QP	
3	X	49.4000	53.43	-11.42	42.01	40.00	2.01	peak	
4	!	49.4000	49.42	-11.42	38.00	40.00	-2.00	QP	
5	!	184.2300	52.35	-13.80	38.55	43.50	-4.95	peak	
6		184.2300	48.50	-13.80	34.70	43.50	-8.80	QP	
7		527.6100	45.84	-6.22	39.62	46.00	-6.38	peak	
8		527.6100	45.02	-6.22	38.80	46.00	-7.20	QP	
9	!	600.3600	45.22	-5.00	40.22	46.00	-5.78	peak	
10		600.3600	43.30	-5.00	38.30	46.00	-7.70	QP	
11		858.3800	39.65	-0.55	39.10	46.00	-6.90	peak	
12		858.3800	37.45	-0.55	36.90	46.00	-9.10	QP	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Above 1GHz

Config 1_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1510.000	59.52	-21.76	37.76	74.00	-36.24	peak	
2		3244.000	59.60	-14.86	44.74	74.00	-29.26	peak	
3		3567.000	59.51	-14.15	45.36	74.00	-28.64	peak	
4		4825.000	59.52	-10.83	48.69	74.00	-25.31	peak	
5		4825.000	46.34	-10.83	35.51	54.00	-18.49	AVG	
6		5386.000	58.27	-9.60	48.67	74.00	-25.33	peak	
7		5386.000	45.37	-9.60	35.77	54.00	-18.23	AVG	
8		5760.000	58.31	-8.78	49.53	74.00	-24.47	peak	
9 *		5760.000	44.99	-8.78	36.21	54.00	-17.79	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		1782.000	63.59	-20.56	43.03	74.00	-30.97	peak	
2		3176.000	60.18	-15.01	45.17	74.00	-28.83	peak	
3		4145.000	59.67	-12.79	46.88	74.00	-27.12	peak	
4		4825.000	62.38	-10.83	51.55	74.00	-22.45	peak	
5 *		4825.000	49.09	-10.83	38.26	54.00	-15.74	AVG	
6		4944.000	63.78	-10.46	53.32	74.00	-20.68	peak	
7		4944.000	45.24	-10.46	34.78	54.00	-19.22	AVG	
8		5862.000	59.00	-8.53	50.47	74.00	-23.53	peak	
9		5862.000	45.05	-8.53	36.52	54.00	-17.48	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Read)_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2615.000	58.61	-14.72	43.89	74.00	-30.11	peak	
2		3533.000	58.78	-14.15	44.63	74.00	-29.37	peak	
3		4434.000	58.13	-11.62	46.51	74.00	-27.49	peak	
4		5012.000	58.50	-9.96	48.54	74.00	-25.46	peak	
5		5012.000	44.87	-9.96	34.91	54.00	-19.09	AVG	
6		5369.000	58.35	-9.03	49.32	74.00	-24.68	peak	
7		5369.000	45.15	-9.03	36.12	54.00	-17.88	AVG	
8		5777.000	58.12	-8.16	49.96	74.00	-24.04	peak	
9 *		5777.000	44.67	-8.16	36.51	54.00	-17.49	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Read)_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2632.000	58.74	-14.75	43.99	74.00	-30.01	peak	
2		3533.000	58.32	-14.15	44.17	74.00	-29.83	peak	
3		4060.000	59.01	-12.18	46.83	74.00	-27.17	peak	
4		4740.000	59.89	-10.79	49.10	74.00	-24.90	peak	
5		4740.000	44.88	-10.79	34.09	54.00	-19.91	AVG	
6		5437.000	58.10	-8.86	49.24	74.00	-24.76	peak	
7		5437.000	44.68	-8.86	35.82	54.00	-18.18	AVG	
8		5743.000	58.18	-8.23	49.95	74.00	-24.05	peak	
9 *		5743.000	45.06	-8.23	36.83	54.00	-17.17	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_H




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1357.000	60.42	-22.13	38.29	74.00	-35.71	peak	
2		2615.000	58.68	-14.72	43.96	74.00	-30.04	peak	
3		3788.000	57.48	-13.13	44.35	74.00	-29.65	peak	
4		4791.000	59.57	-10.63	48.94	74.00	-25.06	peak	
5		4791.000	45.15	-10.63	34.52	54.00	-19.48	AVG	
6		5318.000	59.77	-9.18	50.59	74.00	-23.41	peak	
7		5318.000	45.21	-9.18	36.03	54.00	-17.97	AVG	
8		5760.000	59.85	-8.20	51.65	74.00	-22.35	peak	
9 *		5760.000	45.07	-8.20	36.87	54.00	-17.13	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_V




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		1119.000	67.95	-23.18	44.77	74.00	-29.23	peak	
2		1578.000	65.68	-21.16	44.52	74.00	-29.48	peak	
3		2632.000	58.77	-14.75	44.02	74.00	-29.98	peak	
4		4060.000	58.32	-12.18	46.14	74.00	-27.86	peak	
5		5029.000	59.30	-9.92	49.38	74.00	-24.62	peak	
6		5029.000	44.74	-9.92	34.82	54.00	-19.18	AVG	
7		5726.000	57.99	-8.25	49.74	74.00	-24.26	peak	
8	*	5726.000	44.93	-8.25	36.68	54.00	-17.32	AVG	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_18~26G_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		18904.000	55.27	-3.10	52.17	83.50	-31.33	peak	
2		19872.000	55.23	-3.28	51.95	83.50	-31.55	peak	
3		21424.000	54.25	-1.98	52.27	83.50	-31.23	peak	
4		22536.000	54.74	-0.96	53.78	83.50	-29.72	peak	
5		24360.000	53.32	1.02	54.34	83.50	-29.16	peak	
6 *		25240.000	53.70	1.29	54.99	83.50	-28.51	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_18~26G_V




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		18400.000	54.55	-3.14	51.41	83.50	-32.09	peak	
2		20384.000	55.22	-3.43	51.79	83.50	-31.71	peak	
3		22552.000	53.21	-0.94	52.27	83.50	-31.23	peak	
4		23160.000	53.84	-0.31	53.53	83.50	-29.97	peak	
5	*	24376.000	53.51	1.06	54.57	83.50	-28.93	peak	
6		25336.000	53.01	1.34	54.35	83.50	-29.15	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_26~40G_H




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		26014.000	43.92	2.12	46.04	83.50	-37.46	peak	
2		27148.000	43.61	2.29	45.90	83.50	-37.60	peak	
3		27792.000	43.79	2.62	46.41	83.50	-37.09	peak	
4 *		27988.000	43.89	2.70	46.59	83.50	-36.91	peak	
5		28926.000	43.44	1.55	44.99	83.50	-38.51	peak	
6		29542.000	43.89	2.09	45.98	83.50	-37.52	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 1_26~40G_V




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	26742.000	44.51	2.56	47.07	83.50	-36.43	peak	
2		27148.000	43.82	2.29	46.11	83.50	-37.39	peak	
3		27918.000	44.01	2.67	46.68	83.50	-36.82	peak	
4		28660.000	44.32	1.33	45.65	83.50	-37.85	peak	
5		29206.000	43.64	1.76	45.40	83.50	-38.10	peak	
6		29850.000	43.48	2.70	46.18	83.50	-37.32	peak	

The frequency band during 18GHz till 26.5 GHz that was not reported was verified with no extra obvious finding except ambient signals.

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Read)_18~26G_H




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		18408.000	54.07	-3.14	50.93	83.50	-32.57	peak	
2		19848.000	54.24	-3.29	50.95	83.50	-32.55	peak	
3		21400.000	53.28	-2.06	51.22	83.50	-32.28	peak	
4		22520.000	52.92	-0.98	51.94	83.50	-31.56	peak	
5		24784.000	52.64	1.24	53.88	83.50	-29.62	peak	
6 *		25032.000	52.81	1.22	54.03	83.50	-29.47	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Read)_18~26G_V



No.	Mk.	Freq.	Reading	Correct	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		18408.000	54.53	-3.14	51.39	83.50	-32.11	peak	
2		19104.000	54.96	-3.18	51.78	83.50	-31.72	peak	
3		20400.000	55.07	-3.44	51.63	83.50	-31.87	peak	
4		21376.000	54.67	-2.14	52.53	83.50	-30.97	peak	
5		22576.000	53.29	-0.90	52.39	83.50	-31.11	peak	
6 *		24544.000	53.07	1.29	54.36	83.50	-29.14	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Read)_26~40G_H




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	dBuV	Factor	ment	dBuV/m	dB	Detector	Comment
1	*	26406.000	49.56	2.75	52.31	83.50	-31.19	peak	
2		26966.000	47.99	2.25	50.24	83.50	-33.26	peak	
3		27890.000	47.42	2.66	50.08	83.50	-33.42	peak	
4		28114.000	46.81	2.36	49.17	83.50	-34.33	peak	
5		28632.000	44.99	1.31	46.30	83.50	-37.20	peak	
6		29136.000	44.09	1.71	45.80	83.50	-37.70	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 2 (Read)_26~40G_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26224.000	50.04	2.45	52.49	83.50	-31.01	peak	
2		27722.000	45.80	2.59	48.39	83.50	-35.11	peak	
3		28198.000	46.39	2.10	48.49	83.50	-35.01	peak	
4		28702.000	45.57	1.36	46.93	83.50	-36.57	peak	
5		29038.000	43.64	1.64	45.28	83.50	-38.22	peak	
6		29514.000	42.64	2.04	44.68	83.50	-38.82	peak	

The frequency band during 18GHz till 26.5 GHz that was not reported was verified with no extra obvious finding except ambient signals.

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_18~26G_H




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Detector	Comment
		MHz	dBuV	Factor	ment				
1		18432.000	54.73	-3.13	51.60	83.50	-31.90	peak	
2		18912.000	54.45	-3.10	51.35	83.50	-32.15	peak	
3		19744.000	54.72	-3.35	51.37	83.50	-32.13	peak	
4		22024.000	53.79	-1.77	52.02	83.50	-31.48	peak	
5		24072.000	52.44	0.44	52.88	83.50	-30.62	peak	
6	*	25280.000	53.06	1.32	54.38	83.50	-29.12	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_18~26G_V




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		18448.000	54.67	-3.12	51.55	83.50	-31.95	peak	
2		19056.000	53.91	-3.14	50.77	83.50	-32.73	peak	
3		21560.000	54.02	-1.71	52.31	83.50	-31.19	peak	
4		23104.000	52.28	-0.34	51.94	83.50	-31.56	peak	
5		24168.000	51.42	0.63	52.05	83.50	-31.45	peak	
6 *		25400.000	51.58	1.36	52.94	83.50	-30.56	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_26~40G_H



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	26224.000	50.06	2.45	52.51	83.50	-30.99	peak	
2		26406.000	49.60	2.75	52.35	83.50	-31.15	peak	
3		27932.000	47.12	2.67	49.79	83.50	-33.71	peak	
4		28114.000	46.95	2.36	49.31	83.50	-34.19	peak	
5		28730.000	45.94	1.39	47.33	83.50	-36.17	peak	
6		29164.000	43.82	1.73	45.55	83.50	-37.95	peak	

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Config 3 (MP3 Play)_26~40G_V



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	26224.000	49.48	2.45	51.93	83.50	-31.57	peak	
2		26742.000	49.32	2.56	51.88	83.50	-31.62	peak	
3		27302.000	49.48	2.38	51.86	83.50	-31.64	peak	
4		27806.000	47.08	2.62	49.70	83.50	-33.80	peak	
5		28436.000	44.87	1.39	46.26	83.50	-37.24	peak	
6		28646.000	45.38	1.32	46.70	83.50	-36.80	peak	

The frequency band during 18GHz till 26.5 GHz that was not reported was verified with no extra obvious finding except ambient signals.

**** End of Report ****

Copyright of this verification is owned by SGS Taiwan LTD. Electronics & Communication Laboratory and may not be reproduced except in full and with the prior approval of the Manager of SGS Taiwan Ltd. Electronics & Communication Laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.