

**PART 27 MEASUREMENT REPORT**

**Applicant Name:**

Sony Corporation  
1-7-1 Konan Minato-ku  
Tokyo, 108-0075  
Japan

**Date of Testing:**

6/8/2022 - 7/27/2022

**Test Report Issue Date:**

7/29/2022

**Test Site/Location:**

Element lab, Columbia, MD, USA

**Test Report Serial No.:**

1M2207200079-03.PY7

<b>FCC ID:</b>	<b>PY7-58692W</b>
<b>APPLICANT:</b>	<b>Sony Corporation</b>

**Application Type:**

Certification

**EUT Type:**

Portable Handset

**FCC Classification:**

PCS Licensed Transmitter Held to Ear (PCE)

**FCC Rule Part:**

27

**Test Procedure(s):**

ANSI C63.26-2015, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



**RJ Ortanez**  
Executive Vice President



<b>FCC ID:</b> PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2207200079-03.PY7	<b>Test Dates:</b> 6/8/2022 - 7/27/2022	<b>EUT Type:</b> Portable Handset	Page 1 of 109

## TABLE OF CONTENTS

1.0	INTRODUCTION .....	4
1.1	Scope .....	4
1.2	Element Test Location.....	4
1.3	Test Facility / Accreditations.....	4
2.0	PRODUCT INFORMATION.....	5
2.1	Equipment Description .....	5
2.2	Device Capabilities.....	5
2.3	Test Configuration .....	5
2.4	Software and Firmware .....	5
2.5	EMI Suppression Device(s)/Modifications .....	5
3.0	DESCRIPTION OF TESTS .....	6
3.1	Evaluation Procedure .....	6
3.2	Radiated Power and Radiated Spurious Emissions .....	6
4.0	MEASUREMENT UNCERTAINTY .....	7
5.0	TEST EQUIPMENT CALIBRATION DATA .....	8
6.0	SAMPLE CALCULATIONS .....	9
7.0	TEST RESULTS .....	10
7.1	Summary.....	10
7.2	Occupied Bandwidth .....	12
7.3	Spurious and Harmonic Emissions at Antenna Terminal .....	32
7.4	Band Edge Emissions at Antenna Terminal .....	50
7.5	Peak-Average Ratio .....	81
7.6	Radiated Power (ERP/EIRP).....	89
7.7	Radiated Spurious Emissions Measurements.....	93
7.8	Frequency Stability / Temperature Variation .....	104
8.0	CONCLUSION.....	109

<b>FCC ID:</b> PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2207200079-03.PY7	<b>Test Dates:</b> 6/8/2022 - 7/27/2022	<b>EUT Type:</b> Portable Handset	Page 2 of 109

## MEASUREMENT REPORT

### FCC Part 27

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	ERP		EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	Max. Power [W]	Max. Power [dBm]	
LTE Band 12/17	10 MHz	QPSK	704.0 - 711.0	0.023	13.68	0.038	15.83	9M03G7D
		16QAM	704.0 - 711.0	0.022	13.46	0.036	15.61	9M05W7D
		64QAM	704.0 - 711.0	0.019	12.83	0.031	14.98	9M04W7D
	5 MHz	QPSK	701.5 - 713.5	0.024	13.82	0.040	15.97	4M53G7D
		16QAM	701.5 - 713.5	0.022	13.41	0.036	15.56	4M52W7D
		64QAM	701.5 - 713.5	0.022	13.41	0.036	15.56	4M54W7D
	3 MHz	QPSK	700.5 - 714.5	0.023	13.70	0.038	15.85	2M72G7D
		16QAM	700.5 - 714.5	0.022	13.36	0.036	15.51	2M73W7D
		64QAM	700.5 - 714.5	0.022	13.36	0.036	15.51	2M72W7D
	1.4 MHz	QPSK	699.7 - 715.3	0.023	13.63	0.038	15.78	1M10G7D
		16QAM	699.7 - 715.3	0.021	13.30	0.035	15.45	1M10W7D
		64QAM	699.7 - 715.3	0.021	13.30	0.035	15.45	1M11W7D
LTE Band 13	10 MHz	QPSK	782.0	0.024	13.87	0.040	16.02	9M00G7D
		16QAM	782.0	0.024	13.76	0.039	15.91	9M03W7D
		64QAM	782.0	0.019	12.80	0.031	14.95	9M01W7D
	5 MHz	QPSK	779.5 - 784.5	0.026	14.09	0.042	16.24	4M54G7D
		16QAM	779.5 - 784.5	0.024	13.85	0.040	16.00	4M53W7D
		64QAM	779.5 - 784.5	0.020	13.08	0.033	15.23	4M53W7D

**Overview Table (<1GHz Bands)**

Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
WCDMA1700	N/A	Spread Spectrum	1712.4 - 1752.6	0.041	16.17	4M19F9W
LTE Band 66/4	20 MHz	QPSK	1720.0 - 1770.0	0.043	16.29	18M1G7D
		16QAM	1720.0 - 1770.0	0.041	16.10	18M0W7D
		64QAM	1720.0 - 1770.0	0.038	15.76	18M0W7D
	15 MHz	QPSK	1717.5 - 1772.5	0.042	16.19	13M6G7D
		16QAM	1717.5 - 1772.5	0.039	15.95	13M6W7D
		64QAM	1717.5 - 1772.5	0.037	15.62	13M5W7D
	10 MHz	QPSK	1715.0 - 1775.0	0.043	16.32	9M06G7D
		16QAM	1715.0 - 1775.0	0.041	16.14	9M08W7D
		64QAM	1715.0 - 1775.0	0.039	15.88	9M04W7D
	5 MHz	QPSK	1712.5 - 1777.5	0.043	16.34	4M55G7D
		16QAM	1712.5 - 1777.5	0.041	16.10	4M53W7D
		64QAM	1712.5 - 1777.5	0.038	15.78	4M53W7D
	3 MHz	QPSK	1711.5 - 1778.5	0.043	16.38	2M73G7D
		16QAM	1711.5 - 1778.5	0.041	16.12	2M72W7D
		64QAM	1711.5 - 1778.5	0.039	15.88	2M72W7D
	1.4 MHz	QPSK	1710.7 - 1779.3	0.044	16.42	1M11G7D
		16QAM	1710.7 - 1779.3	0.041	16.12	1M10W7D
		64QAM	1710.7 - 1779.3	0.039	15.92	1M11W7D

**Overview Table (>1GHz Bands)**

FCC ID: PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 3 of 109

# 1.0 INTRODUCTION

## 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

## 1.2 Element Test Location

These measurement tests were conducted at the Element laboratory located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

## 1.3 Test Facility / Accreditations

**Measurements were performed at Element lab located in Columbia, MD 21046, U.S.A.**

- Element Washington DC LLC is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Washington DC LLC TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- Element Washington DC LLC facility is a registered (2451B) test laboratory with the site description on file with ISED.
- Element Washington DC LLC is a Recognized U.S. Certification Assessment Body (CAB # US0110) for ISED Canada as designated by NIST under the U.S. and Canada Mutual Recognition Agreement.

FCC ID: PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 4 of 109

## 2.0 PRODUCT INFORMATION

### 2.1 Equipment Description

The Equipment Under Test (EUT) is the **Sony Corporation Portable Handset FCC ID: PY7-58692W**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

**Test Device Serial No.:** 95101, 94880, 00001, 99864, 84320, 84429

### 2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n/ax WLAN, 802.11a/n/ac/ax UNII, Bluetooth (1x, EDR, LE), NFC, Wireless Power Transfer

### 2.3 Test Configuration

The EUT was tested per the guidance of ANSI C63.26-2015. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: Belkin F7U050 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

### 2.4 Software and Firmware

Testing was performed on device(s) using software/firmware version 0.45 installed on the EUT.

### 2.5 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

<b>FCC ID:</b> PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2207200079-03.PY7	<b>Test Dates:</b> 6/8/2022 - 7/27/2022	<b>EUT Type:</b> Portable Handset	Page 5 of 109

## 3.0 DESCRIPTION OF TESTS

### 3.1 Evaluation Procedure

The measurement procedures described in the “American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services” (ANSI C63.26-2015) were used in the measurement of the EUT.

**Deviation from Measurement Procedure.....None**

### 3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI C63.26-2015. For emissions below 1GHz, a half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d [dBm] = P_g [dBm] - \text{cable loss} [dB] + \text{antenna gain} [dBd/dBi];$$

where  $P_d$  is the dipole equivalent power,  $P_g$  is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to  $P_g [dBm] - \text{cable loss} [dB]$ .

For radiated spurious emissions measurements, the field strength conversion method is used per the formulas in Section 5.2.7 of ANSI C63.26-2015. Field Strength (EIRP) is calculated using the following formulas:

$$E_{[dB\mu V/m]} = \text{Measured amplitude level}_{[dBm]} + 107 + \text{Cable Loss}_{[dB]} + \text{Antenna Factor}_{[dB/m]}$$

And

$$\text{EIRP}_{[dBm]} = E_{[dB\mu V/m]} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01 v01r01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI C63.26-2015.

<b>FCC ID:</b> PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2207200079-03.PY7	<b>Test Dates:</b> 6/8/2022 - 7/27/2022	<b>EUT Type:</b> Portable Handset	Page 6 of 109

## 4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of  $k = 2$  to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the  $U_{\text{CISPR}}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ( $\pm$ dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 7 of 109

## 5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial #
-	AP1-002	EMC Cable and Switch System	3/9/2022	Annual	3/9/2023	AP1-002
-	AP2-001	EMC Cable and Switch System	1/4/2022	Annual	1/4/2023	AP2-001
-	AP2-002	EMC Cable and Switch System	3/11/2022	Annual	3/11/2023	AP2-002
-	ETS-001	EMC Cable and Switch System	12/9/2021	Annual	12/9/2022	ETS-001
-	LTx1	Licensed Transmitter Cable Set	12/19/2021	Annual	12/19/2022	LTx1
-	LTx2	Licensed Transmitter Cable Set	12/19/2021	Annual	12/19/2022	LTx2
-	LTx4	Licensed Transmitter Cable Set	12/19/2021	Annual	12/19/2022	LTx4
ETS-Lindgren	3117	1-18 GHz DRG Horn (Medium)	4/20/2021	Biennial	4/20/2023	125518
Keysight Technologies	N9020A	MXA Signal Analyzer	3/4/2022	Annual	3/4/2023	US46470561
Keysight Technologies	N9030A	PXA Signal Analyzer (44GHz)	2/14/2022	Annual	2/14/2023	MY52350166
Keysight Technologies	N9038A	MXE EMI Receiver	1/21/2022	Annual	1/21/2023	MY51210133
Keysight Technologies	N9030A	PXA Signal Analyzer	1/6/2022	Annual	1/6/2023	MY55410501
Keysight Technologies	N9030B	PXA Signal Analyzer, Multi-touch	1/7/2022	Annual	1/7/2023	MY57141001
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	8/3/2021	Annual	8/3/2022	100342
Rohde & Schwarz	ESW44	EMI Test Receiver 2Hz to 44 GHz	3/28/2022	Annual	3/28/2023	101716
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	5/25/2021	Annual	7/25/2022	100348
Rohde & Schwarz	FSW26	2Hz-26.5GHz Signal and spectrum analyzer	4/14/2022	Annual	4/14/2023	103187

**Table 5-1. Test Equipment**

**Notes:**

For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.

FCC ID: PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 8 of 109



## 6.0 SAMPLE CALCULATIONS

### Emission Designator

#### WCDMA Emission Designator

**Emission Designator = 4M16F9W**

WCDMA BW = 4.16 MHz  
 F = Frequency Modulation  
 9 = Composite Digital Info  
 W = Combination (Audio/Data)

#### QPSK Modulation

**Emission Designator = 8M62G7D**

LTE BW = 8.62 MHz  
 G = Phase Modulation  
 7 = Quantized/Digital Info  
 D = Data transmission, telemetry, telecommand

#### QAM Modulation

**Emission Designator = 8M45W7D**

LTE BW = 8.45 MHz  
 W = Amplitude/Angle Modulated  
 7 = Quantized/Digital Info  
 D = Data transmission, telemetry, telecommand

### Spurious Radiated Emission – LTE Band

#### **Example: Middle Channel LTE Mode 2<sup>nd</sup> Harmonic (1564 MHz)**

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm - (-24.80) = 50.3 dBc.

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 9 of 109

## 7.0 TEST RESULTS

### 7.1 Summary

Company Name: Sony Corporation  
 FCC ID: PY7-58692W  
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)  
 Mode(s): WCDMA/LTE

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
<b>CONDUCTED</b>	Transmitter Conducted Output Power*	2.1046(a), 2.1046(c)	N/A	PASS	See RF Exposure Report
	Occupied Bandwidth	2.1049(h)	N/A	PASS	Section 7.2
	Conducted Band Edge / Spurious Emissions (LTE Band 13)	2.1051, 27.53(c), 27.53(f)	Undesirable emissions must meet the limits detailed in sections 27.53(c) and 27.53(f)	PASS	Sections 7.3, 7.4
	Conducted Band Edge / Spurious Emissions (LTE Band 12, 17)	2.1051, 27.53(g)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	PASS	Sections 7.3, 7.4
	Conducted Band Edge / Spurious Emissions (WCDMA AWS; LTE Band 4, 66)	2.1051, 27.53(h)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	PASS	Sections 7.3, 7.4
	Peak-to-Average Ratio (WCDMA AWS; LTE Band 4, 66)	27.50(d)(5)	$\leq 13$ dB	PASS	Section 7.5
	Frequency Stability	2.1055, 27.54	Fundamental emissions stay within authorized frequency block	PASS	Section 7.8
<b>RADIATED</b>	Effective Radiated Power (LTE Band 13)	27.50(b)(10)	$\leq 3$ Watts max. ERP	PASS	Section 7.6
	Effective Radiated Power (LTE Band 12, 17)	27.50(c)(10)	$\leq 3$ Watts max. ERP	PASS	Section 7.6
	Equivalent Isotropic Radiated Power (WCDMA AWS; LTE Band 4, 66)	27.50(d)(4)	$\leq 1$ Watt max. EIRP	PASS	Section 7.6
	Radiated Spurious Emissions (LTE Band 13)	2.1053, 27.53(c), 27.53(f)	Undesirable emissions must meet the limits detailed in sections 27.53(c) and 27.53(f)	PASS	Section 7.7
	Radiated Spurious Emissions (LTE Band 12, 17)	2.1053, 27.53(g)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	PASS	Section 7.7
	Radiated Spurious Emissions (WCDMA AWS; LTE Band 4, 66)	2.1053, 27.53(h)(1)	$\geq 43 + 10 \log (P[\text{Watts}])$ dB of attenuation below transmitter power	PASS	Section 7.7

Table 7-1. Summary of Test Results (FCC)

FCC ID: PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 10 of 109



**Notes:**

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots shown in Section 7.0 were taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is EMC Software Tool v1.1.

<b>FCC ID:</b> PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2207200079-03.PY7	<b>Test Dates:</b> 6/8/2022 - 7/27/2022	<b>EUT Type:</b> Portable Handset	Page 11 of 109

## 7.2 Occupied Bandwidth

### Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst-case configuration results are reported in this section.

### Test Procedure Used


ANSI C63.26-2015 – Section 5.4.4

### Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW  $\geq 3 \times$  RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-1. Test Instrument & Measurement Setup**

### Test Notes


None.

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 12 of 109

# LTE Band 12/17




Plot 7-1. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz QPSK - Full RB)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 16-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 13 of 109




Plot 7-3. Occupied Bandwidth Plot (LTE Band 12/17 - 10MHz 64-QAM - Full RB)




Plot 7-4. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz QPSK - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 14 of 109




Plot 7-5. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 16-QAM - Full RB)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 12/17 - 5MHz 64-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 15 of 109




Plot 7-7. Occupied Bandwidth Plot (LTE Band 12 - 3MHz QPSK - Full RB)




Plot 7-8. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 16-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 16 of 109






Plot 7-9. Occupied Bandwidth Plot (LTE Band 12 - 3MHz 64-QAM - Full RB)




Plot 7-10. Occupied Bandwidth Plot (LTE Band 12 - 1.4MHz QPSK - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 17 of 109




Plot 7-11. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 16-QAM - Full RB)



Plot 7-12. Occupied Bandwidth Plot (LTE Band 12 – 1.4MHz 64-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 18 of 109

### LTE Band 13




Plot 7-13. Occupied Bandwidth Plot (LTE Band 13 - 10MHz QPSK - Full RB)




Plot 7-14. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 16-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 19 of 109




Plot 7-15. Occupied Bandwidth Plot (LTE Band 13 - 10MHz 64-QAM - Full RB)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 13 - 5MHz QPSK - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 20 of 109




Plot 7-17. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 16-QAM - Full RB)



Plot 7-18. Occupied Bandwidth Plot (LTE Band 13 - 5MHz 64-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 21 of 109


### WCDMA AWS




Plot 7-19. Occupied Bandwidth Plot (WCDMA, Ch. 1413)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 22 of 109

### LTE Band 66/4




Plot 7-20. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz QPSK - Full RB)




Plot 7-21. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 16-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 23 of 109




Plot 7-22. Occupied Bandwidth Plot (LTE Band 66/4 - 20MHz 64-QAM - Full RB)




Plot 7-23. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz QPSK - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 24 of 109






Plot 7-24. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 16-QAM - Full RB)



Plot 7-25. Occupied Bandwidth Plot (LTE Band 66/4 - 15MHz 64-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 25 of 109




Plot 7-26. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz QPSK - Full RB)




Plot 7-27. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 16-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 26 of 109




Plot 7-28. Occupied Bandwidth Plot (LTE Band 66/4 - 10MHz 64-QAM - Full RB)




Plot 7-29. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz QPSK - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 27 of 109




Plot 7-30. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 16-QAM - Full RB)




Plot 7-31. Occupied Bandwidth Plot (LTE Band 66/4 - 5MHz 64-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 28 of 109




Plot 7-32. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz QPSK - Full RB)




Plot 7-33. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 16-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 29 of 109




Plot 7-34. Occupied Bandwidth Plot (LTE Band 66/4 - 3MHz 64-QAM - Full RB)




Plot 7-35. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz QPSK - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 30 of 109



Plot 7-36. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 16-QAM - Full RB)



Plot 7-37. Occupied Bandwidth Plot (LTE Band 66/4 - 1.4MHz 64-QAM - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 31 of 109

### 7.3 Spurious and Harmonic Emissions at Antenna Terminal

#### Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10<sup>th</sup> harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

**The minimum permissible attenuation level of any spurious emission is  $43 + 10 \log_{10}(P_{[Watts]})$ , where  $P$  is the transmitter power in Watts.**

#### Test Procedure Used


ANSI C63.26-2015 – Section 5.7.4

#### Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 18GHz (separated into at least two plots per channel)
2. RBW  $\geq$  100kHz
3. VBW  $\geq$  3 x RBW
4. Detector = RMS
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

#### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-2. Test Instrument & Measurement Setup**


#### Test Note

Per Part 27, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. Also, for measurements above 1GHz a resolution bandwidth 1MHz is applied.


FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 32 of 109



# LTE Band 12/17




Plot 7-38. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - Low Channel)




Plot 7-39. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - Low Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 33 of 109




Plot 7-40. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - Low Channel)




Plot 7-41. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - Mid Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 34 of 109




Plot 7-42. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - Mid Channel)




Plot 7-43. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - Mid Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 35 of 109




Plot 7-44. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - High Channel)



Plot 7-45. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - High Channel)


FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 36 of 109




Plot 7-46. Conducted Spurious Plot (LTE Band 12/17 - 10MHz QPSK - 1 RB - High Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 37 of 109

## LTE Band 13




Plot 7-47. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)



Plot 7-48. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)


FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 38 of 109




Plot 7-49. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 39 of 109

WCDMA AWS




Plot 7-50. Conducted Spurious Plot (WCDMA Ch. 1312- Low Channel)




Plot 7-51. Conducted Spurious Plot (WCDMA Ch. 1312- Low Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 40 of 109






Plot 7-52. Conducted Spurious Plot (WCDMA Ch. 1312- Low Channel)



Plot 7-53. Conducted Spurious Plot (WCDMA Ch. 1413- Mid Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 41 of 109




Plot 7-54. Conducted Spurious Plot (WCDMA Ch. 1413- Mid Channel)




Plot 7-55. Conducted Spurious Plot (WCDMA Ch. 1413- Mid Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 42 of 109




Plot 7-56. Conducted Spurious Plot (WCDMA Ch. 1513- High Channel)



Plot 7-57. Conducted Spurious Plot (WCDMA Ch. 1513- High Channel)


FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 43 of 109




Plot 7-58. Conducted Spurious Plot (WCDMA Ch. 1513- High Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 44 of 109

# LTE Band 66/4




Plot 7-59. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - Low Channel)




Plot 7-60. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - Low Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 45 of 109




Plot 7-61. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - Low Channel)




Plot 7-62. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - Mid Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 46 of 109




Plot 7-63. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - Mid Channel)




Plot 7-64. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - Mid Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 47 of 109




Plot 7-65. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - High Channel)



Plot 7-66. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - High Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 48 of 109





Plot 7-67. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - High Channel)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 49 of 109

## 7.4 Band Edge Emissions at Antenna Terminal

### Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

***The minimum permissible attenuation level of any spurious emission is  $43 + 10 \log_{10}(P_{[Watts]})$ , where  $P$  is the transmitter power in Watts.***

### Test Procedure Used


ANSI C63.26-2015 – Section 5.7.3

### Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW  $\geq$  1% of the emission bandwidth
4. VBW  $\geq$  3 x RBW
5. Detector = RMS
6. Number of sweep points  $\geq$  2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-3. Test Instrument & Measurement Setup**


FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 50 of 109

**Test Notes**


1. Per 27.53(h) for AWS band operation, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. Per 27.53(g) for operations in the 663 - 698 MHz and 698 – 746MHz bands, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.
3. Per 27.53(c)(5) for operations in the 776-788 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.
4. For all plots showing emissions in the 763 – 775MHz and 793 – 805MHz band, the FCC limit per 27.53(c)(4) is  $65 + 10 \log_{10}(P) = -35\text{dBm}$  in a 6.25kHz bandwidth.

FCC ID: PY7-58692W	<b>PART 27 MEASUREMENT REPORT</b>		<b>Approved by:</b> Technical Manager
<b>Test Report S/N:</b> 1M2207200079-03.PY7	<b>Test Dates:</b> 6/8/2022 - 7/27/2022	<b>EUT Type:</b> Portable Handset	Page 51 of 109

### LTE Band 12/17




Plot 7-68. Lower Band Edge Plot (LTE Band 12 - 10MHz QPSK – Full RB)




Plot 7-69. Lower Band Edge Plot (LTE Band 17 - 10MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 52 of 109




Plot 7-70. Upper Band Edge Plot (LTE Band 12/17 - 10MHz QPSK – Full RB)



Plot 7-71. Lower Band Edge Plot (LTE Band 12 - 5MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 53 of 109




Plot 7-72. Lower Band Edge Plot (LTE Band 17 - 5MHz QPSK – Full RB)




Plot 7-73. Upper Band Edge Plot (LTE Band 12/17 - 5MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 54 of 109




Plot 7-74. Lower Band Edge Plot (LTE Band 12 - 3MHz QPSK – Full RB)




Plot 7-75. Upper Band Edge Plot (LTE Band 12 - 3MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 55 of 109



Plot 7-76. Lower Band Edge Plot (LTE Band 12 – 1.4MHz QPSK – Full RB)




Plot 7-77. Upper Band Edge Plot (LTE Band 12 – 1.4MHz QPSK – Full RB)


FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 56 of 109



### LTE Band 13




Plot 7-78. Lower Band Edge Plot (LTE Band 13 - 10MHz QPSK – Full RB)




Plot 7-79. Lower Emission Mask Plot (LTE Band 13 - 10MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 57 of 109




Plot 7-80. Upper Band Edge Plot (LTE Band 13 - 10MHz QPSK – Full RB)




Plot 7-81. Upper Emission Mask Plot (LTE Band 13 - 10MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 58 of 109




Plot 7-82. Lower Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB)




Plot 7-83. Lower Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 59 of 109



Plot 7-84. Upper Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB)




Plot 7-85. Upper Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 60 of 109

# WCDMA AWS



Plot 7-86. Lower Band Edge Plot (WCDMA AWS – Ch. 1312)




Plot 7-87. Lower Extended Band Edge Plot (WCDMA AWS – Ch. 1312)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 61 of 109




Plot 7-88. Upper Band Edge Plot (WCDMA AWS – Ch. 1513)




Plot 7-89. Upper Extended Band Edge Plot (WCDMA AWS – Ch. 1513)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 62 of 109

### LTE Band 66/4




Plot 7-90. Lower Band Edge Plot (LTE Band 66/4 - 20MHz QPSK – Full RB)




Plot 7-91. Lower Extended Band Edge Plot (LTE Band 66/4 - 20MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 63 of 109



Plot 7-92. Upper Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)




Plot 7-93. Upper Extended Band Edge Plot (LTE Band 4 - 20MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 64 of 109






Plot 7-94. Upper Band Edge Plot (LTE Band 66 - 20MHz QPSK – Full RB)




Plot 7-95. Channel Edge Plot (LTE Band 66 - 20MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 65 of 109




Plot 7-96. Lower Band Edge Plot (LTE Band 66/4 - 15MHz QPSK – Full RB)




Plot 7-97. Lower Extended Band Edge Plot (LTE Band 66/4 - 15MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 66 of 109




Plot 7-98. Upper Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)




Plot 7-99. Upper Extended Band Edge Plot (LTE Band 4 - 15MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 67 of 109




Plot 7-100. Upper Band Edge Plot (LTE Band 66 - 15MHz QPSK - Full RB)




Plot 7-101. Upper Extended Band Edge Plot (LTE Band 66 - 15MHz QPSK - Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 68 of 109




Plot 7-102. Lower Band Edge Plot (LTE Band 66/4 - 10MHz QPSK – Full RB)




Plot 7-103. Lower Extended Band Edge Plot (LTE Band 66/4 - 10MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 69 of 109




Plot 7-104. Upper Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)




Plot 7-105. Upper Extended Band Edge Plot (LTE Band 4 - 10MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 70 of 109




Plot 7-106. Upper Band Edge Plot (LTE Band 66 - 10MHz QPSK – Full RB)




Plot 7-107. Upper Extended Band Edge Plot (LTE Band 66 - 10MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 71 of 109




Plot 7-108. Lower Band Edge Plot (LTE Band 66/4 - 5MHz QPSK – Full RB)




Plot 7-109. Lower Extended Band Edge Plot (LTE Band 66/4 - 5MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 72 of 109





Plot 7-110. Upper Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)




Plot 7-111. Upper Extended Band Edge Plot (LTE Band 4 - 5MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 73 of 109




Plot 7-112. Upper Band Edge Plot (LTE Band 66 - 5MHz QPSK – Full RB)




Plot 7-113. Upper Extended Band Edge Plot (LTE Band 66 - 5MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 74 of 109




Plot 7-114. Lower Band Edge Plot (LTE Band 66/4 - 3MHz QPSK – Full RB)




Plot 7-115. Lower Extended Band Edge Plot (LTE Band 66/4 - 3MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 75 of 109



Plot 7-116. Upper Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)




Plot 7-117. Upper Extended Band Edge Plot (LTE Band 4 - 3MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 76 of 109




Plot 7-118. Upper Band Edge Plot (LTE Band 66 - 3MHz QPSK – Full RB)




Plot 7-119. Upper Extended Band Edge Plot (LTE Band 66 - 3MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 77 of 109




Plot 7-120. Lower Band Edge Plot (LTE Band 66/4 – 1.4MHz QPSK – Full RB)




Plot 7-121. Lower Extended Band Edge Plot (LTE Band 66/4 – 1.4MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 78 of 109



Plot 7-122. Upper Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)




Plot 7-123. Upper Extended Band Edge Plot (LTE Band 4 – 1.4MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 79 of 109



Plot 7-124. Upper Band Edge Plot (LTE Band 66 – 1.4MHz QPSK – Full RB)



Plot 7-125. Upper Extended Band Edge Plot (LTE Band 66 – 1.4MHz QPSK – Full RB)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 80 of 109



## 7.5 Peak-Average Ratio

### Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

### Test Procedure Used


ANSI C63.26-2015 – Section 5.2.3.4

### Test Settings

1. The signal analyzer’s CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW  $\geq$  OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal “RF Burst” trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the “on time” of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




**Figure 7-4. Test Instrument & Measurement Setup**

### Test Notes

None.

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 81 of 109

# WCDMA AWS



Plot 7-126. PAR Plot (WCDMA, Ch. 1413)

FCC ID: PY7-58692W	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2207200079-03.PY7	Test Dates: 6/8/2022 - 7/27/2022	EUT Type: Portable Handset	Page 82 of 109