


Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5457.233	27.18	14.22	41.40	54.00	12.60	234	247	Vertical
2	5458.914	27.61	14.23	41.84	54.00	12.16	171	254	Vertical
3	5459.994	28.05	14.24	42.29	54.00	11.71	196	242	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5726.588	41.47	15.17	56.64	68.20	11.56	203	282	Horizontal
2	5728.629	42.11	15.16	57.27	68.20	10.93	148	302	Horizontal
3	5731.180	40.66	15.15	55.81	68.20	12.39	230	302	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5726.978	43.77	15.16	58.93	68.20	9.27	185	242	Vertical
2	5729.799	43.80	15.16	58.96	68.20	9.24	144	254	Vertical
3	5733.131	41.01	15.15	56.16	68.20	12.04	227	254	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5461.525	44.05	14.25	58.30	68.20	9.90	149	274	Horizontal
2	5467.888	44.95	14.29	59.24	68.20	8.96	164	274	Horizontal
3	5469.049	45.13	14.29	59.42	68.20	8.78	228	271	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5456.203	30.89	14.22	45.11	54.00	8.89	195	268	Horizontal
2	5458.164	31.34	14.23	45.57	54.00	8.43	267	268	Horizontal
3	5459.724	31.03	14.24	45.27	54.00	8.73	175	268	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5463.206	47.51	14.26	61.77	68.20	6.43	242	242	Vertical
2	5466.008	47.11	14.28	61.39	68.20	6.81	165	242	Vertical
3	5469.089	47.98	14.29	62.27	68.20	5.93	236	247	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5456.483	31.72	14.22	45.94	54.00	8.06	213	247	Vertical
2	5458.124	32.49	14.23	46.72	54.00	7.28	158	259	Vertical
3	5459.724	33.21	14.24	47.45	54.00	6.55	251	247	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5725.687	38.73	15.17	53.90	68.20	14.30	152	290	Horizontal
2	5734.042	39.22	15.14	54.36	68.20	13.84	272	133	Horizontal
3	5741.045	39.13	15.13	54.26	68.20	13.94	226	145	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5726.038	41.15	15.17	56.32	68.20	11.88	194	251	Vertical
2	5731.390	39.87	15.15	55.02	68.20	13.18	127	268	Vertical
3	5737.843	39.49	15.13	54.62	68.20	13.58	151	284	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5463.846	44.90	14.26	59.16	68.20	9.04	245	308	Horizontal
2	5466.008	44.91	14.28	59.19	68.20	9.01	195	304	Horizontal
3	5469.409	45.65	14.30	59.95	68.20	8.25	129	312	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5456.043	31.18	14.22	45.40	54.00	8.60	150	266	Horizontal
2	5458.284	30.99	14.23	45.22	54.00	8.78	150	266	Horizontal
3	5459.804	31.15	14.24	45.39	54.00	8.61	150	271	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5459.364	47.01	14.24	61.25	74.00	12.75	217	244	Vertical
2	5463.646	47.45	14.26	61.71	68.20	6.49	141	235	Vertical
3	5469.489	48.96	14.30	63.26	68.20	4.94	246	244	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5457.443	32.14	14.22	46.36	54.00	7.64	255	259	Vertical
2	5458.564	32.87	14.23	47.10	54.00	6.90	127	259	Vertical
3	5459.484	33.19	14.24	47.43	54.00	6.57	247	259	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5728.789	39.27	15.16	54.43	68.20	13.77	154	286	Horizontal
2	5731.840	38.60	15.15	53.75	68.20	14.45	208	327	Horizontal
3	5736.643	38.96	15.14	54.10	68.20	14.10	184	295	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5725.937	41.36	15.17	56.53	68.20	11.67	136	256	Vertical
2	5731.390	40.36	15.15	55.51	68.20	12.69	178	271	Vertical
3	5735.892	39.30	15.14	54.44	68.20	13.76	265	251	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5463.386	40.01	14.26	54.27	68.20	13.93	182	294	Horizontal
2	5466.088	39.50	14.28	53.78	68.20	14.42	220	290	Horizontal
3	5469.629	39.22	14.30	53.52	68.20	14.68	206	210	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5455.762	28.42	14.21	42.63	54.00	11.37	138	266	Horizontal
2	5457.443	28.41	14.22	42.63	54.00	11.37	246	270	Horizontal
3	5459.184	28.42	14.24	42.66	54.00	11.34	197	266	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5463.386	41.50	14.26	55.76	68.20	12.44	189	251	Vertical
2	5466.628	41.50	14.28	55.78	68.20	12.42	233	235	Vertical
3	5468.489	41.12	14.29	55.41	68.20	12.79	214	235	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity:Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5454.802	28.63	14.21	42.84	54.00	11.16	210	263	Vertical
2	5457.503	29.08	14.23	43.31	54.00	10.69	179	258	Vertical
3	5459.724	29.42	14.24	43.66	54.00	10.34	164	258	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5731.990	37.91	15.15	53.06	68.20	15.14	169	122	Horizontal
2	5735.322	38.55	15.14	53.69	68.20	14.51	181	359	Horizontal
3	5745.497	38.10	15.11	53.21	68.20	14.99	205	204	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5729.829	38.81	15.16	53.97	68.20	14.23	264	84	Vertical
2	5739.374	38.29	15.13	53.42	68.20	14.78	163	254	Vertical
3	5746.128	38.18	15.11	53.29	68.20	14.91	148	1	Vertical


Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph




Project Information			
Mode:	802.11 ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part15 407			

Test Graph



Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5861.960	37.77	15.57	53.34	68.20	14.86	242	0	Horizontal
2	5895.997	37.80	15.79	53.59	68.20	14.61	120	299	Horizontal
3	5915.447	38.15	15.81	53.96	68.20	14.24	223	154	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	/	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5855.207	37.12	15.53	52.65	68.20	15.55	189	78	Vertical
2	5892.756	37.55	15.77	53.32	68.20	14.88	119	143	Vertical
3	5921.120	38.04	15.81	53.85	68.20	14.35	266	172	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5854.937	37.30	15.53	52.83	68.20	15.37	209	124	Horizontal
2	5879.249	38.41	15.68	54.09	68.20	14.11	189	205	Horizontal
3	5922.201	37.75	15.81	53.56	68.20	14.64	115	128	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5851.965	37.79	15.51	53.30	68.20	14.90	231	356	Vertical
2	5872.226	37.78	15.64	53.42	68.20	14.78	190	352	Vertical
3	5903.561	37.75	15.81	53.56	68.20	14.64	132	202	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5854.937	37.17	15.53	52.70	68.20	15.50	162	0	Horizontal
2	5874.927	37.36	15.65	53.01	68.20	15.19	218	288	Horizontal
3	5889.784	37.35	15.75	53.10	68.20	15.10	157	73	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2C
Bandwidth	20MHZ	Channel	144
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5853.856	37.34	15.52	52.86	68.20	15.34	167	35	Vertical
2	5867.363	38.02	15.61	53.63	68.20	14.57	233	323	Vertical
3	5885.192	37.30	15.72	53.02	68.20	15.18	137	67	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5853.046	38.08	15.52	53.60	68.20	14.60	262	209	Horizontal
2	5888.974	37.81	15.74	53.55	68.20	14.65	124	356	Horizontal
3	5940.840	37.32	15.82	53.14	68.20	15.06	142	319	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5854.397	38.30	15.53	53.83	68.20	14.37	246	186	Vertical
2	5900.860	37.79	15.81	53.60	68.20	14.60	198	169	Vertical
3	5935.707	37.26	15.82	53.08	68.20	15.12	223	219	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5854.937	37.82	15.53	53.35	68.20	14.85	166	279	Horizontal
2	5873.846	37.97	15.65	53.62	68.20	14.58	231	242	Horizontal
3	5885.732	37.48	15.72	53.20	68.20	15.00	124	32	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2C
Bandwidth	40MHZ	Channel	142
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5852.506	37.61	15.52	53.13	68.20	15.07	178	262	Vertical
2	5868.714	37.39	15.62	53.01	68.20	15.19	216	104	Vertical
3	5895.997	38.28	15.79	54.07	68.20	14.13	297	290	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5850.345	37.79	15.50	53.29	68.20	14.91	143	283	Horizontal
2	5866.553	38.21	15.60	53.81	68.20	14.39	273	174	Horizontal
3	5876.548	37.92	15.66	53.58	68.20	14.62	199	137	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2C
Bandwidth	80MHZ	Channel	138
SN:	HQ63B10377	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC Part 15.407			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5851.965	37.20	15.51	52.71	68.20	15.49	162	40	Vertical
2	5865.202	38.16	15.59	53.75	68.20	14.45	224	59	Vertical
3	5892.486	37.70	15.76	53.46	68.20	14.74	152	358	Vertical

~The End~