


Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13695.78	39.19	9.39	48.58	68.20	19.62	190	266	Vertical
2	15251.40	39.55	9.91	49.46	68.20	18.74	221	91	Vertical
3	17391.24	41.01	12.10	53.11	68.20	15.09	244	18	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13701.54	40.07	9.34	49.41	68.20	18.79	180	353	Horizontal
2	15070.46	39.88	9.14	49.02	68.20	19.18	135	237	Horizontal
3	17851.26	39.06	13.97	53.03	74.00	20.97	199	75	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



Suspected Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13653.23	39.60	9.08	48.68	68.20	19.52	123	135	Vertical
2	15064.71	40.20	9.17	49.37	68.20	18.83	164	156	Vertical
3	17998.08	38.76	13.76	52.52	74.00	21.48	260	47	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13683.13	39.86	9.30	49.16	68.20	19.04	256	267	Horizontal
2	15081.20	40.41	9.10	49.51	68.20	18.69	146	142	Horizontal
3	17976.61	39.15	13.46	52.61	74.00	21.39	151	11	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13718.40	40.26	8.48	48.74	68.20	19.46	162	98	Vertical
2	15094.23	41.03	9.04	50.07	68.20	18.13	215	360	Vertical
3	17370.16	40.05	12.17	52.22	68.20	15.98	225	200	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	14113.63	40.93	8.29	49.22	68.20	18.98	131	40	Horizontal
2	15064.71	40.22	9.17	49.39	68.20	18.81	199	187	Horizontal
3	17871.19	39.30	13.71	53.01	74.00	20.99	166	112	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13682.37	39.97	9.29	49.26	68.20	18.94	178	77	Vertical
2	15079.66	40.44	9.11	49.55	68.20	18.65	139	304	Vertical
3	17981.98	38.84	13.53	52.37	74.00	21.63	260	339	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13718.02	40.84	8.50	49.34	68.20	18.86	126	244	Horizontal
2	15088.48	40.10	9.07	49.17	68.20	19.03	114	112	Horizontal
3	17912.98	39.35	13.27	52.62	74.00	21.38	239	341	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13675.47	39.90	9.25	49.15	68.20	19.05	146	127	Vertical
2	15177.03	41.11	8.01	49.12	68.20	19.08	176	32	Vertical
3	17863.14	38.34	13.82	52.16	74.00	21.84	231	360	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	14675.23	40.11	9.27	49.38	68.20	18.82	100	325	Horizontal
2	17368.62	40.37	12.18	52.55	68.20	15.65	170	296	Horizontal
3	17891.89	39.58	13.44	53.02	74.00	20.98	161	53	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13737.95	41.33	7.48	48.81	68.20	19.39	219	4	Vertical
2	15226.87	39.87	9.17	49.04	68.20	19.16	118	4	Vertical
3	17986.96	40.01	13.60	53.61	74.00	20.39	241	360	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13697.70	39.51	9.41	48.92	68.20	19.28	118	40	Horizontal
2	15068.16	39.80	9.15	48.95	68.20	19.25	252	259	Horizontal
3	17836.69	39.05	13.42	52.47	74.00	21.53	190	304	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13692.33	40.23	9.36	49.59	68.20	18.61	180	105	Vertical
2	15247.57	39.40	9.87	49.27	68.20	18.93	113	90	Vertical
3	17840.14	38.46	13.57	52.03	74.00	21.97	168	105	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13700.39	40.29	9.40	49.69	68.20	18.51	123	319	Horizontal
2	15109.95	40.76	8.76	49.52	68.20	18.68	213	157	Horizontal
3	17996.93	38.96	13.75	52.71	74.00	21.29	111	304	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13647.87	40.03	8.99	49.02	68.20	19.18	245	360	Vertical
2	15244.89	39.17	9.78	48.95	68.20	19.25	108	105	Vertical
3	17868.89	38.43	13.75	52.18	74.00	21.82	298	289	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13677.00	40.03	9.26	49.29	68.20	18.91	123	201	Horizontal
2	15252.55	39.31	9.87	49.18	68.20	19.02	235	201	Horizontal
3	17986.96	38.79	13.60	52.39	74.00	21.61	214	274	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13653.23	40.31	9.08	49.39	68.20	18.81	162	252	Vertical
2	15251.02	40.36	9.92	50.28	68.20	17.92	197	69	Vertical
3	17995.78	38.17	13.73	51.90	74.00	22.10	107	201	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13682.75	40.11	9.29	49.40	68.20	18.80	287	252	Horizontal
2	14623.10	39.98	9.17	49.15	68.20	19.05	171	245	Horizontal
3	17988.11	38.99	13.62	52.61	74.00	21.39	251	32	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13701.54	40.70	9.34	50.04	68.20	18.16	120	142	Vertical
2	14637.28	40.22	9.55	49.77	68.20	18.43	217	208	Vertical
3	17852.41	38.47	13.95	52.42	74.00	21.58	109	208	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13727.60	41.47	8.01	49.48	68.20	18.72	245	90	Horizontal
2	15227.64	40.15	9.20	49.35	68.20	18.85	204	46	Horizontal
3	17997.69	38.42	13.76	52.18	74.00	21.82	131	360	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13701.15	39.83	9.36	49.19	68.20	19.01	246	107	Vertical
2	15075.83	40.77	9.12	49.89	68.20	18.31	106	246	Vertical
3	17945.94	39.07	13.09	52.16	74.00	21.84	153	360	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13689.27	39.84	9.34	49.18	68.20	19.02	143	105	Horizontal
2	15244.12	39.48	9.76	49.24	68.20	18.96	185	348	Horizontal
3	17979.29	38.64	13.49	52.13	74.00	21.87	155	230	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13688.50	40.12	9.34	49.46	68.20	18.74	184	141	Vertical
2	15246.80	39.59	9.84	49.43	68.20	18.77	131	68	Vertical
3	17996.54	39.50	13.74	53.24	74.00	20.76	122	104	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	14329.07	40.65	8.86	49.51	68.20	18.69	151	179	Horizontal
2	15250.25	40.01	9.94	49.95	68.20	18.25	169	354	Horizontal
3	17997.31	39.77	13.75	53.52	74.00	20.48	132	186	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13720.70	40.88	8.36	49.24	68.20	18.96	170	216	Vertical
2	15067.01	40.44	9.16	49.60	68.20	18.60	223	296	Vertical
3	17995.01	39.48	13.72	53.20	74.00	20.80	172	360	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	15083.11	40.40	9.09	49.49	68.20	18.71	194	360	Horizontal
2	17342.17	40.27	11.99	52.26	68.20	15.94	154	172	Horizontal
3	17862.37	38.53	13.82	52.35	74.00	21.65	212	295	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	14631.53	40.45	9.40	49.85	68.20	18.35	196	295	Vertical
2	17348.69	38.93	12.20	51.13	68.20	17.07	147	11	Vertical
3	17996.93	39.35	13.75	53.10	74.00	20.90	145	178	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13667.80	39.82	9.19	49.01	68.20	19.19	109	360	Horizontal
2	15070.46	40.10	9.14	49.24	68.20	18.96	141	113	Horizontal
3	17973.93	39.90	13.42	53.32	74.00	20.68	219	54	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13704.99	40.53	9.16	49.69	68.20	18.51	163	268	Vertical
2	15256.00	40.24	9.75	49.99	68.20	18.21	197	358	Vertical
3	17847.04	38.45	13.86	52.31	74.00	21.69	128	98	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	14317.57	39.77	8.78	48.55	68.20	19.65	208	360	Horizontal
2	15089.25	40.54	9.07	49.61	68.20	18.59	173	185	Horizontal
3	17868.51	39.61	13.75	53.36	74.00	20.64	142	353	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13717.25	40.79	8.54	49.33	68.20	18.87	227	54	Vertical
2	15081.96	40.21	9.10	49.31	68.20	18.89	116	62	Vertical
3	17343.32	40.09	12.02	52.11	68.20	16.09	138	76	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13709.97	40.76	8.91	49.67	68.20	18.53	199	333	Horizontal
2	14618.88	40.04	9.05	49.09	68.20	19.11	201	359	Horizontal
3	17844.74	39.55	13.77	53.32	74.00	20.68	167	121	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13707.67	39.84	9.03	48.87	68.20	19.33	112	77	Vertical
2	15253.70	39.24	9.83	49.07	68.20	19.13	204	312	Vertical
3	17344.86	40.14	12.07	52.21	68.20	15.99	110	165	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13821.14	41.10	7.64	48.74	68.20	19.46	138	230	Horizontal
2	15170.90	41.16	7.95	49.11	68.20	19.09	162	3	Horizontal
3	17857.39	38.96	13.89	52.85	74.00	21.15	128	358	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13699.62	39.66	9.42	49.08	68.20	19.12	217	333	Vertical
2	15248.34	39.85	9.89	49.74	68.20	18.46	110	304	Vertical
3	17993.86	38.59	13.71	52.30	74.00	21.70	197	11	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13697.32	39.83	9.40	49.23	68.20	18.97	151	238	Horizontal
2	15252.17	38.89	9.88	48.77	68.20	19.43	167	360	Horizontal
3	17807.17	39.98	12.16	52.14	74.00	21.86	193	3	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13669.72	39.45	9.20	48.65	68.20	19.55	189	142	Vertical
2	15246.80	39.36	9.84	49.20	68.20	19.00	161	230	Vertical
3	17996.16	38.41	13.73	52.14	74.00	21.86	138	164	Vertical

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13701.54	39.48	9.34	48.82	68.20	19.38	232	348	Horizontal
2	15059.35	40.34	9.19	49.53	68.20	18.67	198	91	Horizontal
3	17838.61	39.03	13.51	52.54	74.00	21.46	239	4	Horizontal

Project Information			
Mode:	802.11 ac20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13681.22	39.44	9.28	48.72	68.20	19.48	248	229	Vertical
2	15063.18	40.20	9.17	49.37	68.20	18.83	204	237	Vertical
3	17871.19	38.78	13.71	52.49	74.00	21.51	141	127	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13698.47	40.12	9.41	49.53	68.20	18.67	157	47	Horizontal
2	15246.42	39.38	9.83	49.21	68.20	18.99	224	340	Horizontal
3	17982.74	38.48	13.54	52.02	74.00	21.98	185	359	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	11421.78	42.04	5.25	47.29	74.00	26.71	107	230	Vertical
2	14677.53	40.06	9.22	49.28	68.20	18.92	179	112	Vertical
3	17839.37	38.67	13.54	52.21	74.00	21.79	121	47	Vertical

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13697.70	39.63	9.41	49.04	68.20	19.16	198	267	Horizontal
2	15086.56	39.61	9.08	48.69	68.20	19.51	154	91	Horizontal
3	17997.31	38.70	13.75	52.45	74.00	21.55	144	360	Horizontal

Project Information			
Mode:	802.11 n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13677.38	40.17	9.26	49.43	68.20	18.77	113	214	Vertical
2	14266.97	41.64	8.30	49.94	68.20	18.26	153	25	Vertical
3	17889.21	39.01	13.48	52.49	74.00	21.51	133	83	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13705.75	39.97	9.13	49.10	68.20	19.10	156	39	Horizontal
2	15244.12	39.94	9.76	49.70	68.20	18.50	165	201	Horizontal
3	17852.02	38.63	13.96	52.59	74.00	21.41	177	120	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13715.72	40.56	8.61	49.17	68.20	19.03	124	144	Vertical
2	14628.47	40.16	9.31	49.47	68.20	18.73	180	210	Vertical
3	17982.74	38.73	13.54	52.27	74.00	21.73	233	166	Vertical

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13703.84	39.46	9.22	48.68	68.20	19.52	178	313	Horizontal
2	15249.10	39.07	9.92	48.99	68.20	19.21	117	262	Horizontal
3	17993.09	38.47	13.69	52.16	74.00	21.84	137	11	Horizontal

Project Information			
Mode:	802.11 ac40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13690.80	39.89	9.35	49.24	68.20	18.96	171	333	Vertical
2	15241.82	39.84	9.68	49.52	68.20	18.68	144	360	Vertical
3	17834.39	39.17	13.33	52.50	74.00	21.50	200	98	Vertical

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13693.48	39.47	9.37	48.84	68.20	19.36	181	40	Horizontal
2	15244.89	39.55	9.78	49.33	68.20	18.87	202	187	Horizontal
3	17838.61	39.11	13.51	52.62	74.00	21.38	182	26	Horizontal

Project Information			
Mode:	802.11 ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5365.236	47.13	16.31	63.44	74.00	10.56	177	257	Vertical
2	13697.32	39.75	9.40	49.15	68.20	19.05	142	360	Vertical
3	17363.64	38.97	12.19	51.16	68.20	17.04	164	164	Vertical
4	17835.54	39.03	13.37	52.40	74.00	21.60	177	40	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13704.99	40.37	9.16	49.53	68.20	18.67	189	360	Horizontal
2	14666.42	40.10	9.49	49.59	68.20	18.61	153	55	Horizontal
3	17979.29	38.93	13.49	52.42	74.00	21.58	198	358	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13700.00	40.06	9.42	49.48	68.20	18.72	118	25	Vertical
2	15082.35	40.19	9.09	49.28	68.20	18.92	102	173	Vertical
3	17937.13	39.18	13.14	52.32	74.00	21.68	194	32	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13698.47	39.39	9.41	48.80	68.20	19.40	185	25	Horizontal
2	15250.25	39.13	9.94	49.07	68.20	19.13	202	134	Horizontal
3	17981.59	38.41	13.53	51.94	74.00	22.06	128	193	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	14503.50	41.03	8.25	49.28	68.20	18.92	118	295	Vertical
2	17383.19	40.09	12.12	52.21	68.20	15.99	238	208	Vertical
3	17978.91	39.48	13.49	52.97	74.00	21.03	123	83	Vertical

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13684.67	40.44	9.30	49.74	68.20	18.46	144	269	Horizontal
2	15067.40	39.94	9.16	49.10	68.20	19.10	206	26	Horizontal
3	17993.86	38.45	13.71	52.16	74.00	21.84	117	328	Horizontal

Project Information			
Mode:	802.11 a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13663.97	39.53	9.16	48.69	68.20	19.51	190	313	Vertical
2	15247.57	39.27	9.87	49.14	68.20	19.06	188	357	Vertical
3	17845.89	38.54	13.81	52.35	74.00	21.65	198	135	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13700.39	40.06	9.40	49.46	68.20	18.74	154	220	Horizontal
2	15082.73	40.03	9.09	49.12	68.20	19.08	151	21	Horizontal
3	17990.41	39.42	13.65	53.07	74.00	20.93	205	322	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13742.17	42.09	7.26	49.35	68.20	18.85	164	145	Vertical
2	15073.53	40.02	9.13	49.15	68.20	19.05	139	86	Vertical
3	17997.31	39.05	13.75	52.80	74.00	21.20	209	313	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	14092.16	41.41	8.17	49.58	68.20	18.62	164	27	Horizontal
2	15066.63	40.59	9.16	49.75	68.20	18.45	122	335	Horizontal
3	17860.84	38.95	13.85	52.80	74.00	21.20	194	101	Horizontal

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			


Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	14131.65	40.56	8.45	49.01	68.20	19.19	150	335	Vertical
2	15226.49	40.00	9.16	49.16	68.20	19.04	136	85	Vertical
3	17843.21	38.81	13.70	52.51	74.00	21.49	132	0	Vertical

Project Information			
Mode:	802.11 n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	HQ63B1038C	Engineer:	欧树炎
Remark:	Polarity: Z		
Test Standard: FCC PART 15 E			

Test Graph



NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13683.52	39.88	9.30	49.18	68.20	19.02	132	52	Horizontal
2	15087.71	40.35	9.07	49.42	68.20	18.78	263	38	Horizontal
3	17897.64	39.59	13.38	52.97	74.00	21.03	168	260	Horizontal