

10255-CAD	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	6.98	80.28	23.11	3.98	65.0	± 9.6 %
		Y	5.66	77.94	22.24		65.0	
		Z	7.11	80.96	23.47		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	6.06	77.19	18.81	3.98	65.0	± 9.6 %
		Y	3.89	71.54	15.35		65.0	
		Z	7.73	81.29	20.44		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	5.72	75.90	18.18	3.98	65.0	± 9.6 %
		Y	3.59	70.03	14.54		65.0	
		Z	7.01	79.32	19.59		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	6.71	82.60	21.36	3.98	65.0	± 9.6 %
		Y	3.73	74.38	17.13		65.0	
		Z	7.07	83.62	21.66		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	5.95	77.55	21.37	3.98	65.0	± 9.6 %
		Y	4.78	74.99	19.80		65.0	
		Z	6.01	78.03	21.58		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	5.94	77.12	21.19	3.98	65.0	± 9.6 %
		Y	4.77	74.54	19.59		65.0	
		Z	5.99	77.53	21.38		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	8.40	86.75	24.94	3.98	65.0	± 9.6 %
		Y	6.25	83.12	23.39		65.0	
		Z	8.97	88.34	25.56		65.0	
10262-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	6.27	78.26	22.60	3.98	65.0	± 9.6 %
		Y	5.15	75.93	21.43		65.0	
		Z	6.32	78.70	22.84		65.0	
10263-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	5.92	75.80	21.22	3.98	65.0	± 9.6 %
		Y	4.82	73.36	19.88		65.0	
		Z	5.94	76.14	21.41		65.0	
10264-CAD	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	8.38	85.97	25.08	3.98	65.0	± 9.6 %
		Y	6.32	82.61	23.86		65.0	
		Z	8.79	87.29	25.65		65.0	
10265-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	6.04	75.16	21.22	3.98	65.0	± 9.6 %
		Y	4.99	72.73	20.06		65.0	
		Z	6.04	75.41	21.41		65.0	
10266-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	6.39	75.98	21.93	3.98	65.0	± 9.6 %
		Y	5.36	73.82	20.92		65.0	
		Z	6.38	76.23	22.11		65.0	
10267-CAD	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	7.53	81.42	23.29	3.98	65.0	± 9.6 %
		Y	6.04	78.97	22.46		65.0	
		Z	7.69	82.16	23.67		65.0	
10268-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	6.57	74.60	21.30	3.98	65.0	± 9.6 %
		Y	5.60	72.56	20.37		65.0	
		Z	6.54	74.75	21.44		65.0	
10269-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	6.51	74.05	21.12	3.98	65.0	± 9.6 %
		Y	5.59	72.13	20.21		65.0	
		Z	6.48	74.19	21.25		65.0	
10270-CAD	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	6.90	77.37	21.76	3.98	65.0	± 9.6 %
		Y	5.83	75.57	21.13		65.0	
		Z	6.93	77.73	22.00		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.63	66.58	15.44	0.00	150.0	± 9.6 %
		Y	2.49	66.50	14.92		150.0	
		Z	2.66	67.00	15.71		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.68	68.49	15.98	0.00	150.0	± 9.6 %
		Y	1.50	67.36	15.05		150.0	
		Z	1.77	69.68	16.68		150.0	
10277-CAA	PHS (QPSK)	X	1.85	61.43	6.93	9.03	50.0	± 9.6 %
		Y	1.53	60.06	5.52		50.0	
		Z	1.80	61.22	6.71		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	23.34	98.06	24.91	9.03	50.0	± 9.6 %
		Y	5.78	76.61	16.66		50.0	
		Z	20.76	95.96	24.11		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	23.38	98.09	25.00	9.03	50.0	± 9.6 %
		Y	5.99	77.06	16.91		50.0	
		Z	21.00	96.14	24.25		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	1.64	70.15	15.00	0.00	150.0	± 9.6 %
		Y	1.14	66.54	12.13		150.0	
		Z	1.88	72.45	16.00		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	0.92	66.99	13.45	0.00	150.0	± 9.6 %
		Y	0.68	64.29	10.85		150.0	
		Z	1.04	69.19	14.53		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	1.26	72.34	16.32	0.00	150.0	± 9.6 %
		Y	0.90	68.39	13.26		150.0	
		Z	1.77	77.75	18.56		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	2.11	80.15	19.92	0.00	150.0	± 9.6 %
		Y	1.66	76.45	17.09		150.0	
		Z	4.35	91.49	23.81		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	12.53	94.68	28.40	9.03	50.0	± 9.6 %
		Y	28.13	106.77	30.69		50.0	
		Z	15.12	98.12	29.39		50.0	
10297-AAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	2.86	70.13	16.86	0.00	150.0	± 9.6 %
		Y	2.58	69.17	16.30		150.0	
		Z	2.94	70.87	17.32		150.0	
10298-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	1.72	68.71	14.94	0.00	150.0	± 9.6 %
		Y	1.30	66.01	12.55		150.0	
		Z	1.83	70.07	15.59		150.0	
10299-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	2.90	71.01	15.41	0.00	150.0	± 9.6 %
		Y	2.18	68.25	13.05		150.0	
		Z	4.71	78.01	18.33		150.0	
10300-AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	2.13	66.03	12.34	0.00	150.0	± 9.6 %
		Y	1.54	63.48	9.92		150.0	
		Z	2.61	68.83	13.74		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.86	65.62	17.66	4.17	50.0	± 9.6 %
		Y	4.55	65.33	17.15		50.0	
		Z	4.90	66.04	17.92		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.29	66.07	18.29	4.96	50.0	± 9.6 %
		Y	4.99	65.79	17.77		50.0	
		Z	5.29	66.25	18.42		50.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	5.03	65.70	18.13	4.96	50.0	± 9.6 %
		Y	4.74	65.39	17.57		50.0	
		Z	5.03	65.87	18.26		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.85	65.58	17.61	4.17	50.0	± 9.6 %
		Y	4.57	65.36	17.12		50.0	
		Z	4.85	65.76	17.74		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	4.30	66.70	19.47	6.02	35.0	± 9.6 %
		Y	4.08	66.60	18.65		35.0	
		Z	4.31	67.01	19.64		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.69	66.06	19.14	6.02	35.0	± 9.6 %
		Y	4.46	66.02	18.52		35.0	
		Z	4.69	66.29	19.29		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	4.58	66.20	19.11	6.02	35.0	± 9.6 %
		Y	4.33	66.03	18.42		35.0	
		Z	4.57	66.43	19.25		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	4.54	66.34	19.22	6.02	35.0	± 9.6 %
		Y	4.30	66.20	18.55		35.0	
		Z	4.54	66.59	19.37		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	4.76	66.33	19.32	6.02	35.0	± 9.6 %
		Y	4.49	66.15	18.63		35.0	
		Z	4.75	66.56	19.46		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.63	66.08	19.10	6.02	35.0	± 9.6 %
		Y	4.40	66.05	18.49		35.0	
		Z	4.63	66.32	19.25		35.0	
10311-AAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.22	69.39	16.49	0.00	150.0	± 9.6 %
		Y	2.94	68.49	15.99		150.0	
		Z	3.31	70.05	16.90		150.0	
10313-AAA	iDEN 1:3	X	8.50	86.96	21.49	6.99	70.0	± 9.6 %
		Y	5.26	82.99	20.69		70.0	
		Z	10.57	90.35	22.61		70.0	
10314-AAA	iDEN 1:6	X	15.75	103.88	30.25	10.00	30.0	± 9.6 %
		Y	17.10	106.92	31.41		30.0	
		Z	22.64	110.46	32.12		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.09	64.03	15.52	0.17	150.0	± 9.6 %
		Y	1.04	63.44	14.88		150.0	
		Z	1.10	64.58	16.03		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.64	66.71	16.40	0.17	150.0	± 9.6 %
		Y	4.45	66.69	16.20		150.0	
		Z	4.64	66.83	16.52		150.0	
10317-AAB	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.64	66.71	16.40	0.17	150.0	± 9.6 %
		Y	4.45	66.69	16.20		150.0	
		Z	4.64	66.83	16.52		150.0	
10400-AAC	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.76	67.02	16.34	0.00	150.0	± 9.6 %
		Y	4.53	66.93	16.13		150.0	
		Z	4.75	67.15	16.47		150.0	
10401-AAC	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.43	67.16	16.47	0.00	150.0	± 9.6 %
		Y	5.21	66.93	16.23		150.0	
		Z	5.44	67.29	16.59		150.0	

10402-AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.70	67.54	16.51	0.00	150.0	± 9.6 %
		Y	5.51	67.37	16.33		150.0	
		Z	5.69	67.61	16.60		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	1.64	70.15	15.00	0.00	115.0	± 9.6 %
		Y	1.14	66.54	12.13		115.0	
		Z	1.88	72.45	16.00		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	1.64	70.15	15.00	0.00	115.0	± 9.6 %
		Y	1.14	66.54	12.13		115.0	
		Z	1.88	72.45	16.00		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	44.37	113.85	29.52	0.00	100.0	± 9.6 %
		Y	100.00	124.93	31.24		100.0	
		Z	100.00	124.14	31.61		100.0	
10410-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	127.73	32.99	3.23	80.0	± 9.6 %
		Y	100.00	136.12	36.07		80.0	
		Z	100.00	130.68	34.32		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.02	63.18	14.89	0.00	150.0	± 9.6 %
		Y	0.99	62.78	14.31		150.0	
		Z	1.03	63.70	15.38		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.58	66.66	16.28	0.00	150.0	± 9.6 %
		Y	4.40	66.66	16.10		150.0	
		Z	4.58	66.79	16.40		150.0	
10417-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.58	66.66	16.28	0.00	150.0	± 9.6 %
		Y	4.40	66.66	16.10		150.0	
		Z	4.58	66.79	16.40		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.57	66.82	16.30	0.00	150.0	± 9.6 %
		Y	4.39	66.85	16.14		150.0	
		Z	4.57	66.96	16.43		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.59	66.77	16.30	0.00	150.0	± 9.6 %
		Y	4.41	66.78	16.13		150.0	
		Z	4.59	66.91	16.43		150.0	
10422-AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.71	66.77	16.31	0.00	150.0	± 9.6 %
		Y	4.52	66.77	16.14		150.0	
		Z	4.71	66.90	16.43		150.0	
10423-AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.89	67.11	16.44	0.00	150.0	± 9.6 %
		Y	4.66	67.04	16.24		150.0	
		Z	4.88	67.23	16.55		150.0	
10424-AAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.81	67.06	16.41	0.00	150.0	± 9.6 %
		Y	4.59	67.00	16.21		150.0	
		Z	4.80	67.18	16.53		150.0	
10425-AAA	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.40	67.37	16.57	0.00	150.0	± 9.6 %
		Y	5.20	67.22	16.39		150.0	
		Z	5.40	67.47	16.68		150.0	
10426-AAA	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.40	67.37	16.57	0.00	150.0	± 9.6 %
		Y	5.21	67.27	16.41		150.0	
		Z	5.40	67.49	16.68		150.0	

10427-AAA	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.42	67.36	16.56	0.00	150.0	± 9.6 %
		Y	5.20	67.17	16.35		150.0	
		Z	5.41	67.47	16.67		150.0	
10430-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.29	70.61	18.21	0.00	150.0	± 9.6 %
		Y	4.26	71.84	18.33		150.0	
		Z	4.33	71.02	18.44		150.0	
10431-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.28	67.24	16.32	0.00	150.0	± 9.6 %
		Y	4.04	67.20	16.01		150.0	
		Z	4.28	67.42	16.46		150.0	
10432-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.58	67.11	16.37	0.00	150.0	± 9.6 %
		Y	4.35	67.07	16.14		150.0	
		Z	4.57	67.25	16.49		150.0	
10433-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.82	67.09	16.43	0.00	150.0	± 9.6 %
		Y	4.60	67.03	16.23		150.0	
		Z	4.82	67.22	16.55		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.40	71.48	18.21	0.00	150.0	± 9.6 %
		Y	4.39	72.81	18.25		150.0	
		Z	4.46	71.98	18.47		150.0	
10435-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	127.51	32.89	3.23	80.0	± 9.6 %
		Y	100.00	135.85	35.94		80.0	
		Z	100.00	130.46	34.21		80.0	
10447-AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.59	67.30	15.73	0.00	150.0	± 9.6 %
		Y	3.29	67.07	15.06		150.0	
		Z	3.60	67.58	15.90		150.0	
10448-AAB	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.12	67.02	16.18	0.00	150.0	± 9.6 %
		Y	3.89	66.99	15.88		150.0	
		Z	4.12	67.20	16.32		150.0	
10449-AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.38	66.93	16.27	0.00	150.0	± 9.6 %
		Y	4.18	66.90	16.04		150.0	
		Z	4.38	67.09	16.40		150.0	
10450-AAB	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.57	66.86	16.29	0.00	150.0	± 9.6 %
		Y	4.39	66.81	16.09		150.0	
		Z	4.57	66.99	16.41		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.50	67.54	15.41	0.00	150.0	± 9.6 %
		Y	3.13	67.01	14.47		150.0	
		Z	3.51	67.85	15.58		150.0	
10456-AAA	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.25	67.92	16.72	0.00	150.0	± 9.6 %
		Y	6.12	67.87	16.61		150.0	
		Z	6.25	67.99	16.80		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.81	65.30	16.00	0.00	150.0	± 9.6 %
		Y	3.72	65.36	15.81		150.0	
		Z	3.81	65.42	16.12		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	4.04	70.74	17.66	0.00	150.0	± 9.6 %
		Y	3.90	71.48	17.20		150.0	
		Z	4.11	71.30	17.92		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	5.13	68.13	18.14	0.00	150.0	± 9.6 %
		Y	5.01	69.18	18.15		150.0	
		Z	5.10	68.25	18.20		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	0.95	69.22	16.82	0.00	150.0	± 9.6 %
		Y	0.83	67.13	15.34		150.0	
		Z	1.07	71.76	18.27		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	133.28	35.60	3.29	80.0	± 9.6 %
		Y	100.00	142.17	38.90		80.0	
		Z	100.00	139.40	38.29		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	111.45	25.41	3.23	80.0	± 9.6 %
		Y	100.00	114.17	25.91		80.0	
		Z	100.00	114.90	26.83		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	44.25	98.64	21.44	3.23	80.0	± 9.6 %
		Y	100.00	107.11	22.72		80.0	
		Z	100.00	109.27	24.24		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	130.82	34.27	3.23	80.0	± 9.6 %
		Y	100.00	139.67	37.51		80.0	
		Z	100.00	137.19	37.05		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.64	25.03	3.23	80.0	± 9.6 %
		Y	100.00	113.00	25.38		80.0	
		Z	100.00	113.96	26.39		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.29	84.82	17.88	3.23	80.0	± 9.6 %
		Y	9.65	84.68	17.35		80.0	
		Z	100.00	108.40	23.85		80.0	
10467-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	131.14	34.41	3.23	80.0	± 9.6 %
		Y	100.00	140.13	37.71		80.0	
		Z	100.00	137.54	37.21		80.0	
10468-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.89	25.14	3.23	80.0	± 9.6 %
		Y	100.00	113.41	25.56		80.0	
		Z	100.00	114.26	26.52		80.0	
10469-AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.73	85.22	17.99	3.23	80.0	± 9.6 %
		Y	11.14	86.04	17.71		80.0	
		Z	100.00	108.44	23.86		80.0	
10470-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	131.20	34.43	3.23	80.0	± 9.6 %
		Y	100.00	140.22	37.74		80.0	
		Z	100.00	137.63	37.24		80.0	
10471-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.81	25.10	3.23	80.0	± 9.6 %
		Y	100.00	113.31	25.51		80.0	
		Z	100.00	114.18	26.48		80.0	
10472-AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.53	85.01	17.91	3.23	80.0	± 9.6 %
		Y	10.29	85.25	17.47		80.0	
		Z	100.00	108.34	23.81		80.0	
10473-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	131.16	34.41	3.23	80.0	± 9.6 %
		Y	100.00	140.17	37.72		80.0	
		Z	100.00	137.59	37.22		80.0	
10474-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.82	25.10	3.23	80.0	± 9.6 %
		Y	100.00	113.31	25.51		80.0	
		Z	100.00	114.19	26.48		80.0	
10475-AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.23	84.76	17.85	3.23	80.0	± 9.6 %
		Y	9.67	84.70	17.33		80.0	
		Z	100.00	108.36	23.82		80.0	

10477-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	100.00	110.58	24.99	3.23	80.0	± 9.6 %
		Y	100.00	112.96	25.35		80.0	
		Z	100.00	113.92	26.36		80.0	
10478-AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	10.83	84.36	17.72	3.23	80.0	± 9.6 %
		Y	8.56	83.51	16.99		80.0	
		Z	100.00	108.26	23.78		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	10.67	93.30	26.20	3.23	80.0	± 9.6 %
		Y	60.74	123.45	34.00		80.0	
		Z	63.77	124.40	34.98		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	14.86	91.99	23.74	3.23	80.0	± 9.6 %
		Y	100.00	118.27	29.60		80.0	
		Z	100.00	120.01	31.13		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	11.70	87.68	22.02	3.23	80.0	± 9.6 %
		Y	100.00	115.49	28.24		80.0	
		Z	100.00	117.83	30.05		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.46	78.83	20.16	2.23	80.0	± 9.6 %
		Y	3.19	74.89	17.79		80.0	
		Z	5.53	82.41	21.43		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.64	80.27	20.11	2.23	80.0	± 9.6 %
		Y	7.78	82.49	19.73		80.0	
		Z	16.74	94.22	24.73		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.93	78.40	19.45	2.23	80.0	± 9.6 %
		Y	5.91	78.68	18.45		80.0	
		Z	12.59	89.84	23.43		80.0	
10485-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.25	78.13	20.81	2.23	80.0	± 9.6 %
		Y	3.40	76.01	19.55		80.0	
		Z	4.88	80.80	21.88		80.0	
10486-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.70	72.18	17.91	2.23	80.0	± 9.6 %
		Y	3.07	70.54	16.47		80.0	
		Z	3.94	73.45	18.45		80.0	
10487-AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.66	71.60	17.65	2.23	80.0	± 9.6 %
		Y	3.02	69.90	16.16		80.0	
		Z	3.87	72.74	18.14		80.0	
10488-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.11	75.36	20.29	2.23	80.0	± 9.6 %
		Y	3.30	73.20	19.34		80.0	
		Z	4.37	76.80	20.98		80.0	
10489-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.67	70.29	18.20	2.23	80.0	± 9.6 %
		Y	3.23	69.44	17.56		80.0	
		Z	3.75	70.96	18.58		80.0	
10490-AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.75	70.00	18.09	2.23	80.0	± 9.6 %
		Y	3.31	69.22	17.45		80.0	
		Z	3.82	70.63	18.43		80.0	
10491-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.14	72.89	19.34	2.23	80.0	± 9.6 %
		Y	3.47	71.18	18.61		80.0	
		Z	4.28	73.76	19.82		80.0	
10492-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.94	69.10	17.92	2.23	80.0	± 9.6 %
		Y	3.51	68.25	17.38		80.0	
		Z	3.98	69.53	18.19		80.0	

10493-AAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.00	68.92	17.84	2.23	80.0	± 9.6 %
		Y	3.57	68.10	17.30		80.0	
		Z	4.04	69.32	18.10		80.0	
10494-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.66	75.05	20.04	2.23	80.0	± 9.6 %
		Y	3.79	72.85	19.19		80.0	
		Z	4.88	76.14	20.59		80.0	
10495-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.99	69.60	18.15	2.23	80.0	± 9.6 %
		Y	3.53	68.56	17.58		80.0	
		Z	4.04	70.04	18.43		80.0	
10496-AAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.05	69.21	18.01	2.23	80.0	± 9.6 %
		Y	3.61	68.28	17.47		80.0	
		Z	4.09	69.60	18.27		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.50	75.08	17.79	2.23	80.0	± 9.6 %
		Y	1.88	67.57	13.41		80.0	
		Z	4.34	78.23	18.87		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.23	65.97	12.82	2.23	80.0	± 9.6 %
		Y	1.18	60.00	8.39		80.0	
		Z	2.27	66.35	12.88		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.12	65.06	12.25	2.23	80.0	± 9.6 %
		Y	1.19	60.00	8.22		80.0	
		Z	2.12	65.24	12.21		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.03	76.31	20.36	2.23	80.0	± 9.6 %
		Y	3.26	74.41	19.30		80.0	
		Z	4.43	78.30	21.22		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.68	71.32	17.98	2.23	80.0	± 9.6 %
		Y	3.18	70.30	16.97		80.0	
		Z	3.84	72.32	18.44		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.73	71.12	17.83	2.23	80.0	± 9.6 %
		Y	3.22	70.08	16.79		80.0	
		Z	3.89	72.06	18.26		80.0	
10503-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.05	75.14	20.19	2.23	80.0	± 9.6 %
		Y	3.25	72.96	19.23		80.0	
		Z	4.30	76.56	20.87		80.0	
10504-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.65	70.20	18.15	2.23	80.0	± 9.6 %
		Y	3.21	69.32	17.49		80.0	
		Z	3.73	70.87	18.52		80.0	
10505-AAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.73	69.91	18.03	2.23	80.0	± 9.6 %
		Y	3.28	69.11	17.38		80.0	
		Z	3.80	70.53	18.38		80.0	
10506-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.62	74.88	19.96	2.23	80.0	± 9.6 %
		Y	3.75	72.68	19.11		80.0	
		Z	4.83	75.96	20.51		80.0	
10507-AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.97	69.53	18.11	2.23	80.0	± 9.6 %
		Y	3.52	68.49	17.54		80.0	
		Z	4.02	69.97	18.40		80.0	