



Plot 7-103. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 185)




Plot 7-104. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 123)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 70 of 330




Plot 7-105. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 155)




Plot 7-106. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 179)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 71 of 330




Plot 7-107. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 119)




Plot 7-108. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 151)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 72 of 330




Plot 7-109. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 183)



Plot 7-110. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 143)


FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 73 of 330




Plot 7-111. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 175)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 74 of 330

7.2.12 MIMO Antenna-2 Bandwidth Measurements – (UNII Band 8 - Partial)




Plot 7-112. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 189)




Plot 7-113. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 209)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 75 of 330




Plot 7-114. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 233)




Plot 7-115. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 187)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 76 of 330




Plot 7-116. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 211)



Plot 7-117. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 227)

FCC ID: PY7-84558E		MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset		Page 77 of 330




Plot 7-118. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 199)



Plot 7-119. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 215)


FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 78 of 330




Plot 7-120. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 207)

FCC ID: PY7-84558E		MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset		Page 79 of 330

7.2.13 MIMO Antenna-2 Bandwidth Measurements – (UNII Band 5 - Full)




Plot 7-121. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) UNII Band 5) – Ch. 1)




Plot 7-122. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 45)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 80 of 330




Plot 7-123. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) UNII Band 5) – Ch. 93)




Plot 7-124. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 3)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 81 of 330




Plot 7-125. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 43)




Plot 7-126. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 91)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 82 of 330




Plot 7-127. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 7)




Plot 7-128. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 39)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 83 of 330




Plot 7-129. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 87)




Plot 7-130. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 15)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 84 of 330




Plot 7-131. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 47)




Plot 7-132. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 79)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 85 of 330

7.2.14 MIMO Antenna-2 Bandwidth Measurements – (UNII Band 6 - Full)




Plot 7-133. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 6) – Ch. 97)




Plot 7-134. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 6) – Ch. 105)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 86 of 330




Plot 7-135. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 6) – Ch. 113)




Plot 7-136. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 6) – Ch. 99)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 87 of 330




Plot 7-137. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 6) – Ch. 107)




Plot 7-138. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 6) – Ch. 115)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 88 of 330




Plot 7-139. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 6) – Ch. 103)




Plot 7-140. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (Full Tone) (UNII Band 6) – Ch. 111)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 89 of 330

7.2.15 MIMO Antenna-2 Bandwidth Measurements – (UNII Band 7 - Full)




Plot 7-141. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 117)



Plot 7-142. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 149)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 90 of 330




Plot 7-143. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 185)




Plot 7-144. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 123)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 91 of 330




Plot 7-145. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 155)




Plot 7-146. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 179)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 92 of 330




Plot 7-147. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 119)




Plot 7-148. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 151)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 93 of 330




Plot 7-149. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 183)



Plot 7-150. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 143)


FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 94 of 330




Plot 7-151. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (Full Tone) (UNII Band 7) – Ch. 175)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 95 of 330

7.2.16 MIMO Antenna-2 Bandwidth Measurements – (UNII Band 8 - Full)




Plot 7-152. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 189)




Plot 7-153. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 209)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 96 of 330




Plot 7-154. Occupied Bandwidth Plot MIMO ANT2 (20MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 233)




Plot 7-155. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 187)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 97 of 330




Plot 7-156. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 211)




Plot 7-157. Occupied Bandwidth Plot MIMO ANT2 (40MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 227)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 98 of 330




Plot 7-158. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 199)



Plot 7-159. Occupied Bandwidth Plot MIMO ANT2 (80MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 215)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 99 of 330



Plot 7-160. Occupied Bandwidth Plot MIMO ANT2 (160MHz BW 802.11ax (Full Tone) (UNII Band 8) – Ch. 207)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 100 of 330

7.3 UNII Output Power Measurement

Test Overview and Limits

A transmitter antenna terminal of the EUT is connected to the input of an RF pulse power sensor. Measurement is made using a broadband average power meter while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013, and at the appropriate frequencies.

For client devices operating under the control of an indoor access point in the 5.925-7.125 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.

Test Procedure Used

ANSI C63.10-2013 – Section 12.3.3.2 Method PM-G
 ANSI C63.10-2013 – Section 14.2 Measure-and-Sum Technique

Test Settings

Average power measurements were performed only when the EUT was transmitting at its maximum power control level using a broadband power meter with a pulse sensor. The power meter implemented triggering and gating capabilities which were set up such that power measurements were recorded only during the ON time of the transmitter. The trace was averaged over 100 traces to obtain the final measured average power.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 101 of 330

MIMO Maximum Conducted Output Power Measurements

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin				
				RU Index: 0			RU Index: 4			RU Index: 8											
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO									
20MHz BW	5	1	26T	-4.09	-3.51	-0.78	-4.52	-3.70	-1.08	-4.11	-3.53	-0.80	0.22	0.47	-0.09	24.0	-24.09				
				6175	45	26T	-3.92	-3.52	-0.71	-4.33	-3.84	-1.07	-3.91	-3.55	-0.72	0.22	0.47	-0.02	24.0	-24.02	
				6415	93	26T	-4.21	-3.51	-0.84	-4.59	-3.51	-1.01	-4.15	-3.56	-0.83	0.22	0.47	-0.14	24.0	-24.14	
	6	97	26T	-3.57	-3.61	-0.58	-3.95	-3.96	-0.94	-3.53	-3.56	-0.53	0.22	0.80	0.49	24.0	-23.51				
				6475	105	26T	-4.39	-3.61	-0.97	-4.77	-3.96	-1.34	-4.30	-3.57	-0.91	0.22	0.80	0.11	24.0	-23.89	
				6515	113	26T	-4.19	-3.57	-0.86	-4.54	-3.93	-1.21	-4.06	-3.52	-0.77	0.22	0.80	0.25	24.0	-23.75	
	7	117	26T	-4.27	-3.52	-0.87	-4.64	-3.76	-1.17	-4.16	-3.53	-0.82	0.22	0.69	0.09	24.0	-23.91				
				6695	149	26T	-4.06	-3.96	-1.00	-4.44	-4.32	-1.37	-3.96	-3.88	-0.91	0.22	0.69	0.00	24.0	-24.00	
				6875	185	26T	-4.15	-3.58	-0.85	-4.57	-3.99	-1.26	-4.16	-3.58	-0.85	0.22	0.69	0.06	24.0	-23.94	
	8	189	26T	-4.11	-3.60	-0.84	-4.56	-3.97	-1.24	-4.12	-3.59	-0.84	0.22	-0.15	-0.77	24.0	-24.77				
				6995	209	26T	-3.73	-3.66	-0.68	-4.17	-4.02	-1.08	-3.75	-3.58	-0.65	0.22	-0.15	-0.58	24.0	-24.58	
				7115	233	26T	-4.32	-3.54	-0.90	-4.85	-4.01	-1.40	-4.51	-3.64	-1.04	0.22	-0.15	-0.83	24.0	-24.83	
40MHz BW	5	3	26T	-3.37	-4.46	-0.87	-3.65	-4.68	-1.12	-3.51	-4.43	-0.94	0.21	0.47	-0.19	24.00	-24.19				
				6165	43	26T	-3.77	-4.39	-1.06	-3.51	-4.08	-0.78	-3.69	-4.36	-1.00	0.21	0.47	-0.10	24.00	-24.10	
				6405	91	26T	-3.96	-4.03	-0.98	-3.56	-3.64	-0.59	-3.67	-3.79	-0.72	0.21	0.47	0.09	24.00	-23.91	
	6	99	26T	-3.59	-4.86	-1.17	-3.76	-4.99	-1.32	-3.51	-4.72	-1.06	0.21	0.80	-0.05	24.00	-24.05				
				6485	107	26T	-3.51	-3.86	-0.67	-3.59	-4.01	-0.78	-3.78	-4.29	-1.02	0.21	0.80	0.34	24.00	-23.66	
				6525	115	26T	-3.51	-3.68	-0.58	-3.62	-3.85	-0.72	-3.82	-4.14	-0.97	0.21	0.80	0.43	24.00	-23.57	
	7	123	26T	-3.78	-4.19	-0.97	-3.51	-3.86	-0.67	-3.62	-4.14	-0.86	0.21	0.69	0.23	24.00	-23.77				
				6725	155	26T	-3.55	-3.79	-0.66	-3.71	-3.90	-0.79	-3.55	-3.58	-0.55	0.21	0.69	0.35	24.00	-23.65	
				6845	179	26T	-3.68	-3.83	-0.74	-3.90	-4.06	-0.97	-3.73	-3.87	-0.79	0.21	0.69	0.16	24.00	-23.84	
	8	187	26T	-3.63	-3.95	-0.77	-3.81	-4.08	-0.93	-3.63	-3.92	-0.76	0.21	-0.15	-0.70	24.00	-24.70				
				7005	211	26T	-3.53	-3.84	-0.67	-3.80	-3.98	-0.88	-3.61	-3.68	-0.63	0.21	-0.15	-0.57	24.00	-24.57	
				7085	227	26T	-3.57	-4.32	-0.92	-3.51	-4.04	-0.76	-3.51	-3.77	-0.63	0.21	-0.15	-0.57	24.00	-24.57	
	80MHz BW	5	7	26T	-3.53	-4.35	-0.91	-3.61	-4.42	-0.99	-3.56	-4.26	-0.89	0.23	0.47	-0.19	24.00	-24.19			
					6145	39	26T	-3.51	-3.63	-0.56	-3.56	-3.65	-0.59	-3.51	-3.58	-0.53	0.23	0.47	0.17	24.00	-23.83
					6385	87	26T	-3.59	-3.64	-0.60	-3.53	-3.52	-0.51	-3.74	-3.81	-0.76	0.23	0.47	0.19	24.00	-23.81
		6	103	26T	-3.69	-5.06	-1.31	-3.63	-3.96	-1.23	-3.51	-4.83	-1.11	0.23	0.80	-0.08	24.00	-24.08			
					6545	119	26T	-3.53	-3.89	-0.70	-3.51	-3.86	-0.67	-3.71	-4.26	-0.97	0.23	0.69	0.25	24.00	-23.75
					6705	151	26T	-3.56	-5.20	-1.29	-3.51	-5.19	-1.26	-3.51	-5.13	-1.23	0.23	0.69	-0.31	24.00	-24.31
7		183	26T	-3.57	-4.78	-1.12	-3.53	-4.59	-1.02	-3.51	-4.26	-0.86	0.23	0.69	0.06	24.00	-23.94				
				6945	199	26T	-3.51	-3.89	-0.69	-3.51	-3.91	-0.70	-3.51	-3.91	-0.70	0.23	-0.15	-0.61	24.00	-24.61	
				7025	215	26T	-3.51	-3.74	-0.61	-3.53	-3.67	-0.59	-3.54	-3.77	-0.64	0.23	-0.15	-0.51	24.00	-24.51	
160MHz BW		5	15	26T	-3.51	-4.06	-0.77	-3.57	-4.21	-0.87	-3.89	-4.42	-1.14	0.23	0.47	-0.07	24.00	-24.07			
					6185	47	26T	-3.68	-4.89	-1.23	-3.74	-4.8	-1.23	-3.51	-4.29	-0.87	0.23	0.47	-0.17	24.00	-24.17
					6345	79	26T	-3.71	-5.41	-1.47	-3.56	-5.11	-1.26	-3.52	-5.07	-1.22	0.23	0.47	-0.52	24.00	-24.52
	6	111	26T	-3.51	-4.48	-0.96	-3.84	-4.85	-1.31	-3.81	-5.09	-1.39	0.23	0.80	0.07	24.00	-23.93				
				6665	143	26T	-3.52	-4.38	-0.92	-3.61	-4.87	-1.18	-3.67	-4.99	-1.27	0.23	0.69	0.00	24.00	-24.00	
				6825	175	26T	-3.94	-4.21	-1.06	-3.7	-4.08	-0.88	-3.51	-3.87	-0.68	0.23	0.69	0.24	24.00	-23.76	
	8	207	26T	-3.51	-3.98	-0.73	-3.66	-3.94	-0.79	-3.71	-3.58	-0.63	0.23	-0.15	-0.55	24.00	-24.55				

Table 7-2. MIMO 802.11ax (UNII) Maximum Conducted Output Power – 26T

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 102 of 330

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin	
				RU Index: 37			RU Index: 39			RU Index: 40								
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO						
20MHz BW	5	5955	1	52T	-1.20	-0.64	2.10	-1.02	-0.51	2.25	-1.26	-0.69	2.04	0.23	0.47	2.95	24.0	-21.05
		6175	45	52T	-0.89	-0.73	2.20	-1.20	-0.94	1.94	-0.89	-0.71	2.21	0.23	0.47	2.91	24.0	-21.09
		6415	93	52T	-1.11	-0.55	2.19	-1.37	-0.68	2.00	-1.21	-0.42	2.21	0.23	0.47	2.91	24.0	-21.09
	6	6435	97	52T	-0.51	-1.93	1.85	-0.51	-2.10	1.78	-0.51	-2.10	1.78	0.23	0.80	2.88	24.0	-21.12
		6475	105	52T	-0.52	-1.70	1.94	-0.55	-1.88	1.85	-0.55	-1.68	1.93	0.23	0.80	2.97	24.0	-21.03
		6515	113	52T	-0.51	-1.48	2.04	-0.52	-1.62	1.98	-0.59	-1.44	2.02	0.23	0.80	3.07	24.0	-20.93
	7	6535	117	52T	-0.56	-1.63	1.95	-0.58	-1.60	1.95	-0.51	-1.74	1.93	0.23	0.69	2.87	24.0	-21.13
		6695	149	52T	-0.54	-2.05	1.78	-0.59	-1.71	1.90	-0.55	-2.05	1.78	0.23	0.69	2.82	24.0	-21.18
		6875	185	52T	-0.55	-2.21	1.71	-0.58	-1.98	1.79	-0.61	-1.85	1.82	0.23	0.69	2.74	24.0	-21.26
	8	6895	189	52T	-0.51	-2.07	1.79	-0.51	-1.88	1.87	-0.59	-1.70	1.90	0.23	-0.15	1.98	24.0	-22.02
		6995	209	52T	-0.59	-1.09	2.18	-0.60	-1.38	2.04	-0.51	-1.14	2.20	0.23	-0.15	2.28	24.0	-21.72
		7115	233	52T	-0.57	-0.73	2.36	-0.90	-1.04	2.04	-0.75	-0.92	2.18	0.23	-0.15	2.44	24.0	-21.56
Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin	
				RU Index: 37			RU Index: 40			RU Index: 44								
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO						
40MHz BW	5	5965	3	52T	-0.61	-1.41	2.02	-0.84	-1.59	1.81	-0.68	-1.39	1.99	0.21	0.47	2.70	24.00	-21.30
		6165	43	52T	-0.51	-0.83	2.34	-0.65	-1.02	2.18	-0.51	-0.79	2.36	0.21	0.47	3.04	24.00	-20.96
		6405	91	52T	-0.67	-0.64	2.36	-0.79	-0.76	2.24	-0.53	-0.52	2.49	0.21	0.47	3.17	24.00	-20.83
	6	6445	99	52T	-0.51	-1.69	1.95	-0.69	-1.82	1.79	-0.51	-1.56	2.01	0.21	0.80	3.02	24.00	-20.98
		6485	107	52T	-0.76	-1.66	1.82	-0.92	-1.80	1.67	-0.68	-1.55	1.92	0.21	0.80	2.93	24.00	-21.07
		6525	115	52T	-0.75	-1.45	1.92	-0.91	-1.60	1.77	-0.68	-1.35	2.01	0.21	0.80	3.02	24.00	-20.98
	7	6565	123	52T	-0.61	-1.41	2.02	-0.77	-1.49	1.90	-0.53	-1.34	2.09	0.21	0.69	2.99	24.00	-21.01
		6725	155	52T	-0.77	-1.64	1.83	-0.92	-1.76	1.69	-0.68	-1.49	1.94	0.21	0.69	2.84	24.00	-21.16
		6845	179	52T	-0.88	-1.65	1.76	-0.64	-1.45	1.98	-0.56	-1.41	2.05	0.21	0.69	2.95	24.00	-21.05
	8	6885	187	52T	-0.51	-0.63	2.44	-0.76	-0.93	2.17	-0.70	-0.88	2.22	0.21	-0.15	2.50	24.00	-21.50
		7005	211	52T	-0.51	-0.71	2.40	-0.83	-0.90	2.15	-0.82	-0.71	2.25	0.21	-0.15	2.46	24.00	-21.54
		7085	227	52T	-0.64	-1.41	2.00	-0.51	-1.11	2.21	-0.56	-1.00	2.24	0.21	-0.15	2.30	24.00	-21.70
Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin	
				RU Index: 37			RU Index: 44			RU Index: 52								
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO						
80MHz BW	5	5985	7	52T	-0.73	-1.54	1.89	-0.51	-1.17	2.18	-0.51	-1.03	2.25	0.24	0.47	2.96	24.00	-21.04
		6145	39	52T	-1.02	-0.86	2.07	-1.00	-0.82	2.10	-0.88	-0.67	2.24	0.24	0.47	2.95	24.00	-21.05
		6385	87	52T	-0.87	-0.84	2.16	-0.79	-0.73	2.25	-0.60	-0.52	2.45	0.24	0.47	3.16	24.00	-20.84
	6	6465	103	52T	-0.59	-1.78	1.87	-0.59	-1.67	1.91	-0.51	-1.53	2.02	0.24	0.80	3.06	24.00	-20.94
		6545	119	52T	-0.86	-1.54	1.82	-0.82	-1.49	1.87	-0.68	-1.39	1.99	0.24	0.69	2.92	24.00	-21.08
		6705	151	52T	-0.79	-1.99	1.66	-0.82	-1.97	1.65	-0.68	-1.79	1.81	0.24	0.69	2.74	24.00	-21.26
	7	6865	183	52T	-0.88	-1.67	1.75	-0.56	-1.45	2.03	-0.78	-1.76	1.77	0.24	0.69	2.96	24.00	-21.04
		6945	199	52T	-0.79	-1.07	2.08	-0.91	-1.19	1.96	-0.71	-1.00	2.16	0.24	-0.15	2.25	24.00	-21.75
		7025	215	52T	-0.51	-0.70	2.41	-0.81	-0.74	2.24	-1.19	-0.75	2.05	0.24	-0.15	2.50	24.00	-21.50
	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin
					RU Index: 37 (L)			RU Index: 52 (L)			RU Index: 52 (U)							
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO					
160MHz BW	5	6025	15	52T	-0.57	-1.16	2.16	-0.55	-0.75	2.36	-0.53	-0.84	2.33	0.23	0.47	3.06	24.00	-20.94
		6185	47	52T	-0.69	-0.64	2.35	-1.2	-1.44	1.69	-1.33	-1.66	1.52	0.23	0.47	3.05	24.00	-20.95
		6345	79	52T	-0.69	-1.37	1.99	-0.52	-0.85	2.33	-0.92	-1.78	1.68	0.23	0.47	3.03	24.00	-20.97
	6	6505	111	52T	-0.95	-1.5	1.79	-0.52	-0.87	2.32	-0.55	-1.08	2.20	0.23	0.80	3.35	24.00	-20.65
		6665	143	52T	-0.72	-1.33	2.00	-0.55	-0.97	2.26	-0.51	-1.55	2.01	0.23	0.69	3.18	24.00	-20.82
		6825	175	52T	-0.71	-0.66	2.33	-0.51	-0.833	2.34	-0.71	-1.32	2.01	0.23	0.69	3.26	24.00	-20.74
	8	6985	207	52T	-0.51	-0.85	2.33	-0.66	-0.55	2.41	-1.34	-0.56	2.08	0.23	-0.15	2.49	24.00	-21.51

Table 7-3. MIMO 802.11ax (UNII) Maximum Conducted Output Power – 52T

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 103 of 330

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin				
				RU Index: 53			RU Index: 54			N/A											
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO									
20MHz BW	5	1	106T	5955	2.44	2.41	5.44	2.00	1.95	4.99				0.25	0.47	6.16	24.0	-17.84			
				6175	45	106T	2.37	2.48	5.44	2.41	2.49	5.46				0.25	0.47	6.18	24.0	-17.82	
				6415	93	106T	1.91	2.30	5.12	2.04	2.48	5.28				0.25	0.47	6.00	24.0	-18.00	
	6	106T	6435	97	106T	1.98	2.48	5.25	2.26	2.43	5.36				0.25	0.80	6.41	24.0	-17.59		
			6475	105	106T	2.17	2.31	5.25	2.21	2.38	5.31				0.25	0.80	6.36	24.0	-17.64		
			6515	113	106T	1.99	2.49	5.26	2.07	2.49	5.30				0.25	0.80	6.35	24.0	-17.65		
	7	106T	6535	117	106T	2.02	2.48	5.27	2.06	2.47	5.28				0.25	0.69	6.22	24.0	-17.78		
			6695	149	106T	2.32	2.45	5.40	2.42	2.49	5.47				0.25	0.69	6.41	24.0	-17.59		
			6875	185	106T	2.22	2.71	5.48	2.23	2.48	5.37				0.25	0.69	6.42	24.0	-17.58		
	8	106T	6895	189	106T	2.06	2.45	5.27	2.08	2.42	5.26				0.25	-0.15	5.37	24.0	-18.63		
			6995	209	106T	1.83	2.15	5.00	1.81	2.18	5.01				0.25	-0.15	5.11	24.0	-18.89		
			7115	233	106T	1.67	1.98	4.84	1.92	2.31	5.13				0.25	-0.15	5.23	24.0	-18.77		
40MHz BW	5	3	106T	5965	2.49	2.00	5.26	2.47	1.86	5.19	2.48	1.99	5.25	0.25	0.47	5.98	24.00	-18.02			
				6165	43	106T	2.46	2.49	5.49	2.35	2.39	5.38	2.46	2.49	5.49	0.25	0.47	6.21	24.00	-17.79	
				6405	91	106T	2.23	2.35	5.30	2.13	2.24	5.20	2.28	2.38	5.34	0.25	0.47	6.06	24.00	-17.94	
	6	106T	6445	99	106T	2.49	1.86	5.20	2.49	1.79	5.16	2.48	1.89	5.21	0.25	0.80	6.26	24.00	-17.74		
			6485	107	106T	2.49	2.36	5.44	2.49	2.26	5.39	2.48	2.33	5.42	0.25	0.80	6.49	24.00	-17.51		
			6525	115	106T	2.44	2.49	5.48	2.33	2.40	5.38	2.49	2.46	5.49	0.25	0.80	6.54	24.00	-17.46		
	7	106T	6565	123	106T	2.11	2.16	5.15	2.03	2.07	5.06	2.15	2.14	5.16	0.25	0.69	6.10	24.00	-17.90		
			6725	155	106T	2.49	1.81	5.17	2.48	1.72	5.13	2.49	1.89	5.21	0.25	0.69	6.15	24.00	-17.85		
			6845	179	106T	2.49	1.81	5.17	2.38	1.59	5.01	2.41	1.59	5.03	0.25	0.69	6.11	24.00	-17.89		
	8	106T	6885	187	106T	2.39	2.44	5.43	2.22	2.24	5.24	2.22	2.24	5.24	0.25	-0.15	5.53	24.00	-18.47		
			7005	211	106T	2.38	2.49	5.45	1.84	1.84	4.85	1.84	1.85	4.86	0.25	-0.15	5.55	24.00	-18.45		
			7085	227	106T	2.49	1.81	5.17	2.32	1.66	5.01	2.32	1.71	5.04	0.25	-0.15	5.27	24.00	-18.73		
80MHz BW	5	7	106T	5985	2.49	2.01	5.27	2.48	1.95	5.23	2.49	2.00	5.26	0.26	0.47	6.00	24.00	-18.00			
				6145	39	106T	2.12	2.19	5.17	2.07	2.19	5.14	2.14	2.29	5.23	0.26	0.47	5.96	24.00	-18.04	
				6385	87	106T	2.15	2.21	5.19	2.26	2.29	5.29	2.47	2.49	5.49	0.26	0.47	6.22	24.00	-17.78	
	6	106T	6465	103	106T	2.01	1.53	4.79	2.03	1.51	4.79	2.06	1.41	4.76	0.26	0.80	5.85	24.00	-18.15		
			6545	119	106T	2.49	2.00	5.26	2.49	2.04	5.28	2.37	1.63	5.03	0.26	0.69	6.23	24.00	-17.77		
			6705	151	106T	2.48	1.43	5.00	2.49	1.47	5.02	2.49	1.63	5.09	0.26	0.69	6.04	24.00	-17.96		
	7	106T	6865	183	106T	2.49	1.76	5.15	2.30	1.47	4.92	2.17	1.40	4.81	0.26	0.69	6.10	24.00	-17.90		
			6945	199	106T	1.98	1.91	4.96	1.77	1.75	4.77	1.96	2.49	5.24	0.26	-0.15	5.35	24.00	-18.65		
			7025	215	106T	1.98	1.89	4.95	1.74	1.86	4.81	2.16	2.49	5.34	0.26	-0.15	5.45	24.00	-18.55		
	160MHz BW	5	15	106T	6025	2.03	2.33	5.19	2.20	2.45	5.34	1.85	2.34	5.11	0.23	0.47	6.04	24.00	-17.96		
					6185	47	106T	1.97	2.04	5.02	2.38	2.5	5.45	2.13	2.47	5.31	0.23	0.47	6.15	24.00	-17.85
					6345	79	106T	2.45	2.09	5.28	2.39	1.89	5.16	2.45	1.78	5.14	0.23	0.47	5.98	24.00	-18.02
6		106T	6505	111	106T	2.27	1.54	4.93	2.48	2.14	5.32	2.41	2.1	5.27	0.23	0.80	6.35	24.00	-17.65		
			6665	143	106T	2.49	1.78	5.16	2.49	1.52	5.04	2.49	1.64	5.10	0.23	0.69	6.08	24.00	-17.92		
			6825	175	106T	2.1	1.97	5.05	2.48	2.16	5.33	2.49	1.75	5.15	0.23	0.69	6.25	24.00	-17.75		
8		106T	6985	207	106T	2.29	2.12	5.22	2.01	2.15	5.09	2.02	2.48	5.27	0.23	-0.15	5.35	24.00	-18.65		

Table 7-4. MIMO 802.11ax (UNII) Maximum Conducted Output Power – 106T

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 104 of 330

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin	
				RU Index: 61			N/A			N/A								
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO						
20MHz BW	5955	1	242T	4.63	4.73	7.69							0.25	0.47	8.41	24.0	-15.59	
	6175	45	242T	4.46	4.62	7.55							0.25	0.47	8.27	24.0	-15.73	
	6415	93	242T	4.82	4.99	7.92							0.25	0.47	8.64	24.0	-15.36	
	6435	97	242T	4.58	4.34	7.47							0.25	0.80	8.52	24.0	-15.48	
	6475	105	242T	4.73	4.39	7.57							0.25	0.80	8.62	24.0	-15.38	
	6515	113	242T	4.61	4.53	7.58							0.25	0.80	8.63	24.0	-15.37	
	6535	117	242T	4.62	4.72	7.68							0.25	0.69	8.62	24.0	-15.38	
	6695	149	242T	4.78	4.46	7.63							0.25	0.69	8.57	24.0	-15.43	
	6875	185	242T	4.65	4.69	7.68							0.25	0.69	8.62	24.0	-15.38	
	6895	189	242T	5.72	6.37	9.07							0.25	-0.15	9.17	24.0	-14.83	
	6995	209	242T	6.23	6.39	9.32							0.25	-0.15	9.42	24.0	-14.58	
	7115	233	242T	6.37	6.48	9.44							0.25	-0.15	9.54	24.0	-14.46	
Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin	
				RU Index: 61			RU Index: 62			N/A								
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO						
40MHz BW	5965	3	242T	4.75	4.62	7.70	4.48	4.72	7.61				0.37	0.47	8.54	24.00	-15.46	
	6165	43	242T	4.35	4.55	7.46	4.55	4.65	7.61				0.37	0.47	8.45	24.00	-15.55	
	6405	91	242T	4.79	4.85	7.83	4.69	4.82	7.77				0.37	0.47	8.67	24.00	-15.33	
	6445	99	242T	4.62	4.33	7.49	4.58	4.48	7.54				0.37	0.80	8.71	24.00	-15.29	
	6485	107	242T	4.68	4.35	7.53	4.72	4.43	7.59				0.37	0.80	8.76	24.00	-15.24	
	6525	115	242T	4.65	4.51	7.59	4.68	4.45	7.58				0.37	0.80	8.76	24.00	-15.24	
	6565	123	242T	4.65	4.78	7.73	4.69	4.25	7.49				0.37	0.69	8.79	24.00	-15.21	
	6725	155	242T	4.55	4.48	7.53	4.38	4.55	7.48				0.37	0.69	8.59	24.00	-15.41	
	6845	179	242T	4.78	4.45	7.63	4.82	4.59	7.72				0.37	0.69	8.78	24.00	-15.22	
	6885	187	242T	5.79	6.08	8.95	5.65	5.95	8.81				0.37	-0.15	9.17	24.00	-14.83	
	7005	211	242T	6.28	6.07	9.19	6.13	6.06	9.11				0.37	-0.15	9.41	24.00	-14.59	
	7085	227	242T	6.49	5.77	9.16	6.42	5.73	9.10				0.37	-0.15	9.38	24.00	-14.62	
Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin	
				RU Index: 61			RU Index: 62			RU Index: 64								
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO						
80MHz BW	5985	7	242T	4.55	4.78	7.68	4.52	4.89	7.72	4.62	4.75	7.70	0.41	0.47	8.60	24.00	-15.40	
	6145	39	242T	4.65	4.49	7.58	4.48	4.76	7.63	4.63	4.46	7.56	0.41	0.47	8.51	24.00	-15.49	
	6385	87	242T	4.48	4.62	7.56	4.79	4.55	7.68	4.49	4.55	7.53	0.41	0.47	8.56	24.00	-15.44	
	6465	103	242T	4.82	4.47	7.66	4.62	4.65	7.65	4.78	4.82	7.81	0.41	0.80	9.02	24.00	-14.98	
	6545	119	242T	4.49	4.69	7.60	4.43	4.49	7.47	4.55	4.43	7.50	0.41	0.69	8.70	24.00	-15.30	
	6705	151	242T	4.76	4.39	7.59	4.82	4.75	7.80	4.49	4.52	7.52	0.41	0.69	8.90	24.00	-15.10	
	6865	183	242T	4.52	4.58	7.56	4.55	4.63	7.60	4.78	4.55	7.68	0.41	0.69	8.78	24.00	-15.22	
	6945	199	242T	6.21	6.17	9.20	6.10	6.09	9.11	6.19	6.43	9.32	0.41	-0.15	9.58	24.00	-14.42	
	7025	215	242T	6.20	6.14	9.18	6.06	6.08	9.08	6.17	6.39	9.29	0.41	-0.15	9.55	24.00	-14.45	
	Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin
					RU Index: 61			RU Index: 64 (L)			RU Index: 64 (U)							
					ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO					
160MHz BW	6025	15	242T	4.65	4.55	7.61	4.70	4.78	7.75	4.55	4.62	7.60	0.24	0.47	8.46	24.00	-15.54	
	6185	47	242T	4.75	4.63	7.70	4.85	4.62	7.75	4.78	4.92	7.86	0.24	0.47	8.57	24.00	-15.43	
	6345	79	242T	4.35	4.52	7.45	4.55	4.49	7.53	4.55	4.48	7.53	0.24	0.47	8.24	24.00	-15.76	
	6505	111	242T	4.48	4.38	7.44	4.37	4.52	7.46	4.62	4.58	7.61	0.24	0.80	8.65	24.00	-15.35	
	6665	143	242T	4.55	4.59	7.58	4.53	4.63	7.59	4.52	4.45	7.50	0.24	0.69	8.52	24.00	-15.48	
	6825	175	242T	4.61	4.56	7.60	4.65	4.47	7.57	4.23	4.59	7.42	0.24	0.69	8.53	24.00	-15.47	
	6985	207	242T	6.49	6.03	9.28	6.23	5.78	9.02	5.91	5.89	8.91	0.24	-0.15	9.37	24.00	-14.63	

Table 7-5. MIMO 802.11ax (U) Maximum Conducted Output Power – 242T

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 105 of 330

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin		
				RU Index: 65			N/A			N/A									
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO							
40MHz BW	5	5965	3	484T	7.78	7.02	10.43							0.28	0.47	11.18	24.00	-12.82	
		6165	43	484T	7.99	7.63	10.82								0.28	0.47	11.57	24.00	-12.43
		6405	91	484T	7.66	7.37	10.53								0.28	0.47	11.28	24.00	-12.72
	6	6445	99	484T	7.80	6.56	10.23								0.28	0.80	11.31	24.00	-12.69
		6485	107	484T	7.84	6.78	10.35								0.28	0.80	11.43	24.00	-12.57
		6525	115	484T	7.73	6.85	10.32								0.28	0.80	11.40	24.00	-12.60
	7	6565	123	484T	7.77	6.73	10.29								0.28	0.69	11.26	24.00	-12.74
		6725	155	484T	7.89	7.48	10.70								0.28	0.69	11.67	24.00	-12.33
		6845	179	484T	7.71	7.38	10.56								0.28	0.69	11.53	24.00	-12.47
	8	6885	187	484T	9.49	9.28	12.40								0.28	-0.15	12.53	24.00	-11.47
		7005	211	484T	9.25	8.94	12.11								0.28	-0.15	12.24	24.00	-11.76
		7085	227	484T	9.49	8.42	12.00								0.28	-0.15	12.13	24.00	-11.87

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin		
				RU Index: 65			RU Index: 66			N/A									
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO							
80MHz BW	5	5985	7	484T	7.75	7.81	10.79	7.78	7.89	10.85					0.42	0.47	11.74	24.00	-12.26
		6145	39	484T	7.69	7.76	10.74	7.74	7.81	10.79					0.42	0.47	11.68	24.00	-12.32
		6465	103	484T	7.85	7.68	10.78	7.68	7.55	10.63					0.42	0.80	12.00	24.00	-12.00
	7	6545	119	484T	7.55	7.72	10.65	7.62	7.39	10.52					0.42	0.69	11.76	24.00	-12.24
		6705	151	484T	7.49	7.55	10.53	7.48	7.59	10.55					0.42	0.69	11.66	24.00	-12.34
		6865	183	484T	7.65	7.65	10.66	7.56	7.48	10.53					0.42	0.69	11.77	24.00	-12.23
	8	6945	199	484T	9.21	9.28	12.26	8.91	9.09	12.01					0.42	-0.15	12.53	24.00	-11.47
		7025	215	484T	9.12	9.22	12.18	8.81	9.12	11.98					0.42	-0.15	12.45	24.00	-11.55

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin			
				RU Index: 65			RU Index: 66 (L)			RU Index: 66 (U)										
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO								
160MHz BW	5	6025	15	484T	7.78	7.95	10.88	7.82	7.93	10.89	7.78	7.89	10.85			0.29	0.47	11.65	24.00	-12.35
		6185	47	484T	7.76	7.83	10.81	7.85	7.66	10.77	7.79	7.78	10.80			0.29	0.47	11.57	24.00	-12.43
		6345	79	484T	7.72	7.52	10.63	7.75	7.67	10.72	7.62	7.66	10.65			0.29	0.47	11.48	24.00	-12.52
	6	6505	111	484T	7.49	7.56	10.54	7.48	7.54	10.52	7.51	7.63	10.58			0.29	0.80	11.67	24.00	-12.33
		6665	143	484T	7.83	7.59	10.72	7.41	7.68	10.56	7.34	7.72	10.54			0.29	0.69	11.70	24.00	-12.30
		6825	175	484T	7.48	7.68	10.59	7.42	7.48	10.46	7.39	7.44	10.43			0.29	0.69	11.57	24.00	-12.43
	8	6985	211	484T	9.07	9.10	12.10	9.11	9.42	12.48	9.10	9.15	12.14			0.29	-0.15	12.62	24.00	-11.38

Table 7-6. MIMO 802.11ax (UNII) Maximum Conducted Output Power – 484T

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin		
				RU Index: 67			N/A			N/A									
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO							
80MHz BW	5	5985	7	996T	11.22	10.99	14.12								0.38	0.47	14.97	24.00	-9.03
		6145	39	996T	11.31	11.34	14.34								0.38	0.47	15.19	24.00	-8.81
		6465	103	996T	11.49	11.02	14.27								0.38	0.80	15.45	24.00	-8.55
	6	6545	119	996T	11.00	11.19	14.11								0.38	0.69	15.18	24.00	-8.82
		6705	151	996T	11.31	10.97	14.15								0.38	0.69	15.22	24.00	-8.78
		6865	183	996T	11.18	11.14	14.17								0.38	0.69	15.24	24.00	-8.76
	8	6945	199	996T	11.15	11.18	14.18								0.38	-0.15	14.41	24.00	-9.59
		7025	215	996T	10.16	10.58	13.39								0.38	-0.15	13.62	24.00	-10.38

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin		
				RU Index: 67 (L)			RU Index: 67 (U)			N/A									
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO							
160MHz BW	5	6025	15	996T	10.88	10.94	13.92	10.91	10.93	13.93					0.37	0.47	14.77	24.00	-9.23
		6185	47	996T	11.49	11.33	14.42	11.36	11.26	14.32					0.37	0.47	15.26	24.00	-8.74
		6345	79	996T	10.88	11.16	14.04	10.80	11.25	14.04					0.37	0.47	14.88	24.00	-9.12
	6	6505	111	996T	11.36	11.58	14.48	11.44	11.34	14.40					0.37	0.80	15.65	24.00	-8.35
		6665	143	996T	11.27	11.26	14.28	11.28	11.31	14.31					0.37	0.69	15.37	24.00	-8.63
		6825	175	996T	10.97	11.16	14.08	10.93	11.08	14.02					0.37	0.69	15.14	24.00	-8.86
	8	6985	207	996T	10.54	10.78	13.67	10.44	11.20	13.85					0.37	-0.15	14.07	24.00	-9.93

Table 7-7. MIMO 802.11ax (UNII) Maximum Conducted Output Power – 996T

Band	Freq [MHz]	Channel	Tones	Average Conducted Power (dBm)									DCCF [dB]	Directional Ant. Gain [dBi]	Max e.i.r.p. [dBm]	Max e.i.r.p. Limit [dBm]	e.i.r.p. margin		
				RU Index: 68			N/A			N/A									
				ANT1	ANT2	MIMO	ANT1	ANT2	MIMO	ANT1	ANT2	MIMO							
160MHz BW	5	6025	15	2x996T	10.65	10.99	13.83								0.37	0.47	14.67	24.00	-9.33
		6185	47	2x996T	11.42	11.49	14.47								0.37	0.47	15.31	24.00	-8.69
		6345	79	2x996T	10.84	10.99	13.93								0.37	0.47	14.77	24.00	-9.23
	6	6505	111	2x996T	11.16	11.05	14.12								0.37	0.80	15.29	24.00	-8.71
		6665	143	2x996T	11.48	11.3	14.40								0.37	0.69	15.46	24.00	-8.54
		6825	175	2x996T	10.84	11.36	14.12								0.37	0.69	15.18	24.00	-8.82
	8	6985	207	2x996T	10.54	10.88	13.72								0.37	-0.15	13.94	24.00	-10.06

Table 7-8. MIMO 802.11ax (UNII) Maximum Conducted Output Power – 2x996T

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 106 of 330



Sample MIMO Calculation:

At 5955MHz in 802.11ax (20MHz BW – 26 Tones) mode, the average conducted output power was measured to be -4.09 dBm for Antenna-1 and -3.51 dBm for Antenna-2.

$$\text{Antenna 1} + \text{Antenna 2} = \text{MIMO}$$

$$(-4.09 \text{ dBm} + -3.51 \text{ dBm}) = (0.390 \text{ mW} + 0.446 \text{ mW}) = 0.836 \text{ mW} = -0.78 \text{ dBm}$$

Sample Directional Gain Calculation:

Per ANSI C63.10-2013 Section 14.4.3, the directional gain is calculated using the following formula, where GN is the gain of the nth antenna and NANT, the total number of antennas used.

$$\text{Directional gain} = 10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / N_{\text{ANT}}] \text{ dBi}$$

Sample e.i.r.p. Calculation:

At 5955MHz in 802.11ax (20MHz BW – 26 Tones) mode, the average MIMO conducted power was calculated to be -0.78 dBm with directional gain of 0.47 dBi.

$$\text{e.i.r.p. (dBm)} = \text{Conducted Power (dBm)} + \text{Ant gain (dBi)}$$

$$-0.78 \text{ dBm} + 0.47 \text{ dBi} = -0.31 \text{ dBm}$$

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 107 of 330

7.4 Maximum Power Spectral Density

Test Overview and Limit

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013, and at the appropriate frequencies. Method SA-1, as defined in ANSI C63.10-2013, was used to measure the power spectral density.

In the 5.925-7.125 GHz bands, the maximum power spectral density must not exceed -1 dBm e.i.r.p. in any 1-megahertz band.

Test Procedure Used

ANSI C63.10-2013 – Section 12.3.2.2

ANSI C63.10-2013 – Section 14.3.2.2 Measure-and-Sum Technique

Test Settings

1. Analyzer was set to the center frequency of the UNII channel under investigation.
2. Span was set to encompass the entire emission bandwidth of the signal.
3. RBW = 1MHz
4. VBW = 3MHz
5. Number of sweep points $\geq 2 \times (\text{span}/\text{RBW})$
6. Sweep time = auto
7. Detector = power averaging (RMS)
8. Trigger was set to free run for all modes.
9. Trace was averaged over 100 sweeps.
10. The peak search function of the spectrum analyzer was used to find the peak of the spectrum.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 108 of 330

MIMO Power Spectral Density Measurements

	Frequency [MHz]	Channel	802.11 MODE	Antenna-1 Power Density [dBm]	Antenna-2 Power Density [dBm]	Summed MIMO Power Density [dBm]	DCCF [dB]	Directional Gain [dBi]	EIRP [dBm]	Max EIRP [dBm]	Margin [dB]
Band 5	5955	1	ax (20MHz)	-6.95	-6.19	-3.55	0.22	0.47	-2.85	-1	-1.85
	6175	45	ax (20MHz)	-6.65	-6.09	-3.35	0.22	0.47	-2.65	-1	-1.65
	6415	93	ax (20MHz)	-6.35	-5.72	-3.02	0.22	0.47	-2.32	-1	-1.32
	5965	3	ax (40MHz)	-6.47	-6.49	-3.47	0.21	0.47	-2.78	-1	-1.78
	6165	43	ax (40MHz)	-6.54	-6.29	-3.40	0.21	0.47	-2.72	-1	-1.72
	6405	91	ax (40MHz)	-6.88	-5.82	-3.31	0.21	0.47	-2.62	-1	-1.62
	5985	7	ax (80MHz)	-6.69	-6.71	-3.69	0.23	0.47	-2.98	-1	-1.98
	6145	39	ax (80MHz)	-6.89	-6.43	-3.64	0.23	0.47	-2.94	-1	-1.94
	6385	87	ax (80MHz)	-7.54	-6.92	-4.21	0.23	0.47	-3.51	-1	-2.51
	6025	15	ax (160MHz)	-6.61	-6.28	-3.43	0.23	0.47	-2.73	-1	-1.73
	6185	47	ax (160MHz)	-7.34	-6.71	-4.01	0.23	0.47	-3.30	-1	-2.30
	6345	79	ax (160MHz)	-6.75	-7.28	-4.00	0.23	0.47	-3.29	-1	-2.29
Band 6	6435	97	ax (20MHz)	-6.08	-6.46	-3.25	0.22	0.80	-2.23	-1	-1.23
	6475	105	ax (20MHz)	-6.79	-6.34	-3.55	0.22	0.80	-2.53	-1	-1.53
	6515	113	ax (20MHz)	-6.71	-6.25	-3.47	0.22	0.80	-2.45	-1	-1.45
	6445	99	ax (40MHz)	-6.43	-6.59	-3.50	0.21	0.80	-2.49	-1	-1.49
	6485	107	ax (40MHz)	-6.91	-6.31	-3.59	0.21	0.80	-2.58	-1	-1.58
	6525	115	ax (40MHz)	-6.98	-6.19	-3.56	0.21	0.80	-2.55	-1	-1.55
	6465	103	ax (80MHz)	-6.96	-7.11	-4.02	0.23	0.80	-2.99	-1	-1.99
	6505	111	ax (160MHz)	-7.26	-6.37	-3.78	0.23	0.80	-2.75	-1	-1.75
Band 7	6535	117	ax (20MHz)	-6.70	-6.27	-3.47	0.22	0.69	-2.56	-1	-1.56
	6695	149	ax (20MHz)	-7.08	-6.58	-3.81	0.22	0.69	-2.90	-1	-1.90
	6875	185	ax (20MHz)	-7.20	-6.25	-3.69	0.22	0.69	-2.79	-1	-1.79
	6565	123	ax (40MHz)	-6.65	-6.20	-3.40	0.21	0.69	-2.51	-1	-1.51
	6685	155	ax (40MHz)	-6.31	-6.02	-3.15	0.21	0.69	-2.26	-1	-1.26
	6845	179	ax (40MHz)	-6.71	-6.39	-3.53	0.21	0.69	-2.64	-1	-1.64
	6545	119	ax (80MHz)	-7.26	-6.46	-3.83	0.23	0.69	-2.91	-1	-1.91
	6705	151	ax (80MHz)	-6.64	-6.92	-3.77	0.23	0.69	-2.85	-1	-1.85
	6865	183	ax (80MHz)	-6.67	-6.68	-3.66	0.23	0.69	-2.75	-1	-1.75
	6665	143	ax (160MHz)	-6.91	-6.77	-3.83	0.23	0.69	-2.91	-1	-1.91
	6825	175	ax (160MHz)	-6.24	-6.47	-3.34	0.23	0.69	-2.43	-1	-1.43
	Band 8	6895	189	ax (20MHz)	-6.96	-6.22	-3.56	0.22	-0.15	-3.49	-1
6995		209	ax (20MHz)	-6.59	-6.38	-3.47	0.22	-0.15	-3.40	-1	-2.40
7115		233	ax (20MHz)	-7.10	-6.39	-3.72	0.22	-0.15	-3.65	-1	-2.65
6885		187	ax (40MHz)	-6.53	-5.97	-3.23	0.21	-0.15	-3.16	-1	-2.16
7005		211	ax (40MHz)	-6.49	-5.93	-3.19	0.21	-0.15	-3.12	-1	-2.12
7085		227	ax (40MHz)	-6.09	-5.73	-2.89	0.21	-0.15	-2.83	-1	-1.83
6945		199	ax (80MHz)	-7.24	-6.92	-4.07	0.23	-0.15	-3.98	-1	-2.98
7025		215	ax (80MHz)	-6.37	-6.36	-3.36	0.23	-0.15	-3.27	-1	-2.27
6985		207	ax (160MHz)	-7.23	-6.68	-3.93	0.23	-0.15	-3.85	-1	-2.85

Table 7-9. MIMO e.i.r.p. Conducted Power Spectral Density Measurements (26 Tones)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 109 of 330

	Frequency [MHz]	Channel	802.11 MODE	Antenna-1 Power Density [dBm]	Antenna-2 Power Density [dBm]	Summed MIMO Power Density [dBm]	DCCF [dB]	Directional Gain [dBi]	EIRP [dBm]	Max EIRP [dBm]	Margin [dB]
Band 5	5955	1	ax (20MHz)	-7.97	-7.62	-4.78	0.25	0.47	-4.06	-1	-3.06
	6175	45	ax (20MHz)	-7.75	-7.08	-4.39	0.25	0.47	-3.67	-1	-2.67
	6415	93	ax (20MHz)	-7.59	-6.96	-4.26	0.25	0.47	-3.53	-1	-2.53
	5965	3	ax (40MHz)	-7.79	-8.14	-4.95	0.28	0.47	-4.20	-1	-3.20
	6165	43	ax (40MHz)	-7.34	-7.20	-4.26	0.28	0.47	-3.50	-1	-2.50
	6405	91	ax (40MHz)	-7.74	-7.49	-4.60	0.28	0.47	-3.85	-1	-2.85
	5985	7	ax (80MHz)	-6.26	-6.48	-3.36	0.38	0.47	-2.50	-1	-1.50
	6145	39	ax (80MHz)	-6.44	-6.46	-3.44	0.38	0.47	-2.59	-1	-1.59
	6385	87	ax (80MHz)	-6.71	-5.86	-3.25	0.38	0.47	-2.40	-1	-1.40
	6025	15	ax (160MHz)	-9.23	-8.86	-6.03	0.37	0.47	-5.19	-1	-4.19
Band 6	6185	47	ax (160MHz)	-8.53	-8.23	-5.37	0.37	0.47	-4.52	-1	-3.52
	6345	79	ax (160MHz)	-9.16	-8.82	-5.98	0.37	0.47	-5.13	-1	-4.13
	6435	97	ax (20MHz)	-7.85	-7.54	-4.68	0.25	0.80	-3.63	-1	-2.63
	6475	105	ax (20MHz)	-7.50	-7.45	-4.47	0.25	0.80	-3.42	-1	-2.42
	6515	113	ax (20MHz)	-7.82	-7.26	-4.52	0.25	0.80	-3.47	-1	-2.47
	6445	99	ax (40MHz)	-7.59	-8.54	-5.03	0.28	0.80	-3.95	-1	-2.95
	6485	107	ax (40MHz)	-7.47	-8.10	-4.77	0.28	0.80	-3.69	-1	-2.69
	6525	115	ax (40MHz)	-7.77	-7.96	-4.85	0.28	0.80	-3.77	-1	-2.77
	6465	103	ax (80MHz)	-6.55	-6.75	-3.64	0.38	0.80	-2.46	-1	-1.46
	6505	111	ax (160MHz)	-9.11	-8.86	-5.97	0.37	0.80	-4.80	-1	-3.80
Band 7	6535	117	ax (20MHz)	-7.84	-7.39	-4.60	0.25	0.69	-3.66	-1	-2.66
	6695	149	ax (20MHz)	-7.48	-7.59	-4.52	0.25	0.69	-3.59	-1	-2.59
	6875	185	ax (20MHz)	-7.35	-7.39	-4.36	0.25	0.69	-3.42	-1	-2.42
	6565	123	ax (40MHz)	-7.59	-8.16	-4.85	0.28	0.69	-3.89	-1	-2.89
	6725	155	ax (40MHz)	-7.19	-7.46	-4.31	0.28	0.69	-3.35	-1	-2.35
	6845	179	ax (40MHz)	-7.41	-7.52	-4.45	0.28	0.69	-3.49	-1	-2.49
	6545	119	ax (80MHz)	-7.15	-6.64	-3.87	0.38	0.69	-2.81	-1	-1.81
	6705	151	ax (80MHz)	-6.33	-6.59	-3.45	0.38	0.69	-2.38	-1	-1.38
	6865	183	ax (80MHz)	-6.83	-6.69	-3.75	0.38	0.69	-2.68	-1	-1.68
	6665	143	ax (160MHz)	-8.85	-8.52	-5.67	0.37	0.69	-4.62	-1	-3.62
Band 8	6825	175	ax (160MHz)	-8.90	-8.52	-5.69	0.37	0.69	-4.64	-1	-3.64
	6895	189	ax (20MHz)	-5.41	-5.60	-2.49	0.25	-0.15	-2.39	-1	-1.39
	6995	209	ax (20MHz)	-5.55	-5.41	-2.46	0.25	-0.15	-2.36	-1	-1.36
	7115	233	ax (20MHz)	-5.49	-5.47	-2.47	0.25	-0.15	-2.36	-1	-1.36
	6885	187	ax (40MHz)	-5.52	-5.52	-2.51	0.28	-0.15	-2.37	-1	-1.37
	7005	211	ax (40MHz)	-5.57	-5.39	-2.47	0.28	-0.15	-2.33	-1	-1.33
	7085	227	ax (40MHz)	-5.23	-5.63	-2.41	0.28	-0.15	-2.28	-1	-1.28
	6945	199	ax (80MHz)	-5.85	-5.82	-2.82	0.38	-0.15	-2.59	-1	-1.59
	7025	215	ax (80MHz)	-6.77	-6.22	-3.48	0.38	-0.15	-3.24	-1	-2.24
	6985	207	ax (160MHz)	-9.35	-9.03	-6.18	0.37	-0.15	-5.95	-1	-4.95


Table 7-10. MIMO e.i.r.p. Conducted Power Spectral Density Measurements (Full Tones)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 110 of 330

7.4.1 MIMO Antenna-1 Power Spectral Density Measurements – (UNII Band 5 – Partial)




Plot 7-161. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) UNII Band 5) – Ch. 1




Plot 7-162. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 5) – Ch. 45)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 111 of 330




Plot 7-163. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) UNII Band 5) – Ch. 93)




Plot 7-164. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (26 Tones) (UNII Band 5) – Ch. 3)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 112 of 330




Plot 7-167. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (26 Tones) (UNII Band 5) – Ch. 7)



Plot 7-168. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (26 Tones) (UNII Band 5) – Ch. 39)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 114 of 330

7.4.2 MIMO Antenna-1 Power Spectral Density Measurements – (UNII Band 6 – Partial)



Plot 7-173. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 6) – Ch. 97)




Plot 7-174. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 6) – Ch. 105)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 117 of 330




Plot 7-175. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 6) – Ch. 113)




Plot 7-176. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (26 Tones) (UNII Band 6) – Ch. 99)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 118 of 330




Plot 7-177. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (26 Tones) (UNII Band 6) – Ch. 107)




Plot 7-178. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (26 Tones) (UNII Band 6) – Ch. 115)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 119 of 330



Plot 7-179. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (26 Tones) (UNII Band 6) – Ch. 103)



Plot 7-180. Power Spectral Density Plot MIMO ANT1 (160MHz BW 802.11ax (26 Tones) (UNII Band 6) – Ch. 111)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 120 of 330

7.4.3 MIMO Antenna-1 Power Spectral Density Measurements – (UNII Band 7 – Partial)




Plot 7-181. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 117)




Plot 7-182. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 149)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 121 of 330




Plot 7-183. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 185)




Plot 7-184. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 123)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 122 of 330




Plot 7-187. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 119)



Plot 7-188. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (26 Tones) (UNII Band 7) – Ch. 151)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 124 of 330

7.4.4 MIMO Antenna-1 Power Spectral Density Measurements – (UNII Band 8 – Partial)




Plot 7-192. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 189)




Plot 7-193. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 209)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 127 of 330




Plot 7-194. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 233)




Plot 7-195. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 187)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 128 of 330




Plot 7-196. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 211)




Plot 7-197. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 227)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 129 of 330




Plot 7-198. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 199)



Plot 7-199. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 215)


FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 130 of 330




Plot 7-200. Power Spectral Density Plot MIMO ANT1 (160MHz BW 802.11ax (26 Tones) (UNII Band 8) – Ch. 207)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 131 of 330

7.4.5 MIMO Antenna-1 Power Spectral Density Measurements – (UNII Band 5 – Full)




Plot 7-201. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (Full Tone) UNII Band 5) – Ch. 1




Plot 7-202. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 45)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 132 of 330




Plot 7-203. Power Spectral Density Plot MIMO ANT1 (20MHz BW 802.11ax (Full Tone) UNII Band 5) – Ch. 93)




Plot 7-204. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 3)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 133 of 330




Plot 7-205. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 43)




Plot 7-206. Power Spectral Density Plot MIMO ANT1 (40MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 91)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 134 of 330



Plot 7-207. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 7)



Plot 7-208. Power Spectral Density Plot MIMO ANT1 (80MHz BW 802.11ax (Full Tone) (UNII Band 5) – Ch. 39)

FCC ID: PY7-84558E	MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2302060006-09-R3.PY7	Test Dates: 01/30/2023 – 04/17/2023	EUT Type: Portable Handset	Page 135 of 330