





LTE Band 7

Lowest Channel / 15MHz / QPSK




Date: 14.OCT.2016 22:21:48

Lowest Channel / 15MHz / 16QAM




Date: 14.OCT.2016 22:21:56

Middle Channel / 15MHz / QPSK




Date: 14.OCT.2016 22:28:54

Middle Channel / 15MHz / 16QAM




Date: 14.OCT.2016 22:29:04

Highest Channel / 15MHz / QPSK



Date: 14.OCT.2016 22:31:23

Highest Channel / 15MHz / 16QAM




Date: 14.OCT.2016 22:31:33




LTE Band 7

Lowest Channel / 20MHz / QPSK




Date: 14.OCT.2016 22:38:31

Lowest Channel / 20MHz / 16QAM




Date: 14.OCT.2016 22:38:42

Middle Channel / 20MHz / QPSK




Date: 14.OCT.2016 22:45:39

Middle Channel / 20MHz / 16QAM




Date: 14.OCT.2016 22:45:50

Highest Channel / 20MHz / QPSK



Date: 14.OCT.2016 22:48:08

Highest Channel / 20MHz / 16QAM




Date: 14.OCT.2016 22:48:19




Conducted Band Edge

LTE Band 7 / 5MHz / QPSK


Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 7 / 5MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 14.OCT.2016 21:51:06

Highest Band Edge / 1 RB



Date: 14.OCT.2016 22:00:43

Lowest Band Edge / Full RB



Date: 14.OCT.2016 21:53:25

Highest Band Edge / Full RB




Date: 14.OCT.2016 22:03:03




LTE Band 7 / 10MHz / QPSK

Lowest Band Edge / 1 RB




Date: 14.OCT.2016 22:06:41

Highest Band Edge / 1 RB




Date: 14.OCT.2016 22:16:18

Lowest Band Edge / Full RB



Date: 14.OCT.2016 22:09:01

Highest Band Edge / Full RB




Date: 14.OCT.2016 22:18:38



LTE Band 7 / 10MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 14.OCT.2016 22:07:51

Highest Band Edge / 1 RB




Date: 14.OCT.2016 22:17:28

Lowest Band Edge / Full RB



Date: 14.OCT.2016 22:10:10

Highest Band Edge / Full RB




Date: 14.OCT.2016 22:19:48




LTE Band 7 / 15MHz / QPSK

Lowest Band Edge / 1 RB




Date: 14.OCT.2016 22:23:26

Highest Band Edge / 1 RB




Date: 14.OCT.2016 22:33:03

Lowest Band Edge / Full RB



Date: 14.OCT.2016 22:25:46

Highest Band Edge / Full RB




Date: 14.OCT.2016 22:35:23




LTE Band 7 / 15MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 14.OCT.2016 22:24:36

Highest Band Edge / 1 RB




Date: 14.OCT.2016 22:34:13

Lowest Band Edge / Full RB



Date: 14.OCT.2016 22:26:56

Highest Band Edge / Full RB




Date: 14.OCT.2016 22:36:33




LTE Band 7 / 20MHz / QPSK

Lowest Band Edge / 1 RB




Date: 14.OCT.2016 22:40:12

Highest Band Edge / 1 RB




Date: 14.OCT.2016 22:49:49

Lowest Band Edge / Full RB



Date: 14.OCT.2016 23:22:19

Highest Band Edge / Full RB




Date: 14.OCT.2016 22:53:18




LTE Band 7 / 20MHz / 16QAM

Lowest Band Edge / 1RB




Date: 14.OCT.2016 22:41:21

Highest Band Edge / 1RB




Date: 14.OCT.2016 22:50:58

Lowest Band Edge / Full RB



Date: 14.OCT.2016 22:43:41


Highest Band Edge / Full RB



Date: 14.OCT.2016 22:52:08




Conducted Spurious Emission






LTE Band 7 / 5MHz

Highest Channel / QPSK



Date: 14.OCT.2016 22:03:57


Highest Channel / 16QAM



Date: 14.OCT.2016 22:04:50


LTE Band 7 / 10MHz

Lowest Channel / QPSK



Date: 14.OCT.2016 22:11:04

Lowest Channel / 16QAM





Date: 14.OCT.2016 22:11:58



LTE Band 7 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 14.OCT.2016 22:13:33

Date: 14.OCT.2016 22:14:27

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 14.OCT.2016 22:20:42



Date: 14.OCT.2016 22:21:35



LTE Band 7 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 14.OCT.2016 22:27:50

Date: 14.OCT.2016 22:28:43

Middle Channel / QPSK

Middle Channel / 16QAM



Date: 14.OCT.2016 22:30:19



Date: 14.OCT.2016 22:31:12



LTE Band7 / 15MHz

Highest Channel / QPSK

Highest Channel / 16QAM





Date: 14.OCT.2016 22:37:27

Date: 14.OCT.2016 22:38:21

LTE Band 7 / 20MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM



Date: 14.OCT.2016 22:44:35



Date: 14.OCT.2016 22:45:29



LTE Band 7 / 20MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 14.OCT.2016 22:47:04

Date: 14.OCT.2016 22:47:57

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 14.OCT.2016 22:54:12

Date: 14.OCT.2016 22:55:06



Frequency Stability

Test Conditions		LTE Band 7 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0021	PASS
40	Normal Voltage	0.0010	
30	Normal Voltage	0.0077	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0004	
0	Normal Voltage	0.0011	
-10	Normal Voltage	0.0095	
-20	Normal Voltage	0.0020	
-30	Normal Voltage	0.0002	
20	Maximum Voltage	0.0014	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0083	

Note:

1. Normal Voltage =3.8 V. ; Battery End Point (BEP) =3.4 V. ; Maximum Voltage =4.35 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of ERP/EIRP and Radiated Test

ERP/EIRP

LTE Band 2 / 1.4MHz (Average) (GT - LC = 1.5 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.59	0.2286	25.09	0.3228
Middle		1	0	23.51	0.2244	25.01	0.3170
Highest		1	0	23.55	0.2265	25.05	0.3199
Lowest	16QAM	1	0	22.69	0.1858	24.19	0.2624
Middle		1	0	22.67	0.1849	24.17	0.2612
Highest		1	0	22.68	0.1854	24.18	0.2618
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 3MHz (Average) (GT - LC = 1.5 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.61	0.2296	25.11	0.3243
Middle		1	0	23.51	0.2244	25.01	0.3170
Highest		1	0	23.57	0.2275	25.07	0.3214
Lowest	16QAM	1	0	22.77	0.1892	24.27	0.2673
Middle		1	0	22.74	0.1879	24.24	0.2655
Highest		1	0	22.76	0.1888	24.26	0.2667
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 5MHz (Average) (GT - LC = 1.5 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.60	0.2291	25.10	0.3236
Middle		1	0	23.51	0.2244	25.01	0.3170
Highest		1	0	23.58	0.2280	25.08	0.3221
Lowest	16QAM	1	0	22.79	0.1901	24.29	0.2685
Middle		1	0	22.73	0.1875	24.23	0.2649
Highest		1	0	22.72	0.1871	24.22	0.2642
Limit	EIRP < 2W			Result		PASS	



LTE Band 2 / 10MHz (Average) (GT - LC = 1.5 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.64	0.2312	25.14	0.3266
Middle		1	0	23.52	0.2249	25.02	0.3177
Highest		1	0	23.54	0.2259	25.04	0.3192
Lowest	16QAM	1	0	22.80	0.1905	24.30	0.2692
Middle		1	0	22.77	0.1892	24.27	0.2673
Highest		1	0	22.76	0.1888	24.26	0.2667
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 15MHz (Average) (GT - LC = 1.5 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.72	0.2355	25.22	0.3327
Middle		1	0	23.61	0.2296	25.11	0.3243
Highest		1	0	23.61	0.2296	25.11	0.3243
Lowest	16QAM	1	0	22.90	0.1950	24.40	0.2754
Middle		1	0	22.87	0.1936	24.37	0.2735
Highest		1	0	22.85	0.1928	24.35	0.2723
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 20MHz (Average) (GT - LC = 1.5 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.95	0.2483	25.45	0.3508
Middle		1	0	23.89	0.2449	25.39	0.3459
Highest		1	0	23.91	0.2460	25.41	0.3475
Lowest	16QAM	1	0	22.96	0.1977	24.46	0.2793
Middle		1	0	22.90	0.1950	24.40	0.2754
Highest		1	0	22.94	0.1968	24.44	0.2780
Limit	EIRP < 2W			Result		PASS	



LTE Band 5 / 1.4MHz (Average) (GT - LC = -3 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	24.28	0.2679	19.13	0.0818
Middle		1	0	24.04	0.2535	18.89	0.0774
Highest		1	0	24.03	0.2529	18.88	0.0773
Lowest	16QAM	1	0	23.21	0.2094	18.06	0.0640
Middle		1	0	23.18	0.2080	18.03	0.0635
Highest		1	0	23.10	0.2042	17.95	0.0624
Limit	ERP < 7W			Result		PASS	

LTE Band 5 / 3MHz (Average) (GT - LC = -3 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	24.30	0.2692	19.15	0.0822
Middle		1	0	24.24	0.2655	19.09	0.0811
Highest		1	0	24.19	0.2624	19.04	0.0802
Lowest	16QAM	1	0	23.33	0.2153	18.18	0.0658
Middle		1	0	23.29	0.2133	18.14	0.0652
Highest		1	0	23.20	0.2089	18.05	0.0638
Limit	ERP < 7W			Result		PASS	

LTE Band 5 / 5MHz (Average) (GT - LC = -3 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	24.27	0.2673	19.12	0.0817
Middle		1	0	24.19	0.2624	19.04	0.0802
Highest		1	0	24.12	0.2582	18.97	0.0789
Lowest	16QAM	1	0	23.33	0.2153	18.18	0.0658
Middle		1	0	23.28	0.2128	18.13	0.0650
Highest		1	0	23.21	0.2094	18.06	0.0640
Limit	ERP < 7W			Result		PASS	

LTE Band 5 / 10MHz (Average) (GT - LC = -3 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	24.34	0.2716	19.19	0.0830
Middle		1	0	24.31	0.2698	19.16	0.0824
Highest		1	0	24.25	0.2661	19.10	0.0813
Lowest	16QAM	1	0	23.45	0.2213	18.30	0.0676
Middle		1	0	23.39	0.2183	18.24	0.0667
Highest		1	0	23.32	0.2148	18.17	0.0656
Limit	ERP < 7W			Result		PASS	



LTE Band 7 / 5MHz (Average) (GT - LC = -1.1 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.77	0.2382	22.67	0.1849
Middle		1	0	24.00	0.2512	22.90	0.1950
Highest		1	0	23.50	0.2239	22.40	0.1738
Lowest	16QAM	1	0	22.67	0.1849	21.57	0.1435
Middle		1	0	23.00	0.1995	21.90	0.1549
Highest		1	0	22.53	0.1791	21.43	0.1390
Limit	EIRP < 2W			Result		PASS	

LTE Band 7 / 10MHz (Average) (GT - LC = -1.1 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.87	0.2438	22.77	0.1892
Middle		1	0	24.00	0.2512	22.90	0.1950
Highest		1	0	23.62	0.2301	22.52	0.1786
Lowest	16QAM	1	0	22.87	0.1936	21.77	0.1503
Middle		1	0	23.00	0.1995	21.90	0.1549
Highest		1	0	22.60	0.1820	21.50	0.1413
Limit	EIRP < 2W			Result		PASS	

LTE Band 7 / 15MHz (Average) (GT - LC = -1.1 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.88	0.2443	22.78	0.1897
Middle		1	0	24.00	0.2512	22.90	0.1950
Highest		1	0	23.66	0.2323	22.56	0.1803
Lowest	16QAM	1	0	22.78	0.1897	21.68	0.1472
Middle		1	0	23.00	0.1995	21.90	0.1549
Highest		1	0	22.95	0.1972	21.85	0.1531
Limit	EIRP < 2W			Result		PASS	

LTE Band 7 / 20MHz (Average) (GT - LC = -1.1 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	23.97	0.2495	22.87	0.1936
Middle		1	0	24.00	0.2512	22.90	0.1950
Highest		1	0	23.91	0.2460	22.81	0.1910
Lowest	16QAM	1	0	22.96	0.1977	21.86	0.1535
Middle		1	0	22.99	0.1991	21.89	0.1545
Highest		1	0	22.97	0.1982	21.87	0.1538
Limit	EIRP < 2W			Result		PASS	



Radiated Spurious Emission

LTE Band 2

Table with 10 columns: Channel, Frequency (MHz), EIRP (dBm), Limit (dBm), Over Limit (dB), SPA Reading (dBm), S.G. Power (dBm), TX Cable loss (dB), TX Antenna Gain (dBi), Polarization (H/V). Rows are grouped into Lowest, Middle, and Highest frequency bands.

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-54.85	-13	-41.85	-74.52	-61.42	1.67	8.24	H
	5548	-52.04	-13	-39.04	-78.73	-59.11	2.65	9.72	H
	7403	-46.78	-13	-33.78	-80.18	-55.93	2.46	11.61	H
									H
									H
									H
	3700	-56.94	-13	-43.94	-76.74	-63.51	1.67	8.24	V
	5548	-53.72	-13	-40.72	-79.96	-60.79	2.65	9.72	V
	7403	-47.53	-13	-34.53	-80.64	-56.68	2.46	11.61	V
									V
Middle	3756	-53.83	-13	-40.83	-74.17	-60.45	1.68	8.31	H
	5632	-52.72	-13	-39.72	-79.3	-59.77	2.70	9.75	H
	7512	-46.55	-13	-33.55	-79.92	-55.93	2.43	11.81	H
									H
									H
									H
	3756	-54.81	-13	-41.81	-75.55	-61.43	1.68	8.31	V
	5632	-53.21	-13	-40.21	-80.23	-60.26	2.70	9.75	V
	7512	-47.47	-13	-34.47	-80.57	-56.85	2.43	11.81	V
									V
Highest	3812	-54.79	-13	-41.79	-75.36	-61.46	1.70	8.37	H
	5723	-51.55	-13	-38.55	-78.7	-58.59	2.75	9.79	H
	7630	-45.23	-13	-32.23	-79.41	-54.72	2.39	11.88	H
									H
									H
									H
	3812	-55.62	-13	-42.62	-76.6	-62.29	1.70	8.37	V
	5723	-53.46	-13	-40.46	-80.45	-60.5	2.75	9.79	V
	7630	-46.93	-13	-33.93	-79.82	-56.42	2.39	11.88	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-53.46	-13	-40.46	-73.94	-60.03	1.67	8.24	H
	5548	-50.42	-13	-37.42	-77.07	-57.49	2.65	9.72	H
	7403	-46.76	-13	-33.76	-80	-55.91	2.46	11.61	H
									H
									H
									H
	3700	-55.84	-13	-42.84	-75.73	-62.41	1.67	8.24	V
	5548	-53.99	-13	-40.99	-79.68	-61.06	2.65	9.72	V
	7403	-46.43	-13	-33.43	-80.08	-55.58	2.46	11.61	V
									V
Middle	3756	-53.19	-13	-40.19	-73.99	-59.81	1.68	8.31	H
	5632	-51.59	-13	-38.59	-78.73	-58.64	2.70	9.75	H
	7512	-46.01	-13	-33.01	-80.19	-55.39	2.43	11.81	H
									H
									H
									H
	3756	-54.97	-13	-41.97	-75.1	-61.59	1.68	8.31	V
	5632	-53.03	-13	-40.03	-80.15	-60.08	2.70	9.75	V
	7512	-46.04	-13	-33.04	-80.11	-55.42	2.43	11.81	V
									V
Highest	3812	-53.62	-13	-40.62	-74.44	-60.29	1.70	8.37	H
	5716	-50.42	-13	-37.42	-77.62	-57.46	2.75	9.79	H
	7620	-45.33	-13	-32.33	-78.84	-54.81	2.39	11.87	H
									H
									H
									H
	3812	-54.91	-13	-41.91	-75.46	-61.58	1.70	8.37	V
	5716	-52.23	-13	-39.23	-79.86	-59.27	2.75	9.79	V
	7620	-46.43	-13	-33.43	-79.74	-55.91	2.39	11.87	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-54.72	-13	-41.72	-74.53	-61.29	1.67	8.24	H
	5555	-50.87	-13	-37.87	-76.77	-57.94	2.66	9.72	H
	7403	-46.18	-13	-33.18	-80.11	-55.33	2.46	11.61	H
									H
									H
									H
									H
	3700	-55.81	-13	-42.81	-75.7	-62.38	1.67	8.24	V
	5555	-52.04	-13	-39.04	-79.08	-59.11	2.66	9.72	V
	7403	-47.37	-13	-34.37	-80.29	-56.52	2.46	11.61	V
									V
	Middle	3749	-53.70	-13	-40.70	-73.77	-60.32	1.68	8.30
5625		-51.36	-13	-38.36	-77.92	-58.41	2.70	9.75	H
7498		-46.46	-13	-33.46	-79.52	-55.83	2.43	11.80	H
									H
									H
									H
									H
3749		-55.56	-13	-42.56	-75.7	-62.18	1.68	8.30	V
5625		-52.04	-13	-39.04	-79.73	-59.09	2.70	9.75	V
7498		-46.35	-13	-33.35	-80.22	-55.72	2.43	11.80	V
									V
Highest		3805	-52.55	-13	-39.55	-73.25	-59.22	1.70	8.37
	5702	-51.39	-13	-38.39	-78.14	-58.43	2.74	9.78	H
	7602	-46.48	-13	-33.48	-80.37	-55.94	2.40	11.86	H
									H
									H
									H
									H
	3805	-54.66	-13	-41.66	-74.78	-61.33	1.70	8.37	V
	5702	-52.21	-13	-39.21	-79.89	-59.25	2.74	9.78	V
	7602	-46.10	-13	-33.10	-80.12	-55.56	2.40	11.86	V
									V
									V
								V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-53.68	-13	-40.68	-74.17	-60.25	1.67	8.24	H
	5555	-49.04	-13	-36.04	-76.44	-56.11	2.66	9.72	H
	7403	-47.44	-13	-34.44	-80.33	-56.59	2.46	11.61	H
									H
									H
									H
									H
	3700	-55.77	-13	-42.77	-75.53	-62.34	1.67	8.24	V
	5555	-52.02	-13	-39.02	-78.95	-59.09	2.66	9.72	V
	7403	-46.67	-13	-33.67	-80.18	-55.82	2.46	11.61	V
									V
	Middle	3749	-52.61	-13	-39.61	-73.15	-59.23	1.68	8.30
5618		-51.43	-13	-38.43	-78.04	-58.48	2.69	9.75	H
7490		-46.52	-13	-33.52	-80.38	-55.87	2.43	11.78	H
									H
									H
									H
									H
3749		-54.70	-13	-41.70	-74.9	-61.32	1.68	8.30	V
5618		-53.88	-13	-40.88	-80.05	-60.93	2.69	9.75	V
7490		-46.93	-13	-33.93	-80.18	-56.28	2.43	11.78	V
									V
Highest		3791	-52.68	-13	-39.68	-73.17	-59.33	1.70	8.35
	5688	-51.44	-13	-38.44	-78.3	-58.48	2.73	9.78	H
	7582	-46.27	-13	-33.27	-80.36	-55.72	2.40	11.85	H
									H
									H
									H
									H
	3791	-53.60	-13	-40.60	-74.61	-60.25	1.70	8.35	V
	5688	-52.02	-13	-39.02	-79.92	-59.06	2.73	9.78	V
	7582	-46.39	-13	-33.39	-79.96	-55.84	2.40	11.85	V
									V
									V
								V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-54.81	-13	-41.81	-74.74	-61.38	1.67	8.24	H
	5555	-49.81	-13	-36.81	-75.63	-56.88	2.66	9.72	H
	7403	-47.79	-13	-34.79	-80.42	-56.94	2.46	11.61	H
									H
									H
									H
									H
	3700	-55.15	-13	-42.15	-76.13	-61.72	1.67	8.24	V
	5555	-52.85	-13	-39.85	-79.07	-59.92	2.66	9.72	V
	7403	-46.19	-13	-33.19	-79.94	-55.34	2.46	11.61	V
									V
	Middle	3742	-51.65	-13	-38.65	-72.34	-58.26	1.68	8.29
5611		-51.61	-13	-38.61	-77.93	-58.67	2.69	9.74	H
7484		-46.96	-13	-33.96	-80.15	-56.29	2.43	11.77	H
									H
									H
									H
									H
3742		-54.82	-13	-41.82	-74.61	-61.43	1.68	8.29	V
5611		-53.33	-13	-40.33	-79.94	-60.39	2.69	9.74	V
7484		-46.51	-13	-33.51	-79.94	-55.84	2.43	11.77	V
									V
Highest		3784	-53.60	-13	-40.60	-73.87	-60.25	1.69	8.34
	5674	-49.09	-13	-36.09	-76.77	-56.13	2.73	9.77	H
	7568	-46.02	-13	-33.02	-80.25	-55.45	2.41	11.84	H
									H
									H
									H
									H
	3784	-54.93	-13	-41.93	-75.05	-61.58	1.69	8.34	V
	5674	-52.25	-13	-39.25	-79.73	-59.29	2.73	9.77	V
	7568	-46.38	-13	-33.38	-80	-55.81	2.41	11.84	V
									V
									V
								V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5

LTE Band 5 / 1.4MHz / QPSK										
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Lowest	1648	-60.29	-13	-47.29	-73.59	-62.05	0.98	4.89	H	
	2472	-61.59	-13	-48.59	-78.22	-63.47	1.28	5.32	H	
	3296	-59.16	-13	-46.16	-79.41	-62.57	1.54	7.10	H	
										H
										H
										H
	1648	-62.62	-13	-49.62	-75.33	-64.38	0.98	4.89	V	
	2472	-62.21	-13	-49.21	-78.43	-64.09	1.28	5.32	V	
	3296	-59.40	-13	-46.40	-79.15	-62.81	1.54	7.10	V	
										V
Middle	1672	-61.65	-13	-48.65	-75.03	-63.33	0.99	4.82	H	
	2508	-61.60	-13	-48.60	-78.36	-63.56	1.29	5.41	H	
	3344	-59.20	-13	-46.20	-79.32	-62.81	1.56	7.31	H	
										H
										H
										H
	1672	-62.89	-13	-49.89	-75.5	-64.57	0.99	4.82	V	
	2508	-61.33	-13	-48.33	-78.32	-63.29	1.29	5.41	V	
	3344	-59.85	-13	-46.85	-79.46	-63.46	1.56	7.31	V	
										V
Highest	1696	-62.68	-13	-49.68	-75.47	-64.28	1.00	4.75	H	
	2544	-61.09	-13	-48.09	-78.01	-63.07	1.30	5.44	H	
	3392	-59.92	-13	-46.92	-79.22	-63.72	1.57	7.52	H	
										H
										H
										H
	1696	-62.55	-13	-49.55	-75.56	-64.15	1.00	4.75	V	
	2544	-61.45	-13	-48.45	-77.94	-63.43	1.30	5.44	V	
	3392	-59.75	-13	-46.75	-79.15	-63.55	1.57	7.52	V	
										V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 3MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-60.79	-13	-47.79	-73.93	-62.55	0.98	4.89	H
	2472	-62.34	-13	-49.34	-78.59	-64.22	1.28	5.32	H
	3296	-59.28	-13	-46.28	-79.27	-62.69	1.54	7.10	H
									H
									H
									H
									H
	1648	-62.32	-13	-49.32	-75.66	-64.08	0.98	4.89	V
	2472	-62.54	-13	-49.54	-78.56	-64.42	1.28	5.32	V
	3296	-59.64	-13	-46.64	-79.26	-63.05	1.54	7.10	V
									V
	Middle	1672	-62.61	-13	-49.61	-75.42	-64.29	0.99	4.82
2508		-61.12	-13	-48.12	-78.45	-63.08	1.29	5.41	H
3344		-59.96	-13	-46.96	-79.14	-63.57	1.56	7.31	H
									H
									H
									H
									H
1672		-63.61	-13	-50.61	-76.27	-65.29	0.99	4.82	V
2508		-61.88	-13	-48.88	-78.37	-63.84	1.29	5.41	V
3344		-59.32	-13	-46.32	-78.91	-62.93	1.56	7.31	V
									V
Highest		1696	-62.78	-13	-49.78	-75.87	-64.38	1.00	4.75
	2544	-61.86	-13	-48.86	-78.27	-63.84	1.30	5.44	H
	3392	-59.11	-13	-46.11	-79.14	-62.91	1.57	7.52	H
									H
									H
									H
									H
	1696	-63.42	-13	-50.42	-76.46	-65.02	1.00	4.75	V
	2544	-61.39	-13	-48.39	-78.4	-63.37	1.30	5.44	V
	3392	-59.35	-13	-46.35	-79.16	-63.15	1.57	7.52	V
									V
									V
								V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-60.57	-13	-47.57	-73.6	-62.33	0.98	4.89	H
	2472	-62.37	-13	-49.37	-78.61	-64.25	1.28	5.32	H
	3296	-59.52	-13	-46.52	-79.25	-62.93	1.54	7.10	H
									H
									H
									H
									H
	1648	-62.53	-13	-49.53	-75.46	-64.29	0.98	4.89	V
	2472	-62.27	-13	-49.27	-78.47	-64.15	1.28	5.32	V
	3296	-59.61	-13	-46.61	-79.1	-63.02	1.54	7.10	V
									V
	Middle	1672	-61.85	-13	-48.85	-75.11	-63.53	0.99	4.82
2508		-61.88	-13	-48.88	-78.21	-63.84	1.29	5.41	H
3344		-59.25	-13	-46.25	-79.07	-62.86	1.56	7.31	H
									H
									H
									H
									H
1672		-64.61	-13	-51.61	-77.98	-66.29	0.99	4.82	V
2508		-62.32	-13	-49.32	-79.03	-64.28	1.29	5.41	V
3344		-60.72	-13	-47.72	-80.15	-64.33	1.56	7.31	V
									V
Highest		1688	-63.66	-13	-50.66	-76.28	-65.29	1.00	4.77
	2532	-61.11	-13	-48.11	-78.16	-63.08	1.30	5.43	H
	3376	-59.85	-13	-46.85	-79.15	-63.59	1.57	7.45	H
									H
									H
									H
									H
	1688	-62.60	-13	-49.60	-75.85	-64.23	1.00	4.77	V
	2532	-61.82	-13	-48.82	-78.29	-63.79	1.30	5.43	V
	3376	-59.12	-13	-46.12	-79.11	-62.86	1.57	7.45	V
									V
									V
								V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-60.83	-13	-47.83	-73.79	-62.59	0.98	4.89	H
	2472	-61.43	-13	-48.43	-78.24	-63.31	1.28	5.32	H
	3296	-59.44	-13	-46.44	-79.09	-62.85	1.54	7.10	H
									H
									H
									H
									H
	1648	-62.86	-13	-49.86	-75.29	-64.62	0.98	4.89	V
	2472	-62.15	-13	-49.15	-78.62	-64.03	1.28	5.32	V
	3296	-59.10	-13	-46.10	-79.21	-62.51	1.54	7.10	V
									V
	Middle	1664	-62.58	-13	-49.58	-75.33	-64.29	0.98	4.84
2496		-61.16	-13	-48.16	-78.36	-63.11	1.29	5.39	H
3328		-59.05	-13	-46.05	-79.58	-62.59	1.55	7.24	H
									H
									H
									H
									H
1664		-62.10	-13	-49.10	-76.03	-63.81	0.98	4.84	V
2496		-61.61	-13	-48.61	-78.09	-63.56	1.29	5.39	V
3328		-59.40	-13	-46.40	-79.05	-62.94	1.55	7.24	V
									V
Highest		1680	-62.67	-13	-49.67	-75.92	-64.32	0.99	4.80
	2520	-61.18	-13	-48.18	-78.24	-63.15	1.30	5.42	H
	3360	-59.55	-13	-46.55	-79.06	-63.22	1.56	7.38	H
									H
									H
									H
									H
	1680	-63.64	-13	-50.64	-76.63	-65.29	0.99	4.80	V
	2520	-62.40	-13	-49.40	-78.56	-64.37	1.30	5.42	V
	3360	-59.79	-13	-46.79	-78.92	-63.46	1.56	7.38	V
									V
									V
								V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7

LTE Band 7 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-53.08	-25	-28.08	-78.31	-60.44	2.34	9.70	H
	7500	-44.56	-25	-19.56	-77.95	-53.93	2.43	11.80	H
	10001	-38.87	-25	-13.87	-78.61	-48.37	2.70	12.20	H
	15000	-29.75	-25	-4.75	-77.56	-39.75	3.60	13.60	H
									H
									H
	5004	-52.90	-25	-27.90	-78.13	-60.26	2.34	9.70	V
	7500	-46.84	-25	-21.84	-80.23	-56.21	2.43	11.80	V
	10001	-40.56	-25	-15.56	-80.3	-50.06	2.70	12.20	V
	15000	-31.88	-25	-6.88	-79.69	-41.88	3.60	13.60	V
									V
									V
Middle	5064	-52.03	-25	-27.03	-77.39	-59.36	2.37	9.70	H
	7596	-44.72	-25	-19.72	-78.26	-54.18	2.40	11.86	H
	10128	-38.33	-25	-13.33	-78.5	-47.89	2.70	12.25	H
	15195.5	-32.03	-25	-7.03	-79.22	-42.22	3.68	13.87	H
									H
									H
	5070	-52.49	-25	-27.49	-77.85	-59.81	2.38	9.70	V
	7605	-46.33	-25	-21.33	-79.87	-55.8	2.40	11.86	V
	10140	-39.90	-25	-14.90	-80.07	-49.46	2.70	12.26	V
	15195.5	-32.99	-25	-7.99	-80.18	-43.18	3.68	13.87	V
									V
									V
Highest	5136	-52.94	-25	-27.94	-77.76	-60.22	2.42	9.70	H
	7692	-35.50	-25	-10.50	-69.3	-45.05	2.37	11.92	H
	10260	-38.51	-25	-13.51	-78.7	-48.12	2.69	12.30	H
	12828	-35.82	-25	-10.82	-78.31	-45.73	2.89	12.79	H
	15391	-30.07	-25	-5.07	-76.6	-40.46	3.76	14.15	H
									H
									H
	5136	-52.83	-25	-27.83	-78.06	-60.11	2.42	9.70	V
	7692	-38.07	-25	-13.07	-72.09	-47.62	2.37	11.92	V
	10260	-38.50	-25	-13.50	-78.89	-48.11	2.69	12.30	V
	12828	-36.00	-25	-11.00	-77.81	-45.91	2.89	12.79	V
	15391	-30.69	-25	-5.69	-76.96	-41.08	3.76	14.15	V
								V	
								V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-52.18	-25	-27.18	-77.41	-59.54	2.34	9.70	H
	7500	-44.77	-25	-19.77	-78.16	-54.14	2.43	11.80	H
	10008	-38.82	-25	-13.82	-78.62	-48.33	2.70	12.20	H
	15000	-29.08	-25	-4.08	-76.89	-39.08	3.60	13.60	H
									H
									H
									H
	5004	-52.35	-25	-27.35	-77.58	-59.71	2.34	9.70	V
	7500	-46.25	-25	-21.25	-79.64	-55.62	2.43	11.80	V
	10008	-41.41	-25	-16.41	-81.21	-50.92	2.70	12.20	V
	15000	-32.65	-25	-7.65	-80.46	-42.65	3.60	13.60	V
									V
									V
									V
Middle	5064	-53.15	-25	-28.15	-78.51	-60.48	2.37	9.70	H
	7596	-45.65	-25	-20.65	-79.29	-55.11	2.40	11.86	H
	10128	-38.67	-25	-13.67	-78.84	-48.23	2.70	12.25	H
	15184	-32.30	-25	-7.30	-79.55	-42.48	3.67	13.86	H
									H
									H
									H
	5064	-52.66	-25	-27.66	-78.02	-59.99	2.37	9.70	V
	7596	-46.54	-25	-21.54	-80.08	-56	2.40	11.86	V
	10128	-40.07	-25	-15.07	-80.24	-49.63	2.70	12.25	V
	15184	-33.62	-25	-8.62	-80.87	-43.8	3.67	13.86	V
									V
									V
									V
Highest	5124	-53.99	-25	-28.99	-78.74	-61.28	2.41	9.70	H
	7680	-35.12	-25	-10.12	-68.97	-44.66	2.37	11.91	H
	10248	-39.52	-25	-14.52	-79.76	-49.12	2.69	12.30	H
	12804	-37.17	-25	-12.17	-79.53	-47.05	2.88	12.76	H
	15368	-29.91	-25	-4.91	-76.12	-40.27	3.75	14.12	H
									H
									H
	5124	-53.14	-25	-28.14	-79.42	-60.43	2.41	9.70	V
	7680	-37.29	-25	-12.29	-71.48	-46.83	2.37	11.91	V
	10248	-38.35	-25	-13.35	-78.84	-47.95	2.69	12.30	V
	12804	-35.88	-25	-10.88	-77.71	-45.76	2.88	12.76	V
	15368	-29.68	-25	-4.68	-76.52	-40.04	3.75	14.12	V
									V
									V
								V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-53.23	-25	-28.23	-78.46	-60.59	2.34	9.70	H
	7500	-45.38	-25	-20.38	-78.77	-54.75	2.43	11.80	H
	10008	-36.83	-25	-11.83	-76.63	-46.34	2.70	12.20	H
	15000	-29.39	-25	-4.39	-77.2	-39.39	3.60	13.60	H
									H
									H
									H
	5004	-53.42	-25	-28.42	-78.65	-60.78	2.34	9.70	V
	7500	-46.80	-25	-21.80	-80.19	-56.17	2.43	11.80	V
	10008	-39.58	-25	-14.58	-79.38	-49.09	2.70	12.20	V
	15000	-31.82	-25	-6.82	-79.63	-41.82	3.60	13.60	V
									V
									V
									V
Middle	5052	-53.34	-25	-28.34	-78.65	-60.67	2.37	9.70	H
	7584	-44.39	-25	-19.39	-77.9	-53.84	2.40	11.85	H
	10116	-38.15	-25	-13.15	-78.27	-47.7	2.70	12.25	H
	15172.5	-31.61	-25	-6.61	-78.86	-41.78	3.67	13.84	H
									H
									H
									H
	5052	-51.63	-25	-26.63	-76.94	-58.96	2.37	9.70	V
	7584	-46.52	-25	-21.52	-80.03	-55.97	2.40	11.85	V
	10116	-39.73	-25	-14.73	-79.85	-49.28	2.70	12.25	V
	15172.5	-32.72	-25	-7.72	-79.97	-42.89	3.67	13.84	V
									V
									V
									V
Highest	5112	-53.17	-25	-28.17	-78.66	-60.47	2.4	9.7	H
	7668	-44.04	-25	-19.04	-77.69	-53.57	2.38	11.90	H
	10224	-38.92	-25	-13.92	-79.41	-48.51	2.69	12.29	H
	12780	-37.60	-25	-12.60	-79.92	-47.46	2.87	12.74	H
	15333.5	-28.72	-25	-3.72	-75.46	-39.05	3.74	14.07	H
									H
									H
	5112	-53.97	-25	-28.97	-79.46	-61.27	2.40	9.70	V
	7668	-41.71	-25	-16.71	-75.36	-51.24	2.38	11.90	V
	10224	-37.17	-25	-12.17	-77.66	-46.76	2.69	12.29	V
	12780	-36.05	-25	-11.05	-78.37	-45.91	2.87	12.74	V
	15333.5	-28.96	-25	-3.96	-75.7	-39.29	3.74	14.07	V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-51.23	-25	-26.23	-76.46	-58.59	2.34	9.70	H
	7500	-35.24	-25	-10.24	-68.63	-44.61	2.43	11.80	H
	10008	-38.49	-25	-13.49	-78.29	-48	2.70	12.20	H
	15011.5	-29.21	-25	-4.21	-77.02	-39.22	3.60	13.62	H
									H
									H
									H
	5004	-51.84	-25	-26.84	-77.07	-59.2	2.34	9.70	V
	7500	-45.73	-25	-20.73	-79.12	-55.1	2.43	11.80	V
	10008	-37.61	-25	-12.61	-77.41	-47.12	2.70	12.20	V
	15011.5	-31.00	-25	-6.00	-78.81	-41.01	3.60	13.62	V
									V
									V
									V
Middle	5052	-52.22	-25	-27.22	-77.53	-59.55	2.37	9.70	H
	7584	-45.57	-25	-20.57	-79.08	-55.02	2.40	11.85	H
	10104	-36.80	-25	-11.80	-76.92	-46.35	2.70	12.24	H
	15161	-29.47	-25	-4.47	-76.77	-39.63	3.66	13.83	H
									H
									H
									H
	5052	-51.94	-25	-26.94	-77.25	-59.27	2.37	9.70	V
	7584	-46.22	-25	-21.22	-79.73	-55.67	2.40	11.85	V
	10104	-38.76	-25	-13.76	-78.88	-48.31	2.70	12.24	V
	15161	-31.39	-25	-6.39	-78.69	-41.55	3.66	13.83	V
									V
									V
									V
Highest	5100	-52.29	-25	-27.29	-77.74	-59.6	2.39	9.70	H
	7656	-42.32	-25	-17.32	-75.97	-51.83	2.38	11.89	H
	10200	-38.41	-25	-13.41	-78.79	-47.99	2.70	12.28	H
	10200	-37.31	-25	-12.31	-79.51	-46.89	2.70	12.28	H
	15310.5	-28.93	-25	-3.93	-75.73	-39.24	3.73	14.03	H
									H
									H
	5100	-53.39	-25	-28.39	-78.88	-60.7	2.39	9.70	V
	7656	-41.55	-25	-16.55	-75.2	-51.06	2.38	11.89	V
	10200	-37.52	-25	-12.52	-77.9	-47.1	2.70	12.28	V
	10200	-36.25	-25	-11.25	-78.45	-45.83	2.70	12.28	V
	15310.5	-29.88	-25	-4.88	-76.68	-40.19	3.73	14.03	V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.