



**FCC CFR47 PART 22 SUBPART H
FCC CFR47 PART 24 SUBPART E
FCC CFR47 PART 27 SUBPART F, H, and M**

CERTIFICATION TEST REPORT

GSM/WCDMA/LTE PHONE with BT, DTS/UNII a/b/g/n/ac & NFC

FCC ID:PY7-89807R

REPORT NUMBER:16J23633M-E1V4

ISSUE DATE: 9/1/2016

Prepared for
**SONY MOBILE COMMUNICATIONS INC.
4-12-3 HIGASHI-SHINAGAWA,
SHINAGAWA -KU,TOKYO, 140-0002, JAPAN**

Prepared by
**UL LLC
12 LABORATORY DR.
RESEARCH TRIANGLE PARK, NC 27709 USA
TEL: (919) 549-1400**



NVLAP Lab code: 200246-0

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	8/22/16	Initial Issue	C.S.OOI
V2	8/29/16	Updated Cover page & Table of Contents, Page 11, Section 5.5, Page 20 & 77, Section 14.1, Page 75 and Page 181.	C. VERGONIO
V3	8/30/16	Updated Page 20.	C. VERGONIO
V4	9/1/16	Updated Section 14.2.1.	C. VERGONIO

TABLE OF CONTENTS

1.	ATTESTATION OF TEST RESULTS	5
2.	TEST METHODOLOGY	6
3.	FACILITIES AND ACCREDITATION	6
4.	CALIBRATION AND UNCERTAINTY	7
4.1.	MEASURING INSTRUMENT CALIBRATION	7
4.2.	SAMPLE CALCULATION	7
4.3.	MEASUREMENT UNCERTAINTY	7
5.	EQUIPMENT UNDER TEST	8
5.1.	DESCRIPTION OF EUT	8
5.2.	MAXIMUM OUTPUT POWER (GSM/EGPRS)	8
5.3.	MAXIMUM OUTPUT POWER (WCDMA)	9
5.4.	MAXIMUM OUTPUT POWER (LTE)	10
5.5.	DESCRIPTION OF AVAILABLE ANTENNAS	14
5.6.	DESCRIPTION OF TEST SETUP	15
6.	TEST AND MEASUREMENT EQUIPMENT	18
7.	SUMMARY TABLE	20
8.	RF POWER OUTPUT VERIFICATION	21
8.1.	GSM OUTPUT POWER RESULT	21
8.2.	UMTS REL 99 OUTPUT POWER RESULT	23
8.3.	UMTS HSDPA OUTPUT POWER RESULT	24
8.4.	UMTS HSUPA OUTPUT POWER RESULT	25
8.5.	LTE OUTPUT POWER RESULT	26
9.	PEAK TO AVERAGE RATIO	39
9.1.	CONDUCTED PEAK TO AVERAGE RESULT	40
10.	OCCUPIED BANDWIDTH	53
10.1.	OCCUPIED BANDWIDTH RESULTS AND PLOTS	54
11.	BAND EDGE EMISSIONS	77
11.1.	BAND EDGE PLOTS	78
12.	OUT OF BAND EMISSIONS	128
12.1.	OUT OF BAND EMISSIONS RESULT AND PLOTS	129
13.	FREQUENCY STABILITY	152
13.1.	FREQUENCY STABILITY RESULTS	153

14.	RADIATED TEST RESULTS	162
14.1.	<i>RADIATED POWER (ERP & EIRP).....</i>	<i>162</i>
14.1.1.	ERP/EIRP RESULTS AND TABLE	163
14.2.	<i>FIELD STRENGTH OF SPURIOUS RADIATION.....</i>	<i>184</i>
14.2.1.	SPURIOUS RADIATION RESULTS.....	185
15.	SETUP PHOTOS	200

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SONY MOBILE COMMUNICATIONS, INC.
EUT DESCRIPTION: GSM/WCDMA/LTE Phone with BT, BLE, DTS/UNII a/b/g/n/ac & NFC
SERIAL NUMBER: CB512AW7FQ, CB512AWNPNQ, CB512AW7DD, CB512AW71V, CB512AWNG1
DATE TESTED: August 1- 19, 2016

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC PART 22H, 24E, 27H, 27F	PASS

UL LLC tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL LLC based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL LLC and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL LLC will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Approved & Released

For UL LLC By:



CHOON OOI
CONSUMER TECHNOLOGY DIVISION
WISE PROJECT LEAD
UL VERIFICATION SERVICES INC

Prepared By:



KIYA KEDIDA
CONSUMER TECHNOLOGY DIVISION
WISE LAB ENGINEER
UL VERIFICATION SERVICES INC

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with TIA-603-D, FCC CFR 47 Part 22,24, FCC CFR 47 Part 27.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 12 Laboratory Dr., Research Triangle Park, NC 27709, USA and 2800 Suite B, Perimeter Park Drive, Morrisville, NC 27560.

12 Laboratory Dr., RTP, NC 27709	
☐	Chamber A
☐	Chamber C

2800 Suite B Perimeter Park Dr., Morrisville, NC 27560	
☒	Chamber NORTH
☐	Chamber SOUTH

UL LLC (RTP) is accredited by NVLAP, Laboratory Code 200246-0. The full scope of accreditation can be viewed at <http://www.nist.gov/nvlap/>

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$$\text{EIRP} = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)} + \text{Substitution Antenna Factor (dBi)}$$

$$\text{ERP} = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)}$$

(Path loss = Signal generator output – PSA reading with substitution antenna)

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Total RF power, conducted	±0.45 dB
RF power density, conducted	±1.5 dB
Spurious emissions, conducted	±2.94 dB
All emissions, radiated up to 40 GHz	±5.36 dB
Temperature	±0.07°C
Humidity	±2.26% RH
DC and low frequency voltages	±1.27%
Conducted Emissions (0.150-30MHz)	±2.37dB

Uncertainty figures are valid to a confidence level of 95%.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

This EUT is a GSM/WCDMA/LTE PHONE + BLUETOOTH, DTS/UNII a/b/g/n/ac & NFC.

5.2. MAXIMUM OUTPUT POWER (GSM/EGPRS)

The transmitter has a maximum peak conducted and radiated ERP / EIRP output powers as follows:

FCC Part 22/24						
Band	Frequency Range(MHz)	Modulation	Conducted		Radiated	
			AVG(dBm)	AVG(mW)	AVG(dBm)	AVG(mW)
GSM850	824~849	GMSK	31.5	1412.54		
	824~849	GPRS	31.5	1412.54	27.33	540.75
	824~849	EGPRS	26.8	478.63	22.92	195.88
GSM1900	1850~1910	GMSK	28.8	758.58		
	1850~1910	GPRS	28.8	758.58	24.57	286.42
	1850~1910	EGPRS	25.6	363.08	22.03	159.59

5.3. MAXIMUM OUTPUT POWER (WCDMA)

The transmitter has a maximum peak conducted and radiated ERP / EIRP output powers as follows:

FCC Part 22/24/27						
Band	Frequency Range(MHz)	Modulation	Conducted		Radiated	
			AVG(dBm)	AVG(mW)	AVG(dBm)	AVG(mW)
Band 5	824~849	REL99	24.4	276.06	20.46	111.17
	824~849	HSDPA	23.3	211.84	20.09	102.09
	824~849	HSUPA	23.5	221.31		

5.4. MAXIMUM OUTPUT POWER (LTE)

The transmitter has a maximum peak conducted and radiated ERP/EIRP output powers as follows:

LTE Band 4

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted		Radiated	
				AVG(dBm)	AVG(mW)	AVG(dBm)	AVG(mW)
LTE4	1710~1755	1.4MHz	QPSK	21.2	131.22	15.11	32.43
			16QAM	20.3	107.65	14.32	27.04
		3MHz	QPSK	21.1	130.02	15.14	32.66
			16QAM	20.3	107.89	14.32	27.04
		5MHz	QPSK	21.2	131.22	14.92	31.05
			16QAM	20.4	110.66	14.35	27.23
		10MHz	QPSK	21.2	132.13	15.11	32.43
			16QAM	20.4	110.15	14.42	27.67
		15MHz	QPSK	21.1	127.35	15.10	32.36
			16QAM	20.3	106.91	14.38	27.42
		20MHz	QPSK	21.2	130.92	15.29	33.81
			16QAM	20.5	111.43	14.41	27.61

LTE Band 5

FCC Part 22							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted		Radiated	
				AVG(dBm)	AVG(mW)	AVG(dBm)	AVG(mW)
LTE5	824~849	1.4MHz	QPSK	24.0	248.89	20.21	104.95
			16QAM	23.1	202.30	19.35	86.10
		3MHz	QPSK	23.9	247.17	20.26	106.17
			16QAM	23.1	204.64	19.40	87.10
		5MHz	QPSK	23.9	245.47	20.20	104.71
			16QAM	23.1	206.06	19.45	88.10
		10MHz	QPSK	23.9	247.17	20.38	109.14
			16QAM	23.1	206.06	19.79	95.28

LTE Band 7

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted		Radiated	
				AVG(dBm)	AVG(mW)	PEAK(dBm)	PEAK(mW)
LTE7	2500~2570	5MHz	QPSK	24.0	251.77	24.84	304.79
			16QAM	23.3	215.28	24.81	302.69
		10MHz	QPSK	23.9	246.04	20.86	121.90
			16QAM	23.1	205.59	20.81	120.50
		15MHz	QPSK	23.9	244.91	22.32	170.61
			16QAM	23.2	208.93	22.30	169.82
		20MHz	QPSK	23.9	243.22	22.00	158.49
			16QAM	23.2	209.89	21.97	157.40

LTE Band 12

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted		Radiated	
				AVG(dBm)	AVG(mW)	AVG(dBm)	AVG(mW)
LTE12	699~716	1.4MHz	QPSK	23.8	238.23	16.88	48.75
			16QAM	22.9	192.75	16.01	39.90
		3MHz	QPSK	23.8	239.33	16.90	48.98
			16QAM	23.0	198.15	15.94	39.26
		5MHz	QPSK	23.7	236.59	17.00	50.12
			16QAM	23.0	199.99	16.12	40.93
		10MHz	QPSK	23.7	236.59	17.14	51.76
			16QAM	23.0	199.07	16.03	40.09

LTE Band 13

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted		Radiated	
				AVG(dBm)	AVG(mW)	AVG(dBm)	AVG(mW)
LTE13	777~787	5MHz	QPSK	23.4	219.79	17.96	62.52
			16QAM	22.6	183.65	17.04	50.58
		10MHz	QPSK	23.4	220.29	17.81	60.39
			16QAM	22.7	184.08	16.95	49.55

LTE Band 17

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted		Radiated	
				AVG(dBm)	AVG(mW)	AVG(dBm)	AVG(mW)
LTE17	704~716	5MHz	QPSK	23.9	243.22	17.01	50.23
			16QAM	22.9	195.88	16.24	42.07
		10MHz	QPSK	23.8	237.68	17.06	50.82
			16QAM	22.9	195.88	16.22	41.88

LTE Band 41

FCC Part 27							
Band	Frequency Range(MHz)	BandWidth (MHz)	Modulation	Conducted		Radiated	
				AVG(dBm)	AVG(mW)	PEAK(dBm)	PEAK(mW)
LTE41	2496~2690	5MHz	QPSK	23.3	214.29	20.93	123.88
			16QAM	22.1	161.44	20.95	124.45
		10MHz	QPSK	23.3	211.84	20.71	117.76
			16QAM	21.8	152.05	20.80	120.23
		15MHz	QPSK	23.0	199.99	20.75	118.85
			16QAM	21.5	139.64	20.82	120.78
		20MHz	QPSK	23.3	213.30	20.52	112.72
			16QAM	22.1	161.81	20.62	115.35

5.5. DESCRIPTION OF AVAILABLE ANTENNAS

The radio utilizes a PIFA antenna for the [List the bands supported] with a maximum peak gain as follow:

Frequency (MHz)	Peak Gain (dBi)
GSM850, 824~849MHz	-4.0
GSM1900, 1850~1910MHz	-2.9
WCDMA Band 5, 824~849	-4.0
LTE Band 4, 1710~1755MHz	-2.4
LTE Band 5, 824~849MHz	-4.0
LTE Band 7, 2500~2570MHz	-11.3
LTE Band 12, 699~716MHz	-8.5
LTE Band 13, 777~787MHz	-7.0
LTE Band 17, 704~716MHz	-8.5
LTE Band 41, 2496~2690MHz	-14.8

5.6. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacturer	Model	Serial Number	FCC ID
AC Adapter	SONY	1300-7146.1B	5816W02400051	N/A
Earphone	SONY	12271A100010396	12271A100010396	N/A

I/O CABLES (CONDUCTED SETUP)

I/O Cable List						
Cable No	Port	# of Identical ports	Connector Type	Serial Type	Cable Length (m)	Remarks
1	RF Out	1	Spectrum Analyzer	Shielded	None	NA
2	Antenna Port	1	EUT	Shielded	0.1m	NA
3	RF In/Out	1	Communication Test Set	Shielded	1m	NA


I/O CABLES (RADIATED SETUP)

I/O Cable List						
Cable No	Port	# of Identical ports	Connector Type	Serial Type	Cable Length (m)	Remarks
1	USB	1	AC Adapter	Un-shielded	1.2m	No
2	Audio	1	3.5mm	Shielded	>1m	Headset
3	RF In/out	1	Communication Test Set	Un-shielded	2m	Yes


TEST SETUP

The EUT is continuously communicated to the call box during the tests.

SETUP DIAGRAM FOR TESTS (CONDUCTED TEST SETUP)



SETUP DIAGRAM FOR TESTS (RADIATED TEST SETUP)



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

Equip. ID	Description	Manufacturer	Model Number	Last Cal.	Next Cal.
	30-1000 MHz				
AT0073	Hybrid Broadband Antenna	Sunol Sciences Corp.	JB3	2016-06-27	2017-06-27
	1-18 GHz				
AT0072	Double-Ridged Waveguide Horn Antenna, 1 to 18 GHz	ETS Lindgren	3117	2016-03-07	2017-03-31
	Tuned Dipole Set				
AT0013-AT0016	Four Dipole Antenna Set, 30 to 1000 MHz	EMCO	3121C-DB-1, -2, -3, -4	2016-06-14	2017-06-14
	Gain-Loss Chains				
N-SAC01	Gain-loss string: 0.009-30MHz	Various	Various	2015-10-07	2016-10-31
N-SAC02	Gain-loss string: 30-1000MHz	Various	Various	2016-06-26	2017-06-16
N-SAC03	Gain-loss string: 1-18GHz	Various	Various	2015-09-29	2016-09-30
	Receiver & Software				
SA0027	Spectrum Analyzer	Agilent	N9030A	2016-02-08	2017-02-08
T374	Wideband Radio Communications Tester	Rohde and Schwartz	CMW500	2015-10-21	2016-10-31
SOFTEMI	EMI Software	UL	Version 9.5	NA	NA
	Additional Equipment used				
HI0078	Temp/Humid/Pressure Meter (Module)	Springfield Precision	PreciseTemp	2016-06-13	2017-06-13

Equip. ID	Description	Manufacturer	Model Number	Last Cal.	Next Cal.
AT0078	Double-Ridged Waveguide Horn Antenna, 1 to 18 GHz. Used for substitution.	ETS Lindgren	3117	2015-10-15	2016-10-31

Test Equipment Used - Wireless Conducted Measurement Equipment

Equipment ID	Description	Manufacturer	Model Number	Last Cal.	Next Cal.
	Conducted Room 1				
SA0026	Spectrum Analyzer	Agilent	N9030A	2016-02-24	2017-02-28
PWM004	RF Power Meter	Keysight Technologies	N1911A	2015-06-08	2017-06-08
PWS004	Peak and Avg Power Sensor, 50MHz to 6GHz	Keysight Technologies	E9323A	2016-06-22	2017-06-22
MM0167	True RMS Multimeter	Agilent	U1232A	2015-08-17	2016-08-31
76022	DC Regulated Power Supply	CircuitSpecialists.Com	CSI3005X5	NA	NA
	Conducted Room 2				
SA0026	Spectrum Analyzer	Agilent	N9030A	2016-02-24	2017-02-28
PWM003	RF Power Meter	Keysight Technologies	N1911A	2016-06-21	2017-06-21
PWS003	Peak and Avg Power Sensor, 50MHz to 6GHz	Keysight Technologies	E9323A	2016-06-21	2017-06-21
1100502	Temp/Humid Chamber	Cincinnati Sub-Zero	ZPH-8-3.5-SCT/AC	2016-06-06	2017-06-06
MM0168	True RMS Multimeter	Agilent	U1232A	2015-08-17	2016-08-31
76021	DC Regulated Power Supply	CircuitSpecialists.Com	CSI3005X5	NA	NA
	Additional Equipment used				
T918	Wideband Radio Communications Tester	Rohde and Schwartz	CMW500	2016-01-21	2017-01-21

7. SUMMARY TABLE

FCC Part Section	Test Description	Test Limit	Test Condition	Test Result
2.1049	Occupied Bandwidth (99%)	N/A	Conducted	Pass
22.917(a) 24.238(a) 27.53(g)	Band Edge / Conducted Spurious Emission	-13dBm		Pass
27.53(m)		-25dBm		
2.1046	Conducted output power	N/A		Pass
27.53(m)	Emission Mask			Pass
22.355 24.235 27.54	Frequency Stability	2.5PPM		Pass
22.913(a)(2)	Effective Radiated Power	38dBm	Radiated	Pass
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power	33dBm		Pass
27.50(d)(4)		30dBm		Pass
22.917(a) 24.238(a) 27.53(g)	Radiated Spurious Emission	-13dBm		Pass
27.53(m)		-25dBm		Pass

8. RF POWER OUTPUT VERIFICATION

8.1. GSM OUTPUT POWER RESULT

Test Information

Date: 8/1/2016

Tester: 44410

Mode	Coding Scheme	Time Slots	Ch No.	Freq. (MHz)	Burst Pwr (dBm)	Frame Pwr (dBm)
GSM (Voice)	CS4	1	128	824.4	31.5	22.5
			190	836.6	31.5	22.5
			251	848.8	31.5	22.5
GPRS (GMSK)	CS4	1	128	824.4	31.5	22.5
			190	836.6	31.5	22.5
			251	848.8	31.5	22.5
		2	128	824.4	31.2	25.2
			190	836.6	30.3	24.3
			251	848.8	30.8	24.8
		3	128	824.4	28.9	24.6
			190	836.6	28.4	24.1
			251	848.8	28.5	24.2
		4	128	824.4	27.6	24.6
			190	836.6	27.6	24.6
			251	848.8	27.6	24.6
EGPRS (8PSK)	MCS9	1	128	824.4	26.5	17.5
			190	836.6	26.6	17.6
			251	848.8	26.8	17.8
		2	128	824.4	25.2	19.2
			190	836.6	25.2	19.2
			251	848.8	25.5	19.5
		3	128	824.4	23.2	18.9
			190	836.6	23.2	18.9
			251	848.8	23.4	19.1
		4	128	824.4	22.1	19.1
			190	836.6	22.1	19.1
			251	848.8	22.2	19.2

Mode	Coding Scheme	Time Slots	Ch No.	Freq. (MHz)	Burst Pwr (dBm)	Frame Pwr (dBm)
GSM (Voice)	CS4	1	512	1850.2	28.7	19.7
			661	1880.0	28.8	19.8
			810	1909.8	28.7	19.7
GPRS (GMSK)	CS4	1	512	1850.2	28.7	19.7
			661	1880.0	28.8	19.8
			810	1909.8	28.7	19.7
		2	512	1850.2	27.2	21.2
			661	1880.0	27.3	21.3
			810	1909.8	27.7	21.7
		3	512	1850.2	25.1	20.8
			661	1880.0	25.3	21.0
			810	1909.8	25.1	20.8
		4	512	1850.2	24.2	21.2
			661	1880.0	24.2	21.2
			810	1909.8	24.1	21.1
EGPRS (8PSK)	MCS9	1	512	1850.2	25.5	16.5
			661	1880.0	25.6	16.6
			810	1909.8	25.4	16.4
		2	512	1850.2	23.9	17.9
			661	1880.0	23.9	17.9
			810	1909.8	23.7	17.7
		3	512	1850.2	22.2	17.9
			661	1880.0	22.4	18.1
			810	1909.8	22.1	17.8
		4	512	1850.2	21.0	18.0
			661	1880.0	21.0	18.0
			810	1909.8	20.9	17.9

8.2. UMTS REL 99 OUTPUT POWER RESULT

Test Information

Date: 8/3/2016

Tester: 44410

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band V	Rel 99 (RMC, 12.2 kbps)	4132	826.4	0	24.38
		4183	836.6	0	24.34
		4233	846.6	0	24.41

8.3. UMTS HSDPA OUTPUT POWER RESULT

Test Information

Date: 8/1/2016

Tester: 44410

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band V	Subtest 1	4132	826.4	0	23.12
		4183	836.6	0	23.15
		4233	846.6	0	23.26
	Subtest 2	4132	826.4	0	23.01
		4183	836.6	0	22.90
		4233	846.6	0	23.02
	Subtest 3	4132	826.4	0.5	22.50
		4183	836.6	0.5	22.35
		4233	846.6	0.5	22.50
	Subtest 4	4132	826.4	0.5	22.49
		4183	836.6	0.5	22.34
		4233	846.6	0.5	22.48

8.4. UMTS HSUPA OUTPUT POWER RESULT

Test Information

Date: 8/1/2016

Tester: 44410

Band	Mode	UL Ch No.	Freq. (MHz)	MPR	Avg Pwr (dBm)
W-CDMA Band V	Subtest 1	4132	826.4	0	23.45
		4183	836.6	0	23.30
		4233	846.6	0	23.24
	Subtest 2	4132	826.4	2	21.40
		4183	836.6	2	21.32
		4233	846.6	2	21.39
	Subtest 3	4132	826.4	1	22.36
		4183	836.6	1	22.27
		4233	846.6	1	22.31
	Subtest 4	4132	826.4	2	21.36
		4183	836.6	2	21.24
		4233	846.6	2	21.40
	Subtest 5	4132	826.4	0	23.44
		4183	836.6	0	23.27
		4233	846.6	0	23.42

8.5. LTE OUTPUT POWER RESULT

Test Information

Date: 8/2-3/2016

Tester: 44410

LTE Band 4

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						19957	20175	20393
						1710.7 MHz	1732.5 MHz	1754.3 MHz
LTE Band 4	1.4	QPSK	1	0	0	20.74	20.39	20.37
			1	3	0	20.80	20.44	20.45
			1	5	0	20.74	20.35	20.33
			3	0	0	20.77	20.36	20.42
			3	1	0	20.82	20.41	20.43
			3	3	0	20.85	20.44	20.45
			6	0	1	19.75	19.36	19.34
		16QAM	1	0	1	19.86	19.75	19.42
			1	3	1	19.93	19.83	19.48
			1	5	1	19.95	19.74	19.41
			3	0	1	19.84	19.58	19.59
			3	1	1	19.90	19.64	19.63
			3	3	1	19.91	19.65	19.67
			6	0	2	18.92	18.36	18.56
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						19965	20175	20385
						1711.5 MHz	1732.5 MHz	1753.5 MHz
LTE Band 4	3	QPSK	1	0	0	20.69	20.41	20.45
			1	8	0	20.73	20.55	20.56
			1	14	0	20.59	20.27	20.40
			8	0	1	19.73	19.43	19.46
			8	4	1	19.76	19.44	19.47
			8	7	1	19.68	19.45	19.42
			15	0	1	19.64	19.39	19.44
		16QAM	1	0	1	19.62	19.79	19.49
			1	8	1	19.66	19.89	19.55
			1	14	1	19.50	19.67	19.38
			8	0	2	18.85	18.38	18.62
			8	4	2	18.90	18.42	18.64
			8	7	2	18.78	18.41	18.64
			15	0	2	18.67	18.49	18.43

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						19975	20175	20375
						1712.5 MHz	1732.5 MHz	1752.5 MHz
LTE Band 4	5	QPSK	1	0	0	20.75	20.46	20.42
			1	12	0	20.73	20.46	20.61
			1	24	0	20.68	20.51	20.55
			12	0	1	19.81	19.48	19.55
			12	7	1	19.79	19.48	19.59
			12	13	1	19.80	19.41	19.53
			25	0	1	19.73	19.45	19.53
		16QAM	1	0	1	19.99	19.93	19.54
			1	12	1	19.95	19.95	19.63
			1	24	1	19.90	19.99	19.68
			12	0	2	18.89	18.69	18.59
			12	7	2	18.87	18.67	18.62
			12	13	2	18.89	18.63	18.56
			25	0	2	18.79	18.60	18.51
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20000	20175	20350
						1715 MHz	1732.5 MHz	1750 MHz
LTE Band 4	10	QPSK	1	0	0	20.90	20.59	20.58
			1	25	0	20.65	20.46	20.47
			1	49	0	20.90	20.54	20.74
			25	0	1	19.74	19.47	19.45
			25	12	1	19.70	19.52	19.48
			25	25	1	19.71	19.50	19.59
			50	0	1	19.77	19.39	19.56
		16QAM	1	0	1	19.88	19.94	19.55
			1	25	1	19.64	19.86	19.44
			1	49	1	19.85	19.92	19.68
			25	0	2	18.79	18.57	18.59
			25	12	2	18.77	18.56	18.61
			25	25	2	18.78	18.56	18.68
			50	0	2	18.80	18.51	18.61

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20025	20175	20325
						1717.5 MHz	1732.5 MHz	1747.5 MHz
LTE Band 4	15	QPSK	1	0	0	20.46	20.40	20.37
			1	37	0	20.35	20.31	20.32
			1	74	0	20.35	20.32	20.55
			36	0	1	19.34	19.42	19.25
			36	20	1	19.34	19.32	19.24
			36	39	1	19.30	19.29	19.29
			75	0	1	19.30	19.34	19.30
		16QAM	1	0	1	19.41	19.78	19.71
			1	37	1	19.21	19.55	19.52
			1	74	1	19.34	19.68	19.86
			36	0	2	18.43	18.56	18.30
			36	20	2	18.40	18.49	18.26
			36	39	2	18.36	18.44	18.37
			75	0	2	18.36	18.45	18.37
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20050	20175	20300
						1720 MHz	1732.5 MHz	1745 MHz
LTE Band 4	20	QPSK	1	0	0	20.49	20.58	20.44
			1	49	0	20.22	20.38	20.22
			1	99	0	20.87	20.73	20.83
			50	0	1	19.44	19.48	19.24
			50	24	1	19.42	19.43	19.43
			50	50	1	19.63	19.49	19.58
			100	0	1	19.47	19.48	19.40
		16QAM	1	0	1	20.12	19.95	19.84
			1	49	1	19.83	19.70	19.63
			1	99	1	20.39	20.09	20.24
			50	0	2	18.52	18.61	18.27
			50	24	2	18.45	18.53	18.40
			50	50	2	18.64	18.62	18.54
			100	0	2	18.55	18.57	18.47

LTE Band 5

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20407	20525	20643
						824.7 MHz	836.5 MHz	848.3 MHz
LTE Band 5	1.4	QPSK	1	0	0	22.71	22.72	22.79
			1	3	0	22.73	22.89	22.88
			1	5	0	22.83	22.84	22.80
			3	0	0	22.80	22.72	22.89
			3	1	0	22.63	22.89	22.87
			3	3	0	22.65	22.90	22.92
			6	0	1	21.52	21.82	21.75
		16QAM	1	0	1	21.61	22.09	21.86
			1	3	1	21.74	22.26	21.88
			1	5	1	21.74	22.20	21.85
			3	0	1	21.70	21.92	21.98
			3	1	1	21.74	22.09	22.00
			3	3	1	21.79	22.14	22.02
			6	0	2	20.76	20.83	20.96
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20415	20525	20635
						825.5 MHz	836.5 MHz	847.5 MHz
LTE Band 5	3	QPSK	1	0	0	22.82	22.88	22.91
			1	8	0	22.87	23.06	22.98
			1	14	0	22.91	22.97	22.90
			8	0	1	21.88	21.84	21.96
			8	4	1	21.89	21.85	21.90
			8	7	1	21.91	21.97	21.84
			15	0	1	21.94	21.95	22.03
		16QAM	1	0	1	21.77	22.20	21.98
			1	8	1	21.85	22.36	22.02
			1	14	1	21.79	22.27	22.07
			8	0	2	21.03	20.75	21.15
			8	4	2	21.03	20.75	21.07
			8	7	2	21.03	20.84	21.08
			15	0	2	20.95	20.92	20.97

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20425	20525	20625
						826.5 MHz	836.5 MHz	846.5 MHz
LTE Band 5	5	QPSK	1	0	0	22.77	22.80	23.04
			1	12	0	22.82	22.88	22.89
			1	24	0	22.91	22.91	22.91
			12	0	1	21.84	21.84	22.02
			12	7	1	21.84	21.84	22.01
			12	13	1	21.82	21.90	21.99
			25	0	1	21.82	21.92	21.96
		16QAM	1	0	1	22.01	22.32	22.18
			1	12	1	22.02	22.43	22.02
			1	24	1	22.07	22.42	22.07
			12	0	2	20.91	21.01	21.06
			12	7	2	20.97	21.03	21.03
			12	13	2	20.96	21.11	21.03
			25	0	2	20.89	21.04	20.97
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20450	20525	20600
						829 MHz	836.5 MHz	844 MHz
LTE Band 5	10	QPSK	1	0	0	23.22	23.17	23.56
			1	25	0	23.02	23.20	23.34
			1	49	0	23.29	23.22	23.23
			25	0	1	22.10	22.11	22.40
			25	12	1	22.07	22.24	22.40
			25	25	1	22.12	22.18	22.31
			50	0	1	22.08	22.16	22.32
		16QAM	1	0	1	22.17	22.50	22.58
			1	25	1	21.97	22.56	22.40
			1	49	1	22.18	22.58	22.19
			25	0	2	21.17	21.15	21.53
			25	12	2	21.16	21.30	21.49
			25	25	2	21.21	21.22	21.38
			50	0	2	21.15	21.24	21.33

LTE Band 7

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20775	21100	21425
						2502.5 MHz	2535 MHz	2567.5 MHz
LTE Band 7	5	QPSK	1	0	0	23.90	23.90	23.80
			1	12	0	23.70	24.00	23.70
			1	24	0	24.00	23.70	23.90
			12	0	1	23.10	23.00	22.90
			12	7	1	22.90	23.00	22.90
			12	13	1	23.00	22.90	22.80
			25	0	1	23.00	23.00	22.80
		16QAM	1	0	1	23.30	23.40	23.10
			1	12	1	23.20	23.00	22.80
			1	24	1	23.00	23.10	23.00
			12	0	2	22.00	21.90	21.90
			12	7	2	21.90	21.90	22.00
			12	13	2	21.90	22.00	21.80
			25	0	2	21.80	21.80	21.90
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20800	21100	21400
						2505 MHz	2535 MHz	2565 MHz
LTE Band 7	10	QPSK	1	0	0	24.30	24.40	23.90
			1	25	0	24.10	24.30	23.60
			1	49	0	24.00	24.20	23.90
			25	0	1	23.10	23.10	22.90
			25	12	1	22.90	23.00	22.70
			25	25	1	23.00	23.00	22.80
			50	0	1	23.10	23.10	22.80
		16QAM	1	0	1	23.40	23.00	23.20
			1	25	1	23.20	22.80	22.80
			1	49	1	23.10	23.10	22.90
			25	0	2	22.20	21.80	21.90
			25	12	2	21.70	21.90	21.70
			25	25	2	21.80	21.70	21.80
			50	0	2	21.80	21.90	21.80

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20825	21100	21375
						2507.5 MHz	2535 MHz	2562.5 MHz
LTE Band 7	15	QPSK	1	0	0	24.20	24.20	24.10
			1	37	0	23.60	23.90	23.60
			1	74	0	24.00	24.10	23.90
			36	0	1	23.10	23.20	22.90
			36	20	1	22.90	23.00	22.70
			36	39	1	22.90	23.00	22.80
			75	0	1	23.10	23.10	22.80
		16QAM	1	0	1	23.50	23.40	23.10
			1	37	1	23.30	22.90	22.90
			1	74	1	23.00	23.10	23.10
			36	0	2	22.10	22.00	21.90
			36	20	2	21.90	22.00	21.80
			36	39	2	21.90	22.00	21.80
			75	0	2	22.10	22.10	22.00
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						20850	21100	21350
						2510 MHz	2535 MHz	2560 MHz
LTE Band 7	20	QPSK	1	0	0	24.30	24.30	24.00
			1	49	0	23.60	24.00	23.60
			1	99	0	24.00	24.00	23.90
			50	0	1	23.10	23.10	22.90
			50	24	1	22.90	23.00	22.70
			50	50	1	23.00	23.00	22.80
			100	0	1	23.10	23.10	22.80
		16QAM	1	0	1	23.50	23.40	23.10
			1	49	1	23.30	23.00	22.80
			1	99	1	23.00	23.10	23.00
			50	0	2	22.10	22.00	21.90
			50	24	2	21.90	21.90	21.70
			50	50	2	22.00	22.00	21.80
			100	0	2	22.00	22.10	21.80

LTE Band 12

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						23017	23095	23173
						699.7 MHz	707.5 MHz	715.3 MHz
LTE Band 12	1.4	QPSK	1	0	0	22.62	22.79	22.61
			1	3	0	22.58	22.76	22.50
			1	5	0	22.60	22.73	22.78
			3	0	0	22.73	22.88	22.87
			3	1	0	22.78	22.84	22.91
			3	3	0	22.79	22.87	22.83
			6	0	1	21.69	21.76	21.72
		16QAM	1	0	1	21.65	21.83	22.16
			1	3	1	21.68	21.85	22.22
			1	5	1	21.53	21.85	22.17
			3	0	1	21.92	21.91	21.95
			3	1	1	21.95	21.88	21.99
			3	3	1	22.03	21.92	21.96
			6	0	2	21.02	20.90	20.72
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						23025	23095	23165
						700.5 MHz	707.5 MHz	714.5 MHz
LTE Band 12	3	QPSK	1	0	0	22.69	22.87	22.88
			1	8	0	22.68	22.94	22.87
			1	14	0	22.55	22.81	22.78
			8	0	1	21.93	21.50	21.84
			8	4	1	21.95	21.70	21.68
			8	7	1	21.90	21.77	21.79
			15	0	1	21.94	21.79	21.70
		16QAM	1	0	1	21.61	22.17	21.88
			1	8	1	21.76	22.29	21.95
			1	14	1	21.54	22.18	21.85
			8	0	2	21.00	20.71	21.08
			8	4	2	21.02	20.79	21.04
			8	7	2	20.99	20.75	21.07
			15	0	2	20.98	20.85	20.76

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						23035	23095	23155
						701.5 MHz	707.5 MHz	713.5 MHz
LTE Band 12	5	QPSK	1	0	0	22.96	22.86	22.77
			1	12	0	22.79	22.70	22.91
			1	24	0	22.79	22.75	22.98
			12	0	1	21.81	21.80	21.93
			12	7	1	21.78	21.80	21.75
			12	13	1	21.67	21.78	21.65
			25	0	1	21.80	21.75	21.93
		16QAM	1	0	1	22.07	22.35	21.81
			1	12	1	22.10	22.20	21.95
			1	24	1	22.04	22.21	21.96
			12	0	2	21.07	20.86	21.08
			12	7	2	21.01	20.78	20.50
			12	13	2	20.86	20.76	20.50
			25	0	2	20.88	20.57	20.50
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)		
						23060	23095	23130
						704 MHz	707.5 MHz	711 MHz
LTE Band 12	10	QPSK	1	0	0	23.50	23.40	23.50
			1	25	0	23.10	23.20	23.30
			1	49	0	23.20	23.30	23.30
			25	0	1	22.20	22.30	22.40
			25	12	1	22.20	22.30	22.30
			25	25	1	22.20	22.20	22.40
			50	0	1	22.30	22.20	22.30
		16QAM	1	0	1	22.33	22.63	22.47
			1	25	1	22.00	22.42	22.20
			1	49	1	21.98	22.55	22.25
			25	0	2	21.18	21.22	21.30
			25	12	2	21.14	21.14	21.26
			25	25	2	21.06	21.05	21.32
			50	0	2	21.11	21.12	21.19

LTE Band 13

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)
						23230
						782 MHz
LTE Band 13	5	QPSK	1	0	0	22.68
			1	12	0	22.55
			1	24	0	22.76
			12	0	1	21.61
			12	7	1	21.68
			12	13	1	21.61
			25	0	1	21.62
		16QAM	1	0	1	21.77
			1	12	1	21.59
			1	24	1	21.80
			12	0	2	20.64
			12	7	2	20.71
			12	13	2	20.64
			25	0	2	20.54
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)
						23230
						782 MHz
LTE Band 13	10	QPSK	1	0	0	22.91
			1	25	0	22.87
			1	49	0	23.12
			25	0	1	21.87
			25	12	1	21.89
			25	25	1	21.93
			50	0	1	21.92
		16QAM	1	0	1	21.77
			1	25	1	21.72
			1	49	1	21.95
			25	0	2	20.88
			25	12	2	20.88
			25	25	2	20.94
			50	0	2	20.86

LTE Band 17

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)
						23790
						710 MHz
LTE Band 17	5	QPSK	1	0	0	22.91
			1	12	0	22.91
			1	24	0	22.93
			12	0	1	21.83
			12	7	1	21.84
			12	13	1	21.76
			25	0	1	21.80
		16QAM	1	0	1	22.03
			1	12	1	21.99
			1	24	1	22.12
			12	0	2	20.98
			12	7	2	20.99
			12	13	2	20.92
			25	0	2	20.99
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)
						23790
						710 MHz
LTE Band 17	10	QPSK	1	0	0	23.60
			1	25	0	23.25
			1	49	0	23.40
			25	0	1	22.46
			25	12	1	22.34
			25	25	1	22.37
			50	0	1	22.47
		16QAM	1	0	1	22.49
			1	25	1	22.16
			1	49	1	22.28
			25	0	2	21.43
			25	12	2	21.31
			25	25	2	21.34
			50	0	2	21.37

LTE Band 41

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)				
						39750	40185	40620	41055	41490
						2506 MHz	2549.5 MHz	2593 MHz	2636.5 MHz	2680 MHz
LTE Band 41	5	QPSK	1	0	0	23.80	23.50	23.70	23.80	24.10
			1	12	0	23.80	23.10	23.50	23.50	23.50
			1	24	0	24.00	23.90	24.00	23.90	24.00
			12	0	1	23.00	22.70	23.00	22.70	23.00
			12	7	1	22.90	22.60	22.90	22.50	22.90
			12	13	1	22.90	22.50	22.90	22.60	22.90
			25	0	1	22.80	22.50	22.80	22.70	22.80
		16QAM	1	0	1	22.70	22.80	23.20	22.80	22.90
			1	12	1	22.30	22.20	23.10	22.30	23.50
			1	24	1	22.90	22.70	23.20	22.70	22.90
			12	0	2	21.80	21.60	22.00	21.70	21.90
			12	7	2	21.70	21.70	21.90	21.60	21.80
			12	13	2	21.70	21.60	22.00	21.60	21.80
			25	0	2	21.60	21.80	22.00	21.60	21.60
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)				
						39750	40185	40620	41055	41490
						2506 MHz	2549.5 MHz	2593 MHz	2636.5 MHz	2680 MHz
LTE Band 41	10	QPSK	1	0	0	23.80	23.50	23.80	23.70	23.60
			1	25	0	23.80	23.10	23.50	23.50	23.40
			1	49	0	24.00	23.90	23.90	24.00	23.60
			25	0	1	23.00	22.70	22.70	23.00	22.40
			25	12	1	22.90	22.60	22.50	22.90	22.50
			25	25	1	22.90	22.50	22.60	22.90	22.70
			50	0	1	22.80	22.50	22.70	22.80	22.70
		16QAM	1	0	1	23.20	21.70	22.80	22.90	22.70
			1	25	1	23.10	22.30	22.20	23.50	22.30
			1	49	1	23.20	22.60	22.70	22.70	22.80
			25	0	2	22.00	21.70	21.60	21.60	21.80
			25	12	2	21.90	22.40	21.70	21.80	21.70
			25	25	2	22.00	21.60	21.60	21.80	21.70
			50	0	2	22.00	21.60	21.80	21.70	21.80

Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)				
						39750	40185	40620	41055	41490
						2506 MHz	2549.5 MHz	2593 MHz	2636.5 MHz	2680 MHz
LTE Band 41	15	QPSK	1	0	0	24.00	23.70	23.80	24.10	23.60
			1	37	0	23.60	23.30	23.50	23.50	23.40
			1	74	0	24.10	23.90	23.90	24.00	23.50
			36	0	1	23.00	22.70	22.70	23.00	22.70
			36	20	1	22.90	22.60	22.50	22.90	22.60
			36	39	1	23.00	22.60	22.60	22.90	22.70
			75	0	1	22.80	22.80	22.70	22.80	22.70
		16QAM	1	0	1	23.20	21.70	22.90	22.90	22.70
			1	37	1	23.10	22.30	22.30	23.50	22.30
			1	74	1	23.20	22.70	22.80	22.90	22.90
			36	0	2	22.00	21.70	21.60	21.90	21.80
			36	20	2	21.90	21.60	21.70	21.80	21.70
			36	39	2	22.00	21.60	21.60	21.80	21.70
			75	0	2	21.90	21.50	21.70	21.60	21.60
Band	BW (MHz)	Mode	RB Allocation	RB offset	MPR	Avg Pwr (dBm)				
						39750	40185	40620	41055	41490
						2506 MHz	2549.5 MHz	2593 MHz	2636.5 MHz	2680 MHz
LTE Band 41	20	QPSK	1	0	0	24.20	23.90	23.90	24.00	23.80
			1	49	0	23.80	23.40	23.40	23.50	23.40
			1	99	0	24.20	23.90	23.80	24.00	23.80
			50	0	1	23.00	22.70	22.70	22.90	22.70
			50	24	1	22.90	22.60	22.60	22.80	22.60
			50	50	1	23.00	22.70	22.60	22.90	22.70
			100	0	1	22.80	22.70	22.70	22.80	22.70
		16QAM	1	0	1	23.20	22.80	22.80	22.90	22.70
			1	49	1	23.30	22.30	22.40	23.50	22.30
			1	99	1	23.10	22.70	22.80	22.90	22.90
			50	0	2	22.00	21.70	21.60	21.90	21.80
			50	24	2	21.90	21.60	21.70	21.80	21.70
			50	50	2	22.00	21.60	21.60	21.80	21.70
			100	0	2	21.80	21.60	21.60	21.60	21.70

9. PEAK TO AVERAGE RATIO

TEST PROCEDURE


Per KDB 971168 D01 Power Meas License Digital Systems v02r02

TEST SPEC


In addition, when the transmitter power is measured in terms of average value, the peak-to-average ratio of the power shall not exceed 13 dB.

9.1. CONDUCTED PEAK TO AVERAGE RESULT


GSM




WCDMA




LTE Band 4




LTE B4 1.4MHz QPSK Middle Channel




LTE B4 1.4MHz 16QAM Middle Channel




LTE B4 3MHz QPSK Middle Channel




LTE B4 3MHz 16QAM Middle Channel




LTE B4 5MHz QPSK Middle Channel




LTE B4 5MHz 16QAM Middle Channel




LTE B4 10MHz QPSK Middle Channel




LTE B4 10MHz 16QAM Middle Channel




LTE B4 15MHz QPSK Middle Channel



LTE B4 15MHz 16QAM Middle Channel




LTE B4 20MHz QPSK Middle Channel




LTE B4 20MHz 16QAM Middle Channel


LTE Band 5




LTE Band 7




LTE B7 5MHz QPSK Middle Channel




LTE B7 5MHz 16QAM Middle Channel




LTE B7 10MHz QPSK Middle Channel




LTE B7 10MHz 16QAM Middle Channel




LTE B7 15MHz QPSK Middle Channel



LTE B7 15MHz 16QAM Middle Channel




LTE B7 20MHz QPSK Middle Channel




LTE B7 20MHz 16QAM Middle Channel


LTE Band 12




LTE B12 1.4MHz QPSK Middle Channel




LTE B12 1.4MHz 16QAM Middle Channel




LTE B12 3MHz QPSK Middle Channel




LTE B12 3MHz 16QAM Middle Channel




LTE B12 5MHz QPSK Middle Channel



LTE B12 5MHz 16QAM Middle Channel




LTE B12 10MHz QPSK Middle Channel




LTE B12 10MHz 16QAM Middle Channel


LTE Band 13




LTE Band 17




LTE Band 41




LTE B41 5MHz QPSK Middle Channel




LTE B41 5MHz 16QAM Middle Channel




LTE B41 10MHz QPSK Middle Channel




LTE B41 10MHz 16QAM Middle Channel



LTE B41 15MHz QPSK Middle Channel



LTE B41 15MHz 16QAM Middle Channel



10. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

IC: RSS-132, 4.5; RSS-133, 6.5

LIMITS

For reporting purposes only

TEST PROCEDURE


The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the low, middle and high channel in each band. The -26dB bandwidth was also measured and recorded.

(KDB 971168 D01 Power Meas License Digital Systems v02r02)


10.1. OCCUPIED BANDWIDTH RESULTS AND PLOTS

GSM


Band	Mode	Channel	f (MHz)	99% BW (kHz)	-26dB (kHz)
GSM850	GPRS	128	824.2	242	311.5
		190	836.6	243.4	321
		251	848.8	245.2	320.1
	EGPRS	128	824.2	240	302.3
		190	836.6	233.1	296.8
		251	848.8	238	304.8
GSM1900	GPRS	512	1850.2	246	315.1
		661	1880	242.2	312.4
		810	1909.8	246.2	314.3
	EGPRS	512	1850.2	244.4	309.1
		661	1880	242.9	306.8
		810	1909.8	248.8	315.5




GSM850 GPRS Middle Channel



GSM850 EGPRS Middle Channel




GSM1900 GPRS Middle Channel



GSM1900 EGPRS Middle Channel


WCDMA

Band	Mode	Channel	f (MHz)	99% BW (MHz)	-26dB (MHz)
Band 5	REL99	4132	826.4	4.132	4.687
		4183	836.6	4.119	4.691
		4233	846.6	4.135	4.71
	HSDPA	4132	826.4	4.129	4.678
		4183	836.6	4.124	4.69
		4233	846.6	4.137	4.702




LTE Band 4


BW(MHz)	Mode	RB/RB Size	f (MHz)	99% BW (MHz)	-26dB BW (MHz)
1.4	QPSK	6/0	1710.7	1.09	1.24
		6/0	1732.5	1.08	1.24
		6/0	1754.3	1.08	1.24
	16QAM	6/0	1710.7	1.09	1.25
		6/0	1732.5	1.08	1.24
		6/0	1754.3	1.08	1.24
3	QPSK	15/0	1711.5	2.7	2.98
		15/0	1732.5	2.7	3.03
		15/0	1753.5	2.7	3
	16QAM	15/0	1711.5	2.7	3.02
		15/0	1732.5	2.7	3
		15/0	1753.5	2.7	3.01
5	QPSK	25/0	1712.5	4.49	4.98
		25/0	1732.5	4.48	4.92
		25/0	1752.5	4.5	4.95
	16QAM	25/0	1712.5	4.49	4.94
		25/0	1732.5	4.48	4.93
		25/0	1752.5	4.5	4.96
10	QPSK	50/0	1715	8.96	9.77
		50/0	1732.5	8.97	9.8
		50/0	1750	8.95	9.76
	16QAM	50/0	1715	8.98	9.79
		50/0	1732.5	8.96	9.8
		50/0	1750	8.97	9.75
15	QPSK	75/0	1717.5	13.45	14.76
		75/0	1732.5	13.44	14.6
		75/0	1747.5	13.46	14.64
	16QAM	75/0	1717.5	13.46	14.57
		75/0	1732.5	13.44	14.67
		75/0	1747.5	13.45	14.55
20	QPSK	100/0	1720	17.92	19.33
		100/0	1732.5	17.9	19.32
		100/0	1745	17.9	19.57
	16QAM	100/0	1720	17.92	19.41
		100/0	1732.5	17.92	19.37
		100/0	1745	17.92	19.5




LTE B4 1.4MHz QPSK Middle Channel




LTE B4 1.4MHz 16QAM Middle Channel




LTE B4 3MHz QPSK Middle Channel




LTE B4 3MHz 16QAM Middle Channel




LTE B4 5MHz QPSK Middle Channel




LTE B4 5MHz 16QAM Middle Channel




LTE B4 10MHz QPSK Middle Channel




LTE B4 10MHz 16QAM Middle Channel




LTE B4 15MHz QPSK Middle Channel



LTE B4 15MHz 16QAM Middle Channel



LTE B4 20MHz QPSK Middle Channel



LTE B4 20MHz 16QAM Middle Channel