

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART C & SUBPART L REQUIREMENT

	OF
Product Name:	Mobile Phone
Brand Name:	Sony
Type No.:	PM-0852-BV
Model Difference:	N/A
FCC ID:	PY7-PM0852
Report No.:	ER/2014/B0016
Issue Date:	Jan. 19, 2015
FCC Rule Part:	2 , 22H & 24E & 27C & L
Prepared for:	Sony Mobile Communications AB
	Nya Vattentornet 22188 Lund/Sweden
Prepared by:	SGS Taiwan Ltd.
	Electronics & Communication Laboratory
	No.134, Wu Kung Road, New Taipei Industrial
	Park, Wuku District, New Taipei City, Taiwan
	24803

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u>. At the time of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 2 of 984

VERIFICATION OF COMPLIANCE

Applicant:	Sony Mobile Communications AB Nya Vattentornet 22188 Lund/Sweden
Product Name:	Mobile Phone
Brand Name:	Sony
Type No.:	PM-0852-BV
Model Difference:	N/A
FCC ID:	PY7-PM0852
File Number:	ER/2014/B0016
Date of test:	Nov. 06, 2014 ~ Nov. 28, 2014
Date of EUT Received:	Nov. 06, 2014

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rule PART 22 subpart H, PART 24 subpart E, PART 27 subpart C.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Marcus Tseng	Date:	Jan. 19, 2015	
Prepared By:	Marcus Tseng/Engineer Uroletta Tang	Date:	Jan. 19, 2015	
Approved By:	Violetta Tang / Clerk Time Chang	Date:	Jan. 19, 2015	

Jim Chang / Supervisor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

時非另有説明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90.tto a根告未經本公司書面許可,不可能份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Revision History

Report Number	Revision	Description	Issue Date
ER/2014/B0016	Rev.00	Initial creation of document	Dec. 10, 2014
ER/2014/B0016	Rev.01	Updated HW, SW, and internal photo	Jan. 19, 2015
ER/2014/B0016	Rev.02	Added LTE band 13 test result	Jan. 19, 2015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any the protective at the transaction from exercising all their rights and obligations under the transaction documents is unavity and offenders may be protected to the fulle at vertent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Table of Contents

1.	GEN	ERAL PRODUCT INFORMATION	6
	1.1.	Product Description	6
	1.2.	Related Submittal(s) / Grant (s)	
	1.3.	Test Methodology	
	1.4.	Test Facility	
	1.5.	Special Accessories	
	1.6.	Equipment Modifications	
2.	SYS	TEM TEST CONFIGURATION	
	2.1.	EUT Configuration	19
	2.2.	EUT Exercise	19
	2.3.	Test Procedure	19
	2.4.	Measurement Equipment Used:	20
	2.5.	Configuration of Tested System	22
3.	SUN	IMARY OF TEST RESULTS	
4.	DES	CRIPTION OF TEST MODES	
5.	ME	ASUREMENT UNCERTAINTY	
6.	RF I	POWER OUTPUT MEASUREMENT	
	6.1.	Standard Applicable:	
	6.2.	Test Set-up:	
	6.3.	Measurement Procedure:	
	6.4.	Measurement Equipment Used:	
	6.5.	Measurement Result:	
7.	ERP	P, EIRP MEASUREMENT	
	7.1.	Standard Applicable:	76
	7.2.	Test SET-UP (Block Diagram of Configuration):	76
	7.3.	Measurement Procedure:	
	7.4.	Measurement Equipment Used:	79
	7.5.	Measurement Result: (Peak) -using option of peak measurement	
8.	OCO	CUPIED BANDWIDTH MEASUREMENT	
	8.1.	Standard Applicable:	141
	8.2.	Test Set-up:	141
	8.3.	Measurement Procedure:	141
	8.4.	Measurement Equipment Used:	141
	8.5.	Measurement Result:	141



FCC ID: PY7-PM0852

9.	OUT	OF BAND EMISSION AT ANTENNA TERMINALS	
	9.1.	Standard Applicable:	
	9.2.	Test SET-UP:	
	9.3.	Measurement Procedure:	
	9.4.	Measurement Equipment Used:	
	9.5.	Measurement Result:	
10.	FIEL	D STRENGTH OF SPURIOUS RADIATION MEASUREMENT	
	10.1.	Standard Applicable:	
	10.2.	EUT Setup (Block Diagram of Configuration):	693
	10.3.	Measurement Procedure:	694
	10.4.	Measurement Equipment Used:	694
	10.5.	Measurement Result:	694
11.	FRE	QUENCY STABILITY V.S. TEMPERATURE MEASUREMENT	
	11.1.	Standard Applicable:	
	11.2.	Test Set-up:	767
	11.3.	Measurement Procedure:	768
	11.4.	Measurement Equipment Used:	768
	11.5.	Measurement Result:	769
12.	FRE	QUENCY STABILITY V.S. VOLTAGE MEASUREMENT	
	12.1.	Standard Applicable:	
	12.2.	Test Set-up:	
	12.3.	Measurement Procedure:	
	12.4.	Measurement Equipment Used:	
	12.5.	Measurement Result:	
13.	PEA	K TO AVERAGE RATIO	
	13.1.	Standard Applicable:	
	13.2.	Test SET-UP (Block Diagram of Configuration):	
	13.3.	Measurement Procedure:	
	13.4.	Measurement Equipment Used:	
	13.5.	Measurement Result:	
ME	ASUR	EMENT PLOT OF RADIATED SPURIOUS EMISSION	



1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Mobile Phone		
Brand Name:	Sony		
Type No.:	PM-0852-	BV	
Model Difference:	N/A		
Data Cable (USB):		: EC450, Supplier: K-one AI-0700, Length: 100 cm	
Simple Hands-Free (SHF-White):	Model No.: MH410c, Supplier: Foster Electric Type No.: AG-1100		
Car Charger:	Model No.: AN400, Supplier: Salcomp Type No.: CAA-0003013		
BT PHF:	Model No.: SBH20, Supplier: Sony Type No.: RD-0010 coupling with Simple Hands Free (Model No.: MH755, Supplier: BALDA, Type No.: AG-0503)		
Hardware Version:	А		
Software Version:	25.0.A.0.3	3	
	3.8Vdc		
Power Supply:	Battery:	Model No.: LIS1546ERPC, Supplier: Sony Type No.: N/A	
	Adapter:	Model No.: EP800, Supplier: Salcomp Type No.: CAA-0002016-US	



Bluetooth_BR+EDR:

Bluetooth Version:	V4.1 dual mode + HS	
Channel number:	79 channels	
Modulation type:	Frequency Hopping Spread Spectrum	
Transmit Power:	5.38dBm	
Frequency Range:	2.402GHz – 2.480GHz	
Dwell Time:	<= 0.4s	
Antenna Designation:	PIFA Antenna, Gain: 2.52dBi	

Bluetooth Low Energy:

Frequency Range:	2402 – 2480MHz
Bluetooth Version:	V4.1 dual mode + HS
Channel number:	40 channels
Modulation type:	GFSK
Transmit Power:	-1.49dBm (Peak)
Antenna Designation:	PIFA Antenna, Gain: 2.52dBi

WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology	
11b/g	2412-2462	11	b: 18.87dBm g: 22.66dBm	DSSS, OFDM	
11n	HT20 2412-2462	11	HT20: 21.09dBm	OFDM	
11n	HT40 2422-2452	7	HT40: 22.22dBm	OFDM	
Antenna Des	Antenna Designation:		PIFA Antenna, Gain: 2.52dBi		
Modulation	Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM		
Transition Rate:		802.11 b: 1/2/5.5/11 Mbps; 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps 802.11 n_40MHz: 13.5 –135Mbps			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised are produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Avg. Power	Modulation Technology	
	5150~5250	4	13.96dBm		
11a	5250~5350	4	13.99dBm	OFDM	
11a	5470~5725	8	13.96dBm	OT DIVI	
	5725-5850	5	13.79dBm		
	HT20 5150~5250	4	HT20: 12.99dBm		
11.	HT20 5250~5350	4	HT20: 12.95dBm	OEDM	
11n	HT20 5470~5725	8	HT20: 12.99dBm	OFDM	
	HT20 5725-5850	5	HT20: 12.79dBm		
	HT40 5150~5250	2	HT40: 11.95dBm		
11n	HT40 5250~5350	2	HT40: 11.93dBm	OFDM	
1111	HT40 5470~5725	3	HT40: 11.96dBm	OFDM	
	HT40 5725-5850	2	HT40: 11.98dBm		
Antenna Designation	PIFA Antenna, 5GHz Gain: -0.54dBi (5150MHz-5250MHz) 5GHz Gain: -0.89dBi (5250MHz-5350MHz) 5GHz Gain: -0.34dBi (5470MHz-5725MHz) 5GHz Gain: -0.19dBi (5725MHz-5850MHz)				
Modulation type	64QAM, 16QAM, QPSK, BPSK for OFDM				
Transition Rate:	802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 - 65.0Mbps 802.11 n_40MHz: 13.5 - 135.0Mbps				



GSM / WCDMA/ LTE:

	Operating Frequency		Rated Power
	GSM/GPRS 850, Class 12	824.2 MHz- 848.8 MHz	33dBm
	EDGE 850, Class 12	824.2 MHz- 848.8 MHz	27dBm
	GSM/GPRS 1900, Class 12	1850.2MHz – 1909.8MHz	30dBm
	EDGE 1900, Class 12	1850.2MHz – 1909.8MHz	26dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band II	1852.4MHz – 1907.6MHz	24dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band IV	1712.4MHz - 1752.6MHz	24dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band V	826.4MHz - 846.6MHz	24dBm
	1.4MHz BW LTE-Band 2	1850MHz-1909.3MHz	23dBm
	3MHz BW LTE-Band 2	1851.5MHz – 1908.5MHz	23dBm
Cellular Phone	5MHz BW LTE-Band 2	1852.5MHz – 1907.5MHz	23dBm
Standards Frequency	10MHz BW LTE-Band 2	1855MHz – 1905MHz	23dBm
Range and Power	15MHz BW LTE-Band 2	1857.5MHz – 1902.5MHz	23dBm
	20MHz BW LTE-Band 2	1860MHz – 1900MHz	23dBm
	1.4MHz BW LTE-Band 4	1710.7MHz-1754.3MHz	23dBm
	3MHz BW LTE-Band 4	1711.5MHz – 1753.5MHz	23dBm
	5MHz BW LTE-Band 4	1712.5MHz – 1752.5MHz	23dBm
	10MHz BW LTE-Band 4	1715MHz – 1750MHz	23dBm
	15MHz BW LTE-Band 4	1717.5MHz – 1747.5MHz	23dBm
	20MHz BW LTE-Band 4	1720MHz – 1745MHz	23dBm
	5MHz BW LTE-Band 5	2502.5MHz – 2567.5MHz	23dBm
	10MHz BW LTE-Band 5	2505.0MHz - 2565.0MHz	23dBm
	15MHz BW LTE-Band 5	2507.5MHz – 2562.5MHz	23dBm
	20MHz BW LTE-Band 5	2510.0MHz – 2560MHz	23dBm



	Operating Frequency	Rated Power	
	5MHz BW LTE-Band 7	2502.5MHz – 2567.5MHz	23dBm
	10MHz BW LTE-Band 7	2505.0MHz – 2565.0MHz	23dBm
	15MHz BW LTE-Band 7	2507.5MHz – 2562.5MHz	23dBm
	20MHz BW LTE-Band 7	2510.0MHz – 2560MHz	23dBm
Cellular Phone	1.4MHz BW LTE-Band 12	LTE-Band 12 699.7MHz-715.3MHz	
Standards Frequency Range and Power	3MHz BW LTE-Band 12	700.5MHz – 714.5MHz	23dBm
	5MHz BW LTE-Band 12	701.5MHz – 713.5MHz	23dBm
	10MHz BW LTE-Band 12	704.0MHz – 711.0MHz	23dBm
	5MHz BW LTE-Band 13	779.5MHz – 784.5MHz	23 dBm
	10MHz BW LTE-Band 13	782MHz - 782MHz	23 dBm
	5MHz BW LTE-Band 17	706.5MHz – 713.5MHz	23dBm
	10MHz BW LTE-Band 17	709.0MHz -711.0MHz	23dBm



FCC ID: PY7-PM0852

	1
	GSM 850: 252KGXW, GSM 1900: 249KGXW
	GPRS 850: 248KGXW, GPRS 1900: 248KGXW
	EDGE 850: 259KG7W, EDGE 1900: 254KG7W
	WCDMA Band II: 4M23F9W, WCDMA Band IV: 4M22F9W,
	WCDMA Band V: 4M24F9W
	HSDPA Band II: 4M21F9W, HSDPA Band IV: 4M21F9W,
	HSDPA Band V: 4M23F9W
	HSUPA Band II: 4M21F9W, HSUPA Band IV: 4M23F9W,
	HSUPA Band V: 4M23F9W
	1.4MHz BW LTE-Band 2 QPSK:1M10G7D
	1.4MHz BW LTE-Band 2 16QAM: 1M09D7W
	3MHz BW LTE-Band 2 QPSK: 2M71G7D
	3MHz BW LTE-Band 2 16QAM: 2M70D7W
	5MHz BW LTE-Band 2 QPSK: 4M54G7D
	5MHz BW LTE-Band 2 16QAM: 4M53D7W
The of Factorian	10MHz BW LTE-Band 2 QPSK: 8M98G7D
Type of Emission:	10MHz BW LTE-Band 2 16QAM: 8M98D7W
	15MHz BW LTE-Band 2 QPSK: 13M49G7D
	15MHz BW LTE-Band 2 16QAM: 13M54D7W
	20MHz BW LTE-Band 2 QPSK: 18M04G7D
	20MHz BW LTE-Band 2 16QAM: 18M00D7W
	1.4MHz BW LTE-Band 4 QPSK:1M10G7D
	1.4MHz BW LTE-Band 4 16QAM: 1M10D7W
	3MHz BW LTE-Band 4 QPSK: 2M72G7D
	3MHz BW LTE-Band 4 16QAM: 2M71D7W
	5MHz BW LTE-Band 4 QPSK: 4M52G7D
	5MHz BW LTE-Band 4 16QAM: 4M52D7W
	10MHz BW LTE-Band 4 QPSK: 8M98G7D
	10MHz BW LTE-Band 4 16QAM: 8M98D7W
	15MHz BW LTE-Band 4 QPSK: 13M50G7D
	15MHz BW LTE-Band 4 16QAM: 13M52D7W
	20MHz BW LTE-Band 4 QPSK: 17M99D7W
	20MHz BW LTE-Band 4 16QAM: 18M00D7W



FCC ID: PY7-PM0852

Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 12 of 984

Type of Emission:	 SMHz BW LTE-Band 5 QPSK: 1M10G7D SMHz BW LTE-Band 5 16QAM: 1M10D7W 10MHz BW LTE-Band 5 16QAM: 2M70D7W 15MHz BW LTE-Band 5 16QAM: 2M70D7W 15MHz BW LTE-Band 5 16QAM: 4M53D7W 20MHz BW LTE-Band 5 16QAM: 4M53D7W 20MHz BW LTE-Band 5 16QAM: 4M53D7W 20MHz BW LTE-Band 5 16QAM: 9M06D7W SMHz BW LTE-Band 7 QPSK: 4M53G7D SMHz BW LTE-Band 7 16QAM: 4M54D7W 10MHz BW LTE-Band 7 QPSK: 9M00G7D 10MHz BW LTE-Band 7 16QAM: 4M54D7W 10MHz BW LTE-Band 7 16QAM: 4M54D7W 10MHz BW LTE-Band 7 QPSK: 9M00G7D 10MHz BW LTE-Band 7 QPSK: 13M49G7D 15MHz BW LTE-Band 7 QPSK: 13M49G7D 15MHz BW LTE-Band 7 QPSK: 13M49G7D 15MHz BW LTE-Band 7 16QAM: 13M52D7W 20MHz BW LTE-Band 7 16QAM: 17M96D7W 20MHz BW LTE-Band 12 QPSK: 1110G7D 1.4MHz BW LTE-Band 12 QPSK: 2M71G7D 3MHz BW LTE-Band 12 QPSK: 2M70D7W 5MHz BW LTE-Band 12 QPSK: 9M05G7D 10MHz BW LTE-Band 12 QPSK: 9M05D7W 5MHz BW LTE-Band 13 QPSK: 4M54G7D 5MHz BW LTE-Band 13 QPSK: 4M54D7W 10MHz BW LTE-Band 13 QPSK: 8M97G7D 10MHz BW LTE-Band 13 QPSK: 8M97G7D 10MHz BW LTE-Band 17 16QAM: 8M96D7W
-------------------	--

This test report applies for 850 /1900 GSM/GPRS/EDGE, WCDMA / HSDPA / HSUPA Band II/IV /V and LTE Band 2, Band 4, Band 5, Band 7, Band 12, Band 13 and Band 17. The spread of uplink in HSPA+ supports only up to 42.2 Mbps.



HSUPA B4

HSUPA B5

HSDPA B2

HSDPA B4

HSDPA B5

Test Mode DC voltage (V) DC current (mA) **GSM 850** 3.8 358 **GSM 1900** 3.8 346 **GPRS 850** 339 3.8 **GPRS 1900** 3.8 279 3.8 208 **EDGE 850 EDGE 1900** 3.8 222 WCDMA B2 3.8 690 WCDMA B4 3.8 642 WCDMA B5 3.8 574 HSUPA B2 3.8 622

3.8

3.8

3.8

3.8

3.8

Final Amplifier Voltage and Current Information:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

577

512

602

574

511



Test Mode	DC voltage (V)	DC current (mA)
LTE Band 2_1.4M QPSK	3.8	834
LTE Band 2_1.4M 16QAM	3.8	736
LTE Band 2_3M QPSK	3.8	833
LTE Band 2_3M 16QAM	3.8	731
LTE Band 2_5M QPSK	3.8	831
LTE Band 2_5M 16QAM	3.8	730
LTE Band 2_10M QPSK	3.8	832
LTE Band 2_10M 16QAM	3.8	726
LTE Band 2_15M QPSK	3.8	840
LTE Band 2_15M 16QAM	3.8	741
LTE Band 2_20M QPSK	3.8	838
LTE Band 2_20M 16QAM	3.8	740



Test Mode	DC voltage (V)	DC current (mA)
LTE Band 4_1.4M QPSK	3.8	839
LTE Band 4_1.4M 16QAM	3.8	755
LTE Band 4_3M QPSK	3.8	836
LTE Band 4_3M 16QAM	3.8	748
LTE Band 4_5M QPSK	3.8	821
LTE Band 4_5M 16QAM	3.8	751
LTE Band 4_10M QPSK	3.8	825
LTE Band 4_10M 16QAM	3.8	744
LTE Band 4_15M QPSK	3.8	822
LTE Band 4_15M 16QAM	3.8	735
LTE Band 4_20M QPSK	3.8	823
LTE Band 4_20M 16QAM	3.8	739

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 5_1.4M QPSK	3.8	725
LTE Band 5_1.4M 16QAM	3.8	679
LTE Band 5_3M QPSK	3.8	727
LTE Band 5_3M 16QAM	3.8	684
LTE Band 5_5M QPSK	3.8	735
LTE Band 5_5M 16QAM	3.8	685
LTE Band 5_10M QPSK	3.8	799
LTE Band 5_10M 16QAM	3.8	742



Test Mode	DC voltage (V)	DC current (mA)		
LTE Band 7_5M QPSK	3.8	732		
LTE Band 7_5M 16QAM	3.8	685		
LTE Band 7_10M QPSK	3.8	730		
LTE Band 7_10M 16QAM	3.8	682		
LTE Band 7_15M QPSK	3.8	735		
LTE Band 7_15M 16QAM	3.8	690		
LTE Band 7_20M QPSK	3.8	733		
LTE Band 7_20M 16QAM	3.8	692		

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 12_1.4M QPSK	3.8	852
LTE Band 12_1.4M 16QAM	3.8	741
LTE Band 12_3M QPSK	3.8	855
LTE Band 12_3M 16QAM	3.8	735
LTE Band 12_5M QPSK	3.8	844
LTE Band 12_5M 16QAM	3.8	726
LTE Band 12_10M QPSK	3.8	835
LTE Band 12_10M 16QAM	3.8	721



Test Mode	DC voltage (V)	DC current (mA)
LTE Band 13_5M QPSK	3.8	825
LTE Band 13_5M 16QAM	3.8	741
LTE Band 13_10M QPSK	3.8	833
LTE Band 13_10M 16QAM	3.8	734

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 17_5M QPSK	3.8	819
LTE Band 17_5M 16QAM	3.8	762
LTE Band 17_10M QPSK	3.8	822
LTE Band 17_10M 16QAM	3.8	755



1.2. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for **FCC ID:** <u>**PY7-PM0852**</u> filing to comply with Section Part 22 subpart H, Part 24 subpart E and Part27 subpart C & subpart L of the FCC CFR 47 Rules.

1.3. Test Methodology

Both conducted and radiated testing were performed according to the procedures document of TIA/EIA 603C and FCC CFR 47 2.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055 and 2.1057.

TS 151 010-1 is used to set, and measure the output power.

The Output power Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, WCDMA / HSPA) was used for EUT and Base station setting.

KDB971168 D01 Power Meas license Digital System v01 as the supplemental guideline to conduct the measurement, including Peak to Power Average Ratio, Average Power over the fundamental signal BW (EIRP/ERP) and Signal Bandwidth.

1.4. Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2009 & ANSI C63.10: 2009. FCC Registration Numbers are: 990257, Canada Registration Number: 4620A-4.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 455997.

1.5. Special Accessories

No special accessories were used during testing.

1.6. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port:

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP):

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13 of ANSI C63.4:2009 & ANSI C63.10:2009.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2.4. Measurement Equipment Used:

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
ТҮРЕ		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	01/13/2014	01/12/2015
Power Sensor	Anritsu	MA2411B	917032	01/13/2014	01/12/2015
Spectrum Analyzer	Agilent	E4446A	MY51100003	05/19/2014	05/18/2015
Spectrum Analyzer	Agilent	E4440A	US41160416	03/08/2014	03/07/2015
Radio Communication Analyzer	R & S	CMU200	116097	03/11/2014	03/10/2015
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	10/08/2014	10/09/2015
Temperature Chamber	TERCHY	MHG-120LF	911009	05/07/2014	05/06/2015
DC Block	Mini-Circuits	BLK-18-S+	1	02/27/2014	02/26/2015
Attenuator	Mini-Circuit	BW-S10W2+	002	02/27/2014	02/26/2015
Splitter	Agilent	11636B	N/A	02/27/2014	02/26/2015
DC Power Supply	Agilent	E3640A	MY52410006	11/10/2014	11/09/2015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any the protective at the transaction from exercising all their rights and obligations under the transaction documents is unavity and offenders may be protected to the fulle at vertent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber					
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.
		NUMBER	NUMBER		
Spectrum Analyzer	Agilent	E4446A	MY51100003	05/19/2014	05/18/2015
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	01/20/2014	01/19/2015
Spectrum Analyzer	R&S	FSV-30	101398	10/07/2014	10/06/2015
Bilog Antenna	SCHWAZBECK	VULB9168	378	01/02/2014	01/01/2015
Bilog Antenna	SCHWAZBECK	VULB9160	3158	10/31/2014	10/30/2015
Horn antenna	ETS.LINDGREN	3117	123995	05/19/2014	05/18/2015
Horn antenna	ETS.LINDGREN	3117	123991	01/20/2014	01/19/2015
Horn Antenna	Schwarzbeck	BBHA9170	184	01/23/2014	01/22/2015
Horn Antenna	Schwarzbeck	BBHA9170	185	07/29/2014	07/28/2015
Network Analyze	Anritsu	MS4644A	1216312	05/24/2014	05/23/2015
Signal Generator	Agilent	E4438C	MY45093613	08/06/2014	08/05/2015
Pre-Amplifier	Agilent	8447D	1937A02834	01/03/2014	01/02/2015
Pre-Amplifier	Agilent	8449B	3008A00578	01/03/2014	01/02/2015
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/24/2014	01/23/2015
Attenuator	Mini-Circuit	BW-S10W2+	004	02/27/2014	02/26/2015
Radio Communication Analyzer	R & S	CMU200	116097	03/11/2014	03/10/2015
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	10/08/2014	10/09/2015
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R
Controller	HD	HD100	N/A	N.C.R	N.C.R
Low Loss Cable	HUBER+SUHNER	966_Tx	10m	01/03/2014	01/02/2015
Low Loss Cable	HUBER+SUHNER	966_Rx	3m	01/03/2014	01/02/2015
Filter 800-1000	Micro-Tronics	EWT	M2	02/27/2014	02/26/2015
Filter 1800-2000	Micro-Tronics	EWT	M2	02/27/2014	02/26/2015
Filter 1700-1800	Micro-Tronics	BRC15751	001	02/27/2014	02/26/2015
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	02/27/2014	02/26/2015
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	02/27/2014	02/26/2015
3m Site NSA	SGS	966 chamber	N/A	07/15/2014	07/14/2015

Note: N.C.R refers to Not Calibrated Required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any the protective at the transaction from exercising all their rights and obligations under the transaction documents is unavity and offenders may be protected to the fulle at vertent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Configuration of Tested System 2.5.







Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)



Remote Side



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Com- munication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Com- munication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded
3.	DC Power Supply	HP	E3640A	KR93300208	shielded	Un-shielded



3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a)		
§22.913(a)(2)		
§24.232(c)		
§27.50(c)(2)		
§27.50(c)(9)	ERP/ EIRP measurement	Compliant
§27.50(c)(10)		
§27.50(d)(2)		
§27.50(d)(4)		
§27.50(h)(2)		
§2.1049(h)	99% Occupied Bandwidth	Compliant
§2.1051		
§22.917(a)		
§24.238(a)		
§27.53(g)	Out of Band Emissions at Antenna	Compliant
§27.53(c)(2), (4)	Terminals and Band Edge	Compitant
§27.50(c)(5)		
§27.53(h)		
§27.53(m)(4)(6)		
§2.1053		
§22.917(a)		
§24.238(a)		
\$27.53(c)(2),(4)	Field Strength of	Compliant
§27.50(c)(5)	Spurious Radiation	Compliant
§27.53(g)		
§27.53(h)		
§27.53(m)(4)		
§24.232(d)		
§27.53(d) (5)	Peak to Average Ratio	Compliant
§27.50(i) (B)		
§27.53(f)	Spurious emission in	Compliant
	1559 -1610MHz Band	Compliant
§2.1055(a)(1)		
§22.355	Frequency Stability vs.	Compliant
§24.235	Temperature	Compliant
§27.54		
§2.1055(d)(1)		
§22.355	Frequency Stability vs.	Compliant
§24.235	Voltage	Compliant
§27.54		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Max ERP/EIRP measurement result:

	dBm		W
GSM 850 Band	26.98	ERP	0.499
GSM 1900 Band	28.27	EIRP	0.671
GPRS 850 Band	26.05	ERP	0.403
GPRS 1900 Band	27.83	EIRP	0.607
EDGE 850 Band	25.34	ERP	0.342
EDGE 1900 Band	27.22	EIRP	0.527
WCDMA Band II	23.85	EIRP	1.000
WCDMA Band IV	25.22	EIRP	0.277
WCDMA Band V	21.44	ERP	0.052
HSDPA Band II	23.68	EIRP	0.149
HSDPA Band IV	24.89	EIRP	0.258
HSDPA Band V	21.23	ERP	0.046
HSUPA Band II	23.48	EIRP	0.142
HSUPA Band IV	24.51	EIRP	0.245
HSUPA Band V	20.89	ERP	0.037

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any the protective at the transaction from exercising all their rights and obligations under the transaction documents is unavity and offenders may be protected to the fulle at vertent of the law.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



	dBm		W
LTE Band 2/1.4MMz /QPSK RB 1 Offset 0	28.49	EIRP	0.706
LTE Band 2/1.4MMz /QPSK RB 1 Offset 5	28.58	EIRP	0.721
LTE Band 2/1.4MMz /16QAM RB 1 Offset 0	28.63	EIRP	0.729
LTE Band 2/1.4MMz /16QAM RB 1 Offset 5	28.82	EIRP	0.762
LTE Band 2/3MMz /QPSK RB 1 Offset 0	28.31	EIRP	0.678
LTE Band 2/3MMz /QPSK RB 1 Offset 14	28.38	EIRP	0.689
LTE Band 2/3MMz /16QAM RB 1 Offset 0	28.43	EIRP	0.697
LTE Band 2/3MMz /16QAM RB 1 Offset 14	28.62	EIRP	0.728
LTE Band 2/5MMz /QPSK RB 1 Offset 0	28.10	EIRP	0.646
LTE Band 2/5MMz /QPSK RB 1 Offset 24	28.24	EIRP	0.667
LTE Band 2/5MMz /16QAM RB 1 Offset 0	28.24	EIRP	0.667
LTE Band 2/5MMz /16QAM RB 1 Offset 24	28.46	EIRP	0.701
LTE Band 2/10MMz /QPSK RB 1 Offset 0	28.27	EIRP	0.671
LTE Band 2/10MMz /QPSK RB 1 Offset 49	28.40	EIRP	0.692
LTE Band 2/10MMz /16QAM RB 1 Offset 0	28.69	EIRP	0.740
LTE Band 2/10MMz /16QAM RB 1 Offset 49	28.40	EIRP	0.692
LTE Band 2/15MMz /QPSK RB 1 Offset 0	28.64	EIRP	0.731
LTE Band 2/15MMz /QPSK RB 1 Offset 74	27.84	EIRP	0.608
LTE Band 2/15MMz /16QAM RB 1 Offset 0	28.80	EIRP	0.759
LTE Band 2/15MMz /16QAM RB 1 Offset 74	28.15	EIRP	0.653
LTE Band 2/20MMz /QPSK RB 1 Offset 0	28.45	EIRP	0.700
LTE Band 2/20MMz /QPSK RB 1 Offset 99	28.34	EIRP	0.682
LTE Band 2/20MMz /16QAM RB 1 Offset 0	28.62	EIRP	0.728
LTE Band 2/20MMz /16QAM RB 1 Offset 99	28.61	EIRP	0.726



	1D		XX /
	dBm	_	W
LTE Band 4/1.4MMz /QPSK RB 1 Offset 0	25.19	EIRP	0.330
LTE Band 4/1.4MMz /QPSK RB 1 Offset 5	25.27	EIRP	0.337
LTE Band 4/1.4MMz /16QAM RB 1 Offset 0	25.28	EIRP	0.337
LTE Band 4/1.4MMz /16QAM RB 1 Offset 5	25.35	EIRP	0.343
LTE Band 4/3MMz /QPSK RB 1 Offset 0	25.20	EIRP	0.331
LTE Band 4/3MMz /QPSK RB 1 Offset 14	25.29	EIRP	0.338
LTE Band 4/3MMz /16QAM RB 1 Offset 0	25.39	EIRP	0.346
LTE Band 4/3MMz /16QAM RB 1 Offset 14	25.41	EIRP	0.348
LTE Band 4/5MMz /QPSK RB 1 Offset 0	25.61	EIRP	0.364
LTE Band 4/5MMz /QPSK RB 1 Offset 24	24.67	EIRP	0.293
LTE Band 4/5MMz /16QAM RB 1 Offset 0	25.88	EIRP	0.387
LTE Band 4/5MMz /16QAM RB 1 Offset 24	24.98	EIRP	0.315
LTE Band 4/10MMz /QPSK RB 1 Offset 0	19.20	EIRP	0.083
LTE Band 4/10MMz /QPSK RB 1 Offset 49	19.65	EIRP	0.092
LTE Band 4/10MMz /16QAM RB 1 Offset 0	20.21	EIRP	0.105
LTE Band 4/10MMz /16QAM RB 1 Offset 49	20.44	EIRP	0.111
LTE Band 4/15MMz /QPSK RB 1 Offset 0	21.32	EIRP	0.136
LTE Band 4/15MMz /QPSK RB 1 Offset 74	22.06	EIRP	0.161
LTE Band 4/15MMz /16QAM RB 1 Offset 0	21.99	EIRP	0.158
LTE Band 4/15MMz /16QAM RB 1 Offset 74	23.22	EIRP	0.210
LTE Band 4/20MMz /QPSK RB 1 Offset 0	20.42	EIRP	0.110
LTE Band 4/20MMz /QPSK RB 1 Offset 99	22.76	EIRP	0.189
LTE Band 4/20MMz /16QAM RB 1 Offset 0	21.12	EIRP	0.129
LTE Band 4/20MMz /16QAM RB 1 Offset 99	23.71	EIRP	0.235

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any the protective at the transaction from exercising all their rights and obligations under the transaction documents is unavity and offenders may be protected to the fulle at vertent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

	dBm		W
LTE Band 5/1.4MMz /QPSK RB 1 Offset 0	24.75	ERP	0.299
LTE Band 5/1.4MMz /QPSK RB 1 Offset 5	24.56	ERP	0.286
LTE Band 5/1.4MMz /16QAM RB 1 Offset 0	25.02	ERP	0.318
LTE Band 5/1.4MMz /16QAM RB 1 Offset 5	25.13	ERP	0.326
LTE Band 5/3MMz /QPSK RB 1 Offset 0	24.47	ERP	0.280
LTE Band 5/3MMz /QPSK RB 1 Offset 14	24.57	ERP	0.286
LTE Band 5/3MMz /16QAM RB 1 Offset 0	24.93	ERP	0.311
LTE Band 5/3MMz /16QAM RB 1 Offset 14	25.21	ERP	0.332
LTE Band 5/5MMz /QPSK RB 1 Offset 0	24.74	ERP	0.298
LTE Band 5/5MMz /QPSK RB 1 Offset 24	24.64	ERP	0.291
LTE Band 5/5MMz /16QAM RB 1 Offset 0	24.99	ERP	0.316
LTE Band 5/5MMz /16QAM RB 1 Offset 24	25.35	ERP	0.343
LTE Band 5/10MMz /QPSK RB 1 Offset 0	25.13	ERP	0.326
LTE Band 5/10MMz /QPSK RB 1 Offset 49	24.47	ERP	0.280
LTE Band 5/10MMz /16QAM RB 1 Offset 0	25.50	ERP	0.355
LTE Band 5/10MMz /16QAM RB 1 Offset 49	25.18	ERP	0.330

	dBm		W
LTE Band 7/5MMz /QPSK RB 1 Offset 0	25.14	EIRP	0.327
LTE Band 7/5MMz /QPSK RB 1 Offset 24	25.73	EIRP	0.374
LTE Band 7/5MMz /16QAM RB 1 Offset 0	26.11	EIRP	0.408
LTE Band 7/5MMz /16QAM RB 1 Offset 24	26.57	EIRP	0.454
LTE Band 7/10MMz /QPSK RB 1 Offset 0	24.67	EIRP	0.293
LTE Band 7/10MMz /QPSK RB 1 Offset 49	25.37	EIRP	0.344
LTE Band 7/10MMz /16QAM RB 1 Offset 0	25.61	EIRP	0.364
LTE Band 7/10MMz /16QAM RB 1 Offset 49	26.50	EIRP	0.447
LTE Band 7/15MMz /QPSK RB 1 Offset 0	25.28	EIRP	0.337
LTE Band 7/15MMz /QPSK RB 1 Offset 74	24.74	EIRP	0.298
LTE Band 7/15MMz /16QAM RB 1 Offset 0	25.73	EIRP	0.374
LTE Band 7/15MMz /16QAM RB 1 Offset 74	25.76	EIRP	0.377
LTE Band 7/20MMz /QPSK RB 1 Offset 0	25.50	EIRP	0.355
LTE Band 7/20MMz /QPSK RB 1 Offset 99	24.81	EIRP	0.303
LTE Band 7/20MMz /16QAM RB 1 Offset 0	26.29	EIRP	0.426
LTE Band 7/20MMz /16QAM RB 1 Offset 99	25.72	EIRP	0.373



FCC ID: PY7-PM0852

	dBm		W
LTE Band 12/1.4MMz /QPSK RB 1 Offset 0	18.06	ERP	0.064
LTE Band 12/1.4MMz /QPSK RB 1 Offset 5	17.97	ERP	0.063
LTE Band 12/1.4MMz /16QAM RB 1 Offset 0	18.32	ERP	0.068
LTE Band 12/1.4MMz /16QAM RB 1 Offset 5	18.19	ERP	0.066
LTE Band 12/3MMz /QPSK RB 1 Offset 0	18.03	ERP	0.064
LTE Band 12/3MMz /QPSK RB 1 Offset 14	17.87	ERP	0.061
LTE Band 12/3MMz /16QAM RB 1 Offset 0	18.36	ERP	0.069
LTE Band 12/3MMz /16QAM RB 1 Offset 14	18.16	ERP	0.065
LTE Band 12/5MMz /QPSK RB 1 Offset 0	18.56	ERP	0.072
LTE Band 12/5MMz /QPSK RB 1 Offset 24	18.20	ERP	0.066
LTE Band 12/5MMz /16QAM RB 1 Offset 0	19.34	ERP	0.086
LTE Band 12/5MMz /16QAM RB 1 Offset 24	18.54	ERP	0.071
LTE Band 12/10MMz /QPSK RB 1 Offset 0	17.67	ERP	0.058
LTE Band 12/10MMz /QPSK RB 1 Offset 49	18.46	ERP	0.070
LTE Band 12/10MMz /16QAM RB 1 Offset 0	18.38	ERP	0.069
LTE Band 12/10MMz /16QAM RB 1 Offset 49	19.27	ERP	0.085

	dBm		W
LTE Band 13/5MMz/QPSK RB 1 Offset 0	22.34	ERP	0.171
LTE Band 13/5MMz /16QAM RB 1 Offset 0	22.88	ERP	0.194
LTE Band 13/5MMz/QPSK RB 1 Offset 24	22.87	ERP	0.194
LTE Band 13/5MMz/16QAM RB 1 Offset 24	23.64	ERP	0.231
LTE Band 13/10MMz/QPSK RB 1 Offset 0	14.41	ERP	0.028
LTE Band 13/10MMz /16QAM RB 1 Offset 0	22.28	ERP	0.169
LTE Band 13/10MMz/QPSK RB 1 Offset 49	21.96	ERP	0.157
LTE Band 13/10MMz/16QAM RB 1 Offset 49	22.72	ERP	0.187

	dBm		W
LTE Band 17/5MMz/QPSK RB 1 Offset 0	18.37	ERP	0.069
LTE Band 17/5MMz/QPSK RB 1 Offset 24	18.52	ERP	0.071
LTE Band 17/5MMz/16QAM RB 1 Offset 0	19.27	ERP	0.085
LTE Band 17/5MMz/16QAM RB 1 Offset 24	19.42	ERP	0.087
LTE Band 17/10MMz /QPSK RB 1 Offset 0	17.58	ERP	0.057
LTE Band 17/10MMz /QPSK RB 1 Offset 49	17.58	ERP	0.057
LTE Band 17/10MMz/16QAM RB 1 Offset 0	18.35	ERP	0.068
LTE Band 17/10MMz/16QAM RB 1 Offset 49	18.36	ERP	0.069



4. DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

EUT was staying in continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing.

The list of channel selected to conduct the measurements

GSM/GPRS/EDGE 850:

Channel Low: AFRCN 128 at 824.2MHz, Channel Mid: AFRCN 190 at 836.6MHz, Channel High: AFRCN 251 at 848.8MHz.

GSM/GPRS/EDGE 1900:

Channel Low: AFRCN 512 at 1850.2MHz, Channel Mid: AFRCN 661 at 1880.0MHz, Channel High AFRCN 810 at 1909.8MHz

WCDMA/HSPA BII:

Channel Low: UAFRCN 9262 at 1852.4MHz, Channel Mid: UAFRCN 9400 at 1880.0MHz, Channel High: UAFRCN 9538 at 1907.6MHz.

WCDMA/HSPA BIV:

Channel Low: UAFRCN 1312 at 1712.4MHz, Channel Mid: UAFRCN 1413 at 1732.6MHz, Channel High: UAFRCN 1513 at 1752.6MHz.

WCDMA/HSPA BV:

Channel Low: UAFRCN 4132 at 826.4MHz, Channel Mid: UAFRCN 4183 at 836.6MHz, Channel High: UAFRCN 4233 at 846.6MHz.

Model no, PM-0850-BV, and Model no PM-0852-BV share the equivalently identical enclosure,

Material of coating, I/O function, PCB board, display, and power source. In addition, PM-0850-BV, and Model no PM-0852-BV implement the same Bluetooth/WLAN chipset/module with the same antenna that operates with the same transmitted power level. Hence, this given test report contains the identical test results that inherent from PM-0850-BV.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[Mhz]
Low	1.4	18607	1850.7
	3	18615	1851.5
	5	18625	1852.5
	10	18650	1855
	15	18675	1857.5
	20	18700	1860
Middle	1.4/3/5/10	18900	1880
	15/20		
High	1.4	19193	1909.3
	3	19185	1908.5
	5	19175	1907.5
	10	19150	1905
	15	19125	1902.5
	20	19100	1900

LTE B4

Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[MHz]
Low	1.4	19957	1710.7
	3	19965	1711.5
	5	19975	1712.5
	10	20000	1715
	15	20025	1717.5
	20	20050	1720
Middle	1.4/3/5/10	20175	1732.5
	15/20		
High	1.4	20393	1754.3
	3	20385	1753.5
	5	20375	1752.5
	10	20350	1750
	15	20325	1747.5
	20	20300	1745



Test Frequency	Bandwidth [MHz]	Channel Number	Frequency of Uplink [Mhz]
Low	1.4	20407	824.7
	3	20415	825.5
	5	20425	826.5
	10	20450	829
Middle	1.4/3/5/10	20525	836.5
High	1.4	20643	848.3
Γ	3	20635	847.5
	5	20625	846.5
	10	20600	844

LTE B7:

Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[MHz]
Low	5	20775	2502.5
	10	20800	2505
	15	20825	2507.5
	20	20850	2510
Middle	5/10	21100	2535
	15/20		
High	5	21425	2567.5
	10	21400	2565
	15	21375	2562.5
	20	21350	2560

LTE B12:

Test Frequency	Bandwidth [MHz]	Channel Number	Frequency of Uplink [Mhz]
Low	1.4	23017	699.7
	3	23025	700.5
	5	23035	701.5
	10	23060	704.0
Middle	1.4/3/5/10	23095	707.5
High	1.4	231.73	715.3
	3	231.65	714.5
	5	23155	713.5
	10	23130	711.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅針測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



LTE B13:

Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[MHz]
Low	5	23205	779.5
	10	23230	782.0
Middle	5/10	23230	782.0
High	5	23255	784.5
	10	23230	782.0

LTE B17:

Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[MHz]
Low	5	23755	706.5
	10	23780	709.0
Middle	5/10	23790	710.0
High	5	23825	713.5
	10	23800	711.0

The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for GSM/GPRS/EDGE, WCDMA/HSPA Band II / IV/ V, and LTE Band 2, Band 4, Band 5, Band 7, Band 12, Band 13 and Band 17 with power adaptor. The worst-case of H position for GSM 850/1900,WCDMA/HSPA Band II/IV/V and LTE Band 5, Band 12, Band 13 and Band 17, E1 position for LTE Band 7 and E2 position for Band 2, Band 4 were reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



The evaluation of Test Mode as configured in UE presented on the Test Report:

GSM/GPRS/WCDMA/HSPA:

Radiated Spurious Emission

The Measurement Data of field strength of spurious emission with respect to supported configuration of given application (Transmission Band, Modulation Scheme, Resource Block) have been pre-scanned, and the result that yields in the highest emission close to the limit are presented on the test report.

GSM, HSPA is the worst-case found in the pre-scanned measurement, and only data that yields the worst case is revealed on the test report.

LTE:

Radiated Spurious Emission

The Measurement Data of field strength of spurious emission with respect to supported configuration of given application (Transmission Band, Modulation Scheme, Resource Block) have been pre-scanned, and the result that yields in the highest emission close to the limit are presented on the test report.

Out of Band Emission at Antenna Terminal, Bandedge and Mask

In comparison among all Out of Band Emission at Antenna Terminal and Bandedge in the variety of combination on LTE Band 2/4/5/7/12/13 and 17, respectively, It's revealed to generate the highest emission while RB size = 1 with offset 0 (CSE) and RB size = 1 with offset of both extremity for all supported transmission bandwidth of all supported frequency band (Bandedge). RB size = 1 with offset of both extremity for all supported transmission bandwidth and RB number = full of all supported frequency band (Mask) Be aware of that only data measurement that yields the worst measurement with supported modulation scheme (QPSK, 16QAM), QPSK – the worst, is shown on the corresponding section.

Peak to Average Ratio

For Peak to Average Ratio test, all combination (RB arrangement with different modulation scheme) has been evaluated, the data with the following configuration: RB number = full and modulation = 16QAM is revealed to generate the worst case result.

Only data that generates the worst-case result is shown on the report.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.42 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 123.36 Hz
Out of Band Emissions at Antenna	+/- 1.55 dB
Terminals and Band Edge	
Peak to Average Ratio	+/- 1.55 dB
Frequency Stability vs. Temperature	+/- 123.36 Hz
Frequency Stability vs. Voltage	+/- 123.36 Hz
Temperature	+/- 0.8 °C
Humidity	+/- 4.7 %
DC / AC Power Source	DC= +/- 1%, AC=+/- 0.2%

Radiated Spurious Emission:

Measurement uncertainty	30MHz - 180MHz: +/- 3.37dB
	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	30MHz - 167MHz: +/- 4.22dB	
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB	
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB	
	1GHz - 18GHz: +/- 4.08dB	
	18GHz - 40GHz: +/- 4.08dB	

This uncertainty represents an expanded uncertainty expressed at approximately the

95% confidence level using a coverage factor of k=2.



6. RF POWER OUTPUT MEASUREMENT

6.1. Standard Applicable:

According to FCC §2.1046.

3GPP Power limitation for HSDPA and HSUPA

Maximum Output Powers for HSDPA

Sub-test in ta-	Power Class 3		Power Class 4	
ble C.10.1.4	Power Tol (dBm) (dB)		Power (dBm)	Tol (dB)
1	+24	+1.7/-3.7	+21	+2.7/-2.7
2	+24	+1.7/-3.7	+21	+2.7/-2.7
3	+23.5	+2.2/-3.7	+20.5	+3.2/-2.7
4	+23.5	+2.2/-3.7	+20.5	+3.2/-2.7


Maximum Output Powers for HSUPA

Sub-test in table	Power Class 3		Power Class 4	
C.11.1.3	Power (dBm)	Tol (dB)	Power (dBm)	Tol (dB)
1	+24	+1.7/-6.7	+21	+2.7/-5.7
2	+22	+3.7/-5.2	+19	+4.7/-4.2
3	+23	+2.7/-5.2	+20	+3.7/-4.2
4	+22	+3.7/-5.2	+19	+4.7/-4.2
5	+24	+1.7/-6.7	+21	+2.7/-5.7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



6.2. Test Set-up:



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure:

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Necessary Communication complying with 24.232 (c) and 27.5(d)(4)

Set MT8820C (base-station simulator) MS Signal with packet data submenu; SLOT Configuration Set appropriate level to verify if or not power on mobile station's link with simulator still exists.

6.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6.5. Measurement Result:

6.5.1. RF Conducted Output Power

6.5.1.1.: GSM/GPRS/EDGE (GMSK; 8-PSK)

Result:

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Averager Burst Power (dBm)
	824.2	128	32.60	32.40
GSM 850	836.6	190	32.70	32.50
	848.8	251	32.80	32.60

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Averager Burst Power (dBm)
	1850.2	512	29.70	29.60
GSM 1900	1880.0	661	29.70	29.50
	1909.8	810	29.90	29.80

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 1UP) Class 8 (dBm)	Average Burst Power (4DN 1UP) Class 8 (dBm)	Peak Power (4DN 2UP) Class 10 (dBm)	Average Burst Power (4DN 2UP) Class 10 (dBm)
	824.2	128	32.50	32.30	29.10	29.00
GPRS 850	836.6	190	32.60	32.50	29.30	29.20
	848.8	251	32.70	32.50	29.50	29.40

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 3UP) Class 12 (dBm)	Average Burst Power (4DN 3UP) Class 12 (dBm)	Peak Power (4DN 4UP) Class 12 (dBm)	Average Burst Power (4DN 4UP) Class 12 (dBm)
	824.2	128	27.70	27.60	26.90	26.80
GPRS 850	836.6	190	27.80	27.70	27.10	26.90
	848.8	251	28.00	27.90	27.30	27.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 1UP) Class 8 (dBm)	Average Burst Power (4DN 1UP) Class 8 (dBm)	Peak Power (4DN 2UP) Class 10 (dBm)	Average Burst Power (4DN 2UP) Class 10 (dBm)
	1850.2	512	29.70	29.50	26.40	26.30
GPRS 1900	1880.0	661	29.70	29.60	26.50	26.30
	1909.8	810	30.00	29.80	26.60	26.50

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 3UP) Class 12 (dBm)	Average Burst Power (4DN 3UP) Class 12 (dBm)	Peak Power (4DN 4UP) Class 12 (dBm)	Average Burst Power (4DN 4UP) Class 12 (dBm)
	1850.2	512	24.60	24.50	24.00	23.80
GPRS 1900	1880.0	661	24.50	24.40	23.90	23.80
	1909.8	810	24.80	24.70	24.20	24.10

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 1UP) Class 8 (dBm)	Average Burst Power (4DN 1UP) Class 8 (dBm)	Peak Power (4DN 2UP) Class 10 (dBm)	Average Burst Power (4DN 2UP) Class 10 (dBm)
	824.2	128	30.70	27.50	27.80	24.60
EDGE 850	836.6	190	30.70	27.70	27.70	24.60
	848.8	251	30.90	27.80	28.00	24.90

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 3UP) Class 12 (dBm)	Average Burst Power (4DN 3UP) Class 12 (dBm)	Peak Power (4DN 4UP) Class 12 (dBm)	Average Burst Power (4DN 4UP) Class 12 (dBm)
	824.2	128	26.30	23.10	27.50	24.40
EDGE 850	836.6	190	26.30	23.20	27.50	24.40
	848.8	251	26.40	23.30	27.70	24.60



EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 1UP) Class 8 (dBm)	Average Burst Power (4DN 1UP) Class 8 (dBm)	Peak Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)
	1850.2	512	29.80	26.80	27.20	24.00
EDGE 1900	1880.0	661	29.70	26.80	27.20	24.00
	1909.8	810	29.80	27.00	27.40	24.20

EUT Mode	Frequency (MHz)	СН	Peak Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Peak Power (1DN 4UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
	1850.2	512	26.20	23.00	25.20	22.00
EDGE 1900	1880.0	661	26.20	23.10	25.30	22.00
	1909.8	810	26.40	23.30	25.50	22.30

Cable loss offset Low Band: 0.5dB Cable loss offset High Band: 0.85dB



6.5.1.2.: WCDMA mode

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1852.4	9262	26.55	23.56
WCDMA Band II	1880.0	9400	26.47	23.57
Duild II	1907.6	9538	26.32	23.77

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1712.4	1312	26.95	24.00
WCDMA Band IV	1732.6	1412	27.18	24.11
Dund IV	1752.6	1513	2696	23.99

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	826.4	4132	27.21	23.93
WCDMA Band V	836.6	4183	27.05	23.83
Duna V	846.6	4233	27.02	23.70

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1852.4	9262	26.06	22.53
HSDPA Band II	1880.0	9400	26.03	22.50
Duild II	1907.6	9538	26.09	22.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless outletwise stated the results shown in this test report ferer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1712.4	1312	26.50	22.99
HSDPA Band IV	1732.6	1412	26.75	23.03
Dand IV	1752.6	1513	26.58	22.93

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	826.4	4132	26.52	22.93
HSDPA Band V	836.6	4183	26.47	22.79
Dund V	846.6	4233	26.27	22.51

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1852.4	9262	26.07	22.52
HSUPA Band II	1880.0	9400	25.99	22.48
Duild II	1907.6	9538	26.09	22.74

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1712.4	1312	26.30	23.03
HSUPA Band IV	1732.6	1412	26.78	23.03
Dund IV	1752.6	1513	26.58	22.96



EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	826.4	4132	26.23	22.93
HSUPA Band V	836.6	4183	26.46	22.76
	846.6	4233	26.27	22.52

Note: The results above reflect max power with all up bits.

Cable loss offset Low Band: 0.5dB

Cable loss offset High Band: 0.85dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



6.5.1.3: MPR Table LTE Band 2_1.4MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.18
		19607	1950 7	1	5	23.24
		18607	1850.7	3	2	23.24
				6	0	22.35
				1	0	23.30
1.4	ODSK	18900	1880.0	1	5	23.30
1.4	QPSK	18900	1880.0	3	2	23.32
				6	0	22.36
				1	0	23.60
		19193	1909.3	1	5	23.57
				3	3	23.53
				6	0	22.59
				1	0	22.76
		19607	1950 7	1	5	22.76
		18607	1850.7	3	2	22.11
				6	0	21.42
				1	0	22.84
1.4	16 OAM	18900	1880.0	1	5	22.81
1.4	16 QAM	18900	1880.0	3	3	22.25
				6	0	21.42
				1	0	22.8
		19193	1000.2	1	5	22.75
			1909.3	3	2	22.25
				6	0	21.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



LTE Band 2_3MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.25
		10615	10515	1	14	23.26
		18615	1851.5	8	4	22.37
				15	0	22.32
				1	0	23.16
3	QPSK	18900	1880.0	1	14	23.21
5	QFSK	18900	1000.0	8	4	22.37
				15	0	22.42
				1	0	23.42
		19185	1908.5	1	14	23.42
				8	4	22.55
				15	0	22.54
			1851.5	1	0	22.58
		18615		1	14	22.55
		18013		8	4	21.31
				15	0	21.44
				1	0	22.45
3	16 O M	18900	1880.0	1	14	22.48
5	16 QAM	18900	1000.0	8	4	21.35
				15	0	21.42
				1	0	22.58
		10195	1009 5	1	14	22.49
		19185	1908.5	8	4	21.44
				15	0	21.62



LTE Band 2_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.38
		19675	1952 5	1	24	23.24
		18625	1852.5	12	6	22.39
				25	0	22.35
				1	0	23.35
5	QPSK	18900	1880.0	1	24	23.30
5	QFSK	18900	1000.0	12	6	22.40
				25	0	22.34
				1	0	23.64
		19175	1907.5	1	24	23.52
				12	6	22.56
				25	0	22.54
			1852.5	1	0	22.79
		18625		1	24	22.74
		16025		12	6	21.46
				25	0	21.36
				1	0	22.83
5	16 OAM	18900	1880.0	1	24	22.74
5	16 QAM	16900	1000.0	12	6	21.48
				25	0	21.35
				1	0	22.86
		19175	1907.5	1	24	22.52
		19175	1907.5	12	6	21.55
				25	0	21.49



LTE Band 2_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.34
		19650	1955 0	1	49	23.30
		18650	1855.0	25	12	22.29
				50	0	22.33
				1	0	23.40
10	ODGV	12000	1880.0	1	49	23.34
10	QPSK	18900	1880.0	25	12	22.35
				50	0	22.35
				1	0	23.59
		19150	1905.0	1	49	23.62
				25	12	22.58
				50	0	22.61
				1	0	22.49
		18650	1855.0	1	49	22.41
		18030		25	12	21.42
				50	0	21.33
				1	0	22.51
10	16 OAM	18900	1880.0	1	49	22.39
10	16 QAM	18900	1000.0	25	12	21.44
				50	0	21.35
				1	0	22.64
		10150	1005.0	1	49	22.44
		19150	1905.0	25	12	21.68
				50	0	21.58



LTE Band 2_15MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.33
		10675	1057.5	1	74	23.08
		18675	1857.5	36	19	22.32
				75	0	22.32
				1	0	23.23
15	ODGV	10000	1000.0	1	74	23.20
15	QPSK	18900	1880.0	36	19	22.40
				75	0	22.37
				1	0	23.36
		19125	1902.5	1	74	23.39
				36	19	22.61
				75	0	22.60
				1	0	22.21
		18675	1857.5	1	74	22.13
		16075		36	19	21.38
				75	0	21.34
				1	0	22.27
15	16 OAM	18900	1880.0	1	74	22.14
15	16 QAM	16900	1000.0	36	19	21.42
				75	0	21.35
				1	0	22.28
		10125	1902.5	1	74	22.20
		19125	1902.5	36	19	21.62
				75	0	21.60



LTE Band 2_20MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.23
		10700	1960.0	1	99	23.10
		18700	1860.0	50	25	22.29
				100	0	22.29
				1	0	23.22
20	ODSV	18900	1000.0	1	99	23.18
20	QPSK	18900	1880.0	50	25	22.32
				100	0	22.33
		19100	1900.0	1	0	23.27
				1	99	23.51
				50	25	22.51
				100	0	22.50
		18700	1860.0	1	0	22.53
				1	99	22.45
				50	25	21.41
				100	0	21.38
				1	0	22.93
20	16 O M	18900	1880.0	1	99	22.69
20	16 QAM	18900	1000.0	50	25	21.41
				100	0	21.36
		19100		1	0	22.77
			1900.0	1	99	22.78
				50	25	21.61
				100	0	21.53



LTE Band 4_1.4MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.91
		10057	17107	1	5	23.99
		19957	1710.7	3	2	23.95
				6	0	23.01
				1	0	23.88
1.4	ODEV	20175	1722 5	1	5	23.83
1.4	QPSK	20175	1732.5	3	2	23.93
				6	0	23.01
		20393	1754.3	1	0	23.80
				1	5	23.78
				3	3	23.86
				6	0	22.87
		19957	1710.7	1	0	23.18
				1	5	23.12
				3	2	22.98
				6	0	22.05
				1	0	23.08
1.4	16 OAM	20175	1732.5	1	5	23.07
1.4	16 QAM	20175	1732.3	3	3	22.99
				6	0	22.09
		20393	1754.3	1	0	22.98
				1	5	22.96
				3	2	22.91
				6	0	21.95



LTE Band 4_3MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	24.12
				1	14	23.98
		19965	1711.5	8	4	23.13
				15	0	23.09
				1	0	23.98
	opgu	00155	1500 5	1	14	23.95
3	QPSK	20175	1732.5	8	4	23.07
				15	0	23.06
		20385		1	0	23.86
			1753.5	1	14	23.84
				8	4	22.98
				15	0	22.93
		19965	1711.5	1	0	23.37
				1	14	23.21
				8	4	22.21
				15	0	22.04
				1	0	23.30
3	16 O M	20175	1732.5	1	14	23.22
5	16 QAM	20175	1/52.5	8	4	22.16
				15	0	22.03
		20385		1	0	23.21
			1752 5	1	14	23.09
			1753.5	8	4	22.05
				15	0	21.99



LTE Band 4_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	24.24
		19957	1712.5	1	24	23.98
		19937	1/12.3	12	6	23.25
				25	0	23.21
				1	0	24.01
5	ODSK	20175	1732.5	1	24	23.91
3	QPSK	20175	1752.5	12	6	23.19
				25	0	23.16
		20375	1752.5	1	0	23.94
				1	24	23.82
				12	6	23.06
				25	0	23.02
		19957	1712.5	1	0	23.35
				1	24	23.18
				12	6	22.26
				25	0	22.14
				1	0	23.25
5	16 O M	20175	1732.5	1	24	23.15
3	16 QAM	20175	1/52.5	12	6	22.23
				25	0	22.11
		20375		1	0	23.18
			1752 5	1	24	23.02
			1752.5	12	6	22.08
				25	0	21.99



LTE Band 4_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	24.18
		20000	1715.0	1	49	24.15
		20000	1/15.0	25	12	23.26
				50	0	23.31
				1	0	24.22
10	ODGV	20175	1732.5	1	49	24.05
10	QPSK	20175	1/52.5	25	12	23.15
				50	0	23.24
		20350	1750.0	1	0	24.13
				1	49	23.90
				25	12	23.12
				50	0	23.12
		20000	1715	1	0	23.80
				1	49	23.59
				25	12	22.29
				50	0	22.36
				1	0	23.70
10	16 O M	20175	1732.5	1	49	23.59
10	16 QAM	20175	1/52.5	25	12	22.23
				50	0	22.20
		20350		1	0	23.69
			1750.0	1	49	23.40
				25	12	22.11
				50	0	22.11



LTE Band 4_15MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	24.31
		20025	1717.5	1	74	24.06
		20023	1/1/.3	36	19	23.36
				75	0	23.30
				1	0	24.15
15	ODSK	20175	1732.5	1	74	24.01
15	QPSK	20175	1752.5	36	19	23.25
				75	0	23.26
		20325	1747.5	1	0	24.15
				1	74	23.91
				36	19	23.19
				75	0	23.14
		20025	1717.5	1	0	23.52
				1	74	23.27
				36	19	22.32
				75	0	22.35
				1	0	23.38
15	16 O M	20175	1722 5	1	74	23.25
15	16 QAM	20175	1732.5	36	19	22.26
				75	0	22.32
				1	0	23.42
		20325	1747.5	1	74	23.13
				36	19	22.17
				75	0	22.22



LTE Band 4_20MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	24.48
		20050	1700.0	1	99	24.17
		20050	1720.0	50	25	23.37
				100	0	23.35
				1	0	24.20
20	ODCK	20175	1732.5	1	99	23.96
20	QPSK	20175	1/32.5	50	25	23.26
				100	0	23.27
		20300	1745.0	1	0	24.19
				1	99	23.85
				50	25	23.16
				100	0	23.21
		20050	1720	1	0	23.61
				1	99	23.37
				50	25	22.34
				100	0	22.39
				1	0	23.49
20	16 O M	20175	1732.5	1	99	23.33
20	16 QAM	20175	1/32.5	50	25	22.33
				100	0	22.34
		20300	1745	1	0	23.53
				1	99	23.19
				50	25	22.26
				100	0	22.26



LTE Band 5_1.4MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.36
		20407	0047	1	5	23.42
		20407	824.7	3	2	23.41
				6	0	22.48
				1	0	23.42
1.4	ODGV	20525	836.5	1	5	23.35
1.4	QPSK	20525	830.3	3	2	23.40
				6	0	22.44
		20643	848.3	1	0	23.31
				1	5	23.29
				3	3	23.31
				6	0	22.39
		20407	824.7	1	0	23.04
				1	5	23.04
				3	2	22.39
				6	0	21.70
				1	0	22.87
1.4	16 O M	20525	836.5	1	5	22.89
1.4	16 QAM	20525	830.3	3	3	22.52
				6	0	21.72
				1	0	22.94
		20643	848.3	1	5	22.82
				3	2	22.43
				6	0	21.66



LTE Band 5_3MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.35
		20415	825.5	1	14	23.37
		20415	825.5	8	4	22.46
				15	0	22.46
				1	0	23.37
3	ODSK	20525	836.5	1	14	23.36
3	QPSK	20323	830.3	8	4	22.47
				15	0	22.47
		20635		1	0	23.36
			847.5	1	14	23.28
				8	4	22.46
				15	0	22.47
			825.5	1	0	22.94
		20415		1	14	22.93
		20415		8	4	21.61
				15	0	21.47
				1	0	22.87
2	1000	20525	9265	1	14	22.89
3	16 QAM	20525	836.5	8	4	21.60
				15	0	21.50
		20635	847.5	1	0	22.91
				1	14	22.84
				8	4	21.59
				15	0	21.48



LTE Band 5_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.41
		20425	826.5	1	24	23.36
		20423	820.3	12	6	22.50
				25	0	22.46
				1	0	23.48
5	ODSK	20525	836.5	1	24	23.47
5	QPSK	20323	830.3	12	6	22.50
				25	0	22.45
		20625		1	0	23.50
			846.5	1	24	23.40
				12	6	22.47
				25	0	22.46
			826.5	1	0	22.44
		20425		1	24	22.37
		20425		12	6	21.58
				25	0	21.51
				1	0	22.60
_	160414	20525	9265	1	24	22.60
5	16 QAM	20525	836.5	12	6	21.59
				25	0	21.59
		20625		1	0	22.67
			9465	1	24	22.49
			846.5	12	6	21.59
				25	0	21.57



LTE Band 5_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.56
		20450	820.0	1	49	23.41
		20450	829.0	25	12	22.55
				50	0	22.55
				1	0	23.45
10	ODSK	20525	836.5	1	49	23.39
10	QPSK	20323	830.3	25	12	22.53
				50	0	22.58
		20600		1	0	23.47
			844.0	1	49	23.35
				25	12	22.45
				50	0	22.44
			829	1	0	22.59
		20450		1	49	22.53
		20450		25	12	21.56
				50	0	21.54
				1	0	22.59
10	16 OAM	20525	836.5	1	49	22.54
10	16 QAM	20323	030.3	25	12	21.59
				50	0	21.57
		20600		1	0	22.51
			844.0	1	49	22.27
				25	12	21.45
				50	0	21.47



LTE Band 7_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	22.20
		20775	2502.5	1	24	22.14
		20773	2302.3	12	6	21.30
				25	0	21.29
				1	0	22.29
5	ODSK	21100	2535.0	1	24	22.25
3	QPSK	21100	2555.0	12	6	21.52
				25	0	21.45
		21425		1	0	22.18
			2567.5	1	24	22.15
				12	6	21.39
				25	0	21.34
		20775	2502.5	1	0	21.36
				1	24	21.11
				12	6	20.36
				25	0	20.38
				1	0	21.59
5	16 O M	21100	2535.0	1	24	21.56
3	16 QAM	21100	2555.0	12	6	20.61
				25	0	20.58
		21425		1	0	21.48
			2567.5	1	24	21.43
				12	6	20.46
				25	0	20.45



LTE Band 7_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	22.16
		20800	2505.0	1	49	22.12
			2303.0	25	12	21.24
				50	0	21.25
			2535.0	1	0	22.16
10	ODGV	21100		1	49	22.13
10	QPSK	21100		25	12	21.44
				50	0	21.48
		21400	2565.0	1	0	22.11
				1	49	22.13
			2303.0	25	12	21.36
				50	0	21.42
		20800	2505.0	1	0	21.27
				1	49	21.26
				25	12	20.28
				50	0	20.25
				1	0	21.47
10	16 O M	21100	2535.0	1	49	21.47
10	16 QAM	21100	2555.0	25	12	20.47
				50	0	20.52
		21400		1	0	21.21
			2565.0	1	49	21.24
			2565.0	25	12	20.37
				50	0	20.43



LTE Band 7_15MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	22.14
		20825	2507.5	1	74	22.26
			2507.5	36	19	21.39
				75	0	21.41
				1	0	22.16
15	ODCK	21100	2535.0	1	74	22.27
	QPSK	21100		36	19	21.51
				75	0	21.49
		21375	2562.5	1	0	22.15
				1	74	22.12
			2562.5	36	19	21.47
				75	0	21.44
		20825	2507.5	1	0	21.79
				1	74	21.83
				36	19	20.40
				75	0	20.45
				1	0	21.58
15	16 O M	21100	2535.0	1	74	21.97
15	16 QAM	21100	2555.0	36	19	20.50
				75	0	20.56
		21375		1	0	21.56
			2562 E	1	74	21.55
			2562.5	36	19	20.43
				75	0	20.45



LTE Band 7_20MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	22.17
		20050	2510.0	1	99	22.24
		20850	2510.0	50	25	21.39
				100	0	21.43
20				1	0	22.17
	ODSK	21100	2535.0 -	1	99	22.16
	QPSK	21100		50	25	21.56
				100	0	21.54
		21350	2560.0	1	0	22.19
				1	99	22.13
				50	25	21.51
				100	0	21.50
		20850	2510.0	1	0	21.61
				1	99	21.60
				50	25	20.51
				100	0	20.47
				1	0	21.71
20	16 O M	21100	2535.0	1	99	21.75
20	16 QAM	21100	2555.0	50	25	20.61
				100	0	20.53
		21350		1	0	21.69
			2560.0	1	99	21.66
			2560.0	50	25	20.53
				100	0	20.50



LTE Band 12_1.4MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.76
		02017	(00.7	1	5	23.78
		23017	699.7	3	2	23.82
				6	0	22.78
1.4				1	0	23.87
	ODSK	23095	707.5	1	5	23.87
	QPSK	23093	107.5	3	2	23.89
				6	0	22.85
		23173	715.3	1	0	23.74
				1	5	23.75
		23173	/15.5	3	3	23.75
				6	0	22.74
		23017	699.7	1	0	23.35
				1	5	23.37
				3	2	22.86
				6	0	21.90
				1	0	23.36
1.4	16 QAM	23095	707.5	1	5	23.41
1.4	10 QAM	23093	107.5	3	3	22.95
				6	0	22.00
				1	0	23.30
		23173	715.3	1	5	23.28
				3	2	22.83
				6	0	21.86



LTE Band 12_3MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.78
		02025	700 5	1	14	23.69
		23025	700.5	8	4	22.89
3				15	0	22.90
				1	0	23.77
	ODSK	22005	707.5	1	14	23.75
	QPSK	23095		8	4	23.03
				15	0	22.90
		23165	714.5	1	0	23.61
				1	14	23.56
				8	4	22.86
				15	0	22.75
		23025	700.5	1	0	23.34
				1	14	23.34
				8	4	21.99
				15	0	22.00
				1	0	23.03
3	16 OAM	23095	707.5	1	14	23.37
5	16 QAM	23095	101.5	8	4	22.11
				15	0	21.96
		23165		1	0	22.85
			714.5	1	14	22.85
			/14.5	8	4	21.98
				15	0	21.79



LTE Band 12_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.72
		22025	701 5	1	24	23.86
		23035	701.5	12	6	22.91
5				25	0	22.85
			707.5	1	0	23.87
	ODSK	23095		1	24	23.88
	QPSK	23093		12	6	22.98
				25	0	22.88
		23155	713.5	1	0	23.78
				1	24	23.71
		23133	/13.3	12	6	22.81
				25	0	22.71
		23035	701.5	1	0	23.44
				1	24	23.44
				12	6	21.94
				25	0	21.93
				1	0	23.47
5	16 OAM	23095	707.5	1	24	23.47
5	16 QAM	23093	101.5	12	6	21.98
				25	0	21.96
		23155		1	0	23.39
			713 5	1	24	23.32
			713.5	12	6	21.84
				25	0	21.82



LTE Band 12_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.86
		220.00	704.0	1	49	23.83
		23060	704.0	25	12	22.94
				50	0	22.94
10				1	0	23.75
	ODGK	23095	707 5	1	49	23.69
	QPSK	23095	707.5	25	12	22.95
				50	0	22.95
		23130		1	0	23.82
			711.0	1	49	23.63
				25	12	22.89
				50	0	22.92
		23060	704.0	1	0	23.08
				1	49	23.15
				25	12	22.01
				50	0	22.03
				1	0	23.11
10	16 O M	23095	707.5	1	49	23.00
10	16 QAM	23095	/07.5	25	12	22.03
				50	0	22.00
		23130		1	0	23.15
			711.0	1	49	23.01
			711.0	25	12	21.93
				50	0	21.96



LTE Band 13_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.26
		22205	770 5	1	24	23.13
		23205	779.5	12	6	22.36
				25	0	22.30
5			782.0	1	0	23.15
	ODSK	22220		1	24	23.16
	QPSK	23230		12	6	22.29
				25	0	22.26
		23255	784.5	1	0	23.12
				1	24	23.05
			704.3	12	6	22.25
				25	0	22.27
		23205	779.5	1	0	22.78
				1	24	22.34
				12	6	21.38
				25	0	21.27
				1	0	22.45
5	16 QAM	23230	782.0	1	24	22.41
5	10 QAM	25250	782.0	12	6	21.32
				25	0	21.23
				1	0	22.36
		23255	784.5	1	24	22.33
			704.5	12	6	21.32
				25	0	21.24



LTE Band 13_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.27
		23230	702.0	1	49	23.18
		25250	782.0	25	12	22.21
				50	0	22.29
10				1	0	23.24
	ODGV	22220	782.0	1	49	23.19
	QPSK	23230		25	12	22.20
				50	0	22.29
		23230	782.0	1	0	23.19
				1	49	23.09
				25	12	22.28
				50	0	22.26
		23230	782.0	1	0	22.82
				1	49	22.77
				25	12	21.27
				50	0	21.36
				1	0	22.84
10	16 O M	23230	782.0	1	49	22.79
10	16 QAM	25250	/82.0	25	12	21.29
				50	0	21.34
		23230		1	0	22.80
			782.0	1	49	22.77
			782.0	25	12	21.29
				50	0	21.27



LTE Band 17_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.78
		02755	7065	1	24	23.79
		23755	706.5	12	6	22.93
				25	0	22.87
5				1	0	23.77
	QPSK	23790	710.0	1	24	23.70
	QFSK	25790		12	6	22.87
				25	0	22.82
		23825		1	0	23.75
			713.5	1	24	23.64
				12	6	22.78
				25	0	22.71
			706.5	1	0	23.33
		23755		1	24	23.31
		23755		12	6	22.00
				25	0	21.84
				1	0	23.32
5	16 QAM	23790	710.0	1	24	23.21
5	10 QAM	23790	/10.0	12	6	21.91
				25	0	21.81
				1	0	23.17
		23825	713.5	1	24	23.08
				12	6	21.78
				25	0	21.71



LTE Band 17_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.73
		23780	709.0	1	49	23.79
		23780	/09.0	25	12	22.82
10				50	0	22.82
				1	0	23.92
	ODSK	22700	710.0	1	49	23.83
	QPSK	23790	710.0	25	12	22.84
				50	0	22.81
		23800	711.0	1	0	23.97
				1	49	23.79
				25	12	22.83
				50	0	22.85
		23780	709.0	1	0	23.02
				1	49	22.97
				25	12	21.95
				50	0	21.84
				1	0	23.02
10	16 O M	22700	710.0	1	49	22.96
10	16 QAM	23790	710.0	25	12	21.95
				50	0	21.85
		23800		1	0	23.06
			711.0	1	49	22.94
			711.0	25	12	21.92
				50	0	21.84



6.5.1.4:HSDPA Release 6 mode

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βc	β_d	β _d (SF)	β _c /β _d	β _{HS} (Note1, Note 2)	CM (dB) (<i>Note 3</i>)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Results:

Mode	Sub-test	Avg. Power (dBm) Channel			Power Class 3 Limita- tion (dBm)	Comments
		9262	9400	9538		
HSDPA (B2)	1	23.78	23.82	23.96	20.3dBm – 25.7dBm	Pass
	2	23.49	23.46	23.64	20.3dBm – 25.7dBm	Pass
	3	23.32	23.34	23.47	19.8dBm – 25.7dBm	Pass
	4	23.37	23.38	23.53	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg. Power (dBm) Channel			Power Class 3 Limita-	Comments
		1312	1412	1513	tion (dBm)	
HSDPA	1	24.22	24.36	24.18	20.3dBm – 25.7dBm	Pass
	2	23.93	24.00	23.86	20.3dBm - 25.7dBm	Pass
(B4)	3	23.76	23.88	23.69	19.8dBm – 25.7dBm	Pass
	4	23.81	23.92	23.75	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg.	Power (d Channel	Bm)	Power Class 3 Limita- tion (dBm)	Comments
		4132	4183	4233		
HSDPA (B5)	1	24.15	24.08	23.89	20.3dBm - 25.7dBm	Pass
	2	23.86	23.72	23.57	20.3dBm - 25.7dBm	Pass
	3	23.69	23.60	23.40	19.8dBm – 25.7dBm	Pass
	4	23.74	23.64	23.46	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



6.5.1.4.: HSPA (HSDPA & HSUPA) Release 6 mode

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	β _c	βa	β _d (SF)	β_c/β_d	$\beta_{\rm HS}$	β_{ec}	β_{ed}	β _{ed} (SF)	$\begin{array}{c} \beta_{ed} \\ (Codes) \end{array}$	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/225	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β_{ed} 1: 47/15 β_{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Results:

Mode	Sub-test	Avg.	Power (d Channel	Bm)	Power Class 3 Limita-	Comments
		9262	9400	9538	tion (dBm)	
	1	23.52	23.50	23.68	18.8dBm – 25.7dBm	Pass
	2	21.58	21.58	21.72	16.8dBm – 25.7dBm	Pass
HSUPA(B2)	3	22.49	22.56	22.71	17.8dBm – 25.7dBm	Pass
	4	21.63	21.64	21.80	16.8dBm – 25.7dBm	Pass
	5	23.38	23.33	23.57	18.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg.	Power (d Channel	Bm)	Power Class 3 Limita- tion (dBm)	Comments
		1312	1412	1513	tion (dBin)	Comments
	1	23.96	24.04	23.90	18.8dBm – 25.7dBm	Pass
	2	22.02	22.12	21.94	16.8dBm – 25.7dBm	Pass
HSUPA(B4)	3	22.93	23.10	22.93	17.8dBm – 25.7dBm	Pass
	4	22.07	22.18	22.02	16.8dBm – 25.7dBm	Pass
	5	23.82	23.87	23.79	18.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg. Power (dBm) Channel			Power Class 3 Limita- tion (dBm)	Comments
		4132	4183	4233	tion (dBin)	
	1	23.89	23.76	23.61	18.8dBm – 25.7dBm	Pass
	2	21.95	21.84	21.65	16.8dBm – 25.7dBm	Pass
HSUPA(B5)	3	22.86	22.82	22.64	17.8dBm – 25.7dBm	Pass
	4	22.00	22.90	21.73	16.8dBm – 25.7dBm	Pass
	5	23.75	23.59	23.50	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



PCS 1900 band									
PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.6	28.1	26	24	22	20	18	15.9	13.9
PCL	9	10	11	12	13	14	15		
Output power (dBm)	11.9	9.8	7.8	5.8	3.8	2.2	0.3		

6.5.2. Minimum Communications Power Measurement

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester CMU200 function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 36 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



7. **ERP, EIRP MEASUREMENT**

7.1. Standard Applicable:

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(b) Mobile station is limited to 2W EIRP.

FCC 27.50(d)(2) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.


FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3W ERP

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

Test SET-UP (Block Diagram of Configuration): 7.2.

(A) Radiated Power Test Set-Up, Frequency Below 1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





(B) Radiated Power Test Set-UP Frequency Over 1 GHz

(C) Substituted Method Test Set-UP





7.3. Measurement Procedure:

The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.

During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated.

ERP in frequency band 698 –746MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

ERP in frequency band 824.2 –848.80MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

EIRP in frequency band 1710-1755MHz and 1850.2 –1909.8MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

EIRP in frequency band 2510 – 2560MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

ERP = S.G. output (dBm) + Antenna Gain (dBd) – Cable Loss (dB) EIRP = S.G. output (dBm) + Antenna Gain (dBi) – Cable Loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Spectrum setting:

1. Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.

Or,

2. KDB 971168 D01 Power Meas License Digital Systems v01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW $\approx 1{\sim}5\%$ of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601 points, then sweet time = $601*10^{-3} = 6s$.

Activate trace averaging routine over a minimum of 10 sweeps; Activate marker/span pair and set span = signal or channel bandwidth; Activate the band/interval power marker function; Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

7.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.5. Measurement Result: (Peak) –using option of peak measurement

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
	824.2	128	V	25.94	3.75	-3.03	26.67	38.45		
		128	Н	20.93	3.75	-3.03	21.66	38.45		
GSM 850	836.6	100	V	26.28	3.76	-3.07	26.98	38.45		
USIM 830	830.0	190	Н	20.94	3.76	-3.07	21.63	38.45		
	848.8	251	V	25.77	3.77	-3.11	26.43	38.45		
			Н	19.96	3.77	-3.11	20.62	38.45		

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
	824.2	128	V	25.32	3.75	-3.03	26.05	38.45		
		128	Н	19.90	3.75	-3.03	20.63	38.45		
CDDS 950	926.6	190	V	24.95	3.76	-3.07	25.64	38.45		
GPRS 850	836.6		Н	19.82	3.76	-3.07	20.52	38.45		
	848.8	251	V	23.89	3.77	-3.11	24.55	38.45		
			Н	19.59	3.77	-3.11	20.25	38.45		

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
	824.2	128	V	24.62	3.75	-3.03	25.34	38.45		
		120	Н	18.57	3.75	-3.03	19.30	38.45		
EDGE 850	836.6	190	V	24.22	3.76	-3.07	24.91	38.45		
EDGE 850	830.0		Н	18.74	3.76	-3.07	19.44	38.45		
	848.8	251	V	23.18	3.77	-3.11	23.84	38.45		
			Н	17.95	3.77	-3.11	18.61	38.45		

(1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz **Remark**:



	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	1850.2	512	V	27.25	5.22	-4.67	27.80	33.01		
		512	Н	19.75	5.22	-4.67	20.31	33.01		
CSM 1000	1990.0	661	V	27.82	5.16	-4.70	28.27	33.01		
GSM 1900	1880.0		Н	23.64	5.16	-4.70	24.09	33.01		
	1909.8	810	V	27.5	5.09	-4.74	27.85	33.01		
			Н	24.3	5.09	-4.74	24.65	33.01		

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	1850.2	512	V	26.97	5.22	-4.67	27.53	33.01		
		512	Н	19.26	5.22	-4.67	19.82	33.01		
CDDS 1000	1880.0	661	V	27.38	5.16	-4.70	27.83	33.01		
GPRS 1900	1880.0		Н	22.46	5.16	-4.70	22.91	33.01		
	1909.8	810	V	27.03	5.09	-4.74	27.39	33.01		
			Н	23.81	5.09	-4.74	24.16	33.01		

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	1850.2	512	V	26.55	5.22	-4.67	27.11	33.01		
		512	Н	18.63	5.22	-4.67	19.19	33.01		
EDGE 1000	1990.0	661	V	26.76	5.16	-4.70	27.22	33.01		
EDGE 1900	1880.0		Н	21.97	5.16	-4.70	22.42	33.01		
	1909.8	810	V	26.31	5.09	-4.74	26.67	33.01		
			Н	22.87	5.09	-4.74	23.22	33.01		

Remark :

(1) The RBW, VBW of SPA for frequency RBW=300K, VBW=1MHz



	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	1852.4	9262	V	23.30	5.22	-4.67	23.85	33.01		
		9202	Н	16.85	5.22	-4.67	17.40	33.01		
	1880.0	9400	V	23.24	5.16	-4.70	23.69	33.01		
WCDMA B2	1880.0		Н	16.96	5.16	-4.70	17.42	33.01		
	1907.6	9538	V	23.14	5.10	-4.74	23.51	33.01		
			Н	18.31	5.10	-4.73	18.68	33.01		

	EUT				Measur	ement		Limit dBm 33.01 33.01 33.01 33.01 33.01 33.01				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	1852.4	9262	V	23.13	5.22	-4.67	23.68	33.01				
	1852.4	9262	Н	16.48	5.22	-4.67	17.03	33.01				
HSDPA B2	1880.0	9400	V	23.04	5.16	-4.70	23.49	33.01				
HSDPA D2	1880.0	9400	Н	16.58	5.16	-4.70	17.03	33.01				
	1007.6	9538	V	22.68	5.1	-4.74	23.04	33.01				
	1907.6	7220	Н	18.06	5.1	-4.74	18.42	33.01				

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.4	9262	V	22.93	5.22	-4.67	23.48	33.01
	1852.4	9262	Н	16.21	5.22	-4.67	16.76	33.01
USUDA DO	1880.0	9400	V	22.82	5.16	-4.7	23.28	dBm 33.01 33.01 33.01 33.01
HSUPA B2	1880.0	9400	Н	16.45	5.16	-4.7	16.90	33.01
	1907.6	9538	V	22.3	5.1	-4.74	22.66	33.01
	1907.0	9338	Н	17.83	5.1	-4.74	18.19	33.01

Remark:

(1)The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.4	1312	V	24.17	5.55	-4.50	25.22	33.01
	1712.4	1512	Н	14.90	5.55	-4.50	15.95	33.01
WCDMA B4	1722 6	1412	V	22.81	5.50	-4.53	23.79	33.01
WCDMA B4	1732.6	1413	Н	14.15	5.50	-4.53	15.12	dBm 33.01 33.01
	1752.6	1513	V	22.86	5.45	-4.55	23.76	33.01
	1732.0	1313	Н	15.25	5.45	-4.55	16.15	33.01

	EUT				Measur	ement	-	
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.4	1312	V	23.84	5.55	-4.50	24.89	33.01
	1/12.4	1312	Н	14.63	5.55	-4.50	15.68	33.01
HSDPA B4	1732.6	1413	V	22.40	5.50	-4.53	23.38	33.01
пзDPA D4	1752.0	1415	Н	13.78	5.50	-4.53	14.76	33.01
	1752.6	1513	V	22.61	5.45	-4.55	23.51	33.01
	1732.0	1313	Н	14.82	5.45	-4.55	15.72	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.4	1312	V	23.46	5.55	-4.50	24.51	33.01
	1/12.4	1312	Н	14.37	5.55	-4.50	15.42	33.01
USUDA DA	1732.6	1413	V	22.17	5.50	-4.53	23.14	33.01
HSUPA B4	1752.0	1413	Н	13.52	5.50	-4.53	14.50	33.01
	1752.6	1513	V	22.42	5.45	-4.55	23.32	33.01
	1752.6	1515	Н	14.61	5.45	-4.55	15.52	33.01

Remark :

(1) The RBW, VBW of SPA for measurement RBW= 1MHz, VBW= 3MHz



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	9761	4132	V	20.49	3.76	-3.03	21.21	38.45
	826.4	4152	Н	14.91	3.76	-3.04	15.63	38.45
WCDMA B5	0266	4183	V	20.75	3.76	-3.07	21.44	38.45
WCDMA B5	836.6	4185	Н	13.94	3.76	-3.07	14.63	38.45
	846.6	4233	V	20.28	3.77	-3.1	20.95	38.45
	840.0	4233	Н	13.47	3.77	-3.1	14.14	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	20.04	3.76	-3.04	20.76	38.45
	820.4	4152	Н	14.64	3.76	-3.04	15.36	38.45
HSDPA B5	836.6	4183	V	20.53	3.76	-3.07	21.23	38.45
ISDPA D3	830.0	4185	Н	13.56	3.76	-3.07	14.25	38.45
	846.6	4233	V	20.16	3.77	-3.1	20.82	38.45
	040.0	4233	Н	13.30	3.77	-3.1	13.96	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	9761	4122	V	19.79	3.76	-3.03	20.51	38.45
	826.4	4132	Н	14.33	3.76	-3.04	15.05	38.45
USUDA D5	836.6	4183	V	20.2	3.76	-3.07	20.89	dBm 38.45 38.45 38.45 38.45 38.45
HSUPA B5	830.0	4165	Н	13.19	3.76	-3.07	13.89	38.45
	846.6	4233	V	19.71	3.77	-3.1	20.38	38.45
	040.0	4233	Н	12.88	3.77	-3.1	13.55	38.45

Remark :

(1) The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz



BAND 2 / BW: 1.4M / QPSK / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.29	5.22	-4.67	20.84	33.01
BAND 2	1850.7	18607	Н	27.93	5.22	-4.67	28.49	33.01
BW: 1.4M	1880.0	18900	V	19.35	5.16	-4.70	19.81	33.01
QPSK RB: 1,0	1880.0	18900	Н	27.57	5.16	-4.70	28.03	33.01
	1909.3	000.2 10102	V	19.10	5.10	-4.74	19.46	33.01
	1909.5	19193	Н	27.19	5.10	-4.74	27.55	33.01

BAND 2 / BW: 1.4M / QPSK / RB: 1,5

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.36	5.22	-4.67	20.91	33.01
BAND 2	1850.7	18607	Н	27.90	5.22	-4.67	28.45	33.01
BW: 1.4M	1880.0	18900	V	19.38	5.16	-4.70	19.83	33.01
QPSK RB: 1,5	1880.0	18900	Н	28.12	5.16	-4.70	28.58	33.01
	1000.2 1010	19193	V	18.92	5.09	-4.74	19.28	33.01
	1909.3	19195	Н	26.91	5.09	-4.74	27.26	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 1.4M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.43	5.22	-4.67	20.98	33.01
BAND 2	1850.7	18607	Н	28.03	5.22	-4.67	28.58	33.01
BW: 1.4M	1880.0	18900	V	19.52	5.16	-4.7	19.98	33.01
16QAM RB: 1,0	1880.0	18900	Н	28.17	5.16	-4.7	28.63	33.01
	1000.2 101	19193	V	19.13	5.10	-4.74	19.50	33.01
	1909.3	19195	Н	27.30	5.09	-4.74	27.66	33.01

BAND 2 / BW: 1.4M / 16QAM / RB: 1,5

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.45	5.22	-4.67	21.01	33.01
BAND 2	1850.7	18607	Н	28.16	5.22	-4.67	28.71	33.01
BW: 1.4M	1880.0	18900	V	19.48	5.16	-4.7	19.94	33.01
16QAM RB: 1,5	1880.0	18900	Н	28.37	5.16	-4.71	28.82	33.01
	1909.3 1919	19193	V	19.03	5.09	-4.74	19.38	33.01
	1909.5	19195	Н	27.04	5.09	-4.74	27.39	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 3M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.20	5.22	-4.67	20.76	33.01
BAND 2	1851.5	18615	Н	27.21	5.22	-4.67	27.77	33.01
BW: 3M	1990.0	18900	V	19.25	5.16	-4.70	19.71	33.01
QPSK	1880.0	18900	Н	27.85	5.16	-4.70	28.31	33.01
RB: 1,0		19185	V	19.33	5.10	-4.74	19.69	33.01
		19185	Н	27.53	5.10	-4.74	27.90	33.01

BAND 2 / BW: 3M / QPSK / RB: 1,14

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.17	5.22	-4.67	20.71	33.01
BAND 2	1851.5	18615	Н	27.37	5.22	-4.67	27.92	33.01
BW: 3M	1990.0	18900	V	18.98	5.16	-4.71	19.43	33.01
QPSK	QPSK 1880.0 1	18900	Н	27.93	5.16	-4.71	28.38	33.01
RB: 1,14		19185	V	18.89	5.09	-4.74	19.25	33.01
		19165	Н	26.88	5.09	-4.74	27.23	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 3M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.98	5.23	-4.67	20.53	33.01
BAND 2	1851.5	18615	Н	27.48	5.22	-4.67	28.04	33.01
BW: 3M	1990.0	18900	V	19.32	5.16	-4.70	19.78	33.01
16QAM		18900	Н	Output Gain Loss H dBm dBi dB d 19.98 5.23 -4.67 2 27.48 5.22 -4.67 2 19.32 5.16 -4.70 1 27.97 5.16 -4.70 2 19.49 5.10 -4.73 1	28.43	33.01		
RB: 1,0	1008 5	19185	V	19.49	5.10	-4.73	19.86	33.01
	1908.5	19185	Н	27.60	5.10	-4.73	27.97	33.01

BAND 2 / BW: 3M / 16QAM / RB: 1,14

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.55	5.22	-4.67	21.10	33.01
BAND 2	1851.5	18615	Н	28.08	5.22	-4.67	28.62	33.01
BW: 3M	1990.0	18900	V	19.38	5.16	-4.7	19.83	33.01
16QAM RB: 1,14	18900	Н	28.17	5.16	-4.71	28.62	33.01	
	1008 5	19185	V	19.08	5.09	-4.74	19.44	33.01
	1908.5	19165	Н	27.06	5.09	-4.74	27.41	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 5M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.3	5.22	-4.67	19.86	33.01
BAND 2	1852.5	18625	Н	27.01	5.22	-4.67	27.57	33.01
BW: 5M			V	19.50	5.16	-4.70	19.96	33.01
QPSK	1880.0	18900	Н	27.64	5.16	-4.70	28.10	33.01
RB: 1,0		1007.5	V	18.99	5.10	-4.73	19.36	33.01
	1907.5	19175	Н	27.42	5.10	-4.73	27.79	33.01

BAND 2 / BW: 5M / QPSK / RB: 1,24

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.31	5.22	-4.67	19.86	33.01
BAND 2	1852.5	18625	Н	27.15	5.22	-4.67	27.69	33.01
BW: 5M			V	19.50	5.15	-4.71	19.94	33.01
QPSK	1990.0	18900	Н	27.79	5.16	-4.71	28.24	33.01
RB : 1,24			V	17.87	5.09	-4.74	18.22	33.01
	1907.5	19175	Н	26.95	5.09	-4.74	27.30	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 5M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.11	5.22	-4.67	20.67	33.01
BAND 2	1852.5	18625	Н	27.68	5.22	-4.67	28.23	33.01
BW: 5M			V	19.70	5.16	-4.70	20.16	33.01
16QAM	1880.0	18900	Н	27.78	5.16	-4.70	28.24	33.01
RB: 1,0	1007.5 10175	V	19.69	5.10	-4.73	20.06	33.01	
	1907.5	19175	Н	27.82	5.10	-4.73	28.18	33.01

BAND 2 / BW: 5M / 16QAM / RB: 1,24

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.27	5.22	-4.67	20.82	33.01
BAND 2	1852.5	18625	Н	27.7	5.21	-4.67	28.24	33.01
BW: 5M			V	19.80	5.15	-4.71	20.25	33.01
16QAM RB: 1,24	1880.0	18900	Н	28.01	5.15	-4.71	28.46	33.01
			V	18.46	5.09	-4.74	18.82	33.01
	1907.5	19175	Н	27.03	5.09	-4.74	27.38	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 10M / QPSK / RB: 1,0

]	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.96	5.22	-4.67	20.51	33.01
BAND 2	1855.0	18650	Н	27.13	5.22	-4.67	27.69	33.01
BW: 10M			V	19.43	5.17	-4.70	19.90	33.01
QPSK	1880.0	18900	Н	27.49	5.17	-4.70	27.96	33.01
RB: 1,0			V	20.36	5.11	-4.73	20.75	33.01
	1905.0	19150	Н	27.89	5.11	-4.73	28.27	33.01

BAND 2 / BW: 10M / QPSK / RB: 1,49

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.87	5.20	-4.68	20.39	33.01
	1855.0	18650	Н	27.18	5.20	-4.68	27.71	33.01
BAND 2			V	19.22	5.15	-4.71	19.66	33.01
BW: 10M	1880.0	880.0 18900	Н	27.96	5.15	-4.71	28.40	33.01
QPSK		19150	V	18.65	5.10	-4.74	19.01	33.01
RB: 1,49	1905.0		Н	26.75	5.09	-4.74	27.11	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 10M /16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.18	5.22	-4.67	20.73	33.01
BAND 2	1855.0	18650	Н	27.97	5.23	-4.67	28.52	33.01
BW: 10M			V	19.65	5.17	-4.70	20.12	33.01
16QAM	1880.0	18900	Н	27.66	5.17	-4.70	28.13	33.01
RB: 1,0		1905.0 19150	V	20.47	5.11	-4.73	20.85	33.01
	1905.0		Н	28.30	5.11	-4.73	28.69	33.01

BAND 2 / BW: 10M / 16QAM / RB: 1,49

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.87	5.20	-4.68	20.39	33.01
BAND 2	1855.0	18650	Н	27.18	5.20	-4.68	27.71	33.01
BW: 10M			V	19.22	5.15	-4.71	19.66	33.01
16QAM	1880.0	18900	Н	27.96	5.15	-4.71	28.40	33.01
RB: 1,49		1005.0	V	18.65	5.10	-4.74	19.01	33.01
	1905.0	19150	Н	26.75	5.09	-4.74	27.11	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 15M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.28	5.22	-4.67	19.84	33.01
BAND 2	1857.5	18675	Н	27.09	5.22	-4.67	27.64	33.01
BW: 15M			V	18.52	5.17	-4.70	19.00	33.01
QPSK	1880.0	18900	Н	27.25	5.17	-4.70	27.73	33.01
RB: 1,0		10125	V	19.07	5.13	-4.72	19.48	33.01
	1902.5	19125	Н	28.23	5.12	-4.72	28.64	33.01

BAND 2 / BW: 15M / QPSK / RB: 1,74

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	17.46	5.19	-4.69	17.97	33.01
BAND 2	1857.5	18675	Н	26.88	5.19	-4.69	27.39	33.01
BW: 15M			V	18.12	5.14	-4.71	18.55	33.01
QPSK	1880.0	18900	Н	27.41	5.14	-4.71	27.84	33.01
RB: 1,74	1002 5 10125	V	17.64	5.09	-4.74	18.00	33.01	
	1902.5	19125	Н	27.08	5.09	-4.74	27.44	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 15M /16QAM / RB: 1,0

]	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.36	5.22	-4.67	19.91	33.01
BAND 2	1857.5	18675	Н	27.7	5.23	-4.67	28.26	33.01
BW: 15M			V	19.01	5.17	-4.70	19.49	33.01
16QAM	1880.0	18900	Н	27.61	5.17	-4.70	28.09	33.01
RB: 1,0	1002 5 1		V	19.28	5.12	-4.72	19.68	33.01
	1902.5)2.5 19125	Н	28.4	5.12	-4.72	28.80	33.01

BAND 2 / BW: 15M / 16QAM / RB: 1,74

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	18.08	5.2	-4.69	18.59	33.01
BAND 2	1857.5	18675	Н	27.53	5.19	-4.69	28.04	33.01
BW: 15M			V	18.76	5.14	-4.71	19.19	33.01
16QAM	1880.0	18900	Н	27.71	5.15	-4.71	28.15	33.01
RB: 1,74	1002.5		V	17.91	5.09	-4.74	18.27	33.01
	1902.5	19125	Н	27.34	5.10	-4.74	27.69	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 20M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	19.36	5.22	-4.67	19.92	33.01
BAND 2	1860.0	18700	Н	27.09	5.22	-4.67	27.64	33.01
BW: 20M			V	19.10	5.18	-4.69	19.59	33.01
QPSK	1880.0	18900	Н	27.42	5.18	-4.69	27.91	33.01
RB: 1,0		10100	V	18.59	5.14	-4.72	19.01	33.01
	1900.0	19100	Н	28.03	5.14	-4.72	28.45	33.01

BAND 2 / BW: 20M / QPSK / RB: 1,99

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	16.09	5.18	-4.69	16.58	33.01
BAND 2	1860.0	18700	Н	26.36	5.18	-4.69	26.85	33.01
BW: 20M			V	18.71	5.14	-4.71	19.13	33.01
QPSK	1880.0	18900	Н	27.91	5.14	-4.71	28.34	33.01
RB: 1,99			V	18.72	5.09	-4.74	19.08	33.01
	1900.0	19100	Н	27.22	5.10	-4.74	27.58	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 2 / BW: 20M /16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.38	5.22	-4.67	20.94	33.01
BAND 2	1860.0	18700	Н	27.98	5.22	-4.67	28.53	33.01
BW: 20M			V	19.11	5.18	-4.69	19.59	33.01
16QAM	1880.0	18900	Н	27.51	5.18	-4.69	28.00	33.01
RB: 1,0			V	18.73	5.14	-4.72	19.15	33.01
	1900.0	19100	Н	28.20	5.13	-4.72	28.62	33.01

BAND 2 / BW: 20M / 16QAM / RB: 1,99

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	17.06	5.18	-4.69	17.56	33.01
BAND 2	1860.0	18700	Н	27.36	5.18	-4.69	27.85	33.01
BW: 20M			V	19.02	5.14	-4.71	19.45	33.01
16QAM	1880.0	18900	Н	28.19	5.14	-4.71	28.61	33.01
RB: 1,99			V	19.03	5.10	-4.74	19.39	33.01
	1900.0	19100	Н	27.39	5.10	-4.74	27.75	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 1.4M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.67	5.55	-4.5	21.73	30.00
BAND 4	1710.7	19957	Н	23.87	5.55	-4.5	24.93	30.00
BW: 1.4M/	1732.5	20175	V	20.00	5.50	-4.52	20.98	30.00
QPSK	1752.5	20175	Н	24.21	5.50	-4.52	25.19	30.00
RB: 1,0	1754.3 20393	V	18.33	5.45	-4.55	19.23	30.00	
	1/34.5	1754.3 20393	Н	24.18	5.45	-4.55	25.08	30.00

BAND 4 / BW: 1.4M / QPSK / RB: 1,5

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.68	5.55	-4.5	21.73	30.00
BAND 4	1710.7	19957	Н	23.88	5.55	-4.5	24.93	30.00
BW: 1.4M	1732.5	20175	V	19.97	5.50	-4.53	20.94	30.00
QPSK	1732.5	20175	Н	24.29	5.50	-4.53	25.27	30.00
RB: 1,5	1754.3 20393 -	V	17.78	5.45	-4.55	18.68	30.00	
	1734.5	20393 -	Н	24.03	5.45	-4.55	24.92	30.00

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 1.4M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.93	5.55	-4.50	21.98	30.00
BAND 4	1710.7	19957	Н	23.94	5.55	-4.50	24.99	30.00
BW: 1.4M	1732.5	20175	V	20.11	5.50	-4.53	21.08	30.00
16QAM	1752.5	20175	Н	24.31	5.50	-4.52	25.28	30.00
RB: 1,0	1754.2	20393 -	V	18.30	5.45	-4.55	19.20	30.00
	1754.3	20393	Н	24.28	5.45	-4.55	25.18	30.00

BAND 4 / BW: 1.4M / 16QAM / RB: 1,5

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1710 7	10057	V	20.96	5.55	-4.50	22.01	30.00
BAND 4	1710.7	19957	Н	23.96	5.55	-4.50	25.01	30.00
BW: 1.4M	1722.5	20175	V	20.25	5.50	-4.53	21.22	30.00
16QAM		20175	Н	24.38	5.50	-4.53	25.35	30.00
RB: 1,5		20393	V	18.09	5.45	-4.55	18.98	30.00
		20393	Н	24.22	5.45	-4.55	25.12	30.00

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 3M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.69	5.55	-4.50	21.75	30.00
BAND 4	1711.5	19965	Н	23.89	5.55	-4.50	24.95	30.00
BW: 3M	1732.5	20175	V	20.07	5.50	-4.52	21.05	30.00
QPSK	1752.5	20175	Н	24.18	5.50	-4.52	25.16	30.00
RB: 1,0	1753.5 20385 -	V	18.65	5.45	-4.55	19.55	30.00	
	1733.5	20385 -	Н	24.30	5.45	-4.55	25.20	30.00

BAND 4 / BW: 3M / QPSK / RB: 1,14

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.58	5.55	-4.50	21.63	30.00
BAND 4	1711.5	19965	Н	23.83	5.55	-4.50	24.88	30.00
BW: 3M	1732.5	20175	V	20.08	5.50	-4.53	21.05	30.00
QPSK	1752.5	20175	Н	24.32	5.50	-4.53	25.29	30.00
RB: 1,14	1753.5 203	20385	V	17.74	5.45	-4.55	18.63	30.00
	1735.5	20383	Н	24.10	5.45	-4.55	24.99	30.00

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 3M / 16QAM / RB: 1,0

]	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.89	5.55	-4.50	21.94	30.00
BAND 4	1711.5	19965	Н	23.94	5.55	-4.50	25.00	30.00
BW: 3M	1722.5	20175	V	20.28	5.50	-4.52	21.26	30.00
16QAM	1732.5 2017	20175	Н	24.31	5.50	-4.52	25.29	30.00
RB: 1,0	1752 5	20385	V	18.88	5.45	-4.55	19.78	30.00
	1753.5	20385	Н	24.49	5.45	-4.55	25.39	30.00

BAND 4 / BW: 3M / 16QAM / RB: 1,14

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.85	5.55	-4.50	21.90	30.00
BAND 4	1711.5	19965	Н	23.94	5.55	-4.50	24.99	30.00
BW: 3M	1722.5	20175	V	20.40	5.50	-4.53	21.37	30.00
16QAM	1732.5	20175	Н	24.43	5.50	-4.53	25.41	30.00
RB: 1,14	1753.5	20385	V	18.07	5.45	-4.55	18.97	30.00
	1735.5	20383	Н	24.28	5.45	-4.55	25.18	30.00

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 5M / QPSK / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.37	5.55	-4.50	22.43	30.00
BAND 4	1712.5	19975	Н	24.56	5.55	-4.50	25.61	30.00
BW: 5M	1732.5	20175	V	21.92	5.51	-4.52	22.91	30.00
QPSK	1752.5	20175	Н	22.70	5.51	-4.52	23.69	30.00
RB: 1,0	1752.5 2037	20275	V	20.12	5.46	-4.55	21.02	30.00
	1732.5	20375	Н	23.00	5.46	-4.55	23.91	30.00

BAND 4 / BW: 5M / QPSK / RB: 1,24

]	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.27	5.54	-4.50	22.32	30.00
BAND 4	1712.5	19975	Н	23.63	5.54	-4.50	24.67	30.00
BW: 5M	1732.5	20175	V	21.50	5.49	-4.53	22.47	30.00
QPSK	1752.5	20175 -	Н	23.22	5.50	-4.53	24.19	30.00
RB: 1,24	1752.5	20275	V	19.58	5.45	-4.55	20.48	30.00
	1732.5	1752.5 20375	Н	22.31	5.45	-4.55	23.21	30.00

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 5M / 16QAM / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.72	5.55	-4.50	22.78	30.00
BAND 4	1712.5	19975	Н	24.83	5.55	-4.50	25.88	30.00
BW: 5M	1722.5	20175	V	22.34	5.50	-4.52	23.33	30.00
16QAM	1/32.5	20175	Н	23.12	5.51	-4.52	24.11	30.00
RB: 1,0 1752.5	1752.5	20375	V	20.51	5.46	-4.55	21.42	30.00
	20375	Н	23.39	5.46	-4.55	24.30	30.00	

BAND 4 / BW: 5M / 16QAM / RB: 1,24

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.61	5.54	-4.50	22.65	30.00
BAND 4	1712.5	19975	Н	23.94	5.54	-4.50	24.98	30.00
BW: 5M	1732.5	20175	V	21.99	5.49	-4.53	22.96	30.00
16QAM	1752.5	20175	Н	23.73	5.50	-4.53	24.70	30.00
RB: 1,24	1752 5 2037	20275	V	19.94	5.45	-4.55	20.83	30.00
	1732.3	1752.5 20375 -	Н	22.59	5.45	-4.55	23.48	30.00

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 10M / QPSK / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	12.90	5.55	-4.50	13.96	30.00
BAND 4	1715.0	20000	Н	16.05	5.55	-4.50	17.10	30.00
BW: 10M	1722.5	20175	V	14.34	5.51	-4.52	15.33	30.00
QPSK	1752.5	1732.5 20175	Н	14.99	5.51	-4.52	15.98	30.00
RB: 1,0	1750.0	20350	V	14.78	5.47	-4.54	15.70	30.00
	1730.0	20330	Н	18.27	5.47	-4.54	19.20	30.00

BAND 4 / BW: 10M / QPSK / RB: 1,49

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	13.65	5.53	-4.51	14.67	30.00
BAND 4	1715.0	20000	Н	14.35	5.53	-4.51	15.37	30.00
BW: 10M	1732.5	20175	V	14.93	5.49	-4.53	15.89	30.00
QPSK	1752.5	20173	Н	16.29	5.49	-4.53	17.25	30.00
RB: 1,49	1750.0 20350 -	V	15.45	5.45	-4.55	16.35	30.00	
	1730.0	20550	Н	18.75	5.45	-4.55	19.65	30.00

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised to the fullet extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



BAND 4 / BW: 10M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	14.41	5.55	-4.50	15.47	30.00
BAND 4	1715.0	20000	Н	16.54	5.55	-4.50	17.60	30.00
BW: 10M	1722.5	20175	V	15.39	5.51	-4.52	16.38	30.00
16QAM	1752.5	32.5 20175 -	Н	15.67	5.51	-4.52	16.66	30.00
RB: 1,0		20350	V	15.56	5.47	-4.54	16.49	30.00
		20350	Н	19.28	5.47	-4.54	20.21	30.00

BAND 4 / BW: 10M / 16QAM / RB: 1,49

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	14.27	5.53	-4.51	15.29	30.00
BAND 4	1715.0	20000	Н	15.80	5.53	-4.51	16.82	30.00
BW: 10M	1732.5	20175	V	15.52	5.49	-4.53	16.48	30.00
16QAM	1752.5	20175	Н	17.40	5.49	-4.53	18.36	30.00
RB: 1,49	1750.0	20350 -	V	16.38	5.45	-4.55	17.28	30.00
	1730.0	20330	Н	19.55	5.45	-4.55	20.44	30.00

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 15M / QPSK / RB: 1,0

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
			V	15.78	5.55	-4.50	16.83	30.00	
BAND 4	1717.5	20025	Н	17.79	5.55	-4.50	18.84	30.00	
BW: 15M	1732.5	20175	V	16.83	5.52	-4.52	17.83	30.00	
QPSK	1752.5	20175	Н	17.46	5.52	-4.52	18.46	30.00	
RB: 1,0	1747.5	20325	V	18.14	5.48	-4.54	19.08	30.00	
	1747.5		Н	20.37	5.48	-4.54	21.32	30.00	

BAND 4 / BW: 15M / QPSK / RB: 1,74

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
		20025	V	16.94	5.52	-4.51	17.95	30.00	
BAND 4	1717.5		Н	17.60	5.52	-4.51	18.60	30.00	
BW: 15M	1722.5	20175	V	18.31	5.48	-4.53	19.26	30.00	
QPSK	1732.5	20175	Н	19.84	5.48	-4.53	20.79	30.00	
RB: 1,74	1747.5 00005	20325	V	19.48	5.45	-4.55	20.38	30.00	
	1747.5	20325	Н	21.17	5.45	-4.55	22.06	30.00	

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 15M / 16QAM / RB: 1,0

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
		20025	V	15.46	5.55	-4.50	16.51	30.00	
BAND 4	1717.5		Н	18.46	5.55	-4.50	19.52	30.00	
BW: 15M	1732.5	20175	V	17.67	5.52	-4.52	18.67	30.00	
16QAM	1752.5	20175	Н	18.33	5.52	-4.52	19.33	30.00	
RB: 1,0	1747.5 0000	20325	V	18.86	5.48	-4.54	19.80	30.00	
	1747.5	20325	Н	21.05	5.48	-4.54	21.99	30.00	

BAND 4 / BW: 15M / 16QAM / RB: 1,74

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
		20025	V	17.60	5.52	-4.51	18.61	30.00	
BAND 4	1717.5		Н	18.03	5.52	-4.51	19.04	30.00	
BW: 15M	1722.5	20175	V	19.22	5.49	-4.53	20.18	30.00	
16QAM	1732.5	20175	Н	20.77	5.48	-4.53	21.72	30.00	
RB: 1,74	74	20225	V	19.87	5.45	-4.55	20.76	30.00	
	1747.5	20325	Н	22.32	5.45	-4.55	23.22	30.00	

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 20M / QPSK / RB: 1,0

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
		20050	V	17.13	5.55	-4.50	18.18	30.00	
BAND 4	1720.0		Н	18.21	5.55	-4.50	19.27	30.00	
BW: 20M	1722.5	20175	V	16.91	5.52	-4.51	17.91	30.00	
QPSK	1732.5	20175	Н	17.96	5.52	-4.51	18.97	30.00	
RB: 1,0	1745.0	20300	V	18.95	5.49	-4.53	19.91	30.00	
	1745.0		Н	19.46	5.49	-4.53	20.42	30.00	

BAND 4 / BW: 20M / QPSK / RB: 1,99

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
			V	17.80	5.51	-4.52	18.79	30.00	
BAND 4	1720.0	20050	Н	18.56	5.51	-4.52	19.55	30.00	
BW: 20M	1732.5	20175	V	18.77	5.48	-4.54	19.71	30.00	
QPSK	1752.5	20175	Н	21.06	5.48	-4.54	22.00	30.00	
RB: 1,99	1745.0	20200	V	20.17	5.45	-4.55	21.07	30.00	
	1745.0	20300	Н	21.86	5.45	-4.55	22.76	30.00	

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 4 / BW: 20M /16QAM / RB: 1,0

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
			V	17.70	5.55	-4.50	18.75	30.00	
BAND 4	1720.0	20050	Н	18.98	5.55	-4.50	20.04	30.00	
BW: 20M	1722.5	20175	V	17.91	5.52	-4.51	18.92	30.00	
16QAM	1732.5	20175	Н	18.88	5.52	-4.51	19.88	30.00	
RB: 1,0	1745.0	20300	V	19.49	5.49	-4.53	20.45	30.00	
	1745.0		Н	20.16	5.49	-4.53	21.12	30.00	

BAND 4 / BW: 20M / 16QAM / RB: 1,99

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
		20050	V	18.41	5.51	-4.52	19.40	30.00	
BAND 4	1720.0		Н	19.07	5.51	-4.52	20.06	30.00	
BW: 20M	1732.5	20175	V	19.60	5.48	-4.54	20.54	30.00	
16QAM	1752.5	20175	Н	21.75	5.48	-4.54	22.70	30.00	
RB: 1,99	1745.0	20200	V	20.81	5.45	-4.55	21.70	30.00	
	1745.0	20300	Н	22.81	5.45	-4.55	23.71	30.00	

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 5 / BW: 1.4M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	24.02	3.75	-3.03	24.75	38.45
BAND 5	824.7	20407	Н	18.68	3.75	-3.03	19.40	38.45
BW: 1.4M	836.5	20525	V	23.70	3.76	-3.07	24.40	38.45
QPSK RB: 1,0	850.5	20323	Н	18.45	3.76	-3.06	19.15	38.45
	848.3	20643	V	23.09	3.77	-3.10	23.76	38.45
	040.5	20043	Н	17.83	3.77	-3.10	18.49	38.45

BAND 5 / BW: 1.4M / QPSK / RB: 1,5

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.81	3.76	-3.03	24.53	38.45
BAND 5	824.7	20407	Н	18.59	3.75	-3.03	19.31	38.45
BW: 1.4M	926.5	20525	V	23.86	3.76	-3.07	24.56	38.45
QPSK	836.5	20323	Н	19.26	3.76	-3.07	19.96	38.45
RB: 1,5	848.3	20643	V	23.03	3.77	-3.10	23.70	38.45
	040.3	20045	Н	17.77	3.77	-3.10	18.43	38.45

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 5 / BW: 1.4M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	24.14	3.75	-3.03	24.86	38.45
BAND 5	824.7	20407	Н	18.55	3.75	-3.03	19.28	38.45
BW: 1.4M	926.5	20525	V	24.32	3.76	-3.06	25.02	38.45
16QAM	836.5	20323	Н	19.85	3.76	-3.07	20.55	38.45
RB: 1,0	848.3	20643	V	23.47	3.77	-3.10	24.13	38.45
	048.3	20043	Н	18.27	3.77	-3.10	18.93	38.45

BAND 5 / BW: 1.4M / 16QAM / RB: 1,5

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	24.17	3.76	-3.03	24.89	38.45
BAND 5	824.7	20407	Н	18.97	3.76	-3.03	19.70	38.45
BW: 1.4M	836.5	20525	V	24.44	3.76	-3.07	25.13	38.45
16QAM	830.3	20323	Н	19.97	3.76	-3.07	20.66	38.45
RB: 1,5	.15	20642	V	23.44	3.77	-3.10	24.10	38.45
	040.3	20643 -	Н	18.28	3.77	-3.10	18.94	38.45

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 5 / BW: 3M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.75	3.75	-3.03	24.47	38.45
BAND 5	825.5	20415	Н	18.65	3.75	-3.03	19.38	38.45
BW: 3M	926.5	20525	V	23.70	3.76	-3.06	24.40	38.45
QPSK	836.5 20:	20323	Н	19.08	3.76	-3.06	19.78	38.45
RB: 1,0	847.5	20635	V	23.08	3.77	-3.10	23.75	38.45
	847.3	20035	Н	17.83	3.77	-3.10	18.50	38.45

BAND 5 / BW: 3M / QPSK / RB: 1,14

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.24	3.76	-3.03	23.96	38.45
BAND 5	825.5	20415	Н	18.25	3.76	-3.03	18.98	38.45
BW: 3M	926.5	20525	V	23.88	3.76	-3.07	24.57	38.45
QPSK	836.5	20323	Н	19.16	3.76	-3.07	19.86	38.45
RB: 1,14 847	947 5	20635	V	22.75	3.77	-3.11	23.41	38.45
	047.3	20055	Н	17.55	3.77	-3.11	18.21	38.45

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 5 / BW: 3M / 16QAM / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.97	3.75	-3.03	24.70	38.45
BAND 5	825.5	20415	Н	18.67	3.75	-3.03	19.40	38.45
BW: 3M	926.5	20525	V	24.23	3.76	-3.06	24.93	38.45
16QAM	836.5	20323	Н	19.75	3.76	-3.06	20.45	38.45
RB: 1,0	847.5	20635	V	23.53	3.77	-3.10	24.20	38.45
	047.3	20055	Н	18.38	3.77	-3.10	19.05	38.45

BAND 5 / BW: 3M / 16QAM / RB: 1,14

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.64	3.76	-3.03	24.36	38.45
BAND 5	825.5	20415	Н	18.70	3.76	-3.04	19.42	38.45
BW: 3M	836.5	20525	V	24.52	3.76	-3.070	25.21	38.45
16QAM	830.3	20323	Н	19.96	3.76	-3.070	20.66	38.45
RB· 1 14	947 5	20625	V	22.93	3.77	-3.11	23.59	38.45
	847.5 20635	Н	18.11	3.77	-3.11	18.77	38.45	

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 5 / BW: 5M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.59	3.76	-3.03	24.32	38.45
BAND 5	826.5	20425	Н	18.58	3.75	-3.03	19.31	38.45
BW: 5M	836.5	20525	V	23.60	3.76	-3.06	24.31	38.45
QPSK	850.5	20323	Н	19.59	3.76	-3.06	20.29	38.45
RB: 1,0	846.5	20625	V	24.06	3.76	-3.09	24.74	38.45
	840.3	20025	Н	18.03	3.76	-3.09	18.71	38.45

BAND 5 / BW: 5M / QPSK / RB: 1,24

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.06	3.76	-3.04	23.78	38.45
BAND 5	826.5	20425	Н	18.4	3.76	-3.04	19.12	38.45
BW: 5M	926.5	20525	V	23.95	3.76	-3.07	24.64	38.45
QPSK	836.5	20323	Н	19.81	3.76	-3.07	20.51	38.45
RB: 1,24	846.5	20625	V	23.75	3.77	-3.10	24.42	38.45
	040.3	20023	Н	17.61	3.77	-3.10	18.27	38.45

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 5 / BW: 5M / 16QAM / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.91	3.75	-3.03	24.63	38.45
BAND 5	826.5	20425	Н	18.98	3.75	-3.03	19.70	38.45
BW: 5M	926.5	20525	V	24.29	3.76	-3.06	24.99	38.45
16QAM	836.5	20323	Н	20.04	3.76	-3.06	20.75	38.45
RB: 1,0	846.5	20625	V	23.90	3.76	-3.09	24.58	38.45
	840.3	20025	Н	18.65	3.76	-3.09	19.33	38.45

BAND 5 / BW: 5M / 16QAM / RB: 1,24

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.55	3.76	-3.04	24.27	38.45
BAND 5	826.5	20425	Н	18.95	3.76	-3.04	19.66	38.45
BW: 5M	926.5	20525	V	24.66	3.76	-3.07	25.35	38.45
16QAM	836.5	20323	Н	20.42	3.76	-3.07	21.11	38.45
RB: 1,24	846.5	20625	V	24.01	3.77	-3.10	24.67	38.45
	040.3	20023	Н	18.29	3.77	-3.10	18.95	38.45

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 5 / BW: 10M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.7	3.75	-3.03	24.43	38.45
BAND 5	829.0	20450	Н	18.48	3.75	-3.03	19.21	38.45
BW: 10M	836.5	20525	V	23.28	3.76	-3.05	23.99	38.45
QPSK	830.3	20323	Н	19.32	3.76	-3.05	20.03	38.45
RB: 1,0	· ·	20600	V	24.44	3.76	-3.07	25.13	38.45
	044.0	20600	Н	19.77	3.76	-3.08	20.46	38.45

BAND 5 / BW: 10M / QPSK / RB: 1,49

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	23.36	3.76	-3.06	24.06	38.45
BAND 5	829.0	20450	Н	18.65	3.76	-3.06	19.36	38.45
BW: 10M	926.5	20525	V	23.79	3.76	-3.08	24.47	38.45
QPSK	836.5	20525	Н	19.50	3.76	-3.08	20.19	38.45
RB· 1 49	844.0	20600	V	23.24	3.77	-3.10	23.91	38.45
	044.0	20600	Н	17.79	3.77	-3.10	18.46	38.45

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 5 / BW: 10M /16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	24.16	3.75	-3.03	24.88	38.45
BAND 5	829.0	20450	Н	19.00	3.75	-3.03	19.73	38.45
BW: 10M	836.5	20525	V	23.95	3.76	-3.05	24.66	38.45
16QAM	830.3	20323	Н	19.29	3.76	-3.05	20.00	38.45
RB: 1,0	844.0 2060	20,000	V	24.82	3.76	-3.08	25.50	38.45
	844.0	20600 -	Н	20.19	3.76	-3.08	20.88	38.45

BAND 5 / BW: 10M / 16QAM / RB: 1,49

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	24.23	3.76	-3.05	24.94	38.45
BAND 5	829.0	20450	Н	19.66	3.76	-3.06	20.37	38.45
BW: 10M	836.5	20525	V	24.50	3.76	-3.08	25.18	38.45
16QAM	830.3	20323	Н	19.48	3.76	-3.08	20.17	38.45
RB: 1,49	RR·149	20600	V	23.63	3.77	-3.10	24.29	38.45
	044.0	844.0 20600	Н	18.38	3.77	-3.10	19.04	38.45

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 7 / BW: 5M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	24.22	6.40	-5.48	25.14	33.01
BAND 7	2502.5	20775	Н	17.57	6.40	-5.48	18.49	33.01
BW: 5M	2525.0	21100	V	23.84	6.48	-5.52	24.80	33.01
QPSK	2535.0 2110	21100	Н	17.15	6.48	-5.52	18.11	33.01
RB : 1,0	2567.5	21425	V	23.42	6.57	-5.57	24.42	33.01
	2567.5	21423	Н	17.88	6.57	-5.57	18.88	33.01

BAND 7 / BW: 5M / QPSK / RB: 1,24

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	24.81	6.41	-5.49	25.73	33.01
BAND 7	2502.5	20775	Н	17.87	6.41	-5.48	18.79	33.01
BW: 5M	2525.0	21100	V	24.59	6.50	-5.53	25.55	33.01
QPSK	2535.0	21100	Н	18.06	6.50	-5.53	19.02	33.01
RB: 1,24	2567.5	21425	V	22.03	6.58	-5.57	23.03	33.01
	2567.5	21425	Н	17.98	6.58	-5.57	18.99	33.01

Remark:

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 7 / BW: 5M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	24.80	6.40	-5.48	25.72	33.01
BAND 7	2502.5	20775	Н	18.34	6.40	-5.48	19.26	33.01
BW: 5M	2525.0	21100	V	25.15	6.48	-5.52	26.11	33.01
16QAM	2535.0	21100	Н	18.81	6.49	-5.52	19.77	33.01
RB: 1,0	2567.5	21425	V	24.22	6.57	-5.57	25.22	33.01
	2307.5	21423	Н	18.63	6.57	-5.57	19.63	33.01

BAND 7 / BW: 5M / 16QAM / RB: 1,24

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	25.65	6.41	-5.49	26.57	33.01
BAND 7	2502.5	20775	Н	18.54	6.41	-5.49	19.47	33.01
BW: 5M	2525.0	21100	V	25.41	6.50	-5.53	26.38	33.01
16QAM	2535.0	21100	Н	19.07	6.50	-5.53	20.04	33.01
RB: 1,24 2567.5	2567.5	21425	V	22.99	6.58	-5.57	24.00	33.01
	21423	Н	18.98	6.58	-5.57	19.98	33.01	

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 7 / BW: 10M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.56	6.40	-5.48	24.48	33.01
BAND 7	2505.0	20800	Н	17.62	6.40	-5.48	18.54	33.01
BW: 10M	2525.0	21100	V	23.71	6.48	-5.52	24.67	33.01
QPSK	X 2535.0 211	21100	Н	17.52	6.48	-5.52	18.47	33.01
RB: 1,0		21400	V	22.2	6.56	-5.56	23.19	33.01
		21400	Н	16.53	6.56	-5.56	17.52	33.01

BAND 7 / BW: 10M / QPSK / RB: 1,49

:	EUT			Ν	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	24.44	6.42	-5.49	25.37	33.01
BAND 7	2505.0	20800	Н	16.93	6.42	-5.49	17.87	33.01
BW: 10M	2525.0	21100	V	23.99	6.50	-5.53	24.96	33.01
QPSK	2535 ()	21100	Н	17.82	6.50	-5.53	18.79	33.01
RB: 1,49	2565.0	CH 20800 21100 21400	V	21.71	6.58	-5.57	22.72	33.01
	2305.0	21400	Н	17.51	6.58	-5.57	18.52	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 7 / BW: 10M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	24.44	6.40	-5.48	25.36	33.01
BAND 7	2505.0	20800	Н	18.49	6.40	-5.48	19.41	33.01
BW: 10M	2525.0	21100	V	24.66	6.48	-5.52	25.61	33.01
16QAM	2535.0 2	21100	Н	18.55	6.48	-5.52	19.51	33.01
RB: 1,0 2565.0	2565.0	21400	V	23.24	6.56	-5.56	24.24	33.01
	2305.0	21400	Н	17.70	6.56	-5.56	18.69	33.01

BAND 7 / BW: 10M / 16QAM / RB: 1,49

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	25.57	6.42	-5.49	26.50	33.01
BAND 7	2505.0	20800	Н	18.02	6.42	-5.49	18.95	33.01
BW: 10M	2525.0	21100	V	25.14	6.50	-5.53	26.11	33.01
16QAM		21100	Н	19.01	6.50	-5.53	19.98	33.01
RB: 1,49	2565.0	21400	V	22.59	6.58	-5.57	23.60	33.01
	2565.0 214	21400	Н	18.63	6.58	-5.57	19.63	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 7 / BW: 15M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20925	V	24.35	6.41	-5.48	25.28	33.01
BAND 7	2507.5	20825	Н	17.86	6.41	-5.48	18.78	33.01
BW: 15M	2535.0	21100	V	23.33	6.47	-5.52	24.29	33.01
QPSK	2335.0	21100	Н	17.04	6.47	-5.52	17.99	33.01
RB: 1,0	2562.5	21375	V	23.11	6.54	-5.55	24.09	33.01
		213/3	Н	15.93	6.55	-5.56	16.93	33.01

BAND 7 / BW: 15M / QPSK / RB: 1,74

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20825	V	23.53	6.44	-5.50	24.47	33.01
BAND 7	2307.3	20823	Н	16.21	6.44	-5.50	17.15	33.01
BW: 15M	2535.0	21100	V	23.76	6.51	-5.54	24.74	33.01
QPSK	2353.0	21100 -	Н	18.33	6.51	-5.54	19.31	33.01
RB: 1,74	2562.5 21	21375	V	21.81	6.58	-5.57	22.82	33.01
		21373	Н	18.38	6.58	-5.57	19.39	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 7 / BW: 15M / 16QAM / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20925	V	24.8	6.41	-5.48	25.73	33.01
BAND 7	2507.5	20825	Н	18.55	6.41	-5.48	19.48	33.01
BW: 15M	2525.0	21100	V	24.10	6.47	-5.52	25.06	33.01
16QAM	2535.0 211	21100	Н	18.25	6.47	-5.52	19.20	33.01
RB: 1,0	2562.5	21375	V	23.84	6.54	-5.55	24.83	33.01
	2562.5	213/3	Н	16.93	6.54	-5.55	17.92	33.01

BAND 7 / BW: 15M / 16QAM / RB: 1,74

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20825	V	24.64	6.44	-5.5	25.58	33.01
BAND 7	2307.3	20823	Н	17.34	6.44	-5.5	18.28	33.01
BW: 15M	2535.0	21100	V	24.79	6.51	-5.54	25.76	33.01
16QAM	2353.0	21100	Н	19.22	6.51	-5.54	20.19	33.01
RB: 1,74	2562 5 213	21275	V	22.68	6.58	-5.57	23.69	33.01
	2302.5	2562.5 21375 -	Н	19.14	6.58	-5.57	20.14	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 7 / BW: 20M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20950	V	24.42	6.40	-5.48	25.34	33.01
BAND 7	2510.0	20850	Н	17.61	6.40	-5.48	18.54	33.01
BW: 20M	2525.0	21100	V	23.30	6.47	-5.52	24.26	33.01
QPSK		21100	Н	16.82	6.47	-5.52	17.78	33.01
RB: 1,0		21350 -	V	24.52	6.53	-5.55	25.50	33.01
		21350	Н	15.45	6.53	-5.55	16.44	33.01

BAND 7 / BW: 20M / QPSK / RB: 1,99

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20850	V	23.87	6.45	-5.51	24.81	33.01
BAND 7	2310.0	20830	Н	15.07	6.45	-5.51	16.01	33.01
BW: 20M	2525.0	21100	V	23.68	6.52	-5.54	24.66	33.01
QPSK	2535.0 211	21100	Н	17.44	6.51	-5.54	18.41	33.01
RB: 1,99	2560.0	21350	V	22.55	6.58	-5.57	23.56	33.01
	2560.0	21550	Н	18.19	6.58	-5.57	19.20	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 7 / BW: 20M /16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20950	V	25.04	6.40	-5.48	25.96	33.01
BAND 7	2510.0	20850	Н	18.39	6.40	-5.48	19.31	33.01
BW: 20M	2525.0	21100	V	24.22	6.47	-5.52	25.17	33.01
16QAM	2535.0 2	21100	Н	18.06	6.47	-5.51	19.01	33.01
RB: 1,0 2560.0	2560.0	21350	V	25.30	6.53	-5.55	26.29	33.01
	2560.0	21550	Н	16.62	6.53	-5.55	17.61	33.01

BAND 7 / BW: 20M / 16QAM / RB: 1,99

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20850	V	24.78	6.45	-5.50	25.72	33.01
BAND 7	2310.0	20830	Н	16.19	6.45	-5.50	17.14	33.01
BW: 20M	2525.0	21100	V	24.63	6.51	-5.54	25.61	33.01
16QAM	2353.0	2535.0 21100	Н	18.56	6.51	-5.54	19.54	33.01
RB: 1,99	2560.0	21350	V	23.52	6.58	-5.57	24.53	33.01
		21550	Н	19.10	6.58	-5.57	20.10	33.01

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 12 / BW: 1.4M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	600.7	23017	V	15.81	3.88	-2.74	16.96	34.77
BAND 12	699.7	23017	Н	5.67	3.88	-2.74	6.81	34.77
BW: 1.4M	707.5	23095	V	16.96	3.86	-2.75	18.06	34.77
QPSK	/0/ 5	23093	Н	6.87	3.85	-2.75	7.97	34.77
RB: 1,0	715.3	23173	V	15.98	3.82	-2.77	17.03	34.77
	/13.5	23175	Н	4.89	3.82	-2.77	5.94	34.77

BAND 12 / BW: 1.4M / QPSK / RB: 1,5

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	15.57	3.88	-2.74	16.71	34.77
BAND 12	699.7	23017	Н	5.36	3.88	-2.74	6.51	34.77
BW: 1.4M			V	16.87	3.85	-2.76	17.97	34.77
QPSK	707.5	23095	Н	6.81	3.85	-2.76	7.90	34.77
RB: 1,5	515.0	715.2 02172	V	15.89	3.82	-2.77	16.93	34.77
	715.3	23173	Н	4.61	3.82	-2.77	5.66	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 12 / BW: 1.4M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	16.14	3.88	-2.74	17.28	34.77
BAND 12	699.7	23017	Н	5.94	3.88	-2.74	7.08	34.77
BW: 1.4M			V	17.21	3.86	-2.75	18.32	34.77
16QAM	707.5	707.5 23095	Н	7.19	3.85	-2.75	8.29	34.77
RB: 1,0			V	16.45	3.83	-2.77	17.50	34.77
	715.3	23173	Н	5.40	3.83	-2.77	6.46	34.77

BAND 12 / BW: 1.4M / 16QAM / RB: 1,5

	EUT			Ν	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	15.93	3.88	-2.74	17.07	34.77
BAND 12	699.7	23017	Н	5.77	3.88	-2.74	6.91	34.77
BW: 1.4M			V	17.1	3.85	-2.76	18.19	34.77
16QAM	707.5	23095	Н	7.02	3.85	-2.76	8.12	34.77
RB: 1,5	715.2 02172	V	16.16	3.82	-2.77	17.20	34.77	
	715.3	23173	Н	4.97	3.82	-2.77	6.02	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 12 / BW: 3M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	700.5	22025	V	16.02	3.88	-2.74	17.16	34.77
BAND 12	700.5	23025 —	Н	5.80	3.88	-2.74	6.95	34.77
BW: 3M	707.5	22005	V	16.74	3.86	-2.75	17.85	34.77
QPSK	107.5	23095 -	Н	6.79	3.86	-2.75	7.90	34.77
RB: 1,0		23165	V	16.96	3.83	-2.77	18.03	34.77
		23103	Н	6.25	3.83	-2.77	7.32	34.77

BAND 12 / BW: 3M / QPSK / RB: 1,14

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	700.5	23025	V	15.35	3.88	-2.74	16.49	34.77
BAND 12	700.5	25025	Н	5.37	3.88	-2.74	6.51	34.77
BW: 3M	707.5	23095	V	16.78	3.85	-2.76	17.87	34.77
QPSK	107.5	23093	Н	6.69	3.85	-2.76	7.78	34.77
RB: 1,14	714.5 23165	22165	V	15.68	3.82	-2.77	16.73	34.77
		25105	Н	4.53	3.82	-2.77	5.58	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 12 / BW: 3M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	7 00 7	22025	V	16.25	3.88	-2.74	17.4	34.77
BAND 12	700.5	23025	Н	6.23	3.88	-2.74	7.38	34.77
BW: 3M	707.5	22005	V	17.25	3.86	-2.75	18.36	34.77
16QAM	[707.5	23095	Н	7.32	3.86	-2.75	8.43	34.77
RB: 1,0		001.65	V	17.21	3.83	-2.77	18.28	34.77
	714.5	23165	Н	6.52	3.83	-2.77	7.59	34.77

BAND 12 / BW: 3M / 16QAM / RB: 1,14

]	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	700.5	22025	V	15.38	3.88	-2.74	16.52	34.77
BAND 12	700.5	23025	Н	5.33	3.88	-2.74	6.47	34.77
BW: 3M	7 0 7 5	22005	V	17.07	3.85	-2.76	18.16	34.77
16QAM		23095	Н	6.95	3.85	-2.76	8.04	34.77
RB: 1,14			V	15.91	3.82	-2.77	16.96	34.77
		23165	Н	4.77	3.82	-2.77	5.82	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 12 / BW: 5M / QPSK / RB: 1,0

	EUT			Ν	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	701.5	22025	V	15.69	3.88	-2.74	16.83	34.77
BAND 12	701.5	23035	Н	5.73	3.88	-2.74	6.87	34.77
BW: 5M	707 5	23095	V	16.66	3.87	-2.75	17.78	34.77
QPSK	707.5 2	23093	Н	6.65	3.86	-2.75	7.76	34.77
RB: 1,0	712.5	23155	V	17.49	3.84	-2.76	18.56	34.77
	713.5	25155	Н	7.07	3.84	-2.76	8.14	34.77

BAND 12 / BW: 5M / QPSK / RB: 1,24

	EUT			Ν	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	701.5	23035	V	15.62	3.87	-2.75	16.74	34.77
BAND 12	701.5	25055	Н	5.65	3.87	-2.75	6.77	34.77
BW: 5M	707.5	23095	V	17.11	3.85	-2.76	18.20	34.77
QPSK	707.5 23	23093	Н	6.89	3.84	-2.76	7.98	34.77
RB: 1,24	713.5	23155	V	15.87	3.82	-2.77	16.92	34.77
	/15.5	23133	Н	4.71	3.82	-2.77	5.76	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 12 / BW: 5M / 16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	701.5	22025	V	15.94	3.88	-2.74	17.08	34.77
BAND 12	701.5	23035	Н	6.17	3.88	-2.74	7.31	34.77
BW: 5M	707 5	23095	V	16.91	3.87	-2.75	18.02	34.77
I6QAM 707.5 RB: 1,0 713.5	101.5	23093	Н	6.91	3.86	-2.75	8.02	34.77
	712.5	23155	V	18.27	3.84	-2.76	19.34	34.77
	/15.5	25155	Н	7.88	3.84	-2.76	8.96	34.77

BAND 12 / BW: 5M / 16QAM / RB: 1,24

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	701.5	23035	V	15.73	3.87	-2.75	16.86	34.77
BAND 12	701.5	25055	Н	5.76	3.87	-2.75	6.89	34.77
BW: 5M	707.5	23095	V	17.45	3.85	-2.76	18.54	34.77
16QAM	707.5	23093	Н	7.26	3.84	-2.76	8.34	34.77
RB: 1,24 713.5	712.5	23155	V	16.16	3.82	-2.77	17.21	34.77
	/13.5	23133	Н	4.98	3.82	-2.77	6.03	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 12 / BW: 10M / QPSK / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	704.0	220.00	V	15.57	3.88	-2.74	16.71	34.77
BAND 12	704.0	23060	Н	5.18	3.88	-2.74	6.33	34.77
BW: 10M	707 5	22005	V	15.53	3.87	-2.75	16.65	34.77
QPSK		23095	Н	5.51	3.87	-2.75	6.63	34.77
RB: 1,0		00100	V	16.56	3.86	-2.75	17.67	34.77
		23130	Н	6.56	3.86	-2.75	7.66	34.77

BAND 12 / BW: 10M / QPSK / RB: 1,49

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	704.0	23060	V	16.57	3.85	-2.76	17.67	34.77
BAND 12	704.0	23000	Н	6.58	3.85	-2.76	7.67	34.77
BW: 10M	707 5	22005	V	17.39	3.84	-2.76	18.46	34.77
QPSK	101.5	707.5 23095	Н	6.96	3.84	-2.76	8.03	34.77
RB: 1,49	711.0 23	23130	V	15.78	3.82	-2.77	16.83	34.77
		23130	Н	4.64	3.82	-2.77	5.70	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 12 / BW: 10M /16QAM / RB: 1,0

]	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	16.04	3.88	-2.74	17.18	34.77
BAND 12	704.0	23060	Н	5.85	3.88	-2.74	6.99	34.77
BW: 10M			V	15.55	3.87	-2.74	16.68	34.77
16QAM	707.5	23095	Н	5.59	3.87	-2.75	6.72	34.77
RB: 1,0		22120	V	17.28	3.86	-2.75	18.38	34.77
	711.0	23130	Н	7.29	3.86	-2.75	8.39	34.77

BAND 12 / BW: 10M / 16QAM / RB: 1,49

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	704.0	23060	V	17.1	3.85	-2.76	18.19	34.77
BAND 12	704.0	25000	Н	7.05	3.85	-2.76	8.14	34.77
BW: 10M	707.5	23095	V	18.2	3.84	-2.76	19.27	34.77
16QAM	107.3	23093	Н	7.72	3.84	-2.76	8.80	34.77
RB: 1,49	711.0 23130	V	15.96	3.82	-2.77	17.02	34.77	
		Н	4.90	3.82	-2.77	5.95	34.77	

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 13 / BW: 5M / QPSK / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	779.5	23205	V	21.53	3.71	-2.9	22.34	34.77
BAND 13	119.5	25205	Н	13.54	3.71	-2.9	14.35	34.77
BW: 5M	782.0	23230	V	20.77	3.72	-2.91	21.58	34.77
QPSK	/82.0	23230	Н	13.22	3.72	-2.91	14.03	34.77
RB: 1,0	784.5	23255	V	21.38	3.72	-2.91	22.19	34.77
	764.5	23233	Н	14.26	3.72	-2.91	15.07	34.77

BAND 13 / BW: 5M / QPSK / RB: 1,24

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	779.5	23205	V	20.99	3.72	-2.91	21.79	34.77
BAND 13	119.5	25205	Н	13.66	3.72	-2.91	14.47	34.77
BW: 5M	782.0	23230	V	22.07	3.72	-2.92	22.88	34.77
QPSK	782.0	25250	Н	15.24	3.72	-2.92	16.05	34.77
RB: 1,24	784.5	23255	V	21.19	3.72	-2.92	22.00	34.77
	764.5	23233	Н	14.69	3.73	-2.92	15.49	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 13 / BW: 5M / 16QAM / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	779.5	23205	V	22.05	3.71	-2.90	22.87	34.77
BAND 13	119.5	25205	Н	13.90	3.71	-2.90	14.71	34.77
BW: 5M	782.0	22220	V	20.98	3.72	-2.91	21.79	34.77
16QAM	782.0	782.0 23230	Н	13.50	3.72	-2.91	14.31	34.77
RB: 1,0	784.5	23255	V	21.75	3.72	-2.91	22.56	34.77
		23233	Н	14.61	3.72	-2.91	15.41	34.77

BAND 13 / BW: 5M / 16QAM / RB: 1,24

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	779.5	23205	V	21.21	3.72	-2.91	22.02	34.77
BAND 13	119.5	25205	Н	13.88	3.72	-2.91	14.69	34.77
BW: 5M	782.0	23230	V	22.84	3.72	-2.92	23.64	34.77
16QAM	782.0	23230	Н	16.07	3.72	-2.92	16.87	34.77
RB: 1,24	784 5	23255	V	21.67	3.72	-2.92	22.47	34.77
	784.5	23233	Н	15.22	3.72	-2.92	16.02	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 13 / BW: 10M / QPSK / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
BAND 13 BW: 10M			V	21.29	3.71	-2.9	22.1	34.77
QPSK RB: 1,0	782.0 2	23230	Н	13.59	3.71	-2.9	14.41	34.77

BAND 13 / BW: 10M / QPSK / RB: 1,49

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
BAND 13 BW: 10M	702.0	22220	V	21.47	3.71	-2.9	22.28	34.77
QPSK RB: 1,49	782.0	23230	Н	13.81	3.71	-2.9	14.62	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 13 / BW: 10M /16QAM / RB: 1,0

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
BAND 13 BW: 10M			V	21.16	3.72	-2.92	21.96	34.77
16QAM RB: 1,0	782.0	23230	Н	14.67	3.73	-2.92	15.48	34.77

BAND 13 / BW: 10M / 16QAM / RB: 1,49

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
BAND 13 BW: 10M	782.0	23230	V	21.92	3.72	-2.92	22.72	34.77
16QAM RB: 1,49	762.0	23230	Н	15.53	3.72	-2.92	16.33	34.77

Remark:

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 17 / BW: 5M / QPSK / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	706.5	23755	V	15.81	3.86	-2.75	16.92	34.77
BAND 17	706.5	23755	Н	6.03	3.87	-2.75	7.14	34.77
BW: 5M	710.0	23790	V	16.59	3.85	-2.76	17.68	34.77
QPSK	710.0	23790	Н	6.57	3.85	-2.76	7.66	34.77
RB: 1,0	713.5	23825	V	17.29	3.84	-2.76	18.37	34.77
	/15.5	23823	Н	6.95	3.84	-2.76	8.03	34.77

BAND 17 / BW: 5M / QPSK / RB: 1,24

	EUT			Ν	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	706.5	23755	V	16.79	3.85	-2.76	17.88	34.77
BAND 17	700.5	25755	Н	6.67	3.85	-2.76	7.76	34.77
BW: 5M	710.0	23790	V	17.45	3.84	-2.76	18.52	34.77
QPSK	710.0	23790	Н	7.02	3.84	-2.76	8.09	34.77
RB: 1,24	713.5	23825	V	15.88	3.82	-2.77	16.93	34.77
	/15.5	23823	Н	4.67	3.82	-2.77	5.72	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 17 / BW: 5M / 16QAM / RB: 1,0

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	706.5	22755	V	15.81	3.86	-2.75	16.93	34.77
BAND 17	706.5	23755 -	Н	6.17	3.87	-2.75	7.29	34.77
BW: 5M	710.0	23790	V	17.20	3.85	-2.76	18.30	34.77
16QAM	710.0	23790	Н	7.16	3.85	-2.75	8.26	34.77
RB: 1,0	713.5	23825	V	18.19	3.84	-2.76	19.27	34.77
	/15.5	23823	Н	7.75	3.84	-2.76	8.83	34.77

BAND 17 / BW: 5M / 16QAM / RB: 1,24

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	706.5	23755	V	17.25	3.85	-2.76	18.35	34.77
BAND 17	700.5	25755	Н	7.12	3.85	-2.76	8.22	34.77
BW: 5M	710.0	23790	V	18.35	3.84	-2.77	19.42	34.77
16QAM	/10.0	23790	Н	7.87	3.84	-2.76	8.95	34.77
RB: 1,24	713.5	23825	V	16.12	3.82	-2.77	17.17	34.77
	/13.5	23823	Н	5.01	3.82	-2.77	6.06	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 17 / BW: 10M / QPSK / RB: 1,0

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	709.0	23780	V	15.94	3.86	-2.75	17.06	34.77
BAND 17	709.0	23780	Н	5.95	3.87	-2.75	7.06	34.77
BW: 10M	710.0	23790	V	16.37	3.86	-2.75	17.48	34.77
QPSK	/10.0	23790	Н	10.38	3.86	-2.75	11.5	34.77
RB: 1,0	711.0	23800	V	16.48	3.86	-2.75	17.58	34.77
	/11.0	23800	Н	6.56	3.86	-2.75	7.67	34.77

BAND 17 / BW: 10M / QPSK / RB: 1,49

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	709.0 23780	V	16.51	3.83	-2.77	17.58	34.77	
BAND 17	105.0	23700	Н	5.83	3.83	-2.77	6.89	34.77
BW: 10M	710.0	23790	V	15.89	3.83	-2.77	16.95	34.77
QPSK	/10.0	23790	Н	8.56	3.83	-2.77	9.62	34.77
RB: 1,49	711.0	23800	V	15.76	3.82	-2.77	16.81	34.77
	/11.0	23800	Н	4.72	3.82	-2.77	5.77	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



BAND 17 / BW: 10M /16QAM / RB: 1,0

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	700.0 22700	V	15.88	3.86	-2.75	16.99	34.77	
BAND 17	709.0	23780	Н	6.00	3.86	-2.75	7.11	34.77
BW: 10M	710.0	23790	V	16.87	3.86	-2.75	17.98	34.77
16QAM	/10.0	23790	Н	10.86	3.86	-2.75	11.97	34.77
RB: 1,0	711.0	23800	V	17.24	3.86	-2.75	18.35	34.77
	/11.0	23800	Н	7.29	3.86	-2.75	8.39	34.77

BAND 17 / BW: 10M / 16QAM / RB: 1,49

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	709.0	709.0 23780 -	V	17.3	3.83	-2.77	18.36	34.77
BAND 17	709.0	23780	Н	6.63	3.83	-2.77	7.69	34.77
BW: 10M	710.0	23790	V	16.35	3.83	-2.77	17.41	34.77
16QAM	/10.0	23790	Н	9.05	3.83	-2.77	10.1	34.77
RB: 1,49	711.0	23800	V	15.94	3.82	-2.77	16.99	34.77
	/11.0	23800	Н	4.90	3.82	-2.77	5.95	34.77

Remark :

(1)

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz



8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable:

According to §FCC 2.1049 (99%)

8.2. Test Set-up:

Refer to section 6.2 in this report

8.3. Measurement Procedure:

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

NOTE: For the plot of bandwidth measurement, the marker of the 99% bandwidth is diamond-shape while the marker of the 20dB BW is arrow-mark

8.4. Measurement Equipment Used:

Refer to section 2.4 in this report

8.5. Measurement Result:

Refer to next pages.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



99% Bandwidth

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
GSM 850	824.20	128	0. 248
	836.60	190	0.246
	848.80	251	0.249

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
GSM 1900	1850.20	512	0. 244
	1880.00	661	0.244
	1909.80	810	0.245

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
GPRS 850	824.20	128	0.248
	836.60	190	0.246
	848.80	251	0.245

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	1850.20	512	0.248
GPRS 1900	1880.00	661	0.245
	1909.80	810	0.242

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
EDGE 850	824.20	128	0.254
	836.60	190	0.250
	848.80	251	0.247

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
EDGE 1900	1850.20	512	0.250
	1880.00	661	0.251
	1909.80	810	0.254



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
WCDMA II	1852.40	9262	4.1899
	1880.00	9400	4.2337
	1907.60	9538	4.1850

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
WCDMA IV	1712.40	1312	4.1918
	1732.60	1413	4.1965
	1752.60	1513	4.2154

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
WCDMA V	826.40	4132	4.2034
	836.00	4183	4.2407
	846.60	4233	4.1844

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSDPA II	1852.40	9262	4.1956
	1880.00	9400	4.2054
	1907.60	9538	4.1916

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSDPA IV	1712.40	1312	4.2118
	1732.60	1413	4.2069
	1752.60	1513	4.1836

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSDPA V	826.40	4132	4.1801
	836.60	4183	4.2199
	846.60	4233	4.1899



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA II	1852.40	9262	4.1925
	1880.00	9400	4.2085
	1907.60	9538	4.2056

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA IV	1712.40	1312	4.2100
	1732.60	1413	4.2293
	1752.60	1513	4.2055

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA V	826.40	4132	4.1902
	836.60	4183	4.2326
	846.60	4233	4.1935



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	1850.7	18607	1.0935
LTE-Band 2 (QPSK	1880.0	18900	1.1038
RB Number: 6 Offset: 0)	1909.3	19193	1.1031

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	1850.7	18607	1.0920
LTE-Band 2 (16QAM	1880.0	18900	1.0927
RB Number: 6 Offset: 0)	1909.3	19193	1.0925

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	1851.5	18615	2.7075
LTE-Band 2 (QPSK	1880.0	18900	2.7011
RB Number: 15 Offset: 0)	1908.5	19185	2.7092

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	1851.5	18615	2.7047
LTE-Band 2 (16QAM	1880.0	18900	2.7019
RB Number: 15 Offset: 0)	1908.5	19185	2.6948



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	1852.5	18625	4.5429
LTE-Band 2 (QPSK	1880.0	18900	4.5358
RB Number: 25 Offset: 0)	1907.5	19175	4.5154

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	1852.5	18625	4.5241
LTE-Band 2 (16QAM	1880.0	18900	4.5338
RB Number: 25 Offset: 0)	1907.5	19175	4.5316

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	1855.0	18650	8.9851
LTE-Band 2 (QPSK	1880.0	18900	8.9875
RB Number: 50 Offset: 0)	1905.0	19150	8.9833

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	1855.0	18650	8.9313
LTE-Band 2 (16QAM	1880.0	18900	8.9800
RB Number: 50 Offset: 0)	1905.0	19150	8.9565



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	1857.5	18675	13.4872
LTE-Band 2 (QPSK	1880.0	18900	13.4297
RB Number: 75 Offset: 0)	1902.5	19125	13.4698

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	1857.5	18675	13.4815
LTE-Band 2 (16QAM	1880.0	18900	13.3952
RB Number: 75 Offset: 0)	1902.5	19125	13.5359

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	1860.0	18700	17.9880
LTE-Band 2 (QPSK	1880.0	18900	17.8884
RB Number: 100 Offset: 0)	1900.0	19100	18.0390

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	1860.0	18700	17.9298
LTE-Band 2 (16QAM	1880.0	18900	17.9319
RB Number: 100 Offset: 0)	1900.0	19100	18.0047



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	1710.7	19957	1.0961
LTE-Band 4 (QPSK	1732.5	20175	1.0917
RB Number: 6 Offset: 0)	1754.3	20393	1.0954

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	1710.7	19957	1.0985
LTE-Band 4 (16QAM	1732.5	20175	1.0988
RB Number: 6 Offset: 0)	1754.3	20393	1.1022

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	1711.5	19965	2.7019
LTE-Band 4 (QPSK	1732.5	20175	2.7198
RB Number: 15 Offset: 0)	1753.5	20385	2.7117

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	1711.5	19965	2.7082
LTE-Band 4 (16QAM	1732.5	20175	2.7110
RB Number: 15 Offset: 0)	1753.5	20385	2.6981



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	1710.7	19957	4.5162
LTE-Band 4 (QPSK	1732.5	20175	4.5158
RB Number: 25 Offset: 0)	1752.5	20375	4.5167

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	1710.7	19957	4.5229
LTE-Band 4 (16QAM	1732.5	20175	4.5094
RB Number: 25 Offset: 0)	1752.5	20375	4.5023

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	1715.0	20000	8.9728
LTE-Band 4 (QPSK	1732.5	20175	8.9558
RB Number: 50 Offset: 0)	1750.0	20350	8.9831

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	1715.0	20000	8.9313
LTE-Band 4 (16QAM	1732.5	20175	8.9800
RB Number: 50 Offset: 0)	1750.0	20350	8.9565



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	1717.5	20025	13.4956
LTE-Band 4 (QPSK	1732.5	20175	13.5002
RB Number: 75 Offset: 0)	1747.5	20325	13.4873

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	1717.5	20025	13.4413
LTE-Band 4 (16QAM	1732.5	20175	13.5158
RB Number: 75 Offset: 0)	1747.5	20325	13.4638

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	1720.0	20050	17.8730
LTE-Band 4 (QPSK	1732.5	20175	17.9923
RB Number: 100 Offset: 0)	1745.0	20300	17.9566

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	1720.0	20050	17.9184
LTE-Band 4 (16QAM	1732.5	20175	18.0020
RB Number: 100 Offset: 0)	1745.0	20300	17.8926



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	824.7	20407	1.0896
LTE-Band 5 (QPSK	836.5	20525	1.1019
RB Number: 6 Offset: 0)	848.3	20643	1.0968

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	824.7	20407	1.0894
LTE-Band 5 (16QAM	836.5	20525	1.0997
RB Number: 6 Offset: 0)	848.3	20643	1.1013

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	825.5	20415	2.7038
LTE-Band 5 (QPSK	836.5	20525	2.7141
RB Number: 15 Offset: 0)	847.5	20635	2.7110

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	825.5	20415	2.7049
LTE-Band 5 (16QAM	836.5	20525	2.7043
RB Number: 15 Offset: 0)	847.5	20635	2.7069



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	826.5	20425	4.5197
LTE-Band 5 (QPSK	836.5	20525	4.5313
RB Number: 25 Offset: 0)	846.5	20625	4.5263

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	826.5	20425	4.5132
LTE-Band 5 (16QAM	836.5	20525	4.5347
RB Number: 25 Offset: 0)	846.5	20625	4.5056

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	829.0	20450	8.9669
LTE-Band 5 (QPSK	836.5	20525	9.0149
RB Number: 50 Offset: 0)	844.0	20600	8.9502

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	829.0	20450	8.9520
LTE-Band 5 (16QAM	836.5	20525	9.0597
RB Number: 50 Offset: 0)	844.0	20600	8.9521



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	2502.5	20775	4.5330
LTE-Band 7 (QPSK	2535.0	21100	4.5241
RB Number: 25 Offset: 0)	2567.5	21425	4.5250

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	2502.5	20775	4.5355
LTE-Band 7 (16QAM	2535.0	21100	4.5247
RB Number: 25 Offset: 0)	2567.5	21425	4.5067

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	2505.0	20800	8.9784
LTE-Band 7 (QPSK	2535.0	21100	8.9988
RB Number: 50 Offset: 0)	2565.0	21400	8.9841

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	2505.0	20800	8.9881
LTE-Band 7 (16QAM	2535.0	21100	8.9918
RB Number: 50 Offset: 0)	2565.0	21400	8.9755



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	2507.5	20825	13.4467
LTE-Band 7 (QPSK	2535.0	21100	13.4689
RB Number: 75 Offset: 0)	2562.5	21375	13.4908

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	2507.5	20825	13.4449
LTE-Band 7 (16QAM	2535.0	21100	13.5199
RB Number: 75 Offset: 0)	2562.5	21375	13.4881

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	2510.0	20850	17.8939
LTE-Band 7 (QPSK	2535.0	21100	17.9757
RB Number: 100 Offset: 0)	2560.0	21350	17.9155

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	2510.0	20850	17.9134
LTE-Band 7 (16QAM	2535.0	21100	17.9596
RB Number: 100 Offset: 0)	2560.0	21350	17.8805

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any the protective at the transaction from exercising all their rights and obligations under the transaction documents is unavity and offenders may be protected to the fulle at vertent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	699.7	23017	1.1019
LTE-Band 12 (QPSK	707.5	23095	1.0938
RB Number: 6 Offset: 0)	715.3	23173	1.0873

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	699.7	23017	1.0928
LTE-Band 12 (16QAM	707.5	23095	1.0956
RB Number: 6 Offset: 0)	715.3	23173	1.0961

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	700.5	23025	2.6995
LTE-Band 12 (QPSK	707.5	23095	2.7063
RB Number: 15 Offset: 0)	714.5	23165	2.7013

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	700.5	23025	2.7032
LTE-Band 12 (16QAM	707.5	23095	2.6962
RB Number: 15 Offset: 0)	714.5	23165	2.6985



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	701.5	23035	4.5265
LTE-Band 12 (QPSK	707.5	23095	4.5201
RB Number: 25 Offset: 0)	713.5	23155	4.5144

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	701.5	23035	4.5172
LTE-Band 12 (16QAM	707.5	23095	4.5157
RB Number: 25 Offset: 0)	713.5	23155	4.5036

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	704.0	23060	9.0460
LTE-Band 12 (QPSK	707.5	23095	8.9964
RB Number: 50 Offset: 0)	711.0	23130	8.9339

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	704.0	23060	9.0523
LTE-Band 12 (16QAM	707.5	23095	9.0150
RB Number: 50 Offset: 0)	711.0	23130	8.9399



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	779.5	23205	4.5230
LTE-Band 13 (QPSK	782	23230	4.5197
RB Number: 25 Offset: 0)	784.5	23255	4.5413

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	779.5	23205	4.5269
LTE-Band 13 (16QAM	782	23230	4.5223
RB Number: 25 Offset: 0)	784.5	23255	4.5527

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW			
LTE-Band 13 (QPSK RB Number: 50 Offset: 0)	782	23230	8.9716

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW LTE-Band 13			
(16QAM RB Number: 50 Offset: 0)	782	23230	8.9664



EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	706.5	23775	4.5213
LTE-Band 17 (QPSK	710.0	23790	4.5054
RB Number: 25 Offset: 0)	713.5	23825	4.4815

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	706.5	23775	4.5158
LTE-Band 17 (16QAM	710.0	23790	4.5019
RB Number: 25 Offset: 0)	713.5	23825	4.4922

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	709.0	23780	8.9822
LTE-Band 17 (QPSK	710.0	23790	8.9512
RB Number: 50 Offset: 0)	711.0	23800	8.9316

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	709.0	23780	8.9565
LTE-Band 17 (16QAM	710.0	23790	8.9165
RB Number: 50 Offset: 0)	711.0	23800	8.8865



99% Bandwidth Test Data




Figure 8-1: GSM 850 Channel Low

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. GS Taiwan Ltd.







Figure 8-3: GSM 850 Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-5: GSM 1900 Channel Mid








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-7: GPRS 850 Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



R Freq/Channel Agilent Т Center Frea Ch Freq 848.8 MHz Trig Free 848.800000 MHz Occupied Bandwidth Start Freg 848.050000 MHz Ref 40 dBm Atten 40 dB Stop Freq #Peak 849.550000 MHz Log 10 ⇒ 4 CF Step dB/ 150.000000 kHz Offst Man Auto 13.7 dB Freq Offset 0.00000000 Hz Center 848.800 MHz Span 1.5 MHz #VBW 30 kHz #Res BW 10 kHz Sweep 14.36 ms (601 pts) Signal Track Occupied Bandwidth Occ BW % Pwr 99.00 % 0n Off x dB -26.00 dB 244.9481 kHz Transmit Freq Error 736.470 Hz x dB Bandwidth 317.507 kHz Copyright 2000-2005 Agilent Technologies

Figure 8-9: GPRS 850 Channel High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-11: GPRS 1900 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-13: EDGE 850 Channel Low





Figure 8-14: EDGE 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Figure 8-15: EDGE 850 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.








Figure 8-18: EDGE 1900 Channel High 🔆 Agilent R Т Freq/Channel Center Frea Ch Freq 1.9098 GHz Trig Free 1.90980000 GHz Occupied Bandwidth Start Freq 1.90905000 GHz Ref <u>40 dBm</u> Atten 40 dB Stop Freq #Peak 1.91055000 GHz Log 10 ۵ CF Step dB/ ÷ 150.000000 kHz Offst Man Auto 14 dB Freq Offset 0.00000000 Hz Center 1.909 800 GHz Span 1.5 MHz #Res BW 10 kHz #VBW 30 kHz Sweep 14.36 ms (601 pts) Signal Track Occupied Bandwidth Occ BW % Pwr 99.00 % 0n Off -26.00 dB x dB 254.2309 kHz Transmit Freq Error 1.988 kHz x dB Bandwidth 324.038 kHz Copyright 2000-2005 **Agilent Technologies**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-19: WCDMA II Channel Low






Figure 8-20: WCDMA II Channel Mid Freq/Channel 🔆 Agilent R т Center Frea Ch Freq 1.88 GHz Trig Free 1.88000000 GHz Occupied Bandwidth Start Freq 1.87700000 GHz Ref 30 dBm Atten 30 dB Stop Freq #Peak 1.88300000 GHz Log ò ٥ 10 CF Step dB/ ⇒ ÷ 600.000000 kHz Offst Man Auto 14 dB Freq Offset 0.00000000 Hz Center 1.880 00 GHz Span 6 MHz #Res BW 47 kHz #VBW 150 kHz Sweep 2.6 ms (601 pts) Signal Track Occupied Bandwidth Occ BW % Pwr 99.00 % 0n Off -26.00 dB x dB 4.2337 MHz -13.837 kHz Transmit Freq Error x dB Bandwidth 4.836 MHz Copyright 2000-2010 **Agilent Technologies**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.










Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Agilent R Т Freg/Channel **Center Freq** Ch Frea 1.7326 GHz Trig Free 1.73260000 GHz Occupied Bandwidth Start Fred 1.72960000 GHz Ref 30 dBm Atten 30 dB Stop Freq #Peak 1.73560000 GHz Log ۵ 10 CF Step dB/ 600.000000 kHz Offst Man 14 dB <u>Auto</u> Freq Offset 0.0000000 Hz Center 1.732 60 GHz #Res BW 47 kHz Span 6 MHz #VBW 150 kHz Sweep 2.6 ms (601 pts) Signal Track Occupied Bandwidth Occ BW % Pwr 99.00 % 0n Off -26.00 dB x dB 4.1965 MHz Transmit Freq Error -17.874 kHz x dB Bandwidth 4.830 MHz Copyright 2000–2010 Agilent Technologies

Figure 8-23: WCDMA IV Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Figure 8-25: WCDMA V Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.













Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-29: HSDPA II Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.










Figure 8-32: HSDPA IV Channel Mid Т Freq/Channel 🔆 Agilent R Center Frea Ch Freq 1.7326 GHz Trig Free 1.73260000 GHz Occupied Bandwidth Start Freg 1.72960000 GHz Ref 30 dBm Atten 30 dB Stop Freq #Peak 1.73560000 GHz Log Ô ٥ 10 CF Step dB/ ÷ 600.000000 kHz Offst Man Auto 14 dB Freq Offset 0.00000000 Hz Center 1.732 60 GHz Span 6 MHz #Res BW 47 kHz #VBW 150 kHz Sweep 2.6 ms (601 pts) Signal Track Occupied Bandwidth Occ BW % Pwr 99.00 % 0n Off -26.00 dB x dB 4.2069 MHz -5.242 kHz Transmit Freq Error x dB Bandwidth 4.835 MHz Copyright 2000-2010 **Agilent Technologies**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Occupied Bandwidth

Transmit Freq Error

4.2199 MHz

-16.816 kHz

Signal Track

Off



Occ BW % Pwr


x dB

99.00 %

-26.00 dB

0n


Figure 8-35: HSDPA V Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-37: HSUPA II Channel Low







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-39: HSUPA II Channel High






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-41: HSUPA IV Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Figure 8-43: HSUPA V Channel Low




Figure 8-44: HSUPA V Channel Mid

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






Figure 8-45: HSUPA V Channel High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號









Figure 8-47: 1.4MHz BW LTE-Band 2(QPSK RB Number: 6 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-49: 1.4MHz BW LTE-Band 2(16QAM RB Number: 6 Offset: 0) Channel Low



Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-51: 1.4MHz BW LTE-Band 2(16QAM RB Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-53: 3MHz BW LTE-Band 2(QPSK RB Number: 15 Offset: 0) Channel Mid R Freg/Channel 🔆 Agilent Т



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-55: 3MHz BW LTE-Band 2(16QAM RB Number: 15 Offset: 0) Channel Low



Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-57: 3MHz BW LTE-Band 2(16QAM RB Number: 15 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-59: 5MHz BW LTE-Band 2(QPSK RB Number: 25 Offset: 0) Channel Mid



Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-61: 5MHz BW LTE-Band 2(16QAM RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-63: 5MHz BW LTE-Band 2(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-64: 10MHz BW LTE-Band 2(QPSK RB Number: 50 Offset: 0) Channel Low





Figure 8-65: 10MHz BW LTE-Band 2(QPSK RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-67: 10MHz BW LTE-Band 2(16QAM RB Number: 50 Offset: 0) Channel Low



WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-69: 10MHz BW LTE-Band 2(16QAM RB Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-71: 15MHz BW LTE-Band 2(QPSK RB Number: 75 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-73: 15MHz BW LTE-Band 2(16QAM RB Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 8-75: 15MHz BW LTE-Band 2(16QAM RB Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-77: 20MHz BW LTE-Band 2(QPSK RB Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-78: 20MHz BW LTE-Band 2(QPSK RB Number: 100 Offset: 0) Channel High





Figure 8-79: 20MHz BW LTE-Band 2(16QAM RB Number: 100 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-81: 20MHz BW LTE-Band 2(16QAM RB Number: 100 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Figure 8-82: 1.4MHz BW LTE-Band 4(QPSK RB Number: 6 Offset: 0) Channel Low

Figure 8-83: 1.4MHz BW LTE-Band 4(QPSK RB Number: 6 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-85: 1.4MHz BW LTE-Band 4(16QAM RB Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-87: 1.4MHz BW LTE-Band 4(16QAM RB Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Figure 8-88: 3MHz BW LTE-Band 4(QPSK RB Number: 15 Offset: 0) Channel Low

Figure 8-89: 3MHz BW LTE-Band 4(QPSK RB Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-91: 3MHz BW LTE-Band 4(16QAM RB Number: 15 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.










Figure 8-93: 3MHz BW LTE-Band 4(16QAM RB Number: 15 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-94: 5MHz BW LTE-Band 4(QPSK RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.










Figure 8-98: 5MHz BW LTE-Band 4(16QAM RB Number: 25 Offset: 0) Channel Mid






Figure 8-99: 5MHz BW LTE-Band 4(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

















Figure 8-104: 10MHz BW LTE-Band 4(16QAM RB Number: 50 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Figure 8-106: 15MHz BW LTE-Band 4(QPSK RB Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.










Figure 8-110: 15MHz BW LTE-Band 4(16QAM RB Number: 75 Offset: 0) Channel Mid





Figure 8-111: 15MHz BW LTE-Band 4(16QAM RB Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
















Figure 8-116: 20MHz BW LTE-Band 4(16QAM RB Number: 100 Offset: 0) Channel Mid





Figure 8-117: 20MHz BW LTE-Band 4(16QAM RB Number: 100 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-119: 1.4MHz BW LTE-Band 5(QPSK RB Number: 6 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-120: 1.4MHz BW LTE-Band 5(QPSK RB Number: 6 Offset: 0) Channel High





Figure 8-121: 1.4MHz BW LTE-Band 5(16QAM RB Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-123: 1.4MHz BW LTE-Band 5(16QAM RB Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-125: 3MHz BW LTE-Band 5(QPSK RB Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-126: 3MHz BW LTE-Band 5(QPSK RB Number: 15 Offset: 0) Channel High





Figure 8-127: 3MHz BW LTE-Band 5(16QAM RB Number: 15 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-129: 3MHz BW LTE-Band 5(16QAM RB Number: 15 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-131: 5MHz BW LTE-Band 5(QPSK RB Number: 25 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-132: 5MHz BW LTE-Band 5(QPSK RB Number: 25 Offset: 0) Channel High





Figure 8-133: 5MHz BW LTE-Band 5(16QAM RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 8-135: 5MHz BW LTE-Band 5(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-136: 10MHz BW LTE-Band 5(QPSK RB Number: 50 Offset: 0) Channel Low





Figure 8-137: 10MHz BW LTE-Band 5(QPSK RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-139: 10MHz BW LTE-Band 5(16QAM RB Number: 50 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.










Figure 8-141: 10MHz BW LTE-Band 5(16QAM RB Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-142: 5MHz BW LTE-Band 7(QPSK RB Number: 25 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Figure 8-144: 5MHz BW LTE-Band 7(QPSK RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-146: 5MHz BW LTE-Band 7(16QAM RB Number: 25 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Figure 8-148: 10MHz BW LTE-Band 7 (OPSK RB Number: 50 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results a tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Figure 8-150: 10MHz BW LTE-Band 7(QPSK RB Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Figure 8-152: 10MHz BW LTE-Band 7(16QAM RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-154: 15MHz BW LTE-Band 7 (QPSK RB Number: 75 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results a tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Figure 8-156: 15MHz BW LTE-Band 7(QPSK RB Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Figure 8-158: 15MHz BW LTE-Band 7(16QAM RB Number: 75 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Figure 8-160: 20MHz BW LTE-Band 7 (QPSK RB Number: 100 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Figure 8-162: 20MHz BW LTE-Band 7(QPSK RB Number: 100 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-167: 1.4MHz BW LTE-Band 12(OPSK RB Number: 6 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-169: 1.4MHz BW LTE-Band 12(16QAM RB Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-171: 1.4MHz BW LTE-Band 12(16QAM RB Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-172: 3MHz BW LTE-Band 12(QPSK RB Number: 15 Offset: 0) Channel Low





Figure 8-173: 3MHz BW LTE-Band 12(QPSK RB Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-175: 3MHz BW LTE-Band 12(16QAM RB Number: 15 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-177: 3MHz BW LTE-Band 12(16QAM RB Number: 15 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-179: 5MHz BW LTE-Band 12(OPSK RB Number: 25 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.








Figure 8-181: 5MHz BW LTE-Band 12(16QAM RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-183: 5MHz BW LTE-Band 12(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Figure 8-184: 10MHz BW LTE-Band 12(OPSK RB Number: 50 Offset: 0) Channel Low





Figure 8-185: 10MHz BW LTE-Band 12(QPSK RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-187: 10MHz BW LTE-Band 12(16QAM RB Number: 50 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.









Figure 8-189: 10MHz BW LTE-Band 12(16QAM RB Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-190: 5MHz BW LTE-Band 13(QPSK RB Number: 25 Offset: 0) Channel Low





Figure 8-191: 5MHz BW LTE-Band 13(QPSK RB Number: 25 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 8-192: 5MHz BW LTE-Band 13(QPSK RB Number: 25 Offset: 0) Channel High

Figure 8-193: 5MHz BW LTE-Band 13(16QAM RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.







Figure 8-194: 5MHz BW LTE-Band 13(16QAM RB Number: 25 Offset: 0) Channel Mid

Figure 8-195: 5MHz BW LTE-Band 13(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

WeifS of all weights and the results and set report repo Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-198: 5MHz BW LTE-Band 17 (QPSK RB Number: 25 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Figure 8-200: 5MHz BW LTE-Band 17(QPSK RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-202: 5MHz BW LTE-Band 17(16QAM RB Number: 25 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-204: 10MHz BW LTE-Band 17 (OPSK RB Number: 50 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Figure 8-206: 10MHz BW LTE-Band 17(QPSK RB Number: 50 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Figure 8-208: 10MHz BW LTE-Band 17(16QAM RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable:

According to FCC §2.1051.

FCC \$22.917(a), \$24.238(a), \$27.53(g)(h) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm). \$27.53 (m) (4) shall not be less than 55 +10log(mean output power in watt) dBc below the mean power output outside a license's frequency block the mean power output outside a license's frequency block the mean power output outside a license's frequency block the mean power output outside a license's frequency block (-25dBm).

FCC §27.53(c) (2) (4)

(c) For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:
(2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)

(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

100KHz Bandedge:

FCC §27.53(c) (5)

(5) Compliance with the provisions of paragraphs (c)(1) and (c)(2) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed;

FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FCC §27.53(h)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P) dB$ on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P) dB$ on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P) dB$ on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in § 27.53(m)(6). In addition, the attenuation factor shall not be less that $43 + 10 \log$ (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9.2. Test SET-UP: Out of band emission



Band Edge



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9.3. Measurement Procedure:

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

For the out of band: Set the RBW, VBW = 1MHz, Start=30MHz, Stop= 10 th harmonic. Limit = -13dBm.

Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions. Limit, -13dBm.

h) For operations in the 1710–1755 MHz and 2110–2155 MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log 10$ (P) dB. Limit, -13dBm

(1) Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. Limit, -13dBm

Conducted Emission:

- 1, To connect Antenna Port of EUT to Spectrum.
- 2、 Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3、 Sweep the frequency to determine spurious emission as seen on spectrum from span of 30 to 1G, 1G to 2.5G, 2.5G to 7.5G, 7.5G to 10G, 10G to 15G and 15G to 20GHz
- 4. Via Software, combine 6 spans of frequency range into one plot

9.4. Measurement Equipment Used:

Refer to section 2.4 in this report

9.5. Measurement Result:

Refer to next pages.

NOTE: the occurrence of the spike on the conducted emission is the signal of the fundamental emission.







Figure 9-1: Out of Band emission at antenna terminals - GSM 850 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-2: Out of Band emission at antenna terminals - GSM 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-3: Out of Band emission at antenna terminals - GSM 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - GSM 850

Fundamental Frequency Operation Mode		:824.2 MHz :TX Low	Engineer		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	30-1000	S		-13.00		
	1648.40	Н		-13.00		
	2472.60	Н		-13.00		
	3296.80	Н		-13.00		
	4121.00	Н		-13.00		
	4945.20	Н		-13.00		
	5769.40	Н		-13.00		
	6593.60	Н		-13.00		
	7417.80	Н		-13.00		
	8242.00	Н		-13.00		
	8845.00	Н	-25.62	-13.00	12.62	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 272 of 984

Fundamental Frequency Operation Mode		:836.6 MHz Engineer :TX Mid		eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		12.00	
	<30 30-1000	S S		-13.00 -13.00	
	1673.20	Н		-13.00	
	2509.80	Н		-13.00	
	3346.40	Н		-13.00	
	4183.00	Н		-13.00	
	5019.60	Н		-13.00	
	5856.20	Н		-13.00	
	6692.80	Н		-13.00	
	7529.40	Н		-13.00	
	7025.00	S	-26	-13.00	13.00
	8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:848.8MHz Engineer :TX High		eer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	30-1000	S		-13.00		
	1697.60	Н		-13.00		
	2546.40	Н		-13.00		
	3198.00	S	-25.48	-13.00	12.48	
	3395.20	Н		-13.00		
	4244.00	Н		-13.00		
	5092.80	Н		-13.00		
	5941.60	Н		-13.00		
	6790.40	Н		-13.00		
	7639.20	Н		-13.00		
	8488.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-4: Band edge emission at antenna terminals - GSM 850 Channel Lowest

Figure 9-5: Band edge emission at antenna terminals - GSM 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Test Mode

GSM 850		Engineer		:Marcus
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
823.980 849.022	-27.9 -25.42	-13.00 -13.00	14.90 12.42	

Band edge emission at antenna terminals - GSM 850 Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-6: Out of Band emission at antenna terminals - GSM 1900 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-7: Out of Band emission at antenna terminals - GSM 1900 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-8: Out of Band emission at antenna terminals - GSM 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - GSM 1900

Fundamental Frequency Operation Mode		:1850.2 MHz :TX Low	Engineer		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	30-1000	S		-13.00		
	3700.40	Н		-13.00		
	5550.60	Н		-13.00		
	7400.80	Н		-13.00		
	9251.00	Н		-13.00		
	11101.20	Н		-13.00		
	12951.40	Н		-13.00		
	14801.60	Н		-13.00		
	16651.80	Н		-13.00		
	18502.00	Н		-13.00		
	19920.00	S	-23.2	-13.00	10.20	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1880.0 MHz Engineer :TX Mid		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	
	19490.00	S	-22.84	-13.00	9.84

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Fundamental Frequency Operation Mode		:1909.8 MHz Engineer :TX High		leer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<20	S		-13.00	
	<30 30-1000	S		-13.00	
	3819.60	Н		-13.00	
	5729.40	Н		-13.00	
	7639.20	Н		-13.00	
	9549.00	Н		-13.00	
	11458.80	Н		-13.00	
	13368.60	Н		-13.00	
	15278.40	Н		-13.00	
	17188.20	Н		-13.00	
	19098.00	Н		-13.00	
	19460.00	S	-22.57	-13.00	9.57

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-9: Band edge emission at antenna terminals - GSM 1900 Channel Lowest

Figure 9-10: Band edge emission at antenna terminals - GSM 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

21111551011 a	it antenna tei m	mais = 0.5 m	.700 LOW & Ing	<u>311</u>		
	GSM 1900		Engineer		:Marcus	
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB		
	1849.980 1910.024	-30.08 -27.81	-13.00 -13.00	17.08 14.81		

Band edge emission at antenna terminals - GSM 1900 Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-11: Out of Band emission at antenna terminals - GPRS 850 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-12: Out of Band emission at antenna terminals - GPRS 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-13: Out of Band emission at antenna terminals - GPRS 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - GPRS 850

Fundamental Frequency Operation Mode		:824.2 MHz :TX Low	Engineer		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	30-1000	S		-13.00		
	1648.40	Н		-13.00		
	2472.60	Н		-13.00		
	3296.80	Н		-13.00		
	4121.00	Н		-13.00		
	4945.20	Н		-13.00		
	5769.40	Н		-13.00		
	6593.60	Н		-13.00		
	7417.80	Н		-13.00		
	7818.00	S	-25.37	-13.00	12.37	
	8242.00	Н		-13.00		

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 288 of 984

Fundamental Frequency Operation Mode		:836.6 MHz Engineer :TX Mid		leer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	20	c		12.00	
	<30 30-1000	S S		-13.00 -13.00	
	1673.20	Н		-13.00	
	2509.80	Н		-13.00	
	3346.40	Н		-13.00	
	4183.00	Н		-13.00	
	5019.60	Н		-13.00	
	5856.20	Н		-13.00	
	6692.80	Н		-13.00	
	7529.40	Н		-13.00	
	7118.00	S	-25.64	-13.00	12.64
	8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 289 of 984

Fundamental Frequency Operation Mode		:848.8MHz Engineer :TX High		eer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	-20	S		-13.00		
	<30 30-1000	S		-13.00		
	1697.60	Н		-13.00		
	2546.40	Н		-13.00		
	3395.20	Н		-13.00		
	4244.00	Н		-13.00		
	5092.80	Н		-13.00		
	5941.60	Н		-13.00		
	6790.40	Н		-13.00		
	7352.00	S	-25.52	-13.00	12.52	
	7639.20	Н		-13.00		
	8488.00	Н		-13.00		


"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law.





Figure 9-14: Band edge emission at antenna terminals - GPRS 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

GPRS 850		Engineer		:Marcus
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
823.980 849.010	-27.73 -26.38	-13.00 -13.00	14.73 13.38	_

Band edge emission at antenna terminals - GPRS 850 Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-16: Out of Band emission at antenna terminals - GPRS 1900 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Figure 9-17: Out of Band emission at antenna terminals - GPRS 1900 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-18: Out of Band emission at antenna terminals - GPRS 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - GPRS 1900

Fundamental Frequency Operation Mode		:1850.2 MHz Engineer :TX Low		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3700.40	Н		-13.00	
	5550.60	Н		-13.00	
	7400.80	Н		-13.00	
	9251.00	Н		-13.00	
	11101.20	Н		-13.00	
	12951.40	Н		-13.00	
	14801.60	Н		-13.00	
	16090.00	S	-21.82	-13.00	8.82
	16651.80	Н		-13.00	
	18502.00	Н		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1880.0 MHz Engineer :TX Mid		eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	
	19460.00	S	-22.91	-13.00	9.91

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1909.8 MHz Engineer :TX High		eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3819.60	Н		-13.00	
	5729.40	Н		-13.00	
	7639.20	Н		-13.00	
	9549.00	Н		-13.00	
	11458.80	Н		-13.00	
	13368.60	Н		-13.00	
	15278.40	Н		-13.00	
	17188.20	Н		-13.00	
	19098.00	Н		-13.00	
	19120.00	S	-22.55	-13.00	9.55

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號







Figure 9-19: Band edge emission at antenna terminals - GPRS 1900 Channel Lowest

Figure 9-20: Band edge emission at antenna terminals - GPRS 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

GPRS 1900	1	Engineer		:Marcus
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
1849.976 1910.024	-30.13 -30.04	-13.00 -13.00	17.13 17.04	

Band edge emission at antenna terminals - GPRS 1900 Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號







Figure 9-21: Out of Band emission at antenna terminals - EDGE 850 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Figure 9-22: Out of Band emission at antenna terminals - EDGE 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-23: Out of Band emission at antenna terminals - EDGE 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - EDGE 850

Fundamental Frequency Operation Mode		:824.2 MHz Engineer :TX Low		eer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	30-1000	S		-13.00		
	1648.40	Н		-13.00		
	2472.60	Н		-13.00		
	3296.80	Н		-13.00		
	4121.00	Н		-13.00		
	4945.20	Н		-13.00		
	5769.40	Н		-13.00		
	6593.60	Н		-13.00		
	7417.80	Н		-13.00		
	7982.00	S	-25.99	-13.00	12.99	
	8242.00	Н		-13.00		

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode	:836.6 MHz :TX Mid	e		:Marcus
Freq. (MHz	Note) F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-100			-13.00	
1673.2			-13.00	
2509.8			-13.00	
3346.4	0 Н		-13.00	
4183.0	0 Н		-13.00	
5019.6	0 Н		-13.00	
6692.8	0 H		-13.00	
7529.4	0 H		-13.00	
8366.0	0 H		-13.00	
8588.0	0 S	-25.87	-13.00	12.87

"H" : denotes Harmonic Frequency. "S" : denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:848.8MHz Engineer :TX High		leer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	<30 30-1000	S		-13.00		
	1697.60	Н		-13.00		
	2546.40	Н		-13.00		
	3327.00	S	-26.12	-13.00	13.12	
	3395.20	Н		-13.00		
	4244.00	Н		-13.00		
	5092.80	Н		-13.00		
	5941.60	Н		-13.00		
	6790.40	Н		-13.00		
	7639.20	Н		-13.00		
	8488.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Figure 9-24: Band edge emission at antenna terminals - EDGE 850 Channel Lowest

Figure 9-25: Band edge emission at antenna terminals - EDGE 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

EDGE 850		Engineer		:Marcus	
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB		
823.997 849.019	-32.53 -34.01	-13.00 -13.00	19.53 21.01		

Band edge emission at antenna terminals - EDGE 850 Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號







Figure 9-26: Out of Band emission at antenna terminals - EDGE 1900 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-27: Out of Band emission at antenna terminals - EDGE 1900 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-28: Out of Band emission at antenna terminals - EDGE 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - EDGE 1900

Fundamental Frequency Operation Mode	:1850.2 MHz Engineer :TX Low		:Marcus	
Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3700.40	Н		-13.00	
5550.60	Н		-13.00	
7400.80	Н		-13.00	
9251.00	Н		-13.00	
11101.20	Н		-13.00	
12951.40	Н		-13.00	
14801.60	Н		-13.00	
16651.80	Н		-13.00	
18502.00	Н		-13.00	
19490.00	S	-21.76	-13.00	8.76

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1880.0 MHz Engineer :TX Mid		eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	
	19240.00	S	-22.57	-13.00	9.57

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1909.8 MHz Engineer :TX High		eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<20	S		-13.00	
	<30 30-1000	S		-13.00	
	3819.60	Н		-13.00	
	5729.40	Н		-13.00	
	7639.20	Н		-13.00	
	9549.00	Н		-13.00	
	11458.80	Н		-13.00	
	13368.60	Н		-13.00	
	15278.40	Н		-13.00	
	16320.00	S	-22.57	-13.00	9.57
	17188.20	Н		-13.00	
	19098.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-29: Band edge emission at antenna terminals - EDGE 1900 Channel Lowest

Figure 9-30: Band edge emission at antenna terminals - EDGE 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

EDGE 1900:		Engineer		:Marcus	
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB		
1849.995 1910.019	-35.22 -33.40	-13.00 -13.00	22.22 20.40		

Band edge emission at antenna terminals - EDGE 1900 Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-31: Out of Band emission at antenna terminals – WCDMA II Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-32: Out of Band emission at antenna terminals – WCDMA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Figure 9-33: Out of Band emission at antenna terminals - WCDMA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Out of Band emission at antenna terminals - WCDMA II

Fundamental Frequency Operation Mode		:1852.4 MHz :TX Low	Engineer		:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3704.80	Н		-13.00	
	5557.20	Н		-13.00	
	7409.60	Н		-13.00	
	9262.00	Н		-13.00	
	11114.40	Н		-13.00	
	12966.80	Н		-13.00	
	13597.00	S	-19.79	-13.00	6.79
	14819.20	Н		-13.00	
	16671.60	Н		-13.00	
	18524.00	Н		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1880.0 MHz :TX Mid	e		:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	17733.00	S	-20.01	-13.00	7.01
	18800.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1907.6MHz Engineer :TX High		eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S		-13.00	
	3815.20	Н		-13.00	
	5722.80	Н		-13.00	
	7630.40	Н		-13.00	
	9538.00	Н		-13.00	
	11445.60	Н		-13.00	
	13353.20	Н		-13.00	
	13521.00	S	-20.22	-13.00	7.22
	15260.80	Н		-13.00	
	17168.40	Н		-13.00	
	19076.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-34: Band edge emission at antenna terminals - WCDMA II Channel Lowest

Figure 9-35: Band edge emission at antenna terminals - WCDMA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

WCDMA II		Engineer		:Marcus	
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB		
1849.997 1910.007	-17.73 -17.01	-13.00 -13.00	4.73 4.01		

Band edge emission at antenna terminals - WCDMA II Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號







Figure 9-36: Out of Band emission at antenna terminals - WCDMA IV Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Figure 9-37: Out of Band emission at antenna terminals - WCDMA IV Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-38: Out of Band emission at antenna terminals - WCDMA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - WCDMA IV

Fundamental Frequency Operation Mode		1712.4 MHz Engineer :TX Low		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3424.80	Н		-13.00	
	5137.20	Н		-13.00	
	6849.60	Н		-13.00	
	8562.00	Н		-13.00	
	10274.40	Н		-13.00	
	11986.80	Н		-13.00	
	13699.20	Н		-13.00	
	13738.00	S	-20.55	-13.00	7.55
	15411.60	Н		-13.00	
	17124.00	Н		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 328 of 984

Fundamental Frequency Operation Mode	:1732.6 MHz :TX Mid	En	Engineer	
Freq. (MHz		Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-100	00 S		-13.00	
3465.2	0 H		-13.00	
5197.8	0 Н		-13.00	
6930.4	.0 H		-13.00	
8663.0	0 Н		-13.00	
10395.0	50 H		-13.00	
12128.2	20 H		-13.00	
13860.3	80 H		-13.00	
15042.0	00 S	-20.52	-13.00	7.52
15593.4	40 H		-13.00	
17326.	00 Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.



Fundamental Frequency Operation Mode		1752.6MHz Engineer :TX High		neer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	-20	S		-13.00		
	<30 30-1000	S		-13.00		
	3505.20	Н		-13.00		
	5257.80	Н		-13.00		
	7010.40	Н		-13.00		
	8763.00	Н		-13.00		
	10515.60	Н		-13.00		
	12268.20	Н		-13.00		
	13540.00	S	-20	-13.00	7.00	
	14020.80	Н		-13.00		
	15773.40	Н		-13.00		
	17526.00	Н		-13.00		


"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.





Figure 9-39: Band edge emission at antenna terminals – WCDMA IV Channel Lowest

Figure 9-40: Band edge emission at antenna terminals – WCDMA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

WCDMA I	V	Engineer		:Marcus
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
1709.997	-17.46	-13.00	4.46	
1755.007	-18.25	-13.00	5.25	

Band edge emission at antenna terminals - WCDMA IV Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-41: Out of Band emission at antenna terminals - WCDMA V Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-42: Out of Band emission at antenna terminals - WCDMA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-43: Out of Band emission at antenna terminals - WCDMA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - WCDMA V

Fundamental Frequency Operation Mode		:826.4 MHz Engineer :TX Low		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	1652.80	Н		-13.00	
	2479.20	Н		-13.00	
	3305.60	Н		-13.00	
	4132.00	Н		-13.00	
	4958.40	Н		-13.00	
	5784.80	Н		-13.00	
	6611.20	Н		-13.00	
	7437.60	Н		-13.00	
	7713.00	S	-22.11	-13.00	9.11
	8264.00	Н		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 336 of 984

Fundamental Frequency Operation Mode		:836.6 MHz Engineer :TX Mid		eer	r :Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	30-1000	S		-13.00		
	1673.20	Н		-13.00		
	2509.80	Н		-13.00		
	3346.40	Н		-13.00		
	4183.00	Н		-13.00		
	5019.60	Н		-13.00		
	5856.20	Н		-13.00		
	6692.80	Н		-13.00		
	7060.00	S	-22.56	-13.00	9.56	
	7529.40	Н		-13.00		
	8366.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.



Fundamental Frequency Operation Mode		:846.6MHz Engineer :TX High		eer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	-20	S		-13.00		
	<30 30-1000	S S		-13.00		
	1693.20	Н		-13.00		
	2539.80	Н		-13.00		
	3386.40	Н		-13.00		
	4233.00	Н		-13.00		
	5079.60	Н		-13.00		
	5926.20	Н		-13.00		
	6772.80	Н		-13.00		
	6803.00	S	-22.13	-13.00	9.13	
	7619.40	Н		-13.00		
	8466.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.







Figure 9-44: Band edge emission at antenna terminals – WCDMA V Channel Lowest

Figure 9-45: Band edge emission at antenna terminals – WCDMA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

WCDMA V		Engineer		:Marcus
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
823.997 849.003	-19.9 -20.07	-13.00 -13.00	6.90 7.07	

Band edge emission at antenna terminals - WCDMA V Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-46: Out of Band emission at antenna terminals - HSDPA II Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-47: Out of Band emission at antenna terminals - HSDPA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-48: Out of Band emission at antenna terminals – HSDPA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Out of Band emission at antenna terminals - HSDPA II

Fundamental Frequency Operation Mode		:1852.4 MHz Engineer :TX Low		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3704.80	Н		-13.00	
	5557.20	Н		-13.00	
	7409.60	Н		-13.00	
	9262.00	Н		-13.00	
	11114.40	Н		-13.00	
	12966.80	Н		-13.00	
	13767.00	S	-20.11	-13.00	7.11
	14819.20	Н		-13.00	
	16671.60	Н		-13.00	
	18524.00	Н		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.



Fundamental Frequency Operation Mode		:1880.0 MHz Engine :TX Mid		leer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	13710.00	S	-19.77	-13.00	6.77
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.



Fundamental Frequency Operation Mode		:1907.6MHz Engin :TX High		eer :Mar	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		12.00	
	<30 30-1000	S S		-13.00 -13.00	
	3815.20	Н		-13.00	
	5722.80	Н		-13.00	
	7630.40	Н		-13.00	
	9538.00	Н		-13.00	
	11445.60	Н		-13.00	
	13353.20	Н		-13.00	
	14730.00	S	-19.93	-13.00	6.93
	15260.80	Н		-13.00	
	17168.40	Н		-13.00	
	19076.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.





Figure 9-49: Band edge emission at antenna terminals - HSDPA II Channel Lowest

Figure 9-50: Band edge emission at antenna terminals – HSDPA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

HSDPA II		Engineer		:Marcus
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	_
1849.997 1910.003	-19.44 -19.98	-13.00 -13.00	6.44 6.98	

Band edge emission at antenna terminals - HSDPA II Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-51: Out of Band emission at antenna terminals HSDPA IV Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-52: Out of Band emission at antenna terminals -HSDPA IV Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-53: Out of Band emission at antenna terminals –HSDPA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -HSDPA IV

Fundamental Frequency Operation Mode	y 1712.4 MHz :TX Low	e		:Marcus
Frec (MH	-	Reading dBm	Limit dBm	Safe Margin dB
<30) S		-13.00	
30-10			-13.00	
3424.			-13.00	
5137.			-13.00	
6849.			-13.00	
8562.	00 H		-13.00	
10274	.40 H		-13.00	
11986	.80 H		-13.00	
13427	.00 S	-19.39	-13.00	6.39
13699	.20 H		-13.00	
15411	.60 H		-13.00	
17124	.00 H		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 352 of 984

Fundamental Frequency Operation Mode		:1732.6 MHz Engineer :TX Mid		eer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	30-1000	S		-13.00		
	3465.20	Н		-13.00		
	5197.80	Н		-13.00		
	6930.40	Н		-13.00		
	8663.00	Н		-13.00		
	10395.60	Н		-13.00		
	12128.20	Н		-13.00		
	13540.00	S	-19.35	-13.00	6.35	
	13860.80	Н		-13.00		
	15593.40	Н		-13.00		
	17326.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.



Fundamental Frequency Operation Mode		1752.6MHz Engineer :TX High		neer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S		-13.00	
	3505.20	Н		-13.00	
	5257.80	Н		-13.00	
	7010.40	Н		-13.00	
	8763.00	Н		-13.00	
	10515.60	Н		-13.00	
	12268.20	Н		-13.00	
	13710.00	S	-19.85	-13.00	6.85
	14020.80	Н		-13.00	
	15773.40	Н		-13.00	
	17526.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.







Figure 9-54: Band edge emission at antenna terminals -HSDPA IV Channel Lowest

Figure 9-55: Band edge emission at antenna terminals –HSDPA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

cimssion u	HSDPA IV		Engineer		:Marcus	
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB		
	1709.997 1755.003	-19.33 -19.20	-13.00 -13.00	6.33 6.20		

Band edge emission at antenna terminals -HSDPA IV Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-56: Out of Band emission at antenna terminals – HSDPA V Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-57: Out of Band emission at antenna terminals - HSDPA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-58: Out of Band emission at antenna terminals – HSDPA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.



Out of Band emission at antenna terminals - HSDPA V

Fundamental Frequency Operation Mode		:826.4 MHz Engineer :TX Low		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	1652.80	Н		-13.00	
	2479.20	Н		-13.00	
	3305.60	Н		-13.00	
	4132.00	Н		-13.00	
	4958.40	Н		-13.00	
	5784.80	Н		-13.00	
	6611.20	Н		-13.00	
	7072.00	S	-21.67	-13.00	8.67
	7437.60	Н		-13.00	
	8264.00	Н		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 360 of 984

Fundamental Frequency Operation Mode	:836.6 MHz Engineer :TX Mid		:Marcus	
Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000			-13.00	
1673.20			-13.00	
2509.80			-13.00	
3346.40	Н		-13.00	
4183.00	Н		-13.00	
5019.60	Н		-13.00	
5856.20	Н		-13.00	
6692.80	Н		-13.00	
6908.00	S	-21.93	-13.00	8.93
7529.40	Н		-13.00	
8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 361 of 984

Fundamental Frequency Operation Mode		:846.6MHz Engineer :TX High		eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	1693.20	Н		-13.00	
	2539.80	Н		-13.00	
	3386.40	Н		-13.00	
	4233.00	Н		-13.00	
	5079.60	Н		-13.00	
	5926.20	Н		-13.00	
	6772.80	Н		-13.00	
	6967.00	S	-21.66	-13.00	8.66
	7619.40	Н		-13.00	
	8466.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law.







Figure 9-59: Band edge emission at antenna terminals – HSDPA V Channel Lowest

Figure 9-60: Band edge emission at antenna terminals – HSDPA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

HSDPA V		Engineer		:Marcus	
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB		
823.987 849.003	-19.68 -21.49	-13.00 -13.00	6.68 8.49		

Band edge emission at antenna terminals - HSDPA V Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-61: Out of Band emission at antenna terminals - HSUPA II Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-62: Out of Band emission at antenna terminals – HSUPA II Channel Mid



Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-63: Out of Band emission at antenna terminals – HSUPA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - HSUPA II

Fundamental Frequency Operation Mode	:1852.4 MHz Engineer :TX Low		:Marcus	
Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000			-13.00	
3704.80) H		-13.00	
5557.20			-13.00	
7409.60	Н		-13.00	
9262.00) H		-13.00	
11114.40) Н		-13.00	
12966.8) Н		-13.00	
14248.00	0 S	-19.87	-13.00	6.87
14819.20	О Н		-13.00	
16671.6	О Н		-13.00	
18524.0	Н 0		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1880.0 MHz Engineer :TX Mid		leer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	-20	S		-13.00		
	<30 30-1000	S		-13.00		
	3760.00	Н		-13.00		
	5640.00	Н		-13.00		
	7520.00	Н		-13.00		
	9400.00	Н		-13.00		
	11280.00	Н		-13.00		
	13160.00	Н		-13.00		
	13823.00	S	-19.14	-13.00	6.14	
	15040.00	Н		-13.00		
	16920.00	Н		-13.00		
	18800.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		:1907.6MHz Engineer :TX High		eer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	-20	S		-13.00		
	<30 30-1000	S		-13.00		
	3815.20	Н		-13.00		
	5722.80	Н		-13.00		
	7630.40	Н		-13.00		
	9538.00	Н		-13.00		
	11445.60	Н		-13.00		
	13353.20	Н		-13.00		
	14475.00	S	-19.99	-13.00	6.99	
	15260.80	Н		-13.00		
	17168.40	Н		-13.00		
	19076.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Figure 9-64: Band edge emission at antenna terminals – HSUPA II Channel Lowest

Figure 9-65: Band edge emission at antenna terminals – HSUPA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

HSUPA II		Engineer	, ,	:Marcus	
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB		
1849.997 1910.003	-19.26 -19.92	-13.00 -13.00	6.26 6.92		

Band edge emission at antenna terminals - HSUPA II Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-66: Out of Band emission at antenna terminals -HSUPA IV Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.







Figure 9-67: Out of Band emission at antenna terminals -HSUPA IV Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-68: Out of Band emission at antenna terminals -HSUPA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -HSUPA IV

Fundamental Frequency Operation Mode		1712.4 MHz Engineer :TX Low		:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3424.80	Н		-13.00	
	5137.20	Н		-13.00	
	6849.60	Н		-13.00	
	8562.00	Н		-13.00	
	10274.40	Н		-13.00	
	11986.80	Н		-13.00	
	13398.00	S	-19.9	-13.00	6.90
	13699.20	Н		-13.00	
	15411.60	Н		-13.00	
	17124.00	Н		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 376 of 984

Fundamental Frequency Operation Mode		:1732.6 MHz Engineer :TX Mid		leer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S		-13.00	
	3465.20	Н		-13.00	
	5197.80	Н		-13.00	
	6930.40	Н		-13.00	
	8663.00	Н		-13.00	
	10395.60	Н		-13.00	
	12128.20	Н		-13.00	
	13738.00	S	-20.03	-13.00	7.03
	13860.80	Н		-13.00	
	15593.40	Н		-13.00	
	17326.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Fundamental Frequency Operation Mode		1752.6MHz Engineer :TX High		leer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	-20	S		-13.00		
	<30 30-1000	S S		-13.00		
	3505.20	Н		-13.00		
	5257.80	Н		-13.00		
	7010.40	Н		-13.00		
	8763.00	Н		-13.00		
	10515.60	Н		-13.00		
	12268.20	Н		-13.00		
	13738.00	S	-20.34	-13.00	7.34	
	14020.80	Н		-13.00		
	15773.40	Н		-13.00		
	17526.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Figure 9-69: Band edge emission at antenna terminals -HSUPA IV Channel Lowest

Figure 9-70: Band edge emission at antenna terminals -HSUPA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

HSUPA IV		Engineer		:Marcus
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
1709.997 1755.003	-18.66 -19.20	-13.00 -13.00	5.66 6.20	

Band edge emission at antenna terminals -HSUPA IV Low & High

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-71: Out of Band emission at antenna terminals – HSUPA V Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-72: Out of Band emission at antenna terminals – HSUPA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Figure 9-73: Out of Band emission at antenna terminals – HSUPA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiefs So therwise stated the results shown in this test report refer only to the sample(s) tested and social after feature for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals - HSUPA V

Fundamental Frequency Operation Mode		:826.4 MHz :TX Low	e		:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	1652.80	Н		-13.00	
	2479.20	Н		-13.00	
	3305.60	Н		-13.00	
	4132.00	Н		-13.00	
	4958.40	Н		-13.00	
	5784.80	Н		-13.00	
	6611.20	Н		-13.00	
	7437.60	Н		-13.00	
	7678.00	S	-21.93	-13.00	8.93
	8264.00	Н		-13.00	

Note : "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 384 of 984

Fundamental Frequency Operation Mode		:836.6 MHz Engineer :TX Mid		eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	1673.20	Н		-13.00	
	2509.80	Н		-13.00	
	3346.40	Н		-13.00	
	4183.00	Н		-13.00	
	5019.60	Н		-13.00	
	5856.20	Н		-13.00	
	6692.80	Н		-13.00	
	6932.00	S	-22.16	-13.00	9.16
	7529.40	Н		-13.00	
	8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 385 of 984

Fundamental Frequency Operation Mode		:846.6MHz :TX High	Engin	eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	1693.20	Н		-13.00	
	2539.80	Н		-13.00	
	3386.40	Н		-13.00	
	4233.00	Н		-13.00	
	5079.60	Н		-13.00	
	5926.20	Н		-13.00	
	6772.80	Н		-13.00	
	7177.00	S	-23.09	-13.00	10.09
	7619.40	Н		-13.00	
	8466.00	Н		-13.00	


"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Figure 9-74: Band edge emission at antenna terminals – HSUPA V Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Mode

HSUPA V		Engineer		:Marcus
Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
823.997 849.003	-20.86 -21.95	-13.00 -13.00	7.86 8.95	


Band edge emission at antenna terminals - HSUPA V Low & High


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號












Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Out of Band emission at antenna terminals -1.4MHz BW LTE-Band 2

(OPSK RB Number: 1 Offset: 0)

	/		
Fundamental Frequency	:1850.7 MHz	Engineer	:Nick
Operation Mode	:TX Low		

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3701.40	Н		-13.00	
5552.10	Н		-13.00	
7402.80	Н		-13.00	
9253.50	Н		-13.00	
11104.20	Н		-13.00	
12954.90	Н		-13.00	
14805.60	Н		-13.00	
16150.00	S	-35.59	-13.00	22.59
16656.30	Н		-13.00	
18507.00	Н		-13.00	

"H" : denotes Harmonic Frequency. "S" : denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 392 of 984

Fundamental Frequency Operation Mode		:1880.0 MHz :TX Mid	Engin	eer	:Nick
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	15040.00	Н		-13.00	
	16230.00	S	-33.02	-13.00	20.02
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 393 of 984


Fundamental Frequency Operation Mode		:1909.3 MHz :TX High	Engir	neer	:Nick
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3818.60	Н		-13.00	
	5727.90	Н		-13.00	
	7637.20	Н		-13.00	
	9546.50	Н		-13.00	
	11455.80	Н		-13.00	
	13365.10	Н		-13.00	
	15274.40	Н		-13.00	
	17183.70	Н		-13.00	
	19093.00	Н		-13.00	
	19520.00	S	-32.68	-13.00	19.68

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:Nick


Band edge emission at antenna terminals -1.4MHz BW LTE-Band 2


(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 5)				
Test Mode	1.4MHz BW LTE-Band 2	Engineer	:	

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1850.000	-25.17	-13.00	12.17
1910.000	-24.16	-13.00	11.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -1.4MHz BW LTE-Band 2


(QPSK RB Number: 6 Offset: 0)


Test Mode	1.4MHz BW LTE-Band 2		Engineer		:Nick
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
	1850.000 1910.000	-31.87 -29.8	-13.00 -13.00	18.87 16.80	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號












Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -3MHz BW LTE-Band 2

(OPSK RB Number: 1 Offset: 0)

Fundamental Frequency Operation Mode	,	Engineer	:Nick
Frec	. Note	Reading Limit	Safe

 (MHz)	F/H/E/S	dBm	dBm	Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3703.00	Н		-13.00	
5554.50	Н		-13.00	
7406.00	Н		-13.00	
9257.50	Н		-13.00	
11109.00	Н		-13.00	
12960.50	Н		-13.00	
14812.00	Н		-13.00	
16663.50	Н		-13.00	
18515.00	Н		-13.00	
19350.00	S	-32.9	-13.00	19.90

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 402 of 984

Fundamental Frequency Operation Mode		:1880.0 MHz E :TX Mid		Engineer	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	14980.00	S	-32.66	-13.00	19.66
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 403 of 984


Fundamental Frequency Operation Mode		:1908.5 MHz Engine :TX High		eer	:Nick
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3817.00	Н		-13.00	
	5725.50	Н		-13.00	
	7634.00	Н		-13.00	
	9542.50	Н		-13.00	
	11451.00	Н		-13.00	
	13359.50	Н		-13.00	
	15268.00	Н		-13.00	
	17176.50	Н		-13.00	
	19085.00	Н		-13.00	
	19120.00	S	-32.83	-13.00	19.83


"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -3MHz BW LTE-Band 2

1850.000 1910.000

(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 24) Test Mode 3MHz BW LTE-Band 2 Engineer :Nick Safe Freq. Reading Limit Margin dBm MHz dBm dB

-15.23

-15.57

-13.00

-13.00


2.23


2.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -3MHz BW LTE-Band 2

1910.000

(QPSK RB Number: 15 Offset: 0) (QPSK RB Number: 25 Offset: 0) Test Mode 3MHz BW LTE-Band 2 Engineer :Nick Safe Freq. Reading Limit Margin dBm MHz dBm dB -25.28 -13.0012.28 1850.000

-21.93


-13.00


8.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號












Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -5MHz BW LTE-Band 2

(OPSK RB Number: 1 Offset: 0)

Fundamental Frequency Operation Mode	:1852.5 MHz :TX Low	Engineer		:Nick	
Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	

_	(MHZ)	F/H/E/S	dBm	dBm	dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3705.00	Н		-13.00	
	5557.50	Н		-13.00	
	7410.00	Н		-13.00	
	9262.50	Н		-13.00	
	11115.00	Н		-13.00	
	12967.50	Н		-13.00	
	14820.00	Н		-13.00	
	16672.50	Н		-13.00	
	18525.00	Н		-13.00	
	1966.00	S	-32.87	-13.00	19.87

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 412 of 984

Fundamental Frequency Operation Mode		:1880.0 MHz Engineer :TX Mid		leer	:Nick
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	<30 30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	
	1989.00	S	-32.01	-13.00	19.01

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號




Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 413 of 984

Fundamental Frequency Operation Mode		:1907.5 MHz Engin :TX High		neer	:Nick
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3815.00	Н		-13.00	
	5722.50	Н		-13.00	
	7630.00	Н		-13.00	
	9537.50	Н		-13.00	
	11445.00	Н		-13.00	
	13352.50	Н		-13.00	
	15260.00	Н		-13.00	
	17167.50	Н		-13.00	
	19075.00	Н		-13.00	
	19920.00	S	-33.02	-13.00	20.02

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 9-94: Band edge emission at antenna terminals –5MHz BW LTE-Band 2 (OPSK RB Number: 1 Offset: 24) Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -5MHz BW LTE-Band 2


(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 24) Test Mode 5MHz BW LTE-Band 2 Engineer :Nick Safe Freq. Reading Limit Margin dBm MHz dBm dB

1850.000	-13.97	-13.00	0.97
1910.000	-19.55	-13.00	6.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號









Figure 9-96: Band edge emission at antenna terminals –5MHz BW LTE-Band 2 (QPSK RB Number: 25 Offset: 0) Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -5MHz BW LTE-Band 2


(QPSK RB Number: 25 Offset: 0)


Test Mode	5MHz BW	5MHz BW LTE-Band 2			:Nick
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	_
	1850.000 1910.000	-27.37 -25.17	-13.00 -13.00	14.37 12.17	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號












Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -10MHz BW LTE-Band 2

(OPSK RB Number: 1 Offset: 0)

		:1855.0 MHz			:Nick	
	Fundamental Frequency		Engir	Engineer		
Operation Mo	ode	:TX Low				
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
					uD	
	.20	S		-13.00		
	<30					
	30-1000	S		-13.00		
	3710.00	Н		-13.00		
	5565.00	Н		-13.00		
	7420.00	Н		-13.00		
	9275.00	Н		-13.00		
	11130.00	Н		-13.00		

-32.86

Η -13.00 18550.00 ____ "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note :

Η

Η

S

Η

"---": denotes Noise Floor.

12985.00

14840.00

16460.00

16695.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clearly intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

-13.00

-13.00

-13.00

-13.00

19.86



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 422 of 984

Fundamental Frequency Operation Mode		:1880.0 MHz :TX Mid	Engin	eer	:Nick
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	
	19800.00	S	-32.6	-13.00	19.60

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 423 of 984

Fundamental Frequency Operation Mode	:1905.0 MHz En :TX High		eer	:Nick
Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<20	S		-13.00	
<30 30-1000	S		-13.00	
3810.00	Н		-13.00	
5715.00	Н		-13.00	
7620.00	Н		-13.00	
9525.00	Н		-13.00	
11430.00	Н		-13.00	
13335.00	Н		-13.00	
15240.00	Н		-13.00	
17145.00	Н		-13.00	
19050.00	Н		-13.00	
19060.00	S	-32.69	-13.00	19.69

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -10MHz BW LTE-Band 2


(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 49) Test Mode 10MHz BW LTE-Band 2 Engineer :Nick Safe Freq. Reading Limit Margin dBm MHz dBm dB


1850.000	-20.42	-13.00	7.42
1910.000	-18.17	-13.00	5.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -10MHz BW LTE-Band 2


(QPSK RB Number: 50 Offset: 0)


Test Mode	10MHz BW LTE-Band 2		Engineer		:Nick
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	_
	1850.000 1910.000	-33.15 -32.72	-13.00 -13.00	20.15 19.72	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號












Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Onless other was stated are results and the art report for the form of the state are results and the state are results are results and the state are results tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -15MHz BW LTE-Band 2

(OPSK RB Number: 1 Offset: 0)

Fundamental Frequency Operation Mode	:1857.5 MHz :TX Low	Engineer		:Nick	
Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	

<30	S		-13.00	
30-1000	S		-13.00	
3714.00	Н		-13.00	
5571.00	Н		-13.00	
7428.00	Н		-13.00	
9285.00	Н		-13.00	
11142.00	Н		-13.00	
12999.00	Н		-13.00	
14856.00	Н		-13.00	
16713.00	Н		-13.00	
18570.00	Н		-13.00	
19690.00	S	-32.73	-13.00	19.73

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 432 of 984

Fundamental Frequency Operation Mode		:1880.0 MHz Engineer :TX Mid		leer	:Nick	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	<50 30-1000	S		-13.00		
	3760.00	Н		-13.00		
	5640.00	Н		-13.00		
	7520.00	Н		-13.00		
	9400.00	Н		-13.00		
	11280.00	Н		-13.00		
	13160.00	Н		-13.00		
	15040.00	Н		-13.00		
	15350.00	S	-32.96	-13.00	19.96	
	16920.00	Н		-13.00		
	18800.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 433 of 984

Fundamental Frequency Operation Mode		:1902.5 MHz :TX High		neer	:Nick
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S		-13.00	
	3805.00	Н		-13.00	
	5707.50	Н		-13.00	
	7610.00	Н		-13.00	
	9512.50	Н		-13.00	
	11415.00	Н		-13.00	
	13317.50	Н		-13.00	
	15220.00	Н		-13.00	
	17122.50	Н		-13.00	
	19025.00	Н		-13.00	
	19150.00	S	-32.63	-13.00	19.63

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque







File Operation Status, C:PICTURE.GIF file saved

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -15MHz BW LTE-Band 2

(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 74) Test Mode 15MHz BW LTE-Band 2 Engineer :Nick Safe Freq. Reading Limit Margin dBm MHz dBm

	uDili	dDill	dB
1850.000	-18.83	-13.00	5.83
1910.000	-22.24	-13.00	9.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Figure 9-110: Band edge emission at antenna terminals –15MHz BW LTE-Band 2 (QPSK RB Number: 75 Offset: 0) Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band edge emission at antenna terminals -15MHz BW LTE-Band 2


(QPSK RB Number: 75 Offset: 0)


Test Mode	15MHz BV	15MHz BW LTE-Band 2			:Nick
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	_
	1850.000 1910.000	-34.49 -31.33	-13.00 -13.00	21.49 18.33	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.












Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Chiles Solite was stated are located and the and a state of the form of the state tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -20MHz BW LTE-Band 2

(OPSK RB Number: 1 Offset: 0)

14880.00

16230.00

16740.00

18600.00

		/		:Nick		
Fundamental Frequency		:1860.0 MHz	Engir	Engineer		
Operation Mod	de	:TX Low				
	_			- · · ·	Safe	
	Freq.	Note	Reading	Limit	Margin	
	(MHz)	F/H/E/S	dBm	dBm	dB	
-						
	<30	S		-13.00		
	30-1000	S		-13.00		
	3720.00	Н		-13.00		
	5580.00	Н		-13.00		
	7440.00	Н		-13.00		
	9300.00	Н		-13.00		
	11160.00	Н		-13.00		
	13020.00	Н		-13.00		

-32.64

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.

Η

S

Η

Η

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clearly intervention. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

-13.00

-13.00

-13.00

-13.00

19.64



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 442 of 984

Fundamental Frequency Operation Mode		:1880.0 MHz Enginee :TX Mid		eer	:Nick
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	<30 30-1000	S		-13.00	
	3760.00	Н		-13.00	
	5640.00	Н		-13.00	
	7520.00	Н		-13.00	
	9400.00	Н		-13.00	
	11280.00	Н		-13.00	
	13160.00	Н		-13.00	
	15040.00	Н		-13.00	
	16920.00	Н		-13.00	
	18800.00	Н		-13.00	
	19120.00	S	-32.6	-13.00	19.60

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.





Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 443 of 984

Fundamental Frequency Operation Mode		:1900MHz :TX High	Engin	Engineer	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S S		-13.00	
	3800.00	Н		-13.00	
	5700.00	Н		-13.00	
	7600.00	Н		-13.00	
	9500.00	Н		-13.00	
	11400.00	Н		-13.00	
	13300.00	Н		-13.00	
	14190.00	S	-32.82	-13.00	19.82
	15200.00	Н		-13.00	
	17100.00	Н		-13.00	
	19000.00	Н		-13.00	


"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -20MHz BW LTE-Band 2


(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 99) Test Mode 20MHz BW LTE-Band 2 Engineer :Nick Safe Freq. Reading Limit Margin dBm MHz dBm dB

1850.000	-22.5	-13.00	9.50
1910.000	-20.47	-13.00	7.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







File Operation Status, C:PICTURE.GIF file saved

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Signal Track

Off

0n



Band edge emission at antenna terminals -20MHz BW LTE-Band 2


(QPSK RB Number: 100 Offset: 0)


Test Mode	20MHz BV	20MHz BW LTE-Band 2		Engineer	
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
	1850.000 1910.000	-31.79 -32.21	-13.00 -13.00	18.79 19.21	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.












Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -1.4MHz BW LTE-Band 4

(QPSK RB Number: 1 Offset: 0)

Fundamental Frequency Operation Mode	:1710.7 MHz :TX Low	Eng	Engineer	
Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-100			-13.00	
3421.4	0 Н		-13.00	
5132.1	0 Н		-13.00	
6842.8	0 Н		-13.00	
8553.5	0 Н		-13.00	
10264.2	20 Н		-13.00	
11974.9	0 Н		-13.00	
13685.6	60 H		-13.00	
13710.0	00 S	-20.2	-13.00	7.20
15396.3	60 H		-13.00	
17107.0	00 H		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 452 of 984

Fundamental Frequency Operation Mode		:1732.5 MHz :TX Mid	Engin	Engineer	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S S		-13.00	
	3465.00	Н		-13.00	
	5197.50	Н		-13.00	
	6930.00	Н		-13.00	
	8662.50	Н		-13.00	
	10395.00	Н		-13.00	
	12127.50	Н		-13.00	
	13653.00	S	-19.85	-13.00	6.85
	13860.00	Н		-13.00	
	15592.50	Н		-13.00	
	17325.00	Н		-13.00	


"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.





Fundamental Frequency Operation Mode	:1754.3MHz :TX High	Engin	:Marcus	
Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3508.60	Н		-13.00	
5262.90	Н		-13.00	
7017.20	Н		-13.00	
8771.50	Н		-13.00	
10525.80	Н		-13.00	
12280.10	Н		-13.00	
13682.00	S	-19.64	-13.00	6.64
14034.40	Н		-13.00	
15788.70	Н		-13.00	
17543.00	Н		-13.00	


"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -1.4MHz BW LTE-Band 4

(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 5) Tes

1755.010

est Mode	1.4MHz BV	W LTE-Band 4	Engineer		:Marcus
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	_
	1709.997	-19.74	-13.00	6.74	


-13.00


4.79

-17.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band edge emission at antenna terminals -1.4MHz BW LTE-Band 4


(QPSK RB Number: 6 Offset: 0)


Test Mode	1.4MHz BW LTE-Band 4		Engineer		:Marcus
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
	1709.967 1755.057	-24.53 -25.85	-13.00 -13.00	11.53 12.85	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.












Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.












Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -3MHz BW LTE-Band 4

(OPSK RB Number: 1 Offset: 0)

Fundamental		:1711.5 MHz	Engin	eer	:Marcus
Operation Mo	ode	:TX Low			
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3423.00	Н		-13.00	
	5134.50	Н		-13.00	
	6846.00	Н		-13.00	
	8557.50	Н		-13.00	
	10269.00	Н		-13.00	
	11980.50	Н		-13.00	
	13692.00	Н		-13.00	
	13965.00	S	-19.89	-13.00	6.89
	15403.50	Н		-13.00	
	17115.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 462 of 984

Fundamental Frequency Operation Mode		:1732.5 MHz :TX Mid	Engin	eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<30	S		-13.00	
	30-1000	S		-13.00	
	3465.00	Н		-13.00	
	5197.50	Н		-13.00	
	6930.00	Н		-13.00	
	8662.50	Н		-13.00	
	10395.00	Н		-13.00	
	12127.50	Н		-13.00	
	13860.00	Н		-13.00	
	13738.00	S	-19.77	-13.00	6.77
	15592.50	Н		-13.00	
	17325.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.





Fundamental Frequency Operation Mode		:1753.5MHz :TX High	Engin	eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S		-13.00	
	3507.00	Н		-13.00	
	5260.50	Н		-13.00	
	7014.00	Н		-13.00	
	8767.50	Н		-13.00	
	10521.00	Н		-13.00	
	12274.50	Н		-13.00	
	14028.00	Н		-13.00	
	14475.00	S	-19.96	-13.00	6.96
	15781.50	Н		-13.00	
	17535.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised any be prosecuted to the fulle at vent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -3MHz BW LTE-Band 4

1755.023

(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 14) Test Mode 3MHz BW LTE-Band 4 Engineer :Marcus Safe Freq. Reading Limit Margin dBm MHz dBm dB -16.35 -13.003.35 1709.990 2.89


-15.89


-13.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law











除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band edge emission at antenna terminals -3MHz BW LTE-Band 4


(QPSK RB Number: 15 Offset: 0)


Test Mode	3MHz BW LTE-Band 4		Engineer		:Marcus
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	
	1709.990 1755.003	-25.61 -26.52	-13.00 -13.00	12.61 13.52	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.












Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.












Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Out of Band emission at antenna terminals -5MHz BW LTE-Band 4

(OPSK RB Number: 1 Offset: 0)

Fundamental Frequency Operation Mode		:1712.5 MHz :TX Low	Engin	eer	:Marcus	
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB	
	<30	S		-13.00		
	30-1000	S		-13.00		
	3425.00	Н		-13.00		
	5137.50	Н		-13.00		
	6850.00	Н		-13.00		
	8562.50	Н		-13.00		
	10275.00	Н		-13.00		
	11987.50	Н		-13.00		
	13700.00	Н		-13.00		
	13710.00	S	-20.08	-13.00	7.08	
	15412.50	Н		-13.00		
	17125.00	Н		-13.00		

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.



Report No.: ER/2014/B0016 Issue Date: Jan. 19, 2015 Page: 472 of 984

Fundamental Frequency Operation Mode		:1732.5 MHz :TX Mid	Engin	eer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	<20	S		-13.00	
	<30 30-1000	S		-13.00	
	3465.00	Н		-13.00	
	5197.50	Н		-13.00	
	6930.00	Н		-13.00	
	8662.50	Н		-13.00	
	10395.00	Н		-13.00	
	12127.50	Н		-13.00	
	13860.00	Н		-13.00	
	15592.50	Н		-13.00	
	16175.00	S	-19.55	-13.00	6.55
	17325.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "---": denotes Noise Floor.




Fundamental Frequency Operation Mode		:1752.5 MHz :TX High	Engin	leer	:Marcus
	Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
	-20	S		-13.00	
	<30 30-1000	S		-13.00	
	3505.00	Н		-13.00	
	5257.50	Н		-13.00	
	7010.00	Н		-13.00	
	8762.50	Н		-13.00	
	10515.00	Н		-13.00	
	12267.50	Н		-13.00	
	13653.00	S	-20.18	-13.00	7.18
	14020.00	Н		-13.00	
	15772.50	Н		-13.00	
	17525.00	Н		-13.00	


"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note : "": denotes Spurious Freque











Contest States the states are results and the states are results are results and the states are results ar tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -5MHz BW LTE-Band 4

1755.003

(QPSK RB Number: 1 Offset: 0) (QPSK RB Number: 1 Offset: 24) Test Mode 5MHz BW LTE-Band 4 Engineer :Marcus Safe Freq. Reading Limit Margin dBm MHz dBm dB -16.5 -13.003.50 1709.993

-15.41

-13.00

2.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law









Figure 9-138: Band edge emission at antenna terminals –5MHz BW LTE-Band 4 (OPSK RB Number: 25 Offset: 0) Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band edge emission at antenna terminals -5MHz BW LTE-Band 4

(QPSK RB Number: 25 Offset: 0)

Test Mode	5MHz BW LTE-Band 4		Engineer	neer	
	Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB	_
	1709.960 1755.017	-25.35 -25.35	-13.00 -13.00	12.35 12.35	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.