

Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 1 of 774

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART C & SUBPART L REQUIREMENT

OF

Product Name: Mobile Phone

Brand Name: Sony

Type No.: PM-0854-BV

Model Difference: N/A

FCC ID: PY7-PM0854

Report No.: ER/2014/B0064

Issue Date: Jan. 09, 2015

FCC Rule Part: 2,22H & 24E & 27C & L

Prepared for: Sony Mobile Communications AB

Nya Vattentornet 22188 Lund/Sweden

Prepared by: SGS Taiwan Ltd.

Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

24803

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of Electronic Documents at www.sgs.com/terms and conditions for Electronic Document Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 2 of 774

VERIFICATION OF COMPLIANCE

Sony Mobile Communications AB **Applicant:**

Nya Vattentornet 22188 Lund/Sweden

Product Name: Mobile Phone

Brand Name: Sony

Type No.: PM-0854-BV

Model Difference: N/A

FCC ID: PY7-PM0854

File Number: ER/2014/B0064

Date of test: Nov. 06, 2014 ~ Nov. 28, 2014

Date of EUT Received: Nov. 06, 2014

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rule PART 22 subpart H, PART 24 subpart E, PART 27 subpart C.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Marcus Iseng	Date:	Jan. 09, 2015
Prepared By:	Marcus Tseng/Engineer Utoletta Tang	Date:	Jan. 09, 2015
Approved By:	Violetta Tang / Clerk Jim Chang / Supervisor	Date:	Jan. 09, 2015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 3 of 774

Revision History

Report Number	Revision	Description	Issue Date
ER/2014/B0064	Rev.00	Initial creation of document	Dec. 11, 2014
ER/2014/B0064	Rev.01	Updated HW, SW, and internal photo	Jan. 09, 2015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 4 of 774

Table of Contents

1.	GEN	NERAL PRODUCT INFORMATION	6
	1.1.	Product Description	6
	1.2.	Related Submittal(s) / Grant (s)	16
	1.3.	Test Methodology	16
	1.4.	Test Facility	16
	1.5.	Special Accessories	16
	1.6.	Equipment Modifications	16
2.	SYS	TEM TEST CONFIGURATION	17
	2.1.	EUT Configuration	
	2.2.	EUT Exercise	17
	2.3.	Test Procedure	17
	2.4.	Measurement Equipment Used:	18
	2.5.	Configuration of Tested System	20
3.	SUM	IMARY OF TEST RESULTS	21
4.	DES	CRIPTION OF TEST MODES	26
5.	MEA	ASUREMENT UNCERTAINTY	30
6.	RF I	POWER OUTPUT MEASUREMENT	31
	6.1.	Standard Applicable:	31
	6.2.	Test Set-up:	32
	6.3.	Measurement Procedure:	32
	6.4.	Measurement Equipment Used:	32
	6.5.	Measurement Result:	33
7.	ERP	P, EIRP MEASUREMENT	64
	7.1.	Standard Applicable:	64
	7.2.	Test SET-UP (Block Diagram of Configuration):	64
	7.3.	Measurement Procedure:	66
	7.4.	Measurement Equipment Used:	67
	7.5.	Measurement Result: (Peak) –using option of peak measurement	68
8.	OCO	CUPIED BANDWIDTH MEASUREMENT	113
	8.1.	Standard Applicable:	113
	8.2.	Test Set-up:	113
	8.3.	Measurement Procedure:	113
	8.4.	Measurement Equipment Used:	113
	8.5.	Measurement Result:	113

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WukungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 5 of 774

9.	OUT	OF BAND EMISSION AT ANTENNA TERMINALS	210
	9.1.	Standard Applicable:	210
	9.2.	Test SET-UP:	212
	9.3.	Measurement Procedure:	213
	9.4.	Measurement Equipment Used:	213
	9.5.	Measurement Result:	213
10.	FIEI	D STRENGTH OF SPURIOUS RADIATION MEASUREMENT	554
	10.1.	Standard Applicable:	554
	10.2.	EUT Setup (Block Diagram of Configuration):	554
	10.3.	Measurement Procedure:	555
	10.4.	Measurement Equipment Used:	555
	10.5.	Measurement Result:	555
11.	FRE	QUENCY STABILITY V.S. TEMPERATURE MEASUREMENT	610
	11.1.		
	11.2.	Test Set-up:	610
	11.3.	Measurement Procedure:	611
	11.4.	Measurement Equipment Used:	611
	11.5.	Measurement Result:	612
12.	FRE	QUENCY STABILITY V.S. VOLTAGE MEASUREMENT	635
	12.1.		
	12.2.	Test Set-up:	635
	12.3.	Measurement Procedure:	635
	12.4.	Measurement Equipment Used:	635
	12.5.	Measurement Result:	636
13.	PEA	K TO AVERAGE RATIO	658
	13.1.	Standard Applicable:	658
	13.2.	Test SET-UP (Block Diagram of Configuration):	658
	13.3.	Measurement Procedure:	658
	13.4.	Measurement Equipment Used:	658
	13.5.	Measurement Result:	658
ME	ASUF	REMENT PLOT OF RADIATED SPURIOUS EMISSION	720

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 6 of 774

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Mobile Phone		
Brand Name:	Sony		
Type No.:	PM-0854-	BV	
Model Difference:	N/A		
Data Cable (USB):		: EC450, Supplier: K-one AI-0700, Length: 100 cm	
Simple Hands-Free (SHF-White):	Model No. Type No.:	: MH410c, Supplier: Foster Electric AG-1100	
Car Charger:	Model No.: AN400, Supplier: Salcomp Type No.: CAA-0003013		
BT PHF:	Model No.: SBH20, Supplier: Sony Type No.: RD-0010 coupling with Simple Hands Free (Model MH755, Supplier: BALDA, Type No.: AG-0503)		
Hardware Version:	A		
Software Version:	25.0.A.0.3	3	
	3.8Vdc		
Power Supply:	Battery:	Model No.: LIS1574ERPC, Supplier: Sony Type No.: N/A	
	Adapter:	Model No.: EP800, Supplier: Salcomp Type No.: CAA-0002016-US	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 7 of 774

Bluetooth_BR+EDR:

Bluetooth Version:	V4.1 dual mode + HS
Channel number:	79 channels
Modulation type:	Frequency Hopping Spread Spectrum
Transmit Power:	5.38dBm
Frequency Range:	2.402GHz – 2.480GHz
Dwell Time:	<= 0.4s
Antenna Designation:	PIFA Antenna, Gain: 2.52dBi

Bluetooth Low Energy:

Frequency Range:	2402 – 2480MHz
Bluetooth Version:	V4.1 dual mode + HS
Channel number:	40 channels
Modulation type:	GFSK
Transmit Power:	-1.49dBm (Peak)
Antenna Designation:	PIFA Antenna, Gain: 2.52dBi

WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology		
11b/g	2412-2462	11	b: 18.87dBm g: 22.66dBm	DSSS, OFDM		
11n	HT20 2412-2462	11	HT20: 21.09dBm	OFDM		
11n	HT40 2422-2452	7	HT40: 22.22dBm	OFDM		
Antenna Designation:		PIFA Antenna, Gain: 2.52dBi				
Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM				
Transition Rate:		802.11 b: 1/2/5.5/11 Mbps; 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 72.2Mbps 802.11 n_40MHz: 13.5 –135Mbps				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 8 of 774

WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Avg. Power	Modulation Technology
	5150~5250	4	13.96dBm	
110	5250~5350	4	13.99dBm	OFDM
11a	5470~5725	8	13.96dBm	OFDM
	5725-5850	5	13.79dBm	
	HT20 5150~5250	4	HT20: 12.99dBm	
11	HT20 5250~5350	4	HT20: 12.95dBm	OEDM
11n	HT20 5470~5725	8	HT20: 12.99dBm	OFDM
	HT20 5725-5850	5	HT20: 12.79dBm	
	HT40 5150~5250	2	HT40: 11.95dBm	
11n	HT40 5250~5350	2	HT40: 11.93dBm	OEDM
	HT40 5470~5725	3	HT40: 11.96dBm	OFDM
	HT40 5725-5850	2	HT40: 11.98dBm	
Antenna Designation	PIFA Antenna, 5GHz Gain: -0.54dBi (5150MHz-5250MHz) 5GHz Gain: -0.89dBi (5250MHz-5350MHz) 5GHz Gain: -0.34dBi (5470MHz-5725MHz) 5GHz Gain: -0.19dBi (5725MHz-5850MHz)			
Modulation type	64QAM, 16QAM, QPSK, BPSK for OFDM			
Transition Rate:	802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 65.0Mbps 802.11 n_40MHz: 13.5 – 135.0Mbps			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 9 of 774

GSM / WCDMA/ LTE:

	Operating Frequency		Rated Power
	GSM/GPRS 850, Class 12	824.2 MHz- 848.8 MHz	33dBm
	EDGE 850, Class 12	824.2 MHz- 848.8 MHz	27dBm
	GSM/GPRS 1900, Class 12	1850.2MHz – 1909.8MHz	30dBm
	EDGE 1900, Class 12	1850.2MHz – 1909.8MHz	26dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band II	1852.4MHz – 1907.6MHz	24dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band IV	1712.4MHz - 1752.6MHz	24dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band V	826.4MHz - 846.6MHz	24dBm
	1.4MHz BW LTE-Band 2	1850MHz- 1909.3MHz	23dBm
	3MHz BW LTE-Band 2	1851.5MHz – 1908.5MHz	23dBm
Cellular Phone	5MHz BW LTE-Band 2	1852.5MHz – 1907.5MHz	23dBm
Standards Frequency	10MHz BW LTE-Band 2	1855MHz – 1905MHz	23dBm
Range and Power	15MHz BW LTE-Band 2	1857.5MHz – 1902.5MHz	23dBm
	20MHz BW LTE-Band 2	1860MHz – 1900MHz	23dBm
	1.4MHz BW LTE-Band 4	1710.7MHz- 1754.3MHz	23dBm
	3MHz BW LTE-Band 4	1711.5MHz – 1753.5MHz	23dBm
	5MHz BW LTE-Band 4	1712.5MHz – 1752.5MHz	23dBm
	10MHz BW LTE-Band 4	1715MHz – 1750MHz	23dBm
	15MHz BW LTE-Band 4	1717.5MHz – 1747.5MHz	23dBm
	20MHz BW LTE-Band 4	1720MHz – 1745MHz	23dBm
	5MHz BW LTE-Band 5	2502.5MHz – 2567.5MHz	23dBm
	10MHz BW LTE-Band 5	2505.0MHz – 2565.0MHz	23dBm
	15MHz BW LTE-Band 5	2507.5MHz – 2562.5MHz	23dBm
	20MHz BW LTE-Band 5	2510.0MHz – 2560MHz	23dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 10 of 774

	Operating Frequency		Rated Power
Cellular Phone	5MHz BW LTE-Band 7	2502.5MHz – 2567.5MHz	23dBm
Standards Frequency	10MHz BW LTE-Band 7	2505.0MHz – 2565.0MHz	23dBm
Range and Power	15MHz BW LTE-Band 7	2507.5MHz – 2562.5MHz	23dBm
	20MHz BW LTE-Band 7	2510.0MHz – 2560MHz	23dBm
Type of Emission:	GSM 850: 252KGXW, GSM 19 GPRS 850: 248KGXW, GPRS EDGE 850: 259KG7W, EDGE WCDMA Band II: 4M21F9W, WCDMA Band V: 4M21F9W HSDPA Band II: 4M21F9W, HSDPA Band II: 4M21F9W, HSDPA Band II: 4M21F9W HSUPA Band V: 4M21F9W HSUPA Band V: 4M22F9W 1.4MHz BW LTE-Band 2 QPSK 1.4MHz BW LTE-Band 2 16QA 3MHz BW LTE-Band 2 16QA 5MHz BW LTE-Band 2 16QA 5MHz BW LTE-Band 2 QPSK 5MHz BW LTE-Band 2 QPSK 10MHz BW LTE-Band 2 QPSK 15MHz BW LTE-Band 2 QPSK 15MHz BW LTE-Band 2 QPSK 20MHz BW LTE-Band 2 QPSK 20MHz BW LTE-Band 2 QPSK 3MHz BW LTE-Band 4 QPSK 3MHz BW LTE-Band 4 QPSK 1.4MHz BW LTE-Band 4 QPSK 3MHz BW LTE-Band 4 QPSK 5MHz BW LTE-Band 4 QPSK 10MHz BW LTE-Band 4 QPSK 15MHz BW LTE-Band 4 QPSK	1900: 253KGXW 1900: 253KG7W WCDMA Band IV: 4M22F9W, SDPA Band IV: 4M21F9W, SUPA Band IV: 4M22F9W, SUPA Band IV: 4M21F9W, SUPA Band IV: 4M	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WukungRoad, NewTaipeilndustialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 11 of 774

IMEI:	15MHz BW LTE-Band 7 QPSK: 15M49G7D 15MHz BW LTE-Band 7 16QAM: 13M46D7W 20MHz BW LTE-Band 7 QPSK: 17M94G7D 20MHz BW LTE-Band 7 16QAM: 18M01D7W 00440245-354865-7
Type of Emission:	5MHz BW LTE-Band 5 16QAM: 1M10D7W 10MHz BW LTE-Band 5 QPSK: 2M71G7D 10MHz BW LTE-Band 5 16QAM: 2M71D7W 15MHz BW LTE-Band 5 QPSK: 4M53G7D 15MHz BW LTE-Band 5 16QAM: 4M54D7W 20MHz BW LTE-Band 5 QPSK: 9M02G7D 20MHz BW LTE-Band 5 16QAM: 9M05D7W 5MHz BW LTE-Band 7 QPSK: 4M54G7D 5MHz BW LTE-Band 7 16QAM: 4M53D7W 10MHz BW LTE-Band 7 QPSK: 8M98G7D 10MHz BW LTE-Band 7 16QAM: 8M99D7W 15MHz BW LTE-Band 7 QPSK: 13M49G7D
	5MHz BW LTE-Band 5 QPSK: 1M10G7D

This test report applies for 850 /1900 GSM/GPRS/EDGE, WCDMA / HSDPA / HSUPA Band II/IV /V and LTE Band 2, Band 4, Band 5 and Band 7. The spread of uplink in HSPA+ supports only up to 42.2 Mbps.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing at the time of its intervention only and within the limits of containing the containing th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

> t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 12 of 774

Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GSM 850	3.8	358
GSM 1900	3.8	346
GPRS 850	3.8	339
GPRS 1900	3.8	279
EDGE 850	3.8	208
EDGE 1900	3.8	222
WCDMA B2	3.8	690
WCDMA B4	3.8	642
WCDMA B5	3.8	574
HSUPA B2	3.8	622
HSUPA B4	3.8	577
HSUPA B5	3.8	512
HSDPA B2	3.8	602
HSDPA B4	3.8	574
HSDPA B5	3.8	511

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 13 of 774

LTE Band 2_1.4M QPSK	3.8	829
LTE Band 2_1.4M 16QAM	3.8	732
LTE Band 2_3M QPSK	3.8	826
LTE Band 2_3M 16QAM	3.8	738
LTE Band 2_5M QPSK	3.8	833
LTE Band 2_5M 16QAM	3.8	751
LTE Band 2_10M QPSK	3.8	829
LTE Band 2_10M 16QAM	3.8	742
LTE Band 2_15M QPSK	3.8	836
LTE Band 2_15M 16QAM	3.8	755
LTE Band 2_20M QPSK	3.8	840
LTE Band 2_20M 16QAM	3.8	761

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 14 of 774

LTE Band 4_1.4M QPSK	3.8	822
LTE Band 4_1.4M 16QAM	3.8	759
LTE Band 4_3M QPSK	3.8	819
LTE Band 4_3M 16QAM	3.8	744
LTE Band 4_5M QPSK	3.8	825
LTE Band 4_5M 16QAM	3.8	745
LTE Band 4_10M QPSK	3.8	815
LTE Band 4_10M 16QAM	3.8	732
LTE Band 4_15M QPSK	3.8	811
LTE Band 4_15M 16QAM	3.8	744
LTE Band 4_20M QPSK	3.8	831
LTE Band 4_20M 16QAM	3.8	756
,		
LTE Band 5_1.4M QPSK	3.8	722
LTE Band 5_1.4M 16QAM	3.8	675
LTE Band 5_3M QPSK	3.8	729
LTE Band 5_3M 16QAM	3.8	670
LTE Band 5_5M QPSK	3.8	733
LTE Band 5_5M 16QAM	3.8	669
LTE Band 5_10M QPSK	3.8	795
LTE Band 5_10M 16QAM	3.8	741

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 15 of 774

LTE Band 7_5M QPSK	3.8	727
LTE Band 7_5M 16QAM	3.8	689
LTE Band 7_10M QPSK	3.8	729
LTE Band 7_10M 16QAM	3.8	691
LTE Band 7_15M QPSK	3.8	723
LTE Band 7_15M 16QAM	3.8	688
LTE Band 7_20M QPSK	3.8	733
LTE Band 7_20M 16QAM	3.8	675

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 16 of 774

1.2. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: PY7-PM0854 filing to comply with Section Part 22 subpart H, Part 24 subpart E and Part27 subpart C & subpart L of the FCC CFR 47 Rules.

1.3. Test Methodology

Both conducted and radiated testing were performed according to the procedures document of TIA/EIA 603C and FCC CFR 47 2.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055 and 2.1057.

TS 151 010-1 is used to set, and measure the output power.

The Output power Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, WCDMA / HSPA) was used for EUT and Base station setting.

KDB971168 D01 Power Meas license Digital System v01 as the supplemental guideline to conduct the measurement, including Peak to Power Average Ratio, Average Power over the fundamental signal BW (EIRP/ERP) and Signal Bandwidth.

1.4. Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2009 & ANSI C63.10:2009. FCC Registration Numbers are: 990257, Canada Registration Number: 4620A-4.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 & 10 meters) and FCC Registration Number: 455997.

All equipment is calibrated externally and traceable to SI (International System of Unit).

1.5. Special Accessories

No special accessories were used during testing.

1.6. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 17 of 774

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port:

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP):

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13 of ANSI C63.4:2009 & ANSI C63.10:2009.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 18 of 774

2.4. Measurement Equipment Used:

Conducted Emission (measured at antenna port) Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
TYPE		NUMBER	NUMBER	CAL.		
Power Meter	Anritsu	ML2495A	1005007	01/13/2014	01/12/2015	
Power Sensor	Anritsu	MA2411B	917032	01/13/2014	01/12/2015	
Spectrum Analyzer	Agilent	E4446A	MY51100003	05/19/2014	05/18/2015	
Spectrum Analyzer	Agilent	E4440A	US41160416	03/08/2014	03/07/2015	
Radio Communication Analyzer	R & S	CMU200	116097	03/11/2014	03/10/2015	
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	10/08/2014	10/09/2015	
Temperature Chamber	TERCHY	MHG-120LF	911009	05/07/2014	05/06/2015	
DC Block	Mini-Circuits	BLK-18-S+	1	02/27/2014	02/26/2015	
Attenuator	Mini-Circuit	BW-S10W2+	002	02/27/2014	02/26/2015	
Splitter	Agilent	11636B	N/A	02/27/2014	02/26/2015	
DC Power Supply	Agilent	E3640A	MY52410006	11/10/2014	11/09/2015	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 19 of 774

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber					
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.
		NUMBER	NUMBER		
Spectrum Analyzer	Agilent	E4446A	MY51100003	05/19/2014	05/18/2015
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	01/20/2014	01/19/2015
Spectrum Analyzer	R&S	FSV-30	101398	10/07/2014	10/06/2015
Bilog Antenna	SCHWAZBECK	VULB9168	378	01/02/2014	01/01/2015
Bilog Antenna	SCHWAZBECK	VULB9160	3158	10/31/2014	10/30/2015
Horn antenna	ETS.LINDGREN	3117	123995	05/19/2014	05/18/2015
Horn antenna	ETS.LINDGREN	3117	123991	01/20/2014	01/19/2015
Horn Antenna	Schwarzbeck	BBHA9170	184	01/23/2014	01/22/2015
Horn Antenna	Schwarzbeck	BBHA9170	185	07/29/2014	07/28/2015
Network Analyze	Anritsu	MS4644A	1216312	05/24/2014	05/23/2015
Signal Generator	Agilent	E4438C	MY45093613	08/06/2014	08/05/2015
Pre-Amplifier	Agilent	8447D	1937A02834	01/03/2014	01/02/2015
Pre-Amplifier	Agilent	8449B	3008A00578	01/03/2014	01/02/2015
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/24/2014	01/23/2015
Attenuator	Mini-Circuit	BW-S10W2+	004	02/27/2014	02/26/2015
Radio Communication Analyzer	R & S	CMU200	116097	03/11/2014	03/10/2015
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	10/08/2014	10/09/2015
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R
Controller	HD	HD100	N/A	N.C.R	N.C.R
Low Loss Cable	HUBER+SUHNER	966_Tx	10m	01/03/2014	01/02/2015
Low Loss Cable	HUBER+SUHNER	966_Rx	3m	01/03/2014	01/02/2015
Filter 800-1000	Micro-Tronics	EWT	M2	02/27/2014	02/26/2015
Filter 1800-2000	Micro-Tronics	EWT	M2	02/27/2014	02/26/2015
Filter 1700-1800	Micro-Tronics	BRC15751	001	02/27/2014	02/26/2015
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	02/27/2014	02/26/2015
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	02/27/2014	02/26/2015
3m Site NSA	SGS	966 chamber	N/A	07/15/2014	07/14/2015

Note: N.C.R refers to Not Calibrated Required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 20 of 774

Configuration of Tested System 2.5.

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)





Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)



Remote Side




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Com- munication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Com- munication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded
3.	DC Power Supply	HP	E3640A	KR93300208	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the company's findings at the time of its intervention only and within the limits of the strange of the company's findings at the time of its intervention only and within the limits of the strange of the company's findings at the time of the strange of the company's findings at the time of this page of the company's findings at the time of the company's findings at the company's findings at the company's findings at the company's findings at the time of the company's fi Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 21 of 774

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a)		
§22.913(a)(2)		
§24.232(c)§27.50(c)(10)	ERP/ EIRP measurement	Compliant
§27.50(d)(2)		
§27.50(h)(2)		
§2.1049(h)	99% Occupied Bandwidth	Compliant
§2.1051		
§22.917(a)		
§24.238(a)	Out of Band Emissions at Antenna	
§27.53(g)	Terminals and Band Edge	Compliant
§27.50(c)(5)	Terminais and Band Edge	
§27.53(h)		
§27.53(m)(4)(6)		
§2.1053		
§22.917(a)		
§24.238(a)	Field Strength of	Compliant
§27.50(c)(5)	Spurious Radiation	
§27.53(g)	Spurious Rudiation	
§27.53(h)		
§27.53(m)(4)		
§24.232(d)	Peak to Average Ratio	Compliant
§27.53(d) (5)	Tour to Tivorage Radio	Сотриши
§2.1055(a)(1)		
§22.355	Frequency Stability vs.	Compliant
§24.235	Temperature	Compilant
§27.54		
§2.1055(d)(1)		
§22.355	Frequency Stability vs.	Compliant
§24.235	Voltage	
§27.54		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 22 of 774

Max ERP/EIRP measurement result:

	dBm		W
GSM 850 Band	24.74	ERP	0.298
GSM 1900 Band	26.15	EIRP	0.412
GPRS 850 Band	24.24	ERP	0.265
GPRS 1900 Band	25.75	EIRP	0.376
EDGE 850 Band	23.02	ERP	0.200
EDGE 1900 Band	25.41	EIRP	0.348
WCDMA Band II	22.03	EIRP	0.160
WCDMA Band IV	24.43	EIRP	0.277
WCDMA Band V	17.13	ERP	0.052
HSDPA Band II	21.72	EIRP	0.149
HSDPA Band IV	24.11	EIRP	0.258
HSDPA Band V	16.65	ERP	0.046
HSUPA Band II	21.51	EIRP	0.142
HSUPA Band IV	23.90	EIRP	0.245
HSUPA Band V	15.74	ERP	0.037

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 23 of 774

	dBm		W
LTE Band 2/1.4MMz /QPSK RB 1 Offset 0	24.94	EIRP	0.312
LTE Band 2/1.4MMz /QPSK RB 1 Offset 5	24.87	EIRP	0.307
LTE Band 2/1.4MMz /16QAM RB 1 Offset 0	25.02	EIRP	0.318
LTE Band 2/1.4MMz /16QAM RB 1 Offset 5	25.09	EIRP	0.323
LTE Band 2/3MMz /QPSK RB 1 Offset 0	23.87	EIRP	0.244
LTE Band 2/3MMz /QPSK RB 1 Offset 14	23.69	EIRP	0.234
LTE Band 2/3MMz /16QAM RB 1 Offset 0	24.45	EIRP	0.279
LTE Band 2/3MMz /16QAM RB 1 Offset 14	24.28	EIRP	0.268
LTE Band 2/5MMz /QPSK RB 1 Offset 0	23.76	EIRP	0.238
LTE Band 2/5MMz /QPSK RB 1 Offset 24	23.42	EIRP	0.220
LTE Band 2/5MMz /16QAM RB 1 Offset 0	24.43	EIRP	0.277
LTE Band 2/5MMz /16QAM RB 1 Offset 24	24.09	EIRP	0.256
LTE Band 2/10MMz /QPSK RB 1 Offset 0	23.49	EIRP	0.223
LTE Band 2/10MMz /QPSK RB 1 Offset 49	22.61	EIRP	0.182
LTE Band 2/10MMz /16QAM RB 1 Offset 0	24.15	EIRP	0.260
LTE Band 2/10MMz /16QAM RB 1 Offset 49	23.35	EIRP	0.216
LTE Band 2/15MMz /QPSK RB 1 Offset 0	23.24	EIRP	0.211
LTE Band 2/15MMz /QPSK RB 1 Offset 74	22.61	EIRP	0.182
LTE Band 2/15MMz /16QAM RB 1 Offset 0	23.91	EIRP	0.246
LTE Band 2/15MMz /16QAM RB 1 Offset 74	23.21	EIRP	0.209
LTE Band 2/20MMz /QPSK RB 1 Offset 0	23.22	EIRP	0.210
LTE Band 2/20MMz /QPSK RB 1 Offset 99	23.39	EIRP	0.218
LTE Band 2/20MMz /16QAM RB 1 Offset 0	23.89	EIRP	0.245
LTE Band 2/20MMz /16QAM RB 1 Offset 99	24.02	EIRP	0.252

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No.134 WitKungRoad NewTaineiIndustrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 24 of 774

	dBm		W
LTE Band 4/1.4MMz /QPSK RB 1 Offset 0	24.42	EIRP	0.277
LTE Band 4/1.4MMz /QPSK RB 1 Offset 5	24.25	EIRP	0.266
LTE Band 4/1.4MMz /16QAM RB 1 Offset 0	24.45	EIRP	0.279
LTE Band 4/1.4MMz /16QAM RB 1 Offset 5	24.59	EIRP	0.288
LTE Band 4/3MMz /QPSK RB 1 Offset 0	24.56	EIRP	0.286
LTE Band 4/3MMz /QPSK RB 1 Offset 14	23.81	EIRP	0.240
LTE Band 4/3MMz /16QAM RB 1 Offset 0	24.79	EIRP	0.301
LTE Band 4/3MMz /16QAM RB 1 Offset 14	24.14	EIRP	0.259
LTE Band 4/5MMz /QPSK RB 1 Offset 0	23.58	EIRP	0.228
LTE Band 4/5MMz /QPSK RB 1 Offset 24	22.72	EIRP	0.187
LTE Band 4/5MMz /16QAM RB 1 Offset 0	23.94	EIRP	0.248
LTE Band 4/5MMz /16QAM RB 1 Offset 24	23.18	EIRP	0.208
LTE Band 4/10MMz /QPSK RB 1 Offset 0	23.62	EIRP	0.230
LTE Band 4/10MMz /QPSK RB 1 Offset 49	22.82	EIRP	0.191
LTE Band 4/10MMz /16QAM RB 1 Offset 0	24.34	EIRP	0.272
LTE Band 4/10MMz /16QAM RB 1 Offset 49	23.36	EIRP	0.217
LTE Band 4/15MMz /QPSK RB 1 Offset 0	23.75	EIRP	0.237
LTE Band 4/15MMz /QPSK RB 1 Offset 74	22.95	EIRP	0.197
LTE Band 4/15MMz /16QAM RB 1 Offset 0	24.14	EIRP	0.259
LTE Band 4/15MMz /16QAM RB 1 Offset 74	23.38	EIRP	0.218
LTE Band 4/20MMz /QPSK RB 1 Offset 0	23.61	EIRP	0.230
LTE Band 4/20MMz /QPSK RB 1 Offset 99	23.00	EIRP	0.200
LTE Band 4/20MMz /16QAM RB 1 Offset 0	24.09	EIRP	0.256
LTE Band 4/20MMz /16QAM RB 1 Offset 99	23.46	EIRP	0.222

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No.134 WitKungRoad NewTaineiIndustrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 25 of 774

	dBm		W
LTE Band 5/1.4MMz /QPSK RB 1 Offset 0	22.17	ERP	0.165
LTE Band 5/1.4MMz /QPSK RB 1 Offset 5	22.22	ERP	0.167
LTE Band 5/1.4MMz /16QAM RB 1 Offset 0	23.35	ERP	0.216
LTE Band 5/1.4MMz /16QAM RB 1 Offset 5	23.45	ERP	0.221
LTE Band 5/3MMz /QPSK RB 1 Offset 0	22.41	ERP	0.174
LTE Band 5/3MMz /QPSK RB 1 Offset 14	22.64	ERP	0.184
LTE Band 5/3MMz /16QAM RB 1 Offset 0	23.14	ERP	0.206
LTE Band 5/3MMz /16QAM RB 1 Offset 14	23.53	ERP	0.225
LTE Band 5/5MMz /QPSK RB 1 Offset 0	22.65	ERP	0.184
LTE Band 5/5MMz /QPSK RB 1 Offset 24	22.71	ERP	0.187
LTE Band 5/5MMz /16QAM RB 1 Offset 0	23.33	ERP	0.215
LTE Band 5/5MMz /16QAM RB 1 Offset 24	23.43	ERP	0.220
LTE Band 5/10MMz /QPSK RB 1 Offset 0	22.47	ERP	0.177
LTE Band 5/10MMz /QPSK RB 1 Offset 49	23.31	ERP	0.214
LTE Band 5/10MMz /16QAM RB 1 Offset 0	23.55	ERP	0.226
LTE Band 5/10MMz /16QAM RB 1 Offset 49	23.39	ERP	0.218

	dBm		W
LTE Band 7/5MMz /QPSK RB 1 Offset 0	21.83	EIRP	0.152
LTE Band 7/5MMz /QPSK RB 1 Offset 24	22.47	EIRP	0.177
LTE Band 7/5MMz /16QAM RB 1 Offset 0	22.07	EIRP	0.161
LTE Band 7/5MMz /16QAM RB 1 Offset 24	23.08	EIRP	0.203
LTE Band 7/10MMz /QPSK RB 1 Offset 0	21.64	EIRP	0.146
LTE Band 7/10MMz /QPSK RB 1 Offset 49	21.78	EIRP	0.151
LTE Band 7/10MMz /16QAM RB 1 Offset 0	22.57	EIRP	0.181
LTE Band 7/10MMz /16QAM RB 1 Offset 49	22.52	EIRP	0.179
LTE Band 7/15MMz /QPSK RB 1 Offset 0	22.47	EIRP	0.177
LTE Band 7/15MMz /QPSK RB 1 Offset 74	19.83	EIRP	0.096
LTE Band 7/15MMz /16QAM RB 1 Offset 0	23.10	EIRP	0.204
LTE Band 7/15MMz /16QAM RB 1 Offset 74	20.52	EIRP	0.113
LTE Band 7/20MMz /QPSK RB 1 Offset 0	22.06	EIRP	0.161
LTE Band 7/20MMz /QPSK RB 1 Offset 99	19.44	EIRP	0.088
LTE Band 7/20MMz /16QAM RB 1 Offset 0	22.79	EIRP	0.190
LTE Band 7/20MMz /16QAM RB 1 Offset 99	20.20	EIRP	0.105

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No.134 WitKungRoad NewTaineiIndustrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 26 of 774

4. DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

EUT was staying in continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing.

The list of channel selected to conduct the measurements

GSM/GPRS/EDGE 850:

Channel Low: AFRCN 128 at 824.2MHz, Channel Mid: AFRCN 190 at 836.6MHz, Channel High: AFRCN 251 at 848.8MHz.

GSM/GPRS/EDGE 1900:

Channel Low: AFRCN 512 at 1850.2MHz, Channel Mid: AFRCN 661 at 1880.0MHz, Channel High AFRCN 810 at 1909.8MHz

WCDMA/HSPA BII:

Channel Low: UAFRCN 9262 at 1852.4MHz, Channel Mid: UAFRCN 9400 at 1880.0MHz, Channel High: UAFRCN 9538 at 1907.6MHz.

WCDMA/HSPA BIV:

Channel Low: UAFRCN 1312 at 1712.4MHz, Channel Mid: UAFRCN 1413 at 1732.6MHz, Channel High: UAFRCN 1513 at 1752.6MHz.

WCDMA/HSPA BV:

Channel Low: UAFRCN 4132 at 826.4MHz, Channel Mid: UAFRCN 4183 at 836.6MHz, Channel High: UAFRCN 4233 at 846.6MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions, https://www.sgs.com/terms and www.sgs.com/terms and conditions, https://www.sgs.com/terms and conditions, https://www.sgs.com/terms and conditions, https://www.sgs.com/terms and www.sgs.com/terms and <a href="https:/ tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 27 of 774

LTE B2:

Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[Mhz]
Low	1.4	18607	1850.7
	3	18615	1851.5
	5	18625	1852.5
	10	18650	1855
	15	18675	1857.5
	20	18700	1860
Middle	1.4/3/5/10	18900	1880
	15/20		
High	1.4	19193	1909.3
	3	19185	1908.5
	5	19175	1907.5
	10	19150	1905
	15	19125	1902.5
	20	19100	1900

LTE B4

Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[MHz]
Low	1.4	19957	1710.7
	3	19965	1711.5
	5	19975	1712.5
	10	20000	1715
	15	20025	1717.5
	20	20050	1720
Middle	1.4/3/5/10	20175	1732.5
	15/20		
High	1.4	20393	1754.3
	3	20385	1753.5
	5	20375	1752.5
	10	20350	1750
	15	20325	1747.5
	20	20300	1745

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 28 of 774

LTE B5:

Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[Mhz]
Low	1.4	20407	824.7
	3	20415	825.5
	5	20425	826.5
	10	20450	829
Middle	1.4/3/5/10	20525	836.5
High	1.4	20643	848.3
	3	20635	847.5
	5	20625	846.5
	10	20600	844

LTE B7:

Test Frequency	Bandwidth	Channel Number	Frequency of Uplink
	[MHz]		[MHz]
Low	5	20775	2502.5
	10	20800	2505
	15	20825	2507.5
	20	20850	2510
Middle	5/10	21100	2535
	15/20		
High	5	21425	2567.5
	10	21400	2565
	15	21375	2562.5
	20	21350	2560

The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for GSM/GPRS/EDGE, WCDMA/HSPA Band II / IV/ V, and LTE Band 2, Band 4, Band 5 and Band 7 with power adaptor. The worst-case of H position for GSM 850/1900,WCDMA/HSPA Band II/IV/V and LTE Band 5, E1 position for and LTE Band 2, Band 4 and Band 7 were reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 29 of 774

The evaluation of Test Mode as configured in UE presented on the Test Report:

GSM/GPRS/WCDMA/HSPA:

Radiated Spurious Emission

The Measurement Data of field strength of spurious emission with respect to supported configuration of given application (Transmission Band, Modulation Scheme, Resource Block) have been pre-scanned, and the result that yields in the highest emission close to the limit are presented on the test report.

GSM, HSPA is the worst-case found in the pre-scanned measurement, and only data that yields the worst case is revealed on the test report.

LTE:

Radiated Spurious Emission

The Measurement Data of field strength of spurious emission with respect to supported configuration of given application (Transmission Band, Modulation Scheme, Resource Block) have been pre-scanned, and the result that yields in the highest emission close to the limit are presented on the test report.

Out of Band Emission at Antenna Terminal, Bandedge and Mask

In comparison among all Out of Band Emission at Antenna Terminal and Bandedge in the variety of combination on LTE Band 2/4/5 & 7, respectively, It's revealed to generate the highest emission while RB size = 1 with offset 0 (CSE) and RB size = 1 with offset of both extremity for all supported transmission bandwidth of all supported frequency band (Bandedge). RB size = 1with offset of both extremity for all supported transmission bandwidth and RB number = full of all supported frequency band (Mask) Be aware of that only data measurement that yields the worst measurement with supported modulation scheme (QPSK, 16QAM), QPSK – the worst, is shown on the corresponding section.

Peak to Average Ratio

For Peak to Average Ratio test, all combination (RB arrangement with different modulation scheme) has been evaluated, the data with the following configuration: RB number = full and modulation = 16QAM is revealed to generate the worst case result.

Only data that generates the worst-case result is shown on the report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 30 of 774

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.42 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 123.36 Hz
Out of Band Emissions at Antenna	+/- 1.55 dB
Terminals and Band Edge	
Peak to Average Ratio	+/- 1.55 dB
Frequency Stability vs. Temperature	+/- 123.36 Hz
Frequency Stability vs. Voltage	+/- 123.36 Hz
Temperature	+/- 0.8 °C
Humidity	+/- 4.7 %
DC / AC Power Source	DC= +/- 1%, AC=+/- 0.2%

Radiated Spurious Emission:

	30MHz - 180MHz: +/- 3.37dB	
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB	
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB	
	1GHz - 18GHz: +/- 4.04dB	
	18GHz - 40GHz: +/- 4.04dB	

	30MHz - 167MHz: +/- 4.22dB	
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB	
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB	
	1GHz - 18GHz: +/- 4.08dB	
	18GHz - 40GHz: +/- 4.08dB	

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing at the time of its intervention only and within the limits of containing the containing th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 31 of 774

6. RF POWER OUTPUT MEASUREMENT

6.1. Standard Applicable:

According to FCC §2.1046.

3GPP Power limitation for HSDPA and HSUPA

Maximum Output Powers for HSDPA

Sub-test in ta-	Power	Class 3	Power Class 4	
ble C.10.1.4	Power (dBm)	Tol (dB)	Power (dBm)	Tol (dB)
1	+24	+1.7/-3.7	+21	+2.7/-2.7
2	+24	+1.7/-3.7	+21	+2.7/-2.7
3	+23.5	+2.2/-3.7	+20.5	+3.2/-2.7
4	+23.5	+2.2/-3.7	+20.5	+3.2/-2.7

Maximum Output Powers for HSUPA

Sub-test in table	Power (Class 3	Power Class 4	
C.11.1.3	Power (dBm)	Tol (dB)	Power (dBm)	Tol (dB)
1	+24	+1.7/-6.7	+21	+2.7/-5.7
2	+22	+3.7/-5.2	+19	+4.7/-4.2
3	+23	+2.7/-5.2	+20	+3.7/-4.2
4	+22	+3.7/-5.2	+19	+4.7/-4.2
5	+24	+1.7/-6.7	+21	+2.7/-5.7

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com


SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 32 of 774

6.2. Test Set-up:



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure:

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Necessary Communication complying with 24.232 (c) and 27.5(d)(4)

Set MT8852C (base-station simulator) MS Signal with packet data submenu; SLOT Configuration Set appropriate level to verify if or not power on mobile station's link with simulator still exists.

6.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 33 of 774

6.5. Measurement Result:

6.5.1. RF Conducted Output Power

6.5.1.1.: GSM/GPRS/EDGE (GMSK; 8-PSK)

Result:

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Averager Burst Power (dBm)
	824.2	128	32.60	32.40
GSM 850	836.6	190	32.70	32.50
	848.8	251	32.70	32.50

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Averager Burst Power (dBm)
	1850.2	512	29.70	29.50
GSM 1900	1880.0	661	29.60	29.50
	1909.8	810	29.90	29.70

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 1UP) Class 8 (dBm)	Average Burst Power (4DN 1UP) Class 8 (dBm)	Peak Power (4DN 2UP) Class 10 (dBm)	Average Burst Power (4DN 2UP) Class 10 (dBm)
	824.2	128	32.50	32.40	29.20	29.10
GPRS 850	836.6	190	32.60	32.50	29.40	29.20
	848.8	251	32.70	32.50	29.60	29.40

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 3UP) Class 12 (dBm)	Average Burst Power (4DN 3UP) Class 12 (dBm)	Peak Power (4DN 4UP) Class 12 (dBm)	Average Burst Power (4DN 4UP) Class 12 (dBm)
	824.2	128	27.80	27.60	26.90	26.80
GPRS 850	836.6	190	27.80	27.70	27.10	26.90
	848.8	251	28.10	27.90	27.30	27.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 34 of 774

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 1UP) Class 8 (dBm)	Average Burst Power (4DN 1UP) Class 8 (dBm)	Peak Power (4DN 2UP) Class 10 (dBm)	Average Burst Power (4DN 2UP) Class 10 (dBm)
	1850.2	512	29.70	29.50	26.30	26.10
GPRS 1900	1880.0	661	29.60	29.50	26.20	26.10
	1909.8	810	29.90	29.70	26.50	26.30

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 3UP) Class 12 (dBm)	Average Burst Power (4DN 3UP) Class 12 (dBm)	Peak Power (4DN 4UP) Class 12 (dBm)	Average Burst Power (4DN 4UP) Class 12 (dBm)
	1850.2	512	24.50	24.40	23.90	23.80
GPRS 1900	1880.0	661	24.40	24.30	23.80	23.70
	1909.8	810	24.70	24.50	24.10	24.00

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 1UP) Class 8 (dBm)	Average Burst Power (4DN 1UP) Class 8 (dBm)	Peak Power (4DN 2UP) Class 10 (dBm)	Average Burst Power (4DN 2UP) Class 10 (dBm)
	824.2	128	30.60	27.50	27.70	24.50
EDGE 850	836.6	190	30.10	27.60	27.80	24.70
	848.8	251	30.80	27.70	28.00	24.90

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 3UP) Class 12 (dBm)	Average Burst Power (4DN 3UP) Class 12 (dBm)	Peak Power (4DN 4UP) Class 12 (dBm)	Average Burst Power (4DN 4UP) Class 12 (dBm)
	824.2	128	26.30	23.10	27.30	24.30
EDGE 850	836.6	190	26.20	23.20	27.50	24.40
	848.8	251	26.40	23.30	27.70	24.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 35 of 774

EUT Mode	Frequency (MHz)	СН	Peak Power (4DN 1UP) Class 8 (dBm)	Average Burst Power (4DN 1UP) Class 8 (dBm)	Peak Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)
	1850.2	512	29.90	26.90	27.20	24.00
EDGE 1900	1880.0	661	29.70	26.80	27.00	23.80
	1909.8	810	29.90	27.00	27.30	24.20

EUT Mode	Frequency (MHz)	СН	Peak Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Peak Power (1DN 4UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
	1850.2	512	26.30	22.90	25.20	21.90
EDGE 1900	1880.0	661	26.00	22.80	25.00	21.80
	1909.8	810	26.40	23.10	25.20	22.10

Cable loss offset Low Band: 0.5dB Cable loss offset High Band: 0.85dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 36 of 774

6.5.1.2.: WCDMA mode

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
****	1852.4	9262	26.33	23.40
WCDMA Band II	1880.0	9400	26.48	23.36
Build II	1907.6	9538	26.54	23.61

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
****	1712.4	1312	26.92	23.88
WCDMA Band IV	1732.6	1412	27.17	23.94
Duna 1 v	1752.6	1513	27.03	23.87

EUT Mode		СН	Peak Power	Avg. Power
	(MHz)		(dBm)	(dBm)
WGD M	826.4	4132	26.62	23.43
WCDMA Band V	836.6	4183	26.67	23.40
Duna v	846.6	4233	26.62	23.29

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1852.4	9262	25.88	22.34
HSDPA Band II	1880.0	9400	25.89	22.31
Build II	1907.6	9538	26.17	22.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the formation contained hereon reflect Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 37 of 774

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
*****	1712.4	1312	26.43	22.86
HSDPA Band IV	1732.6	1412	26.63	22.88
Dana I v	1752.6	1513	26.48	22.81

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
*****	826.4	4132	25.88	22.34
HSDPA Band V	836.6	4183	26.03	22.29
Build V	846.6	4233	25.85	22.11

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1852.4	9262	25.66	22.42
HSUPA Band II	1880.0	9400	25.97	22.33
Duna 11	1907.6	9538	26.13	22.60

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	1712.4	1312	26.46	22.88
HSUPA Band IV	1732.6	1412	26.63	22.88
Duna I V	1752.6	1513	26.47	22.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 38 of 774

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg. Power (dBm)
	826.4	4132	25.87	22.33
HSUPA Band V	836.6	4183	26.06	22.30
Build V	846.6	4233	25.77	22.04

Note: The results above reflect max power with all up bits.

Cable loss offset Low Band: 0.5dB Cable loss offset High Band: 0.85dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 39 of 774

6.5.1.3: MPR Table LTE Band 2_1.4MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.27
		10607	1050.7	1	5	23.31
		18607	1850.7	3	2	23.32
				6	0	22.36
				1	0	23.29
1.4	ODCK	18900	1880.0	1	5	23.30
1.4	QPSK	18900	1880.0	3	2	23.36
				6	0	22.34
				1	0	23.47
		19193	1909.3	1	5	23.42
				3	3	23.55
				6	0	22.70
		18607	1850.7	1	0	22.47
				1	5	22.43
				3	2	22.27
				6	0	21.54
				1	0	22.55
1.4	16 OAM	18900	1880.0	1	5	22.48
1.4	16 QAM	10900	1000.0	3	3	22.37
				6	0	21.42
				1	0	22.60
		19193	1000.2	1	5	22.56
			1909.3	3	2	22.50
				6	0	21.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 40 of 774

LTE Band 2_3MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.28
		10615	10515	1	14	23.25
		18615	1851.5	8	4	22.33
				15	0	22.37
				1	0	23.29
3	ODCK	19000	1000.0	1	14	23.17
3	QPSK	18900	1880.0	8	4	22.38
				15	0	22.39
				1	0	23.57
		19185	1908.5	1	14	23.51
				8	4	22.61
				15	0	22.62
		18615	1851.5	1	0	22.40
				1	14	22.72
				8	4	21.34
				15	0	21.42
				1	0	22.85
	160414	19000	1000.0	1	14	22.78
3	16 QAM	18900	1880.0	8	4	21.42
				15	0	21.47
				1	0	23.03
		19185	1000 5	1	14	22.81
			1908.5	8	4	21.62
				15	0	21.71



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 41 of 774

LTE Band 2_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.31
		18625	1852.5	1	24	23.18
		18023	1832.3	12	6	22.4
				25	0	22.35
				1	0	23.30
5	QPSK	18900	1880.0	1	24	23.22
3	QPSK	18900	1880.0	12	6	22.43
				25	0	22.35
				1	0	23.59
		19175	1907.5	1	24	23.48
				12	6	22.70
				25	0	22.65
		18625	1852.5	1	0	22.34
				1	24	22.28
				12	6	21.45
				25	0	21.37
				1	0	22.43
_	16041	10000	1000.0	1	24	22.32
5	16 QAM	18900	1880.0	12	6	21.47
				25	0	21.39
				1	0	22.66
		19175	1007.5	1	24	22.46
			1907.5	12	6	21.74
				25	0	21.63



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 42 of 774

LTE Band 2_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.30
		10650	1055.0	1	49	23.22
		18650	1855.0	25	12	22.34
				50	0	22.37
				1	0	23.33
10	ODCK	18900	1000.0	1	49	23.23
10	QPSK	18900	1880.0	25	12	22.40
				50	0	22.38
				1	0	23.54
		19150	1905.0	1	49	23.46
				25	12	22.67
				50	0	22.70
			1855.0	1	0	22.82
		18650		1	49	22.76
				25	12	21.41
				50	0	21.38
				1	0	22.92
10	16 OAM	18900	1880.0	1	49	22.76
10	16 QAM	10900	1000.0	25	12	21.35
				50	0	21.41
				1	0	22.64
		19150	1905.0	1	49	22.61
			1903.0	25	12	21.64
				50	0	21.69



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 43 of 774

LTE Band 2_15MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.44
		1077	1057.5	1	74	23.25
		18675	1857.5	36	19	22.39
				75	0	22.32
				1	0	23.39
1.5	ODCK	19000	1000.0	1	74	23.32
15	QPSK	18900	1880.0	36	19	22.42
				75	0	22.37
				1	0	23.56
		19125	1902.5	1	74	23.58
				36	19	22.68
				75	0	22.62
		18675	1857.5	1	0	22.90
				1	74	22.85
				36	19	21.49
				75	0	21.40
				1	0	22.98
15	16 OAM	18900	1880.0	1	74	22.81
15	16 QAM	18900	1880.0	36	19	21.52
				75	0	21.51
				1	0	22.91
		19125	1902.5	1	74	23.00
			1902.3	36	19	21.75
				75	0	21.68



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 44 of 774

LTE Band 2_20MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.42
		10700	1060.0	1	99	23.27
		18700	1860.0	50	25	22.33
				100	0	22.29
				1	0	23.29
20	ODGIZ	10000	1000.0	1	99	23.24
20	QPSK	18900	1880.0	50	25	22.41
				100	0	22.40
				1	0	23.39
		19100	1900.0	1	99	23.51
				50	25	22.57
				100	0	22.58
		18700	1860.0	1	0	22.78
				1	99	22.72
				50	25	21.33
				100	0	21.35
				1	0	22.68
20	16 OAM	18900	1880.0	1	99	22.54
20	16 QAM	10900	1000.0	50	25	21.47
				100	0	21.49
				1	0	22.65
		19100	1900.0	1	99	22.77
			1900.0	50	25	21.67
			<u> </u>	100	0	21.68



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 45 of 774

LTE Band 4_1.4MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.87
				1	5	23.81
		19957	1710.7	3	2	23.85
				6	0	22.89
				1	0	23.85
1.4	ODGIZ	20175	1722 5	1	5	23.82
1.4	QPSK	20175	1732.5	3	2	23.82
				6	0	22.93
				1	0	23.67
		20393	1754.3	1	5	23.68
				3	3	23.80
				6	0	22.84
		19957	1710.7	1	0	23.35
				1	5	23.33
		19937		3	2	22.75
				6	0	21.96
				1	0	23.36
1.4	16 OAM	20175	1732.5	1	5	23.34
1.4	16 QAM	20173	1/32.3	3	3	22.76
				6	0	21.99
				1	0	23.12
		20393	1754.2	1	5	23.09
			1754.3	3	2	22.80
				6	0	22.04



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 46 of 774

LTE Band 4_3MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.82
		19965	1711.5	1	14	23.63
		19903	1/11.5	8	4	22.91
				15	0	22.93
				1	0	23.68
3	ODCK	20175	1732.5	1	14	23.65
3	QPSK	20173	1732.3	8	4	22.92
				15	0	22.95
		20385		1	0	23.57
			1753.5	1	14	23.56
				8	4	22.77
				15	0	22.84
		19965	1711.5	1	0	22.99
				1	14	22.88
				8	4	21.95
				15	0	21.92
				1	0	22.98
2	16 OAM	20175	1722.5	1	14	22.95
3	16 QAM	20175	1732.5	8	4	21.99
				15	0	21.99
		20385		1	0	22.86
			1753.5	1	14	22.77
				8	4	21.85
				15	0	21.88



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 47 of 774

LTE Band 4_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.79
		10057	1712.5	1	24	23.77
		19957	1712.5	12	6	22.95
				25	0	22.9
				1	0	23.91
5	ODCK	20175	1732.5	1	24	23.80
3	QPSK	20173	1732.3	12	6	22.97
				25	0	22.90
		20375		1	0	23.71
			1752.5	1	24	23.60
				12	6	22.83
				25	0	22.81
		19957	1712.5	1	0	23.42
				1	24	23.23
				12	6	21.93
				25	0	21.94
				1	0	23.40
5	16 O A M	20175	1732.5	1	24	23.00
3	16 QAM	20173	1732.3	12	6	21.93
				25	0	21.92
		20375		1	0	23.15
			1752.5	1	24	22.86
				12	6	21.90
				25	0	21.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 48 of 774

LTE Band 4_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	24.03
		20000	1715.0	1	49	23.67
		20000	1/15.0	25	12	22.91
				50	0	22.92
				1	0	23.78
10	ODCK	20175	1732.5	1	49	23.65
10	QPSK	20175	1/32.3	25	12	22.93
				50	0	22.95
		20350		1	0	23.79
			1750.0	1	49	23.59
				25	12	22.79
				50	0	22.87
		20000	1715	1	0	23.20
				1	49	22.95
				25	12	21.89
				50	0	22.00
				1	0	23.12
10	16 OAM	20175	1732.5	1	49	23.00
10	16 QAM	20173	1732.3	25	12	22.03
				50	0	22.01
				1	0	23.12
		20350	1750.0	1	49	22.85
			1750.0	25	12	21.88
				50	0	21.91



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 49 of 774

LTE Band 4_15MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.94
		20025	1717.5	1	74	23.73
		20023	1/1/.3	36	19	22.96
				75	0	22.96
				1	0	23.90
15	QPSK	20175	1732.5	1	74	23.79
13	QPSK	20173	1732.3	36	19	22.98
				75	0	22.93
		20325		1	0	23.93
			1747.5	1	74	23.68
				36	19	22.91
				75	0	22.85
		20025	1717.5	1	0	23.34
				1	74	23.08
				36	19	21.93
				75	0	21.95
				1	0	23.24
15	16 QAM	20175	1732.5	1	74	23.16
13	10 QAWI	20173	1732.3	36	19	22.03
				75	0	21.98
		20325		1	0	23.34
			1747.5	1	74	22.89
			1/4/.5	36	19	21.93
				75	0	21.94



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 50 of 774

LTE Band 4_20MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	24.03
		20050	1720.0	1	99	23.84
		20050	1720.0	50	25	22.91
				100	0	22.97
				1	0	24.00
20	ODGIZ	20175	1722.5	1	99	23.80
20	QPSK	20175	1732.5	50	25	22.95
				100	0	22.94
		20300		1	0	24.01
			1745.0	1	99	23.71
				50	25	22.86
				100	0	22.87
		20050	1720	1	0	23.18
				1	99	22.93
				50	25	21.89
				100	0	22.00
				1	0	23.44
20	16 OAM	20175	1732.5	1	99	23.31
20	16 QAM	20175	1/32.3	50	25	21.98
				100	0	22.02
				1	0	23.49
		20300	1745	1	99	23.16
				50	25	21.94
				100	0	21.97



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 51 of 774

LTE Band 5_1.4MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.19
		20407	9247	1	5	23.10
		20407	824.7	3	2	23.18
				6	0	22.15
				1	0	23.12
1 /	ODCK	20525	9265	1	5	23.09
1.4	QPSK	20525	836.5	3	2	23.16
				6	0	22.21
		20643	848.3	1	0	23.18
				1	5	23.15
				3	3	23.16
				6	0	22.22
		20407	824.7	1	0	22.74
				1	5	22.75
				3	2	22.27
				6	0	21.44
				1	0	22.73
1.4	16 OAM	20525	836.5	1	5	22.75
1.4	16 QAM	20323	830.3	3	3	22.13
				6	0	21.25
				1	0	22.78
		20643	040.2	1	5	22.74
			848.3	3	2	22.08
				6	0	21.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 52 of 774

LTE Band 5_3MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.14
		20415	925.5	1	14	22.95
		20413	825.5	8	4	22.19
				15	0	22.17
				1	0	23.01
3	ODCK	20525	9265	1	14	23.05
3	QPSK	20525	836.5	8	4	22.19
				15	0	22.20
		20635		1	0	23.06
			847.5	1	14	23.01
				8	4	22.24
				15	0	22.23
		20415	825.5	1	0	22.45
				1	14	22.29
				8	4	21.28
				15	0	21.19
				1	0	22.32
3	16 OAM	20525	836.5	1	14	22.34
3	16 QAM	20525	830.3	8	4	21.3
				15	0	21.20
				1	0	22.41
		20635	047.5	1	14	22.33
			847.5	8	4	21.31
				15	0	21.26



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 53 of 774

LTE Band 5_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	23.18
		20425	826.5	1	24	23.16
		20425	820.3	12	6	22.22
				25	0	22.17
				1	0	23.22
5	ODCK	20525	836.5	1	24	23.18
3	QPSK	20525	830.3	12	6	22.23
				25	0	22.21
		20625		1	0	23.23
			846.5	1	24	23.15
				12	6	22.30
				25	0	22.17
		20425	826.5	1	0	22.71
				1	24	22.57
				12	6	21.25
				25	0	21.24
				1	0	22.60
5	16 OAM	20525	836.5	1	24	22.68
3	16 QAM	20323	830.3	12	6	21.25
				25	0	21.14
				1	0	22.69
		20625	946.5	1	24	22.40
			846.5	12	6	21.23
				25	0	21.18



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 54 of 774

LTE Band 5_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted
			` ′	1	0	(dBm) 23.27
				1	49	23.21
		20450	829.0	25	12	22.17
				50	0	22.16
				1	0	23.19
10	ODGIZ	20525	026.5	1	49	23.20
10	QPSK	20525	836.5	25	12	22.20
				50	0	22.16
		20600	844.0	1	0	23.27
				1	49	23.12
				25	12	22.14
				50	0	22.23
		20450	829	1	0	22.43
				1	49	22.63
		20450		25	12	21.12
				50	0	21.27
				1	0	22.71
10	16 OAM	20525	836.5	1	49	22.75
10	16 QAM	20323	830.3	25	12	21.21
				50	0	21.28
				1	0	22.79
		20600	844.0	1	49	22.65
				25	12	21.13
				50	0	21.23



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 55 of 774

LTE Band 7_5MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	22.12
		20775	2502.5	1	24	22.11
		20113	2302.3	12	6	21.23
				25	0	21.18
				1	0	22.50
5	ODCK	21100	2535.0	1	24	22.16
3	QPSK	21100	2333.0	12	6	21.49
				25	0	21.46
		21425		1	0	22.15
			2567.5	1	24	22.25
				12	6	21.39
				25	0	21.34
		20775	2502.5	1	0	21.65
				1	24	21.62
				12	6	20.32
				25	0	20.14
				1	0	21.92
_	16 OAM	21100	2535.0	1	24	21.90
5	16 QAM	21100	2555.0	12	6	20.56
				25	0	20.44
		21425		1	0	21.82
			2567.5	1	24	21.75
			2567.5	12	6	20.40
				25	0	20.33



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 56 of 774

LTE Band 7_10MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	22.11
		20800	2505.0	1	49	22.21
		20800	2303.0	25	12	21.21
				50	0	21.15
				1	0	22.28
10	QPSK	21100	2535.0	1	49	22.26
10	QPSK	21100	2333.0	25	12	21.45
				50	0	21.44
		21400	2565.0	1	0	22.27
				1	49	22.17
				25	12	21.29
				50	0	21.32
		20800	2505.0	1	0	21.35
				1	49	21.37
				25	12	20.28
				50	0	20.18
				1	0	21.63
10	16 QAM	21100	2535.0	1	49	21.66
10	10 QAWI	21100	2333.0	25	12	20.53
				50	0	20.44
				1	0	21.53
		21400	2565.0	1	49	21.51
			2363.0	25	12	20.40
				50	0	20.34



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 57 of 774

LTE Band 7_15MHz

BW (MHz)	Modulation	Channel	Frequency (MHz)	RB Size	RB Offset	Conducted power (dBm)
				1	0	22.19
		20025	2507.5	1	74	22.29
		20825	2507.5	36	19	21.34
				75	0	21.31
				1	0	22.13
15	ODCK	21100	2535.0	1	74	22.22
15	QPSK	21100	2333.0	36	19	21.49
				75	0	21.50
		21375	2562.5	1	0	22.19
				1	74	22.18
				36	19	21.43
				75	0	21.45
		20825	2507.5	1	0	21.36
				1	74	21.39
				36	19	20.39
				75	0	20.32
				1	0	21.40
1.5	16 OAM	21100	2535.0	1	74	21.46
15	16 QAM	21100	2555.0	36	19	20.53
				75	0	20.50
		21375		1	0	21.36
			2562.5	1	74	21.31
				36	19	20.47
				75	0	20.44



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 58 of 774

LTE Band 7_20MHz

BW			Frequency	RB	RB	Conducted
(MHz)	Modulation	Channel	(MHz)	Size	Offset	power
(IVIIIZ)			(IVIIIL)	DILC		(dBm)
				1	0	22.15
		20850	2510.0	1	99	22.25
			2310.0	50	25	21.30
				100	0	21.24
				1	0	22.27
20	QPSK	21100	2535.0	1	99	22.24
20	QFSK	21100	2333.0	50	25	21.45
				100	0	21.42
		21350		1	0	22.18
			25.60.0	1	99	22.15
			2560.0	50	25	21.45
				100	0	21.39
				1	0	21.43
		20050	2510.0	1	99	21.49
		20850		50	25	20.27
				100	0	20.25
				1	0	21.67
20	16041	21100	2525.0	1	99	21.68
20	16 QAM	21100	2535.0	50	25	20.47
				100	0	20.42
				1	0	21.61
		21250	25.00.0	1	99	21.48
		21350	2560.0	50	25	20.41
				100	0	20.40



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 59 of 774

6.5.1.4:HSDPA Release 6 mode

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	$eta_{ m c}$	$eta_{ m d}$	$eta_{ m d} \ (SF)$	β_c/β_d	β _{HS} (Note1, Note 2)	CM (dB) (<i>Note 3</i>)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 60 of 774

Results:

Mode	Sub-test	Avg.	Power (di	Bm)	Power Class 3 Limita-	Comments	
		9262	9400	9538	tion (dBm)		
	1	23.57	23.25	23.47	20.3dBm – 25.7dBm	Pass	
HSDPA	2	23.28	23.22	23.46	20.3dBm – 25.7dBm	Pass	
(B2)	3	23.09	22.80	22.94	19.8dBm – 25.7dBm	Pass	
	4	23.16	22.81	23.06	19.8dBm – 25.7dBm	Pass	

Mode	Sub-test	Avg.	Power (di	Bm)	Power Class 3 Limita-	Comments
		1312	1412	1513	tion (dBm)	
	HSDPA 2		23.80	23.99	20.3dBm – 25.7dBm	Pass
HSDPA			23.83	23.74	20.3dBm – 25.7dBm	Pass
(B4) 3		23.21	23.32	23.50	19.8dBm – 25.7dBm	Pass
	4	23.26	23.36	23.56	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg.	Power (di	Bm)	Power Class 3 Limita-	Comments
		4132	4183	4233	tion (dBm)	
	1	23.22	23.22 23.26 23.41		20.3dBm – 25.7dBm	Pass
HSDPA	2	23.36	23.29	23.16	20.3dBm – 25.7dBm	Pass
(B5)	3	22.76	22.78	22.92	19.8dBm – 25.7dBm	Pass
	4	22.81	22.82	22.98	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sgs.com

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 61 of 774

6.5.1.4.: HSPA (HSDPA & HSUPA) Release 6 mode

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	$eta_{ m c}$	$eta_{ m d}$	β _d (SF)	β_c/β_d	$eta_{ ext{HS}}$	eta_{ec}	$eta_{ m ed}$	β _{ed} (SF)	β _{ed} (Codes)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/225	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and <a href="https://www.sgs.com/term jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 62 of 774

Results:

Mode	Sub-test	Avg.	Power (di	Bm)	Power Class 3 Limita-	Comments
		9262	9400	9538	tion (dBm)	
	1	23.32	23.34	23.55	18.8dBm – 25.7dBm	Pass
	2	21.37	21.41	21.59	16.8dBm – 25.7dBm	Pass
HSUPA(B2)	3	22.38	22.36	22.63	17.8dBm – 25.7dBm	Pass
	4	21.50	21.46	21.63	16.8dBm – 25.7dBm	Pass
	5	23.21	23.20	23.46	18.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg.	Power (di	Bm)	Power Class 3 Limita-	Comments
		1312	1412	1513	tion (dBm)	Comments
	1	23.84	23.87	23.79	18.8dBm – 25.7dBm	Pass
	2	21.90	21.95	21.83	16.8dBm – 25.7dBm	Pass
HSUPA(B4)	3	22.88	22.93	22.87	17.8dBm – 25.7dBm	Pass
	4	21.95	22.01	21.91	16.8dBm – 25.7dBm	Pass
	5	23.70	23.70	23.68	18.8dBm – 25.7dBm	Pass

Mode	Sub-test	Avg.	Power (di	Bm)	Power Class 3 Limita-	Comments
		4132	4183	4233	tion (dBm)	
	1	23.39	23.33	23.21	18.8dBm – 25.7dBm	Pass
	2	21.45	21.41	21.25	16.8dBm – 25.7dBm	Pass
HSUPA(B5)	3	22.43	22.39	22.29	17.8dBm – 25.7dBm	Pass
	4	21.50	21.47	21.33	16.8dBm – 25.7dBm	Pass
	5	23.25	23.16	23.10	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 63 of 774

6.5.2. Minimum Communications Power Measurement

PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.5	28.2	26.1	24.2	22.1	20	18.2	16	14.1

PCL	9	10	11	12	13	14	15
Output power (dBm)	12.1	10	7.9	6.1	4	2.1	0.2

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester CMU200 function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 36 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 64 of 774

7. ERP, EIRP MEASUREMENT

7.1. Standard Applicable:

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(b) Mobile station is limited to 2W EIRP.


FCC 27.50(d)(2) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3W ERP

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

Test SET-UP (Block Diagram of Configuration):

(A) Radiated Power Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 65 of 774

(B) Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing at the time of its intervention only and within the limits of containing the containing th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 66 of 774

7.3. Measurement Procedure:

The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.

During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated.

ERP in frequency band 824.2 –848.80MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

EIRP in frequency band 1710-1755MHz and 1850.2 -1909.8MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

EIRP in frequency band 2510 – 2560MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

ERP = S.G. output (dBm) + Antenna Gain (dBd) - Cable Loss (dB)

EIRP = S.G. output (dBm) + Antenna Gain (dBi) - Cable Loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 67 of 774

Spectrum setting:

1. Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW. Or.

2. KDB 971168 D01 Power Meas License Digital Systems v01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = $2 \times \text{occupied BW}$;

Set RBW $\approx 1 \sim 5\%$ of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601points, then sweet time = $601*10^{4}-3=6$ s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

7.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 68 of 774

7.5. Measurement Result: (Peak) –using option of peak measurement

	EUT		Measurement							
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
	824.2	128	V	23.81	3.75	-3.03	24.53	38.45		
			Н	21.20	3.75	-3.03	21.93	38.45		
GCM 950		190	V	24.05	3.76	-3.07	24.74	38.45		
GSM 850	836.6	190	Н	21.36	3.76	-3.07	22.05	38.45		
		251	V	23.37	3.77	-3.11	24.03	38.45		
		251	Н	19.19	3.77	-3.11	19.86	38.45		

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	23.51	3.75	-3.03	24.24	38.45
	624.2	128	Н	20.30	3.75	-3.03	21.03	38.45
CDDC 950	836.6	190	V	23.34	3.76	-3.07	24.04	38.45
	650.0	190	Н	20.65	3.76	-3.07	21.34	38.45
	848.8	251	V	23.03	3.77	-3.11	23.69	38.45
	040.0	231	Н	18.50	3.77	-3.11	19.17	38.45

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	22.29	3.75	-3.03	23.02	38.45
	624.2	128	Н	19.25	3.75	-3.03	19.98	38.45
EDCE 950	836.6	190	V	22.32	3.76	-3.07	23.01	38.45
EDGE 850	830.0	190	Н	19.13	3.76	-3.07	19.82	38.45
	040 0	251	V	21.49	3.77	-3.11	22.15	38.45
	848.8	231	Н	17.45	3.77	-3.11	18.12	38.45

(1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Ref 3月 有规则,此根告结果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms end conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approached of this document is unlawfull and offenders may be prosecuted to the full light and the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 69 of 774

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	25.31	5.22	-4.67	25.86	33.01
	1630.2	312	Н	21.16	5.22	-4.67	21.71	33.01
GSM 1000	1880.0	661	V	25.70	5.16	-4.70	26.15	33.01
GSM 1900	1000.0	661	Н	22.85	5.16	-4.70	23.30	dBm 33.01 33.01
	1909.8	810	V	25.10	5.09	-4.74	25.46	33.01
	1909.8	610	Н	24.42	5.09	-4.74	24.77	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	25.09	5.22	-4.67	25.64	33.01
	1830.2	312	Н	21.00	5.22	-4.67	21.56	33.01
CDDC 1000	1880.0	661	V	25.29	5.16	-4.70	25.75	33.01
GPRS 1900	1000.0	661	Н	22.66	5.16	-4.70	23.11	dBm 33.01 33.01
	1909.8	810	V	24.85	5.09	-4.74	25.20	33.01
	1909.8	610	Н	23.92	5.09	-4.74	24.27	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	24.55	5.22	-4.67	25.11	33.01
	1830.2	312	Н	20.59	5.22	-4.67	21.15	33.01
EDGE 1000	1880.0	661	V	24.96	5.16	-4.70	25.41	33.01
EDGE 1900	1000.0	001	Н	22.10	5.16	-4.70	22.56	dBm 33.01 33.01
	1000.9	910	V	24.46	5.09	-4.74	24.81	33.01
	1909.8	810	Н	23.32	5.09	-4.74	23.68	33.01

Remark:

The RBW, VBW of SPA for frequency RBW=300K, VBW=1MHz (1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 70 of 774

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.4	9262	V	21.48	5.22	-4.67	22.03	33.01
	1832.4	9202	Н	18.13	5.22	-4.67	18.67	33.01
WCDMA D2	1880.0	9400	V	21.43	5.16	-4.70	21.88	33.01
WCDMA B2	1000.0	9400	Н	17.92	5.16	-4.70	18.37	dBm 33.01 33.01
	1007.6	9538	V	21.15	5.10	-4.74	21.51	33.01
	1907.6	9338	Н	19.08	5.10	-4.74	19.44	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1050 4	0262	V	21.18	5.22	-4.67	21.72	33.01
	1852.4	9262	Н	17.89	5.22	-4.67	18.44	33.01
HCDDA D2	1880.0	9400	V	20.99	5.16	-4.70	21.44	33.01
HSDPA B2	1000.0	9400	Н	17.67	5.16	-4.70	18.13	dBm 33.01 33.01
	1007.6	9538	V	20.76	5.10	-4.74	21.12	33.01
	1907.6	9338	Н	18.73	5.10	-4.74	19.09	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.4	9262	V	20.96	5.22	-4.67	21.51	33.01
	1832.4	9202	Н	17.46	5.22	-4.67	18.01	33.01
HCHDA D2	1880.0	9400	V	20.75	5.16	-4.70	21.20	33.01
HSUPA B2	1880.0	9400	Н	17.20	5.16	-4.70	17.65	33.01
	1007.6	9538	V	20.43	5.10	-4.74	20.79	33.01
	1907.6	9338	Н	18.33	5.10	-4.74	18.69	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 71 of 774

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.4	1312	V	23.38	5.55	-4.50	24.43	33.01
	1/12.4	1312	Н	16.44	5.55	-4.50	17.48	33.01
WCDMA DA	1732.6	1413	V	20.87	5.50	-4.53	21.85	33.01
WCDMA B4	1732.0	1413	Н	15.65	5.50	-4.53	16.62	33.01
	1752.6	1513	V	21.51	5.45	-4.55	22.41	33.01
	1/32.0	1313	Н	15.09	5.45	-4.55	15.99	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.4	1312	V	23.06	5.55	-4.50	24.11	33.01
	1/12.4	1312	Н	16.20	5.55	-4.50	17.25	33.01
LICDDA DA	1722 6	1412	V	20.62	5.50	-4.53	21.59	33.01
HSDPA B4	1732.6	1413	Н	15.31	5.50	-4.53	16.28	33.01
	1752.6	1512	V	21.19	5.45	-4.55	22.09	33.01
	1/32.0	1513	Н	14.65	5.45	-4.55	15.55	33.01

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.4	1312	V	22.85	5.55	-4.50	23.90	33.01
	1/12.4	1312	Н	16.09	5.55	-4.50	17.14	33.01
HCHDA DA	1732.6	1413	V	20.34	5.50	-4.53	21.31	33.01
HSUPA B4	1732.0	1413	Н	15.14	5.50	-4.53	16.12	33.01
	1752.6	1513	V	20.75	5.45	-4.55	21.65	33.01
	1752.6	1313	Н	14.32	5.45	-4.55	15.22	33.01

Remark:

(1) The RBW, VBW of SPA for measurement RBW= 1MHz, VBW= 3MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 72 of 774

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	926.4	4132	V	16.40	3.76	-3.03	17.13	38.45
	826.4	4132	Н	14.23	3.76	-3.03	14.96	38.45
WCDMA D5	836.6	4183	V	16.23	3.76	-3.07	16.92	38.45
WCDMA B5	830.0	4165	Н	13.79	3.76	-3.07	14.49	dBm 38.45 38.45
	846.6	4233	V	14.90	3.77	-3.10	15.57	38.45
	040.0	4233	Н	13.31	3.77	-3.10	13.98	38.45

	EUT	Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
HSDPA B5	826.4	4132	V	15.93	3.76	-3.03	16.65	38.45
			Н	13.80	3.76	-3.03	14.52	38.45
	836.6	4183	V	15.19	3.76	-3.07	15.88	38.45
			Н	13.63	3.76	-3.07	14.32	38.45
	846.6	4233	V	14.96	3.77	-3.10	15.63	38.45
			Н	13.00	3.77	-3.10	13.67	38.45

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
HSUPA B5	826.4	4132	V	14.85	3.76	-3.03	15.58	38.45	
			Н	14.03	3.76	-3.03	14.76	38.45	
	836.6	4183	V	15.05	3.76	-3.07	15.74	38.45	
			Н	13.22	3.76	-3.07	13.91	38.45	
	846.6	4233	V	14.92	3.77	-3.10	15.59	38.45	
			Н	12.79	3.77	-3.10	13.46	38.45	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 5MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unlawful and offenders may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 73 of 774

BAND 2 / BW: 1.4M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.57	5.22	-4.67	21.12	33.01
BAND 2	1850.7	18607	Н	16.62	5.23	-4.67	17.17	33.01
BW: 1.4M	1880.0	18900	V	24.49	5.16	-4.70	24.94	33.01
QPSK RB: 1,0	1880.0	18900	Н	17.25	5.16	-4.70	17.70	33.01
	1000.2	10102	V	22.21	5.10	-4.74	22.57	33.01
	1909.3	19193	Н	13.16	5.10	-4.74	13.52	33.01

BAND 2 / BW: 1.4M / QPSK / RB: 1,5

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.65	5.22	-4.67	21.2	33.01
BAND 2	1850.7	18607	Н	16.59	5.22	-4.67	17.14	33.01
BW: 1.4M	1000.0	10000	V	24.42	5.16	-4.71	24.87	33.01
QPSK RB: 1,5	1880.0	18900	Н	16.98	5.16	-4.70	17.44	33.01
	1000.2	10102	V	22.00	5.09	-4.74	22.35	33.01
	1909.3	19193	Н	12.98	5.09	-4.74	13.33	33.01

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 74 of 774

BAND 2 / BW: 1.4M / 16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.08	5.22	-4.67	21.64	33.01
BAND 2	1850.7	18607	Н	17.18	5.22	-4.67	17.74	33.01
BW: 1.4M	1990.0	19000	V	24.57	5.16	-4.70	25.02	33.01
16QAM	1 1880.0 11890	18900	Н	17.03	5.16	-4.70	17.49	33.01
RB: 1,0 1909.3	1000.2	10102	V	22.62	5.10	-4.74	22.98	33.01
	1909.3	19193	Н	13.62	5.10	-4.74	13.98	33.01

BAND 2 / BW: 1.4M / 16QAM / RB: 1,5

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	10707		V	21.20	5.22	-4.67	21.75	33.01
BAND 2	1850.7	18607	Н	17.17	5.22	-4.67	17.72	33.01
BW: 1.4M	1880.0	18900	V	24.64	5.16	-4.70	25.09	33.01
16QAM	1880.0	18900	Н	17.05	5.15	-4.71	17.49	33.01
RB: 1,5	1909.3	19193 -	V	22.49	5.09	-4.74	22.84	33.01
	1909.3	19193	Н	13.43	5.09	-4.74	13.79	33.01

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 75 of 774

BAND 2 / BW: 3M / QPSK / RB: 1,0

	EUT			Ŋ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.46	5.22	-4.67	21.02	33.01
BAND 2	1851.5	18615	Н	16.67	5.22	-4.67	17.23	33.01
BW: 3M	1880.0	18900	V	23.40	5.16	-4.70	23.87	33.01
QPSK RB: 1,0	1880.0	18900	Н	15.84	5.16	-4.70	16.30	33.01
	1908.5	19185	V	22.27	5.10	-4.74	22.64	33.01
	1908.5	19185	Н	13.53	5.10	-4.73	13.89	33.01

BAND 2 / BW: 3M / QPSK / RB: 1,14

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.57	5.22	-4.67	21.12	33.01
BAND 2	1851.5	18615	Н	16.37	5.22	-4.67	16.92	33.01
BW: 3M	1000.0	10000	V	23.24	5.16	-4.71	23.69	33.01
QPSK	1880.0	18900	Н	16.03	5.16	-4.71	16.48	33.01
RB: 1,14	1009 5	19185 -	V	22.00	5.09	-4.74	22.36	33.01
,	1908.5	19183	Н	12.93	5.09	-4.74	13.28	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 76 of 774

BAND 2 / BW: 3M / 16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.56	5.23	-4.67	21.11	33.01
BAND 2	1851.5	18615	Н	17.17	5.23	-4.67	17.73	33.01
BW: 3M	1000.0	19000	V	23.99	5.16	-4.70	24.45	33.01
16QAM RB: 1,0	1880.0	18900	Н	16.45	5.16	-4.70	16.91	33.01
	1009.5	10105	V	22.74	5.10	-4.74	23.10	33.01
	1908.5	19185	Н	14.07	5.10	-4.74	14.44	33.01

BAND 2 / BW: 3M / 16QAM / RB: 1,14

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.18	5.22	-4.67	21.73	33.01
BAND 2	1851.5	18615	Н	16.98	5.22	-4.67	17.53	33.01
BW: 3M	1000.0	10000	V	23.83	5.16	-4.71	24.28	33.01
16QAM	1880.0	18900	Н	16.67	5.16	-4.71	17.12	33.01
RB: 1,14	1009 5	19185 -	V	22.48	5.09	-4.74	22.84	33.01
	1908.5	19183	Н	13.38	5.09	-4.74	13.73	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 77 of 774

BAND 2 / BW: 5M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
		V	20.6	5.22	-4.67	21.15	33.01	
BAND 2	1852.5	18625	Н	16.65	5.22	-4.67	17.21	33.01
BW: 5M			V	23.30	5.16	-4.70	23.76	33.01
QPSK	1880.0	18900	Н	15.68	5.16	-4.70	16.14	33.01
RB: 1,0		07.5 19175	V	22.06	5.10	-4.73	22.43	33.01
,	1907.5		Н	13.96	5.10	-4.73	14.33	33.01

BAND 2 / BW: 5M / QPSK / RB: 1,24

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.39	5.22	-4.67	20.93	33.01
BAND 2	1852.5	18625	Н	16.06	5.21	-4.67	16.60	33.01
BW: 5M			V	22.98	5.16	-4.71	23.42	33.01
QPSK	1880.0	18900	Н	15.96	5.16	-4.71	16.41	33.01
RB: 1,24			V	21.94	5.09	-4.74	22.29	33.01
	1907.5	1907.5 19175	Н	12.95	5.09	-4.74	13.30	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 78 of 774

BAND 2 / BW: 5M / 16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.06	5.23	-4.67	21.62	33.01
BAND 2	1852.5	18625	Н	17.20	5.22	-4.67	17.76	33.01
BW: 5M			V	23.96	5.16	-4.70	24.43	33.01
16QAM	1880.0	18900	Н	16.33	5.16	-4.70	16.79	33.01
RB: 1,0	RB: 1,0		V	22.45	5.10	-4.73	22.82	33.01
,	1907.5	19175	Н	14.51	5.10	-4.73	14.87	33.01

BAND 2 / BW: 5M / 16QAM / RB: 1,24

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.02	5.21	-4.67	21.56	33.01
BAND 2	1852.5	18625	Н	16.70	5.22	-4.67	17.24	33.01
BW: 5M	1000		V	23.65	5.15	-4.71	24.09	33.01
16QAM	1880.0	18900	Н	16.70	5.16	-4.71	17.15	33.01
RB: 1,24			V	22.46	5.09	-4.74	22.82	33.01
	1907.5	19175	Н	13.50	5.10	-4.74	13.85	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 79 of 774

BAND 2 / BW: 10M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.61	5.22	-4.67	21.17	33.01
BAND 2	1855.0	18650	Н	16.57	5.22	-4.67	17.13	33.01
BW: 10M			V	23.02	5.17	-4.70	23.49	33.01
QPSK	1880.0	18900	Н	15.25	5.17	-4.70	15.72	33.01
RB: 1,0	1007.0		V	21.52	5.11	-4.73	21.91	33.01
	1905.0	19150	Н	13.50	5.11	-4.73	13.89	33.01

BAND 2 / BW: 10M / QPSK / RB: 1,49

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.73	5.20	-4.68	21.25	33.01
DAND 2	1855.0	18650	Н	14.99	5.21	-4.68	15.51	33.01
BAND 2			V	22.17	5.15	-4.71	22.61	33.01
BW: 10M	1880.0	18900	Н	15.79	5.15	-4.71	16.23	33.01
QPSK		19150	V	21.90	5.09	-4.74	22.26	33.01
RB: 1,49	1905.0		Н	13.07	5.09	-4.74	13.43	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 80 of 774

BAND 2 / BW: 10M /16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1055.0		V	21.37	5.22	-4.67	21.93	33.01
BAND 2	1855.0	18650	Н	17.26	5.22	-4.67	17.82	33.01
BW: 10M			V	23.68	5.17	-4.70	24.15	33.01
16QAM	1880.0	18900	Н	15.92	5.17	-4.70	16.38	33.01
RB: 1,0		10150	V	22.16	5.11	-4.73	22.55	33.01
,	1905.0	19150	Н	14.14	5.11	-4.73	14.52	33.01

BAND 2 / BW: 10M / 16QAM / RB: 1,49

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.39	5.21	-4.68	21.92	33.01
BAND 2	1855.0	18650	Н	15.68	5.21	-4.68	16.20	33.01
BW: 10M			V	22.91	5.15	-4.71	23.35	33.01
16QAM	1880.0	18900	Н	16.53	5.15	-4.71	16.97	33.01
RB: 1,49		10170	V	22.45	5.09	-4.74	22.80	33.01
,	1905.0	19150	Н	13.64	5.09	-4.74	14.00	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 81 of 774

BAND 2 / BW: 15M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1055 5 1055		V	20.65	5.22	-4.67	21.20	33.01
BAND 2	1857.5	18675	Н	16.68	5.22	-4.67	17.23	33.01
BW: 15M			V	22.76	5.17	-4.70	23.24	33.01
QPSK	1880.0	18900	Н	14.84	5.17	-4.70	15.31	33.01
RB: 1,0		19125	V	19.64	5.12	-4.72	20.04	33.01
,	1902.5		Н	13.57	5.12	-4.72	13.98	33.01

BAND 2 / BW: 15M / QPSK / RB: 1,74

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.10	5.19	-4.69	22.61	33.01
BAND 2	1857.5	18675	Н	14.48	5.19	-4.69	14.98	33.01
BW: 15M			V	21.04	5.14	-4.71	21.48	33.01
QPSK	1880.0	18900	Н	15.65	5.14	-4.71	16.08	33.01
RB: 1,74		10105	V	22.02	5.10	-4.74	22.37	33.01
,	1902.5	19125	Н	13.14	5.10	-4.74	13.49	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 82 of 774

BAND 2 / BW: 15M /16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.29	5.22	-4.67	21.84	33.01
BAND 2	1857.5	18675	Н	17.08	5.22	-4.67	17.64	33.01
BW: 15M			V	23.43	5.17	-4.70	23.91	33.01
16QAM	1880.0	18900	Н	15.49	5.17	-4.70	15.97	33.01
RB: 1,0 1902.5			V	20.29	5.12	-4.72	20.69	33.01
	19125	Н	14.18	5.12	-4.72	14.58	33.01	

BAND 2 / BW: 15M / 16QAM / RB: 1,74

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.70	5.19	-4.69	23.21	33.01
BAND 2	1857.5	18675	Н	15.13	5.19	-4.69	15.64	33.01
BW: 15M			V	21.78	5.14	-4.71	22.22	33.01
16QAM	1880.0	18900	Н	16.37	5.14	-4.71	16.80	33.01
RB: 1,74	RB: 1,74 1902.5 19125		V	22.58	5.10	-4.74	22.94	33.01
		Н	13.69	5.09	-4.74	14.05	33.01	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 83 of 774

BAND 2 / BW: 20M / QPSK / RB: 1,0

	EUT			ľ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.63	5.22	-4.67	21.18	33.01
BAND 2	1860.0	18700	Н	16.67	5.22	-4.67	17.22	33.01
BW: 20M			V	22.73	5.18	-4.69	23.22	33.01
QPSK	QPSK RB: 1.0	18900	Н	14.59	5.18	-4.69	15.08	33.01
RB: 1,0			V	21.25	5.14	-4.72	21.67	33.01
,	1900.0	19100	Н	14.59	5.13	-4.72	15.00	33.01

BAND 2 / BW: 20M / QPSK / RB: 1,99

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.90	5.18	-4.69	23.39	33.01
BAND 2	1860.0	18700	Н	14.51	5.18	-4.69	15.01	33.01
BW: 20M			V	19.94	5.14	-4.71	20.37	33.01
QPSK	1880.0	18900	Н	15.31	5.14	-4.71	15.73	33.01
RB: 1,99			V	16.54	5.10	-4.74	16.89	33.01
,	1900.0	19100	Н	13.20	5.10	-4.74	13.56	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 84 of 774

BAND 2 / BW: 20M /16QAM / RB: 1,0

:	EUT			ľ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.33	5.22	-4.67	21.88	33.01
BAND 2	1860.0	18700	Н	17.32	5.22	-4.67	17.88	33.01
BW: 20M			V	23.40	5.18	-4.69	23.89	33.01
16QAM	16QAM RB: 1,0	18900	Н	15.25	5.18	-4.69	15.73	33.01
RB: 1,0			V	21.95	5.13	-4.72	22.37	33.01
,	1900.0	19100	Н	15.28	5.14	-4.72	15.7	33.01

BAND 2 / BW: 20M / 16QAM / RB: 1,99

-	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.53	5.18	-4.69	24.02	33.01
BAND 2	1860.0	18700	Н	15.17	5.18	-4.69	15.66	33.01
BW: 20M			V	20.75	5.14	-4.71	21.18	33.01
16QAM	1880.0	18900	Н	16.05	5.14	-4.71	16.47	33.01
RB: 1,99			V	17.08	5.09	-4.74	17.44	33.01
,	1900.0	19100	Н	13.79	5.10	-4.74	14.14	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 85 of 774

BAND 4 / BW: 1.4M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.36	5.55	-4.50	24.42	30.00
BAND 4	1710.7	19957	Н	18.83	5.55	-4.50	19.88	30.00
BW: 1.4M/	1722.5	20175	V	22.18	5.50	-4.53	23.15	30.00
QPSK RB: 1,0 1732.5	1/32.3	20175	Н	14.81	5.50	-4.53	15.78	30.00
	1754.2	20202	V	20.55	5.45	-4.55	21.44	30.00
	1/34.3	20393	Н	16.88	5.45	-4.55	17.78	30.00

BAND 4 / BW: 1.4M / QPSK / RB: 1,5

-	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.19	5.55	-4.50	24.25	30.00
BAND 4	1710.7	19957	Н	18.89	5.55	-4.50	19.95	30.00
BW: 1.4M	1722.5	20175	V	22.20	5.50	-4.53	23.17	30.00
QPSK	1732.5	20175	Н	15.08	5.50	-4.53	16.06	30.00
RB: 1,5	1754.2	20202	V	20.49	5.45	-4.55	21.38	30.00
,	1754.3	20393	Н	16.60	5.45	-4.55	17.50	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 86 of 774

BAND 4 / BW: 1.4M / 16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1-10-		V	23.39	5.55	-4.50	24.45	30.00
BAND 4	1710.7	19957	Н	18.90	5.55	-4.50	19.95	30.00
BW: 1.4M	1732.5	20175	V	22.33	5.50	-4.53	23.31	30.00
16QAM	1732.3	20173	Н	15.08	5.50	-4.52	16.06	30.00
RB: 1,0	1754.2	20393	V	20.78	5.45	-4.55	21.68	30.00
ŕ	1754.3		Н	16.93	5.45	-4.55	17.83	30.00

BAND 4 / BW: 1.4M / 16QAM / RB: 1,5

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1710.7	10057	V	23.54	5.55	-4.50	24.59	30.00
BAND 4	1710.7	19957	Н	19.26	5.55	-4.50	20.31	30.00
BW: 1.4M	1722.5	20175	V	22.41	5.50	-4.53	23.38	30.00
16QAM	1732.5 20175 - 1754.3 20393 -	Н	15.39	5.50	-4.53	16.36	30.00	
RB: 1,5		20202	V	20.69	5.45	-4.55	21.58	30.00
		20393	Н	16.72	5.45	-4.55	17.62	30.00

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 87 of 774

BAND 4 / BW: 3M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.50	5.55	-4.50	24.56	30.00
BAND 4	1711.5	19965	Н	18.91	5.55	-4.50	19.97	30.00
BW: 3M	1722.5	20175	V	21.89	5.50	-4.52	22.87	30.00
QPSK	1732.3	1732.5 20175	Н	14.45	5.50	-4.52	15.43	30.00
RB: 1,0	1753.5 2	20295	V	20.36	5.45	-4.55	21.27	30.00
ŕ	1/33.3	3.5 20385	Н	16.48	5.45	-4.55	17.39	30.00

BAND 4 / BW: 3M / QPSK / RB: 1,14

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.76	5.55	-4.50	23.81	30.00
BAND 4	1711.5	19965	Н	18.95	5.55	-4.50	19.99	30.00
BW: 3M	1722.5	20175	V	21.81	5.50	-4.53	22.78	30.00
QPSK	1732.5	20175	Н	15.19	5.50	-4.53	16.16	30.00
RB: 1,14	1752 5	20205	V	20.00	5.45	-4.55	20.89	30.00
,	1753.5	20385	Н	15.86	5.45	-4.55	16.75	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 88 of 774

BAND 4 / BW: 3M / 16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.74	5.55	-4.50	24.79	30.00
BAND 4	1711.5	19965	Н	19.12	5.55	-4.50	20.18	30.00
BW: 3M	1722.5	20175	V	22.37	5.50	-4.52	23.35	30.00
16QAM RB: 1,0	1732.5	20175	Н	14.85	5.50	-4.52	15.83	30.00
	1752 5	20295	V	20.80	5.45	-4.55	21.70	30.00
	1753.5	20385	Н	16.84	5.45	-4.55	17.74	30.00

BAND 4 / BW: 3M / 16QAM / RB: 1,14

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.10	5.55	-4.50	24.14	30.00
BAND 4	1711.5	19965	Н	19.33	5.55	-4.50	20.38	30.00
BW: 3M	1722.5	20175	V	22.16	5.50	-4.53	23.13	30.00
16QAM	1732.5	20175	Н	15.52	5.50	-4.53	16.49	30.00
RB: 1,14	1753.5 20385 -	V	20.36	5.45	-4.55	21.25	30.00	
	1/33.3	20385	Н	16.24	5.45	-4.55	17.14	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 89 of 774

BAND 4 / BW: 5M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.52	5.55	-4.50	23.58	30.00
BAND 4	1712.5	19975	Н	18.37	5.55	-4.50	19.43	30.00
BW: 5M	1722.5	20175	V	21.95	5.51	-4.52	22.93	30.00
QPSK	QPSK RR: 10	20173	Н	14.27	5.51	-4.52	15.26	30.00
RB: 1,0		20275	V	20.55	5.46	-4.55	21.46	30.00
ŕ		1752.5 20375	Н	16.31	5.46	-4.55	17.22	30.00

BAND 4 / BW: 5M / QPSK / RB: 1,24

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.44	5.54	-4.50	22.48	30.00
BAND 4	1712.5	19975	Н	18.62	5.54	-4.50	19.66	30.00
BW: 5M	1722.5	20175	V	21.76	5.49	-4.53	22.72	30.00
QPSK	1732.3	1732.5 20175 — 1752.5 20375 —	Н	15.62	5.49	-4.53	16.59	30.00
RB: 1,24	1752.5		V	19.96	5.45	-4.55	20.85	30.00
·	1732.3		Н	15.09	5.45	-4.55	15.98	30.00

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 90 of 774

BAND 4 / BW: 5M / 16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.88	5.55	-4.50	23.94	30.00
BAND 4	1712.5	19975	Н	18.91	5.55	-4.50	19.96	30.00
BW: 5M	1732.5	20175	V	22.40	5.51	-4.52	23.39	30.00
16QAM RB: 1,0	1/32.3	20173	Н	14.78	5.51	-4.52	15.77	30.00
	1752.5	20375	V	21.06	5.46	-4.55	21.97	30.00
	1732.3	20373	Н	16.74	5.46	-4.55	17.65	30.00

BAND 4 / BW: 5M / 16QAM / RB: 1,24

:	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.08	5.54	-4.50	23.12	30.00
BAND 4	1712.5	19975	Н	19.09	5.54	-4.50	20.13	30.00
BW: 5M	1722.5	20175	V	22.21	5.50	-4.53	23.18	30.00
16QAM	1732.5	20175	Н	16.08	5.50	-4.53	17.05	30.00
RB: 1,24	1752.5	20275	V	20.40	5.45	-4.55	21.29	30.00
Í	1752.5	20375	Н	15.52	5.45	-4.55	16.41	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 91 of 774

BAND 4 / BW: 10M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.57	5.55	-4.50	23.62	30.00
BAND 4	1715.0	20000	Н	18.23	5.55	-4.50	19.28	30.00
BW: 10M	1722.5	20175	V	22.14	5.51	-4.52	23.13	30.00
QPSK	1732.3	1732.5 20175	Н	14.35	5.51	-4.52	15.34	30.00
RB: 1,0	3: 1,0	20250	V	21.32	5.47	-4.54	22.25	30.00
		Н	17.43	5.47	-4.54	18.36	30.00	

BAND 4 / BW: 10M / QPSK / RB: 1,49

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.97	5.53	-4.51	22.00	30.00
BAND 4	1715.0	20000	Н	17.49	5.53	-4.51	18.51	30.00
BW: 10M	1722.5	20175	V	21.86	5.49	-4.53	22.82	30.00
QPSK	1732.5	20175	Н	16.56	5.49	-4.53	17.52	30.00
RB: 1,49	1750.0	50.0 20350	V	20.00	5.45	-4.55	20.90	30.00
,	1750.0	20350	Н	14.91	5.45	-4.55	15.81	30.00

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 92 of 774

BAND 4 / BW: 10M / 16QAM / RB: 1,0

:	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.28	5.55	-4.50	24.34	30.00
BAND 4	1715.0	20000	Н	19.04	5.55	-4.50	20.09	30.00
BW: 10M	1732.5	20175	V	22.60	5.51	-4.52	23.59	30.00
16QAM RB: 1,0	1732.3	20173	Н	14.87	5.51	-4.52	15.86	30.00
	1750.0	20350	V	21.88	5.47	-4.54	22.81	30.00
	1750.0	20330	Н	18.00	5.47	-4.54	18.93	30.00

BAND 4 / BW: 10M / 16QAM / RB: 1,49

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.51	5.53	-4.51	22.54	30.00
BAND 4	1715.0	20000	Н	18.03	5.53	-4.51	19.05	30.00
BW: 10M	1722.5	20175	V	22.40	5.49	-4.53	23.36	30.00
16QAM	1732.5	20175	Н	17.04	5.49	-4.53	18.00	30.00
RB: 1,49	1750.0	20350	V	20.40	5.45	-4.55	21.29	30.00
,	1/30.0	20330	Н	15.31	5.45	-4.55	16.21	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 93 of 774

BAND 4 / BW: 15M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.70	5.55	-4.50	23.75	30.00
BAND 4	1717.5	20025	Н	18.44	5.55	-4.50	19.50	30.00
BW: 15M	1722.5	20175	V	21.98	5.52	-4.52	22.98	30.00
QPSK RB: 1,0	1732.5	20175	Н	15.45	5.52	-4.52	16.45	30.00
	1747.5	20225	V	21.83	5.48	-4.54	22.77	30.00
	1747.5	20325	Н	17.33	5.48	-4.54	18.27	30.00

BAND 4 / BW: 15M / QPSK / RB: 1,74

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.94	5.52	-4.51	22.95	30.00
BAND 4	1717.5	20025	Н	15.68	5.52	-4.51	16.68	30.00
BW: 15M	1722.5	20175	V	21.94	5.48	-4.53	22.89	30.00
QPSK	1732.5	20175	Н	15.20	5.48	-4.53	16.15	30.00
RB: 1,74	1747.5	20325	V	19.78	5.45	-4.55	20.68	30.00
	1/4/.3	20323	Н	14.65	5.45	-4.55	15.55	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 94 of 774

BAND 4 / BW: 15M / 16QAM / RB: 1,0

]	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	23.09	5.55	-4.50	24.14	30.00
BAND 4	1717.5	20025	Н	19.00	5.55	-4.50	20.06	30.00
BW: 15M	1732.5	20175	V	22.46	5.52	-4.52	23.46	30.00
16QAM	1/32.3	20173	Н	15.95	5.52	-4.52	16.95	30.00
RB: 1,0	1747.5	20325	V	22.32	5.48	-4.53	23.27	30.00
ŕ	1747.5		Н	17.91	5.48	-4.54	18.86	30.00

BAND 4 / BW: 15M / 16QAM / RB: 1,74

-	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.32	5.52	-4.51	23.32	30.00
BAND 4	1717.5	20025	Н	16.08	5.52	-4.52	17.08	30.00
BW: 15M	1722.5	20175	V	22.43	5.48	-4.53	23.38	30.00
16QAM	1732.5	20175	Н	15.67	5.48	-4.53	16.62	30.00
RB: 1,74	1747.5	20225	V	20.25	5.45	-4.55	21.15	30.00
,	1747.5	20325	Н	15.04	5.45	-4.55	15.94	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 95 of 774

BAND 4 / BW: 20M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.56	5.55	-4.50	23.61	30.00
BAND 4	1720.0	20050	Н	18.45	5.55	-4.50	19.50	30.00
BW: 20M	1722.5	20175	V	21.67	5.52	-4.51	22.68	30.00
QPSK	1732.5 20175 1745.0 20300	20173	Н	16.61	5.52	-4.51	17.61	30.00
RB: 1,0		20200	V	21.71	5.49	-4.53	22.67	30.00
,		Н	16.18	5.49	-4.53	17.14	30.00	

BAND 4 / BW: 20M / QPSK / RB: 1,99

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.02	5.50	-4.52	23.00	30.00
BAND 4	1720.0	20050	Н	14.25	5.51	-4.52	15.24	30.00
BW: 20M	1722.5	20175	V	21.85	5.48	-4.54	22.80	30.00
QPSK	1732.5	20175	Н	15.48	5.48	-4.54	16.43	30.00
RB: 1,99	1745.0	20300	V	19.93	5.45	-4.55	20.83	30.00
ĺ	1745.0	20300	Н	14.41	5.45	-4.55	15.30	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 96 of 774

BAND 4 / BW: 20M /16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	15000		V	23.03	5.55	-4.50	24.09	30.00
BAND 4	1720.0	20050	Н	19.04	5.55	-4.50	20.09	30.00
BW: 20M	1732.5	20175	V	22.15	5.52	-4.51	23.16	30.00
16QAM	1/32.3	20175	Н	16.99	5.52	-4.51	18.00	30.00
RB: 1,0	1745.0 2030	20200	V	22.25	5.49	-4.53	23.21	30.00
,	1745.0	20300	Н	16.74	5.49	-4.53	17.70	30.00

BAND 4 / BW: 20M / 16QAM / RB: 1,99

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.47	5.51	-4.52	23.46	30.00
BAND 4	1720.0	20050	Н	14.70	5.51	-4.52	15.69	30.00
BW: 20M	1722.5	20175	V	22.38	5.48	-4.54	23.32	30.00
16QAM	1732.5	20175	Н	16.06	5.48	-4.54	17.00	30.00
RB: 1,99	1745.0	20300	V	20.35	5.45	-4.55	21.25	30.00
,	1745.0	20300	Н	14.83	5.45	-4.55	15.72	30.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 97 of 774

BAND 5 / BW: 1.4M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.88	3.75	-3.03	21.61	38.45
BAND 5	824.7	20407	Н	13.34	3.75	-3.03	14.07	38.45
BW: 1.4M	836.5	20525	V	21.48	3.76	-3.06	22.17	38.45
QPSK RB: 1,0	830.3	20525	Н	14.72	3.76	-3.06	15.42	38.45
	040.2	20642	V	21.33	3.77	-3.10	22.00	38.45
	848.3	20643	Н	12.09	3.77	-3.10	12.76	38.45

BAND 5 / BW: 1.4M / QPSK / RB: 1,5

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.45	3.76	-3.03	21.18	38.45
BAND 5	824.7	20407	Н	13.31	3.75	-3.03	14.04	38.45
BW: 1.4M	926.5	20525	V	21.53	3.76	-3.07	22.22	38.45
QPSK RB: 1,5	836.5	20525	Н	14.01	3.76	-3.07	14.71	38.45
	040.2	20642	V	21.27	3.77	-3.10	21.93	38.45
	848.3	20643	Н	12.14	3.77	-3.10	12.81	38.45

Remark:

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz (1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 98 of 774

BAND 5 / BW: 1.4M / 16QAM / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.99	3.75	-3.03	21.72	38.45
BAND 5	824.7	20407	Н	13.87	3.75	-3.03	14.60	38.45
BW: 1.4M	836.5	20525	V	22.65	3.76	-3.06	23.35	38.45
16QAM RB: 1,0	830.3	20323	Н	14.74	3.76	-3.06	15.44	38.45
	040.2	20642	V	21.95	3.77	-3.10	22.61	38.45
	848.3	20643	Н	13.29	3.77	-3.10	13.96	38.45

BAND 5 / BW: 1.4M / 16QAM / RB: 1,5

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	21.04	3.76	-3.03	21.76	38.45
BAND 5	824.7	20407	Н	13.94	3.76	-3.03	14.67	38.45
BW: 1.4M	926.5	20525	V	22.76	3.76	-3.06	23.45	38.45
16QAM	836.5	20525	Н	14.96	3.76	-3.07	15.65	38.45
RB: 1,5	949.2	20642	V	21.86	3.77	-3.10	22.52	38.45
,	848.3	20643	Н	13.37	3.77	-3.10	14.04	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 99 of 774

BAND 5 / BW: 3M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.81	3.75	-3.03	21.54	38.45
BAND 5	825.5	20415	Н	13.46	3.75	-3.03	14.18	38.45
BW: 3M	836.5	20525	V	21.71	3.76	-3.06	22.41	38.45
QPSK RB: 1,0	830.3	20323	Н	13.54	3.76	-3.06	14.24	38.45
	947.5	20625	V	20.92	3.77	-3.10	21.59	38.45
	847.5	20635	Н	12.11	3.77	-3.10	12.78	38.45

BAND 5 / BW: 3M / QPSK / RB: 1,14

:	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.36	3.76	-3.03	21.08	38.45
BAND 5	825.5	20415	Н	13.21	3.76	-3.04	13.93	38.45
BW: 3M	926.5	20525	V	21.95	3.76	-3.07	22.64	38.45
QPSK	836.5	20525	Н	13.64	3.76	-3.07	14.34	38.45
RB: 1,14	047.5	20625	V	20.94	3.77	-3.10	21.60	38.45
,	847.5	20635	Н	12.19	3.77	-3.11	12.85	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 100 of 774

BAND 5 / BW: 3M / 16QAM / RB: 1,0

	EUT			Ŋ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.39	3.76	-3.04	21.11	38.45
BAND 5	825.5	20415	Н	14.08	3.75	-3.03	14.81	38.45
BW: 3M	836.5	20525	V	22.45	3.76	-3.06	23.14	38.45
16QAM RB: 1,0	830.3	20323	Н	14.83	3.76	-3.06	15.53	38.45
	847.5	20635	V	21.87	3.77	-3.10	22.54	38.45
	647.3	20033	Н	13.31	3.77	-3.10	13.98	38.45

BAND 5 / BW: 3M / 16QAM / RB: 1,14

:	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	21.06	3.76	-3.03	21.78	38.45
BAND 5	825.5	20415	Н	13.81	3.76	-3.03	14.53	38.45
BW: 3M	926.5	20525	V	22.84	3.76	-3.07	23.53	38.45
16QAM	836.5	20525	Н	14.68	3.76	-3.07	15.37	38.45
RB: 1,14	847.5	20635	V	21.64	3.77	-3.11	22.30	38.45
ĺ	047.3	20033	Н	12.83	3.77	-3.11	13.49	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 101 of 774

BAND 5 / BW: 5M / QPSK / RB: 1,0

:	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.57	3.75	-3.03	21.29	38.45
BAND 5	826.5	20425	Н	13.47	3.75	-3.03	14.2	38.45
BW: 5M	836.5	20525	V	21.13	3.76	-3.06	21.83	38.45
QPSK RB: 1,0	830.3	20323	Н	14.89	3.76	-3.06	15.59	38.45
	846.5	20625	V	21.98	3.77	-3.09	22.65	38.45
	640.3	20023	Н	13.77	3.77	-3.09	14.44	38.45

BAND 5 / BW: 5M / QPSK / RB: 1,24

	EUT			N	Aeasurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.26	3.76	-3.04	20.97	38.45
BAND 5	826.5	26.5 20425	Н	12.99	3.76	-3.04	13.70	38.45
BW: 5M	926.5	20525	V	21.76	3.76	-3.07	22.45	38.45
QPSK	836.5	20525	Н	15.13	3.76	-3.07	15.82	38.45
RB: 1,24	946 5	846.5 20625	V	22.04	3.77	-3.10	22.71	38.45
	040.3		Н	13.38	3.77	-3.11	14.05	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 102 of 774

BAND 5 / BW: 5M / 16QAM / RB: 1,0

:	EUT			Ŋ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	21.28	3.75	-3.03	22.01	38.45
BAND 5	826.5	20425	Н	13.87	3.75	-3.03	14.59	38.45
BW: 5M	926.5	20525	V	22.02	3.76	-3.06	22.72	38.45
16QAM RB: 1,0	836.5	20525	Н	15.50	3.76	-3.06	16.20	38.45
	946.5	20425 -	V	22.65	3.76	-3.09	23.33	38.45
	846.5	20025	Н	14.19	3.76	-3.09	14.87	38.45

BAND 5 / BW: 5M / 16QAM / RB: 1,24

:	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	21.01	3.76	-3.04	21.73	38.45
BAND 5	826.5	20425	Н	13.73	3.76	-3.04	14.45	38.45
BW: 5M	926.5	20525	V	22.74	3.76	-3.07	23.43	38.45
16QAM	1 836.5 1.20525.1	Н	15.50	3.76	-3.07	16.19	38.45	
RB: 1,24		20625	V	22.57	3.77	-3.10	23.24	38.45
		Н	13.94	3.77	-3.10	14.60	38.45	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 103 of 774

BAND 5 / BW: 10M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	020.0	V	20.74	3.76	-3.03	21.46	38.45	
BAND 5	829.0	20450	Н	13.26	3.75	-3.03	13.98	38.45
BW: 10M	836.5	20525	V	21.76	3.76	-3.05	22.47	38.45
QPSK	830.3	20323	Н	14.42	3.76	-3.05	15.13	38.45
RB: 1,0	944.0	20600	V	21.54	3.76	-3.07	22.23	38.45
,	844.0		Н	13.64	3.76	-3.08	14.32	38.45

BAND 5 / BW: 10M / QPSK / RB: 1,49

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	20.76	3.76	-3.06	21.46	38.45
BAND 5	829.0	20450	Н	13.22	3.76	-3.06	13.92	38.45
BW: 10M	926.5	20525	V	22.62	3.76	-3.08	23.31	38.45
QPSK	836.5	20525	Н	14.39	3.76	-3.08	15.07	38.45
RB: 1,49	844.0	20600	V	22.03	3.77	-3.10	22.70	38.45
,	044.0	20000	Н	13.33	3.77	-3.10	14.00	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 104 of 774

BAND 5 / BW: 10M /16QAM / RB: 1,0

	EUT			ľ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	21.30	3.75	-3.03	22.03	38.45
BAND 5	829.0	20450	Н	13.49	3.75	-3.03	14.21	38.45
BW: 10M	926.5	20525	V	22.32	3.76	-3.05	23.02	38.45
16QAM	16QAM RR• 1 0	20525	Н	14.95	3.76	-3.05	15.66	38.45
RB: 1,0		20600	V	22.86	3.76	-3.07	23.55	38.45
·	044.0	20600	Н	14.51	3.76	-3.07	15.19	38.45

BAND 5 / BW: 10M / 16QAM / RB: 1,49

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
			V	14.32	3.76	-3.06	15.03	38.45
BAND 5	829.0	20450	Н	22.71	3.76	-3.08	23.39	38.45
BW: 10M	926.5	20525	V	14.62	3.76	-3.08	15.31	38.45
16QAM	836.5	20525	Н	22.57	3.77	-3.10	23.23	38.45
RB: 1,49	944.0	20600	V	13.46	3.77	-3.11	14.12	38.45
,	844.0	20600	Н	14.32	3.76	-3.06	15.03	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 105 of 774

BAND 7 / BW: 5M / QPSK / RB: 1,0

	EUT			ľ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.91	6.40	-5.48	21.83	33.01
BAND 7	2502.5	20775	Н	17.36	6.40	-5.48	18.28	33.01
BW: 5M	2525.0	21100	V	18.49	6.49	-5.52	19.45	33.01
QPSK RB: 1,0	2535.0	21100	Н	16.67	6.48	-5.52	17.63	33.01
	2567.5	21425	V	16.41	6.57	-5.57	17.42	33.01
	2307.3	21423	Н	15.16	6.57	-5.57	16.16	33.01

BAND 7 / BW: 5M / QPSK / RB: 1,24

:	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.55	6.41	-5.49	22.47	33.01
BAND 7	2502.5	20775	Н	18.22	6.41	-5.49	19.15	33.01
BW: 5M	2525.0	21100	V	17.92	6.50	-5.53	18.89	33.01
QPSK	2333.0	2535.0 21100	Н	17.02	6.50	-5.53	17.98	33.01
RB: 1,24		21.425	V	14.82	6.58	-5.57	15.82	33.01
		21425	Н	15.05	6.58	-5.57	16.06	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 106 of 774

BAND 7 / BW: 5M / 16QAM / RB: 1,0

	EUT			ľ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.15	6.40	-5.48	22.07	33.01
BAND 7	2502.5	20775	Н	17.62	6.40	-5.48	18.54	33.01
BW: 5M	2535.0	21100	V	18.87	6.49	-5.52	19.83	33.01
16QAM RB: 1,0	2333.0	21100	Н	17.02	6.48	-5.52	17.98	33.01
	2567.5	21425	V	16.75	6.57	-5.57	17.75	33.01
	2307.3	21423	Н	15.51	6.57	-5.57	16.51	33.01

BAND 7 / BW: 5M / 16QAM / RB: 1,24

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	22.15	6.41	-5.49	23.08	33.01
BAND 7	2502.5	20775	Н	18.22	6.41	-5.49	19.15	33.01
BW: 5M	2535.0	21100	V	18.38	6.50	-5.53	19.35	33.01
16QAM	2333.0	21100	Н	17.56	6.50	-5.53	18.52	33.01
RB: 1,24	2567.5	567.5 21425 -	V	15.13	6.58	-5.57	16.14	33.01
	2307.3		Н	15.45	6.58	-5.57	16.46	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 107 of 774

BAND 7 / BW: 10M / QPSK / RB: 1,0

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
		2707.0	V	20.72	6.40	-5.48	21.64	33.01
BAND 7	2505.0	20800	Н	17.40	6.40	-5.48	18.32	33.01
BW: 10M	2525.0	21100	V	18.44	6.48	-5.52	19.40	33.01
QPSK	2535.0	21100	Н	16.19	6.48	-5.52	17.15	33.01
RB: 1,0	2565.0	21400	V	15.38	6.56	-5.56	16.38	33.01
	2565.0		Н	14.80	6.55	-5.56	15.80	33.01

BAND 7 / BW: 10M / QPSK / RB: 1,49

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	20.85	6.42	-5.49	21.78	33.01
BAND 7	2505.0	20800	Н	17.36	6.42	-5.49	18.29	33.01
BW: 10M	2525.0	21100	V	17.99	6.50	-5.53	18.96	33.01
QPSK	2535.0	21100	Н	16.78	6.50	-5.53	17.75	33.01
RB: 1,49	2565.0	21400	V	11.40	6.58	-5.57	12.41	33.01
	2565.0	21400	Н	15.35	6.58	-5.57	16.35	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 108 of 774

BAND 7 / BW: 10M / 16QAM / RB: 1,0

	EUT			Ŋ	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.65	6.40	-5.48	22.57	33.01
BAND 7	2505.0	20800	Н	18.13	6.40	-5.48	19.05	33.01
BW: 10M	2525.0	21100	V	19.08	6.48	-5.52	20.04	33.01
16QAM	AM 2535.0 21100	Н	16.74	6.48	-5.52	17.69	33.01	
RB: 1,0		21400	V	15.91	6.56	-5.56	16.90	33.01
		21400	Н	14.80	6.56	-5.56	15.80	33.01

BAND 7 / BW: 10M / 16QAM / RB: 1,49

	EUT			N	Measurem	ent		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
			V	21.59	6.42	-5.49	22.52	33.01
BAND 7	2505.0	20800	Н	18.09	6.42	-5.49	19.03	33.01
BW: 10M	2525.0	21100	V	18.64	6.50	-5.53	19.61	33.01
16QAM	2535.0	21100	Н	17.44	6.50	-5.53	18.41	33.01
RB: 1,49	2565.0 21400	V	12.05	6.58	-5.57	13.05	33.01	
	2303.0	21400	Н	15.85	6.58	-5.57	16.86	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlayed and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 109 of 774

BAND 7 / BW: 15M / QPSK / RB: 1,0

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	2507.5	V	21.55	6.41	-5.48	22.47	33.01
BAND 7	2307.3	20825	Н	17.94	6.41	-5.48	18.86	33.01
BW: 15M	2535.0	21100	V	18.30	6.47	-5.52	19.25	33.01
QPSK	2333.0	21100	Н	16.25	6.47	-5.52	17.20	33.01
RB: 1,0	2562.5	2562.5 21375	V	17.36	6.54	-5.55	18.35	33.01
	2302.5	213/3	Н	14.89	6.54	-5.55	15.87	33.01

BAND 7 / BW: 15M / QPSK / RB: 1,74

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	2507.5	2507.5	V	18.89	6.44	-5.50	19.83	33.01	
BAND 7	2307.3	20825	Н	15.87	6.44	-5.50	16.81	33.01	
BW: 15M	2535.0	21100	V	17.71	6.51	-5.54	18.68	33.01	
QPSK	2333.0	21100	Н	15.72	6.51	-5.54	16.69	33.01	
RB: 1,74	2562.5	21275	V	14.88	6.58	-5.57	15.89	33.01	
	2562.5	21375	Н	15.11	6.58	-5.57	16.12	33.01	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 110 of 774

BAND 7 / BW: 15M / 16QAM / RB: 1,0

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20025	V	22.17	6.41	-5.48	23.10	33.01
BAND 7	2507.5	20825	Н	18.59	6.41	-5.48	19.51	33.01
BW: 15M	2535.0	0 21100 -	V	18.93	6.47	-5.52	19.88	33.01
16QAM	2333.0		Н	16.81	6.48	-5.52	17.76	33.01
RB: 1,0	2562.5	21375	V	18.06	6.54	-5.55	19.05	33.01
	2302.3	213/3	Н	15.52	6.55	-5.56	16.51	33.01

BAND 7 / BW: 15M / 16QAM / RB: 1,74

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	2507.5	20825	V	19.58	6.44	-5.50	20.52	33.01	
BAND 7	2307.3	20823	Н	16.52	6.45	-5.50	17.46	33.01	
BW: 15M	2535.0	21100	V	18.41	6.51	-5.54	19.38	33.01	
16QAM	2333.0	21100	Н	16.45	6.51	-5.54	17.42	33.01	
RB: 1,74	2562.5	2562.5 21375	V	15.41	6.58	-5.57	16.42	33.01	
·	2302.3	213/3	Н	15.61	6.58	-5.57	16.61	33.01	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 111 of 774

BAND 7 / BW: 20M / QPSK / RB: 1,0

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	2510.0 20050	V	21.14	6.40	-5.48	22.06	33.01
BAND 7	2510.0	20850	Н	17.67	6.40	-5.48	18.59	33.01
BW: 20M	2525.0	21100	V	17.91	6.47	-5.51	18.86	33.01
QPSK	2333.0	2535.0 21100	Н	15.05	6.47	-5.52	16.00	33.01
RB: 1,0	2560.0 2	21250	V	18.29	6.53	-5.55	19.28	33.01
	2300.0	21350	Н	14.45	6.53	-5.55	15.44	33.01

BAND 7 / BW: 20M / QPSK / RB: 1,99

EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	2510.0	20850	V	18.26	6.45	-5.51	19.21	33.01	
BAND 7	2310.0	20830	Н	15.34	6.45	-5.51	16.29	33.01	
BW: 20M	2535.0	21100	V	18.47	6.51	-5.54	19.44	33.01	
QPSK	2333.0	21100	Н	15.98	6.51	-5.54	16.95	33.01	
RB: 1,99	2560.0 21350	V	15.00	6.58	-5.57	16.00	33.01		
	2300.0	21330	Н	15.34	6.58	-5.57	16.35	33.01	

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 112 of 774

BAND 7 / BW: 20M /16QAM / RB: 1,0

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20850	V	21.87	6.40	-5.48	22.79	33.01
BAND 7	2510.0		Н	19.40	6.40	-5.48	20.32	33.01
BW: 20M	2525.0	21100	V	18.54	6.47	-5.52	19.49	33.01
16QAM	2535.0 21100	21100	Н	15.50	6.47	-5.51	16.45	33.01
RB: 1,0	2560.0	21250	V	19.10	6.53	-5.55	20.09	33.01
	2300.0	21350	Н	15.24	6.53	-5.55	16.22	33.01

BAND 7 / BW: 20M / 16QAM / RB: 1,99

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20850	V	19.03	6.45	-5.50	19.97	33.01
BAND 7	2510.0	20830	Н	17.36	6.45	-5.51	18.31	33.01
BW: 20M	2535.0	21100	V	19.22	6.51	-5.54	20.20	33.01
16QAM	2333.0	21100	Н	16.73	6.51	-5.54	17.70	33.01
RB: 1,99	2560.0	21250	V	15.47	6.58	-5.57	16.48	33.01
ĺ	2560.0	21350	Н	15.84	6.58	-5.57	16.84	33.01

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 113 of 774

OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable:

According to §FCC 2.1049 (99%)

8.2. Test Set-up:

Refer to section 6.2 in this report

8.3. Measurement Procedure:

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

NOTE: For the plot of bandwidth measurement, the marker of the 99% bandwidth is diamond-shape while the marker of the 20dB BW is arrow-mark

8.4. Measurement Equipment Used:

Refer to section 2.4 in this report

8.5. Measurement Result:

Refer to next pages.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents.

The subject of the subject o Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 114 of 774

99% Bandwidth

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	824.20	128	0.252
GSM 850	836.60	190	0.249
	848.80	251	0.247

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
GSM 1900	1850.20	512	0.251
	1880.00	661	0.243
	1909.80	810	0.247

EUT Mode	Frequency (MHz) CH		99% Bandwidth (MHz)		
	824.20	128	0.245		
GPRS 850	836.60	190	0.248		
	848.80	251	0.244		

EUT Mode	Mode Frequency (MHz) CH		99% Bandwidth (MHz)		
GPRS 1900	1850.20	512	0.243		
	1880.00	661	0.245		
	1909.80	810	0.253		

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
EDGE 850	824.20	128	0.246
	836.60	190	0.252
	848.80	251	0.259

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
EDGE 1900	1850.20	512	0.253
	1880.00	661	0.252
	1909.80	810	0.248

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此概告结果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134 號

10.1016/19.1016/



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 115 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
WCDMA II	1852.40	9262	4.2085
	1880.00	9400	4.2095
	1907.60	9538	4.2120

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
WCDMA IV	1712.40	1312	4.2127
	1732.60	1413	4.1999
	1752.60	1513	4.2239

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
WCDMA V	826.40	4132	4.2052
	836.00	4183	4.1969
	846.60	4233	4.1644

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSDPA II	1852.40	9262	4.1918
	1880.00	9400	4.2022
	1907.60	9538	4.2069

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSDPA IV	1712.40	1312	4.2118
	1732.60	1413	4.1892
	1752.60	1513	4.2059

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	826.40	4132	4.1952
HSDPA V	836.60	4183	4.2117
	846.60	4233	4.2010



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 116 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA II	1852.40	9262	4.2120
	1880.00	9400	4.1841
	1907.60	9538	4.2069

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA IV	1712.40	1312	4.1940
	1732.60	1413	4.2223
	1752.60	1513	4.1956

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA V	826.40	4132	4.1930
	836.60	4183	4.2240
	846.60	4233	4.1940

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 117 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	1850.7	18607	1.0967
LTE-Band 2 (QPSK	1880.0	18900	1.0959
RB Number: 6 Offset: 0)	1909.3	19193	1.0974

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	1850.7	18607	1.0959
LTE-Band 2 (16QAM	1880.0	18900	1.0922
RB Number: 6 Offset: 0)	1909.3	19193	1.0959

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	1851.5	18615	2.6881
LTE-Band 2 (QPSK	1880.0	18900	2.7125
RB Number: 15 Offset: 0)	1908.5	19185	2.7020

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	1851.5	18615	2.7064
LTE-Band 2 (16QAM	1880.0	18900	2.7002
RB Number: 15 Offset: 0)	1908.5	19185	2.6931



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 118 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	1852.5	18625	4.5290
LTE-Band 2 (QPSK	1880.0	18900	4.5219
RB Number: 25 Offset: 0)	1907.5	19175	4.5135

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	1852.5	18625	4.5159
LTE-Band 2 (16QAM	1880.0	18900	4.5261
RB Number: 25 Offset: 0)	1907.5	19175	4.5272

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	1855.0	18650	9.0009
LTE-Band 2 (QPSK	1880.0	18900	8.9713
RB Number: 50 Offset: 0)	1905.0	19150	9.0105

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	1855.0	18650	9.0163
LTE-Band 2 (16QAM	1880.0	18900	8.9754
RB Number: 50 Offset: 0)	1905.0	19150	8.9892



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 119 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	1857.5	18675	13.4658
LTE-Band 2 (QPSK	1880.0	18900	13.4571
RB Number: 75 Offset: 0)	1902.5	19125	13.5199

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	1857.5	18675	13.4929
LTE-Band 2 (16QAM	1880.0	18900	13.4214
RB Number: 75 Offset: 0)	1902.5	19125	13.4747

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	1860.0	18700	17.9487
LTE-Band 2 (QPSK	1880.0	18900	17.9349
RB Number: 100 Offset: 0)	1900.0	19100	18.0124

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	1860.0	18700	17.9365
LTE-Band 2 (16QAM	1880.0	18900	17.9117
RB Number: 100 Offset: 0)	1900.0	19100	17.9801

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No.134 WitKungRoad NewTaineiIndustrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 120 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	1710.7	19957	1.0945
LTE-Band 4 (QPSK	1732.5	20175	1.0945
RB Number: 6 Offset: 0)	1754.3	20393	1.0941

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	1710.7	19957	1.1002
LTE-Band 4 (16QAM	1732.5	20175	1.0989
RB Number: 6 Offset: 0)	1754.3	20393	1.1012

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	1711.5	19965	2.7068
LTE-Band 4 (QPSK	1732.5	20175	2.7094
RB Number: 15 Offset: 0)	1753.5	20385	2.6975

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	1711.5	19965	2.7093
LTE-Band 4 (16QAM	1732.5	20175	2.7114
RB Number: 15 Offset: 0)	1753.5	20385	2.6984



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 121 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	1710.7	19957	4.5062
LTE-Band 4 (QPSK	1732.5	20175	4.5106
RB Number: 25 Offset: 0)	1752.5	20375	4.5175

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	1710.7	19957	4.5065
LTE-Band 4 (16QAM	1732.5	20175	4.5266
RB Number: 25 Offset: 0)	1752.5	20375	4.5010

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	1715.0	20000	8.9472
LTE-Band 4 (QPSK	1732.5	20175	8.9980
RB Number: 50 Offset: 0)	1750.0	20350	8.9949

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	1715.0	20000	8.9654
LTE-Band 4 (16QAM	1732.5	20175	8.9556
RB Number: 50 Offset: 0)	1750.0	20350	8.9726



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 122 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	1717.5	20025	13.4740
LTE-Band 4 (QPSK	1732.5	20175	13.4952
RB Number: 75 Offset: 0)	1747.5	20325	13.4674

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	1717.5	20025	13.4512
LTE-Band 4 (16QAM	1732.5	20175	13.4831
RB Number: 75 Offset: 0)	1747.5	20325	13.4400

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	1720.0	20050	17.8812
LTE-Band 4 (QPSK	1732.5	20175	17.9853
RB Number: 100 Offset: 0)	1745.0	20300	17.8978

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW	1720.0	20050	17.8856
LTE-Band 4 (16QAM	1732.5	20175	17.9791
RB Number: 100 Offset: 0)	1745.0	20300	17.9680

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No.134 WitKungRoad NewTaineiIndustrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 123 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	824.7	20407	1.0934
LTE-Band 5 (QPSK	836.5	20525	1.1023
RB Number: 6 Offset: 0)	848.3	20643	1.0966

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
1.4MHz BW	824.7	20407	1.0898
LTE-Band 5 (16QAM	836.5	20525	1.0995
RB Number: 6 Offset: 0)	848.3	20643	1.1004

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	825.5	20415	2.7000
LTE-Band 5 (QPSK	836.5	20525	2.7085
RB Number: 15 Offset: 0)	847.5	20635	2.7104

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
3MHz BW	825.5	20415	2.6964
LTE-Band 5 (16QAM	836.5	20525	2.7025
RB Number: 15 Offset: 0)	847.5	20635	2.7054



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 124 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	826.5	20425	4.5204
LTE-Band 5 (QPSK	836.5	20525	4.5341
RB Number: 25 Offset: 0)	846.5	20625	4.5267

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	826.5	20425	4.5293
LTE-Band 5 (16QAM	836.5	20525	4.5357
RB Number: 25 Offset: 0)	846.5	20625	4.5090

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	829.0	20450	8.9563
LTE-Band 5 (QPSK	836.5	20525	9.0151
RB Number: 50 Offset: 0)	844.0	20600	8.9551

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	829.0	20450	8.9566
LTE-Band 5 (16QAM	836.5	20525	9.0458
RB Number: 50 Offset: 0)	844.0	20600	8.9524



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 125 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	2502.5	20775	4.5324
LTE-Band 7 (QPSK	2535.0	21100	4.5092
RB Number: 25 Offset: 0)	2567.5	21425	4.5351

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
5MHz BW	2502.5	20775	4.5344
LTE-Band 7 (16QAM	2535.0	21100	4.5137
RB Number: 25 Offset: 0)	2567.5	21425	4.5208

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	2505.0	20800	8.9703
LTE-Band 7 (QPSK	2535.0	21100	8.9709
RB Number: 50 Offset: 0)	2565.0	21400	8.9812

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
10MHz BW	2505.0	20800	8.9705
LTE-Band 7 (16QAM	2535.0	21100	8.9778
RB Number: 50 Offset: 0)	2565.0	21400	8.9894



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 126 of 774

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW	2507.5	20825	13.4803
LTE-Band 7 (QPSK	2535.0	21100	13.4923
RB Number: 75 Offset: 0)	2562.5	21375	13.4595

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
15MHz BW LTE-Band 7 (16QAM RB Number: 75 Offset: 0)	2507.5	20825	13.4560
	2535.0	21100	13.4508
	2562.5	21375	13.4576

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW LTE-Band 7 (QPSK RB Number: 100 Offset: 0)	2510.0	20850	17.9166
	2535.0	21100	17.9380
	2560.0	21350	17.9306

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
20MHz BW LTE-Band 7 (16QAM RB Number: 100 Offset: 0)	2510.0	20850	17.9778
	2535.0	21100	17.9760
	2560.0	21350	18.0127

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No.134 WitKungRoad NewTaineiIndustrialPark Wukuplistrict. NewTaineiCity. Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 127 of 774

99% Bandwidth Test Data

Figure 8-1: GSM 850 Channel Low





Figure 8-2: GSM 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com

Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 128 of 774

Figure 8-3: GSM 850 Channel High





Figure 8-4: GSM 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 129 of 774

Figure 8-5: GSM 1900 Channel Mid





Figure 8-6: GSM 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 130 of 774

Figure 8-7: GPRS 850 Channel Low





Figure 8-8: GPRS 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 131 of 774

Figure 8-9: GPRS 850 Channel High





Figure 8-10: GPRS 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 132 of 774







Figure 8-12: GPRS 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 133 of 774

Figure 8-13: EDGE 850 Channel Low





Figure 8-14: EDGE 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 134 of 774

Figure 8-15: EDGE 850 Channel High





Figure 8-16: EDGE 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 135 of 774






Figure 8-18: EDGE 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 136 of 774







Figure 8-20: WCDMA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 137 of 774







Figure 8-22: WCDMA IV Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 138 of 774







Figure 8-24: WCDMA IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 139 of 774

Figure 8-25: WCDMA V Channel Low





Figure 8-26: WCDMA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 140 of 774







Figure 8-28: HSDPA II Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 141 of 774







Figure 8-30: HSDPA II Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 142 of 774

Figure 8-31: HSDPA IV Channel Low




Figure 8-32: HSDPA IV Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 143 of 774





Figure 8-34: HSDPA V Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 144 of 774







Figure 8-36: HSDPA V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 145 of 774







Figure 8-38: HSUPA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 146 of 774







Figure 8-40: HSUPA IV Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 147 of 774

Figure 8-41: HSUPA IV Channel Mid





Figure 8-42: HSUPA IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 148 of 774






Figure 8-44: HSUPA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 149 of 774

Figure 8-45: HSUPA V Channel High



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the proposition from exercision Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 150 of 774

Figure 8-46: 1.4MHz BW LTE-Band 2(QPSK RB Number: 6 Offset: 0) Channel Low





Figure 8-47: 1.4MHz BW LTE-Band 2(QPSK RB Number: 6 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 151 of 774

Figure 8-48: 1.4MHz BW LTE-Band 2(QPSK RB Number: 6 Offset: 0) Channel High





Figure 8-49: 1.4MHz BW LTE-Band 2(16QAM RB Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 152 of 774

Figure 8-50: 1.4MHz BW LTE-Band 2(16QAM RB Number: 6 Offset: 0) Channel Mid





Figure 8-51: 1.4MHz BW LTE-Band 2(16QAM RB Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 153 of 774

Figure 8-52: 3MHz BW LTE-Band 2(QPSK RB Number: 15 Offset: 0) Channel Low





Figure 8-53: 3MHz BW LTE-Band 2(QPSK RB Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 154 of 774

Figure 8-54: 3MHz BW LTE-Band 2(QPSK RB Number: 15 Offset: 0) Channel High





Figure 8-55: 3MHz BW LTE-Band 2(16QAM RB Number: 15 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 155 of 774

Figure 8-56: 3MHz BW LTE-Band 2(16QAM RB Number: 15 Offset: 0) Channel Mid





Figure 8-57: 3MHz BW LTE-Band 2(16QAM RB Number: 15 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 156 of 774

Figure 8-58: 5MHz BW LTE-Band 2(QPSK RB Number: 25 Offset: 0) Channel Low





Figure 8-59: 5MHz BW LTE-Band 2(QPSK RB Number: 25 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 157 of 774

Figure 8-60: 5MHz BW LTE-Band 2(QPSK RB Number: 25 Offset: 0) Channel High





Figure 8-61: 5MHz BW LTE-Band 2(16QAM RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 158 of 774

Figure 8-62: 5MHz BW LTE-Band 2(16QAM RB Number: 25 Offset: 0) Channel Mid





Figure 8-63: 5MHz BW LTE-Band 2(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 159 of 774

Figure 8-64: 10MHz BW LTE-Band 2(QPSK RB Number: 50 Offset: 0) Channel Low





Figure 8-65: 10MHz BW LTE-Band 2(QPSK RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 160 of 774

Figure 8-66: 10MHz BW LTE-Band 2 (QPSK RB Number: 50 Offset: 0) Channel High





Figure 8-67: 10MHz BW LTE-Band 2(16QAM RB Number: 50 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 161 of 774

Figure 8-68: 10MHz BW LTE-Band 2(16QAM RB Number: 50 Offset: 0) Channel Mid





Figure 8-69: 10MHz BW LTE-Band 2(16QAM RB Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 162 of 774

Figure 8-70: 15MHz BW LTE-Band 2(QPSK RB Number: 75 Offset: 0) Channel Low





Figure 8-71: 15MHz BW LTE-Band 2(QPSK RB Number: 75 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 163 of 774

Figure 8-72: 15MHz BW LTE-Band 2(QPSK RB Number: 75 Offset: 0) Channel High





Figure 8-73: 15MHz BW LTE-Band 2(16QAM RB Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 164 of 774

Figure 8-74: 15MHz BW LTE-Band 2(16QAM RB Number: 75 Offset: 0) Channel Mid





Figure 8-75: 15MHz BW LTE-Band 2(16QAM RB Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 165 of 774

Figure 8-76: 20MHz BW LTE-Band 2(QPSK RB Number: 100 Offset: 0) Channel Low





Figure 8-77: 20MHz BW LTE-Band 2(QPSK RB Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 166 of 774

Figure 8-78: 20MHz BW LTE-Band 2(QPSK RB Number: 100 Offset: 0) Channel High





Figure 8-79: 20MHz BW LTE-Band 2(16QAM RB Number: 100 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 167 of 774

Figure 8-80: 20MHz BW LTE-Band 2(16QAM RB Number: 100 Offset: 0) Channel Mid





Figure 8-81: 20MHz BW LTE-Band 2(16QAM RB Number: 100 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 168 of 774

Figure 8-82: 1.4MHz BW LTE-Band 4(QPSK RB Number: 6 Offset: 0) Channel Low





Figure 8-83: 1.4MHz BW LTE-Band 4(QPSK RB Number: 6 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 169 of 774

Figure 8-84: 1.4MHz BW LTE-Band 4(QPSK RB Number: 6 Offset: 0) Channel High





Figure 8-85: 1.4MHz BW LTE-Band 4(16QAM RB Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 170 of 774

Figure 8-86: 1.4MHz BW LTE-Band 4(16QAM RB Number: 6 Offset: 0) Channel Mid





Figure 8-87: 1.4MHz BW LTE-Band 4(16QAM RB Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 171 of 774







Figure 8-89: 3MHz BW LTE-Band 4(QPSK RB Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 172 of 774

Figure 8-90: 3MHz BW LTE-Band 4(QPSK RB Number: 15 Offset: 0) Channel High





Figure 8-91: 3MHz BW LTE-Band 4(16QAM RB Number: 15 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 173 of 774

Figure 8-92: 3MHz BW LTE-Band 4(16QAM RB Number: 15 Offset: 0) Channel Mid





Figure 8-93: 3MHz BW LTE-Band 4(16QAM RB Number: 15 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 174 of 774

Figure 8-94: 5MHz BW LTE-Band 4(QPSK RB Number: 25 Offset: 0) Channel Low





Figure 8-95: 5MHz BW LTE-Band 4(QPSK RB Number: 25 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 175 of 774

Figure 8-96: 5MHz BW LTE-Band 4(QPSK RB Number: 25 Offset: 0) Channel High





Figure 8-97: 5MHz BW LTE-Band 4(16QAM RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 176 of 774

Figure 8-98: 5MHz BW LTE-Band 4(16QAM RB Number: 25 Offset: 0) Channel Mid





Figure 8-99: 5MHz BW LTE-Band 4(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 177 of 774

Figure 8-100: 10MHz BW LTE-Band 4(QPSK RB Number: 50 Offset: 0) Channel Low





Figure 8-101: 10MHz BW LTE-Band 4(QPSK RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 178 of 774

Figure 8-102: 10MHz BW LTE-Band 4(QPSK RB Number: 50 Offset: 0) Channel High





Figure 8-103: 10MHz BW LTE-Band 4(16QAM RB Number: 50 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 179 of 774

Figure 8-104: 10MHz BW LTE-Band 4(16QAM RB Number: 50 Offset: 0) Channel Mid





Figure 8-105: 10MHz BW LTE-Band 4(16QAM RB Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 180 of 774

Figure 8-106: 15MHz BW LTE-Band 4(QPSK RB Number: 75 Offset: 0) Channel Low





Figure 8-107: 15MHz BW LTE-Band 4(QPSK RB Number: 75 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 181 of 774

Figure 8-108: 15MHz BW LTE-Band 4(QPSK RB Number: 75 Offset: 0) Channel High





Figure 8-109: 15MHz BW LTE-Band 4(16QAM RB Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 182 of 774

Figure 8-110: 15MHz BW LTE-Band 4(16QAM RB Number: 75 Offset: 0) Channel Mid





Figure 8-111: 15MHz BW LTE-Band 4(16QAM RB Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 183 of 774

Figure 8-112: 20MHz BW LTE-Band 4(QPSK RB Number: 100 Offset: 0) Channel Low





Figure 8-113: 20MHz BW LTE-Band 4(QPSK RB Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 184 of 774

Figure 8-114: 20MHz BW LTE-Band 4(QPSK RB Number: 100 Offset: 0) Channel High





Figure 8-115: 20MHz BW LTE-Band 4(16QAM RB Number: 100 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 185 of 774

Figure 8-116: 20MHz BW LTE-Band 4(16QAM RB Number: 100 Offset: 0) Channel Mid





Figure 8-117: 20MHz BW LTE-Band 4(16QAM RB Number: 100 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 186 of 774

Figure 8-118: 1.4MHz BW LTE-Band 5(QPSK RB Number: 6 Offset: 0) Channel Low





Figure 8-119: 1.4MHz BW LTE-Band 5(QPSK RB Number: 6 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 187 of 774

Figure 8-120: 1.4MHz BW LTE-Band 5(QPSK RB Number: 6 Offset: 0) Channel High





Figure 8-121: 1.4MHz BW LTE-Band 5(16QAM RB Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 188 of 774

Figure 8-122: 1.4MHz BW LTE-Band 5(16QAM RB Number: 6 Offset: 0) Channel Mid





Figure 8-123: 1.4MHz BW LTE-Band 5(16QAM RB Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 189 of 774

Figure 8-124: 3MHz BW LTE-Band 5(QPSK RB Number: 15 Offset: 0) Channel Low





Figure 8-125: 3MHz BW LTE-Band 5(QPSK RB Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 190 of 774

Figure 8-126: 3MHz BW LTE-Band 5(QPSK RB Number: 15 Offset: 0) Channel High





Figure 8-127: 3MHz BW LTE-Band 5(16QAM RB Number: 15 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 191 of 774

Figure 8-128: 3MHz BW LTE-Band 5(16QAM RB Number: 15 Offset: 0) Channel Mid





Figure 8-129: 3MHz BW LTE-Band 5(16QAM RB Number: 15 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 192 of 774

Figure 8-130: 5MHz BW LTE-Band 5(QPSK RB Number: 25 Offset: 0) Channel Low





Figure 8-131: 5MHz BW LTE-Band 5(QPSK RB Number: 25 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 193 of 774

Figure 8-132: 5MHz BW LTE-Band 5(QPSK RB Number: 25 Offset: 0) Channel High





Figure 8-133: 5MHz BW LTE-Band 5(16QAM RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 194 of 774

Figure 8-134: 5MHz BW LTE-Band 5(16QAM RB Number: 25 Offset: 0) Channel Mid





Figure 8-135: 5MHz BW LTE-Band 5(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 195 of 774

Figure 8-136: 10MHz BW LTE-Band 5(QPSK RB Number: 50 Offset: 0) Channel Low





Figure 8-137: 10MHz BW LTE-Band 5(QPSK RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 196 of 774

Figure 8-138: 10MHz BW LTE-Band 5(QPSK RB Number: 50 Offset: 0) Channel High





Figure 8-139: 10MHz BW LTE-Band 5(16QAM RB Number: 50 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 197 of 774

Figure 8-140: 10MHz BW LTE-Band 5(16QAM RB Number: 50 Offset: 0) Channel Mid





Figure 8-141: 10MHz BW LTE-Band 5(16QAM RB Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 198 of 774

Figure 8-142: 5MHz BW LTE-Band 7(QPSK RB Number: 25 Offset: 0) Channel Low





Figure 8-143: 5MHz BW LTE-Band 7(QPSK RB Number: 25 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 199 of 774

Figure 8-144: 5MHz BW LTE-Band 7(OPSK RB Number: 25 Offset: 0) Channel High





Figure 8-145: 5MHz BW LTE-Band 7(16QAM RB Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 200 of 774

Figure 8-146: 5MHz BW LTE-Band 7(16QAM RB Number: 25 Offset: 0) Channel Mid





Figure 8-147: 5MHz BW LTE-Band 7(16QAM RB Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 201 of 774

Figure 8-148: 10MHz BW LTE-Band 7 (QPSK RB Number: 50 Offset: 0) Channel Low





Figure 8-149: 10MHz BW LTE-Band 7(QPSK RB Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 202 of 774

Figure 8-150: 10MHz BW LTE-Band 7(QPSK RB Number: 50 Offset: 0) Channel High





Figure 8-151: 10MHz BW LTE-Band 7 (16QAM RB Number: 50 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 203 of 774

Figure 8-152: 10MHz BW LTE-Band 7(16QAM RB Number: 50 Offset: 0) Channel Mid





Figure 8-153: 10MHz BW LTE-Band 7(16QAM RB Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 204 of 774

Figure 8-154: 15MHz BW LTE-Band 7 (QPSK RB Number: 75 Offset: 0) Channel Low





Figure 8-155: 15MHz BW LTE-Band 7(QPSK RB Number: 75 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 205 of 774

Figure 8-156: 15MHz BW LTE-Band 7(QPSK RB Number: 75 Offset: 0) Channel High





Figure 8-157: 15MHz BW LTE-Band 7 (16QAM RB Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 206 of 774

Figure 8-158: 15MHz BW LTE-Band 7(16QAM RB Number: 75 Offset: 0) Channel Mid





Figure 8-159: 15MHz BW LTE-Band 7(16QAM RB Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 207 of 774

Figure 8-160: 20MHz BW LTE-Band 7 (QPSK RB Number: 100 Offset: 0) Channel Low





Figure 8-161: 20MHz BW LTE-Band 7(QPSK RB Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 208 of 774

Figure 8-162: 20MHz BW LTE-Band 7(QPSK RB Number: 100 Offset: 0) Channel High





Figure 8-163: 20MHz BW LTE-Band 7 (16QAM RB Number: 100 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 209 of 774

Figure 8-164: 20MHz BW LTE-Band 7(16QAM RB Number: 100 Offset: 0) Channel Mid





Figure 8-165: 20MHz BW LTE-Band 7(16QAM RB Number: 100 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 210 of 774

OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable:

According to FCC §2.1051.

FCC §22.917(a), §24.238(a), §27.53(g)(h) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm). §27.53 (m) (4) shall not be less than 55 +10log(mean output power in watt) dBc below the mean power output outside a license's frequency block (-25dBm).

100KHz Bandedge:

FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 211 of 774

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P) dB$ on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in § 27.53(m)(6). In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015


Page: 212 of 774

9.2. Test SET-UP:

Out of band emission



Band Edge



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 213 of 774

9.3. Measurement Procedure:

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

For the out of band: Set the RBW, VBW = 1MHz, Start=30MHz, Stop= 10 th harmonic. Limit = -13dBm.

Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions. Limit, -13dBm.

- h) For operations in the 1710–1755 MHz and 2110–2155 MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least 43 + 10 log10 (P) dB. Limit, -13dBm
- (1) Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. Limit, -13dBm

Conducted Emission:

- 1 To connect Antenna Port of EUT to Spectrum.
- Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- Sweep the frequency to determine spurious emission as seen on spectrum from span of 30 to 1G, 3、 1G to 2.5G, 2.5G to 7.5G, 7.5G to 10G, 10G to 15G and 15G to 20GHz
- Via Software, combine 6 spans of frequency range into one plot

9.4. Measurement Equipment Used:

Refer to section 2.4 in this report

9.5. Measurement Result:

Refer to next pages.

NOTE: the occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488


SGS Taiwan Ltd.




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 214 of 774

Figure 9-1: Out of Band emission at antenna terminals – GSM 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 215 of 774

Figure 9-2: Out of Band emission at antenna terminals – GSM 850 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 216 of 774

Figure 9-3: Out of Band emission at antenna terminals – GSM 850 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 217 of 774

Out of Band emission at antenna terminals – GSM 850

Fundamental Frequency :824.2 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1648.40	Н		-13.00	
2472.60	Н		-13.00	
3296.80	Н		-13.00	
4121.00	Н		-13.00	
4945.20	Н		-13.00	
5769.40	Н		-13.00	
6593.60	Н		-13.00	
6780.00	S	-25.37	-13.00	12.37
7417.80	Н		-13.00	
8242.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 218 of 774

Fundamental Frequency :836.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1673.20	Н		-13.00	
2509.80	Н		-13.00	
3346.40	Н		-13.00	
4183.00	Н		-13.00	
5019.60	Н		-13.00	
5856.20	Н		-13.00	
6692.80	Н		-13.00	
7529.40	Н		-13.00	
7632.00	S	-25.11	-13.00	12.11
8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 219 of 774

Fundamental Frequency :848.8MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1697.60	Н		-13.00	
2546.40	Н		-13.00	
3395.20	Н		-13.00	
4244.00	Н		-13.00	
5092.80	Н		-13.00	
5941.60	Н		-13.00	
6790.40	Н		-13.00	
7013.00	S	-25.83	-13.00	12.83
7639.20	Н		-13.00	
8488.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 220 of 774

Figure 9-4: Band edge emission at antenna terminals – GSM 850 Channel Lowest




Figure 9-5: Band edge emission at antenna terminals – GSM 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 221 of 774

Band edge emission at antenna terminals - GSM 850 Low & High

Test Mode **GSM** 850 Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
823.997	-24.42	-13.00	11.42
849.019	-24.94	-13.00	11.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 222 of 774

Figure 9-6: Out of Band emission at antenna terminals – GSM 1900 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 223 of 774

Figure 9-7: Out of Band emission at antenna terminals – GSM 1900 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488 www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 224 of 774

Figure 9-8: Out of Band emission at antenna terminals – GSM 1900 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 225 of 774

Out of Band emission at antenna terminals - GSM 1900

Fundamental Frequency :1850.2 MHz Engineer :Marcus

Operation Mode :TX Low

Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
S		-13.00	
S		-13.00	
Н		-13.00	
S	-22.28	-13.00	9.28
	S S H H H H H H H H H H H H H H H H H H	S S H H H H H H H H H H H H	F/H/E/S dBm dBm S -13.00 S -13.00 H -13.00

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 226 of 774

Fundamental Frequency :1880.0 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3760.00	Н		-13.00	
5640.00	Н		-13.00	
7520.00	Н		-13.00	
9400.00	Н		-13.00	
11280.00	Н		-13.00	
13160.00	Н		-13.00	
15040.00	Н		-13.00	
16920.00	Н		-13.00	
18800.00	Н		-13.00	
19860.00	S	-22.08	-13.00	9.08

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 227 of 774

Fundamental Frequency :1909.8 MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3819.60	Н		-13.00	
5729.40	Н		-13.00	
7639.20	Н		-13.00	
9549.00	Н		-13.00	
11458.80	Н		-13.00	
13368.60	Н		-13.00	
15278.40	Н		-13.00	
17188.20	Н		-13.00	
19090.00	S	-22.51	-13.00	9.51
19098.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 228 of 774

Figure 9-9: Band edge emission at antenna terminals – GSM 1900 Channel Lowest



Figure 9-10: Band edge emission at antenna terminals – GSM 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 229 of 774

Band edge emission at antenna terminals - GSM 1900 Low & High

Test Mode GSM 1900 Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1040.070	-29.86	-13.00	16.86
1849.978 1910.017	-27.81	-13.00	14.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 230 of 774

Figure 9-11: Out of Band emission at antenna terminals – GPRS 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 231 of 774

Figure 9-12: Out of Band emission at antenna terminals – GPRS 850 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 232 of 774

Figure 9-13: Out of Band emission at antenna terminals – GPRS 850 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 233 of 774

Out of Band emission at antenna terminals - GPRS 850

Fundamental Frequency :824.2 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1648.40	Н		-13.00	
2472.60	Н		-13.00	
3296.80	Н		-13.00	
4121.00	Н		-13.00	
4945.20	Н		-13.00	
5769.40	Н		-13.00	
6593.60	Н		-13.00	
7417.80	Н		-13.00	
7993.00	S	-25.14	-13.00	12.14
8242.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 234 of 774

Fundamental Frequency :836.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1673.20	Н		-13.00	
2509.80	Н		-13.00	
3346.40	Н		-13.00	
4183.00	Н		-13.00	
5019.60	Н		-13.00	
5856.20	Н		-13.00	
6692.80	Н		-13.00	
7529.40	Н		-13.00	
7713.00	S	-25.86	-13.00	12.86
8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 235 of 774

Fundamental Frequency :848.8MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1697.60	Н		-13.00	
2546.40	Н		-13.00	
3395.20	Н		-13.00	
4244.00	Н		-13.00	
5092.80	Н		-13.00	
5941.60	Н		-13.00	
6790.40	Н		-13.00	
7107.00	S	-25.83	-13.00	12.83
7639.20	Н		-13.00	
8488.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 236 of 774

Figure 9-14: Band edge emission at antenna terminals – GPRS 850 Channel Lowest



Figure 9-15: Band edge emission at antenna terminals – GPRS 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 237 of 774

Band edge emission at antenna terminals - GPRS 850 Low & High

Test Mode **GPRS 850** Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
823.980	-27.20	-13.00	14.20
849.010	-26.18	-13.00	13.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 238 of 774

Figure 9-16: Out of Band emission at antenna terminals – GPRS 1900 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 239 of 774

Figure 9-17: Out of Band emission at antenna terminals – GPRS 1900 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 240 of 774

Figure 9-18: Out of Band emission at antenna terminals – GPRS 1900 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 241 of 774

Out of Band emission at antenna terminals - GPRS 1900

Fundamental Frequency :1850.2 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3700.40	Н		-13.00	
5550.60	Н		-13.00	
7400.80	Н		-13.00	
9251.00	Н		-13.00	
11101.20	Н		-13.00	
12951.40	Н		-13.00	
14801.60	Н		-13.00	
16651.80	Н		-13.00	
18502.00	Н		-13.00	
19090.00	S	-22.75	-13.00	9.75

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 242 of 774

Fundamental Frequency :1880.0 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3760.00	Н		-13.00	
5640.00	Н		-13.00	
7520.00	Н		-13.00	
9400.00	Н		-13.00	
11280.00	Н		-13.00	
13160.00	Н		-13.00	
15040.00	Н		-13.00	
16370.00	S	-21.56	-13.00	8.56
16920.00	Н		-13.00	
18800.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 243 of 774

Fundamental Frequency :1909.8 MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3819.60	Н		-13.00	
5729.40	Н		-13.00	
7639.20	Н		-13.00	
9549.00	Н		-13.00	
11458.80	Н		-13.00	
13368.60	Н		-13.00	
15278.40	Н		-13.00	
17188.20	Н		-13.00	
19098.00	Н		-13.00	
19600.00	S	-23.05	-13.00	10.05

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 244 of 774

Figure 9-19: Band edge emission at antenna terminals – GPRS 1900 Channel Lowest





Figure 9-20: Band edge emission at antenna terminals – GPRS 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 245 of 774

Band edge emission at antenna terminals - GPRS 1900 Low & High

Test Mode **GPRS** 1900 Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1849.995	-30.39	-13.00	17.39
1910.019	-28.49	-13.00	15.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 246 of 774

Figure 9-21: Out of Band emission at antenna terminals – EDGE 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 247 of 774

Figure 9-22: Out of Band emission at antenna terminals – EDGE 850 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 248 of 774

Figure 9-23: Out of Band emission at antenna terminals – EDGE 850 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 249 of 774

Out of Band emission at antenna terminals - EDGE 850

Fundamental Frequency :824.2 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1648.40	Н		-13.00	
2472.60	Н		-13.00	
3296.80	Н		-13.00	
4121.00	Н		-13.00	
4945.20	Н		-13.00	
5769.40	Н		-13.00	
6593.60	Н		-13.00	
7417.80	Н		-13.00	
8133.00	S	-25.26	-13.00	12.26
8242.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 250 of 774

Fundamental Frequency :836.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1673.20	Н		-13.00	
2509.80	Н		-13.00	
3346.40	Н		-13.00	
4183.00	Н		-13.00	
5019.60	Н		-13.00	
6692.80	Н		-13.00	
7529.40	Н		-13.00	
7970.00	S	-25.68	-13.00	12.68
8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 251 of 774

Fundamental Frequency :848.8MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1697.60	Н		-13.00	
2546.40	Н		-13.00	
3395.20	Н		-13.00	
4244.00	Н		-13.00	
5092.80	Н		-13.00	
5941.60	Н		-13.00	
6790.40	Н		-13.00	
7639.20	Н		-13.00	
7842.00	S	-26.21	-13.00	13.21
8488.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 252 of 774

Figure 9-24: Band edge emission at antenna terminals – EDGE 850 Channel Lowest



Figure 9-25: Band edge emission at antenna terminals – EDGE 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 253 of 774

Band edge emission at antenna terminals – EDGE 850 Low & High

Test Mode **EDGE 850** Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
000 005	-33.59	-13.00	20.50
823.997 849.02	-33.39 -32.95	-13.00	20.59 19.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 254 of 774

Figure 9-26: Out of Band emission at antenna terminals – EDGE 1900 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 255 of 774

Figure 9-27: Out of Band emission at antenna terminals – EDGE 1900 Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 256 of 774

Figure 9-28: Out of Band emission at antenna terminals – EDGE 1900 Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 257 of 774

Out of Band emission at antenna terminals – EDGE 1900

Fundamental Frequency :1850.2 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3700.40	Н		-13.00	
5550.60	Н		-13.00	
7400.80	Н		-13.00	
9251.00	Н		-13.00	
11101.20	Н		-13.00	
12951.40	Н		-13.00	
14801.60	Н		-13.00	
16320.00	S	-22.47	-13.00	9.47
16651.80	Н		-13.00	
18502.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 258 of 774

Fundamental Frequency :1880.0 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3760.00	Н		-13.00	
5640.00	Н		-13.00	
7520.00	Н		-13.00	
9400.00	Н		-13.00	
11280.00	Н		-13.00	
13160.00	Н		-13.00	
15040.00	Н		-13.00	
16920.00	Н		-13.00	
18800.00	Н		-13.00	
18920.00	S	-22.44	-13.00	9.44

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 259 of 774

Fundamental Frequency :1909.8 MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3819.60	Н		-13.00	
5729.40	Н		-13.00	
7639.20	Н		-13.00	
9549.00	Н		-13.00	
11458.80	Н		-13.00	
13368.60	Н		-13.00	
15278.40	Н		-13.00	
16430.00	S	-22.95	-13.00	9.95
17188.20	Н		-13.00	
19098.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 260 of 774

Figure 9-29: Band edge emission at antenna terminals – EDGE 1900 Channel Lowest





Figure 9-30: Band edge emission at antenna terminals – EDGE 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 261 of 774

Band edge emission at antenna terminals - EDGE 1900 Low & High

Test Mode EDGE 1900: Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1849.985	-35.04	-13.00	22.04
1910.020	-34.96	-13.00	21.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 262 of 774

Figure 9-31: Out of Band emission at antenna terminals – WCDMA II Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 263 of 774

Figure 9-32: Out of Band emission at antenna terminals – WCDMA II Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 264 of 774

Figure 9-33: Out of Band emission at antenna terminals – WCDMA II Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 265 of 774

Out of Band emission at antenna terminals - WCDMA II

Fundamental Frequency :1852.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3704.80	Н		-13.00	
5557.20	H		-13.00	
7409.60	Н		-13.00	
9262.00	Н		-13.00	
11114.40	Н		-13.00	
12966.80	Н		-13.00	
13738.00	S	-20.52	-13.00	7.52
14819.20	Н		-13.00	
16671.60	Н		-13.00	
18524.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 266 of 774

Fundamental Frequency :1880.0 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3760.00	Н		-13.00	
5640.00	Н		-13.00	
7520.00	Н		-13.00	
9400.00	Н		-13.00	
11280.00	Н		-13.00	
13160.00	Н		-13.00	
13540.00	S	-20.20	-13.00	7.20
15040.00	Н		-13.00	
16920.00	Н		-13.00	
18800.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 267 of 774

Fundamental Frequency :1907.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
< 30	S		-13.00	
30-1000	S		-13.00	
3815.20	Н		-13.00	
5722.80	Н		-13.00	
7630.40	Н		-13.00	
9538.00	Н		-13.00	
11445.60	Н		-13.00	
13353.20	Н		-13.00	
13795.00	S	-20.38	-13.00	7.38
15260.80	Н		-13.00	
17168.40	Н		-13.00	
19076.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 268 of 774

Figure 9-34: Band edge emission at antenna terminals – WCDMA II Channel Lowest





Figure 9-35: Band edge emission at antenna terminals – WCDMA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 269 of 774

Band edge emission at antenna terminals - WCDMA II Low & High

Test Mode WCDMA II Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1849.983	-19.10	-13.00	6.10
1910.003	-17.32	-13.00	4.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 270 of 774

Figure 9-36: Out of Band emission at antenna terminals – WCDMA IV Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 271 of 774

Figure 9-37: Out of Band emission at antenna terminals – WCDMA IV Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 272 of 774

Figure 9-38: Out of Band emission at antenna terminals – WCDMA IV Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 273 of 774

Out of Band emission at antenna terminals - WCDMA IV

Fundamental Frequency 1712.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3424.80	Н		-13.00	
5137.20	Н		-13.00	
6849.60	Н		-13.00	
8562.00	Н		-13.00	
10274.40	Н		-13.00	
11986.80	Н		-13.00	
13682.00	S	-19.71	-13.00	6.71
13699.20	Н		-13.00	
15411.60	Н		-13.00	
17124.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 274 of 774

Fundamental Frequency :1732.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3465.20	Н		-13.00	
5197.80	Н		-13.00	
6930.40	Н		-13.00	
8663.00	Н		-13.00	
10395.60	Н		-13.00	
12128.20	Н		-13.00	
13540.00	S	-19.95	-13.00	6.95
13860.80	Н		-13.00	
15593.40	Н		-13.00	
17326.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 275 of 774

Fundamental Frequency 1752.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3505.20	Н		-13.00	
5257.80	Н		-13.00	
7010.40	Н		-13.00	
8763.00	Н		-13.00	
10515.60	Н		-13.00	
12268.20	Н		-13.00	
14020.80	Н		-13.00	
14532.00	S	-20.29	-13.00	7.29
15773.40	Н		-13.00	
17526.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 276 of 774

Figure 9-39: Band edge emission at antenna terminals – WCDMA IV Channel Lowest



Figure 9-40: Band edge emission at antenna terminals – WCDMA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 277 of 774

Band edge emission at antenna terminals - WCDMA IV Low & High

Test Mode WCDMA IV Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1709.997	-18.28	-13.00	5.28
1755.003	-18.17	-13.00	5.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 278 of 774

Figure 9-41: Out of Band emission at antenna terminals – WCDMA V Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 279 of 774

Figure 9-42: Out of Band emission at antenna terminals – WCDMA V Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 280 of 774

Figure 9-43: Out of Band emission at antenna terminals – WCDMA V Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 281 of 774

Out of Band emission at antenna terminals - WCDMA V

Fundamental Frequency :826.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1652.80	Н		-13.00	
2479.20	Н		-13.00	
3305.60	Н		-13.00	
4132.00	Н		-13.00	
4958.40	Н		-13.00	
5784.80	Н		-13.00	
6611.20	Н		-13.00	
6803.00	S	-21.95	-13.00	8.95
7437.60	Н		-13.00	
8264.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 282 of 774

Fundamental Frequency :836.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1673.20	Н		-13.00	
2509.80	Н		-13.00	
3346.40	Н		-13.00	
4183.00	Н		-13.00	
5019.60	Н		-13.00	
5856.20	Н		-13.00	
6692.80	Н		-13.00	
6955.00	S	-22.35	-13.00	9.35
7529.40	Н		-13.00	
8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 283 of 774

Fundamental Frequency :846.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1693.20	Н		-13.00	
2539.80	Н		-13.00	
3386.40	Н		-13.00	
4233.00	Н		-13.00	
5079.60	Н		-13.00	
5926.20	Н		-13.00	
6772.80	Н		-13.00	
7619.40	Н		-13.00	
7713.00	S	-21.86	-13.00	8.86
8466.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 284 of 774

Figure 9-44: Band edge emission at antenna terminals – WCDMA V Channel Lowest





Figure 9-45: Band edge emission at antenna terminals – WCDMA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 285 of 774

Band edge emission at antenna terminals - WCDMA V Low & High

Test Mode WCDMA V Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
823.997	-20.02	-13.00	7.02
849.003	-20.36	-13.00	7.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 286 of 774

Figure 9-46: Out of Band emission at antenna terminals – HSDPA II Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 287 of 774

Figure 9-47: Out of Band emission at antenna terminals – HSDPA II Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 288 of 774

Figure 9-48: Out of Band emission at antenna terminals – HSDPA II Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 289 of 774

Out of Band emission at antenna terminals - HSDPA II

Fundamental Frequency :1852.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3704.80	Н		-13.00	
5557.20	Н		-13.00	
7409.60	Н		-13.00	
9262.00	Н		-13.00	
11114.40	Н		-13.00	
12966.80	Н		-13.00	
14819.20	Н		-13.00	
14928.00	S	-19.7	-13.00	6.70
16671.60	Н		-13.00	
18524.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 290 of 774

Fundamental Frequency :1880.0 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3760.00	Н		-13.00	
5640.00	Н		-13.00	
7520.00	Н		-13.00	
9400.00	Н		-13.00	
11280.00	Н		-13.00	
13160.00	Н		-13.00	
13682.00	S	-19.54	-13.00	6.54
15040.00	Н		-13.00	
16920.00	Н		-13.00	
18800.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 291 of 774

Fundamental Frequency :1907.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3815.20	Н		-13.00	
5722.80	Н		-13.00	
7630.40	Н		-13.00	
9538.00	Н		-13.00	
11445.60	Н		-13.00	
13353.20	Н		-13.00	
13540.00	S	-19.66	-13.00	6.66
15260.80	Н		-13.00	
17168.40	Н		-13.00	
19076.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 292 of 774

Figure 9-49: Band edge emission at antenna terminals – HSDPA II Channel Lowest





Figure 9-50: Band edge emission at antenna terminals – HSDPA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 293 of 774

Band edge emission at antenna terminals – HSDPA II Low & High

Test Mode **HSDPA II** Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1849.987	-20.62	-13.00	7.62
1910.003	-20.37	-13.00	7.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 294 of 774

Figure 9-51: Out of Band emission at antenna terminals HSDPA IV Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 295 of 774

Figure 9-52: Out of Band emission at antenna terminals –HSDPA IV Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 296 of 774

Figure 9-53: Out of Band emission at antenna terminals –HSDPA IV Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 297 of 774

Out of Band emission at antenna terminals -HSDPA IV

Fundamental Frequency 1712.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
< 30	S		-13.00	
30-1000	S		-13.00	
3424.80	Н		-13.00	
5137.20	Н		-13.00	
6849.60	Н		-13.00	
8562.00	Н		-13.00	
10274.40	Н		-13.00	
11986.80	Н		-13.00	
13568.00	S	-20.42	-13.00	7.42
13699.20	Н		-13.00	
15411.60	Н		-13.00	
17124.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 298 of 774

Fundamental Frequency :1732.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3465.20	Н		-13.00	
5197.80	Н		-13.00	
6930.40	Н		-13.00	
8663.00	Н		-13.00	
10395.60	Н		-13.00	
12128.20	Н		-13.00	
13682.00	S	-19.62	-13.00	6.62
13860.80	Н		-13.00	
15593.40	Н		-13.00	
17326.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 299 of 774

Fundamental Frequency 1752.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3505.20	Н		-13.00	
5257.80	Н		-13.00	
7010.40	Н		-13.00	
8763.00	Н		-13.00	
10515.60	Н		-13.00	
12268.20	Н		-13.00	
13710.00	S	-19.99	-13.00	6.99
14020.80	Н		-13.00	
15773.40	Н		-13.00	
17526.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 300 of 774

Figure 9-54: Band edge emission at antenna terminals –HSDPA IV Channel Lowest




Figure 9-55: Band edge emission at antenna terminals –HSDPA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 301 of 774

Band edge emission at antenna terminals -HSDPA IV Low & High

Engineer Test Mode **HSDPA IV** :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
4=00.00=	10.62	12.00	((2
1709.997	-19.63	-13.00	6.63
1755.003	-18.69	-13.00	5.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 302 of 774

Figure 9-56: Out of Band emission at antenna terminals – HSDPA V Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 303 of 774

Figure 9-57: Out of Band emission at antenna terminals – HSDPA V Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies stated with earlies test report elect only to the sample(s) tested and such an arrive(s) are retained for 50 days only. Per state of 50 da Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 304 of 774

Figure 9-58: Out of Band emission at antenna terminals – HSDPA V Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 305 of 774

Out of Band emission at antenna terminals - HSDPA V

Fundamental Frequency :826.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1652.80	Н		-13.00	
2479.20	Н		-13.00	
3305.60	Н		-13.00	
4132.00	Н		-13.00	
4958.40	Н		-13.00	
5784.80	Н		-13.00	
6611.20	Н		-13.00	
6978.00	S	-22.01	-13.00	9.01
7437.60	Н		-13.00	
8264.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 306 of 774

Fundamental Frequency :836.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1673.20	Н		-13.00	
2509.80	Н		-13.00	
3346.40	Н		-13.00	
4183.00	Н		-13.00	
5019.60	Н		-13.00	
5856.20	Н		-13.00	
6692.80	Н		-13.00	
7037.00	S	-22.05	-13.00	9.05
	Н		-13.00	
8366.00	Н		-13.00	
5019.60 5856.20 6692.80 7037.00 7529.40	H H H S H	 -22.05 	-13.00 -13.00 -13.00 -13.00	9.05

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 307 of 774

Fundamental Frequency :846.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1693.20	Н		-13.00	
2539.80	Н		-13.00	
3386.40	Н		-13.00	
4233.00	Н		-13.00	
5079.60	Н		-13.00	
5926.20	Н		-13.00	
6772.80	Н		-13.00	
6792.00	S	-21.84	-13.00	8.84
7619.40	Н		-13.00	
8466.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 308 of 774

Figure 9-59: Band edge emission at antenna terminals – HSDPA V Channel Lowest





Figure 9-60: Band edge emission at antenna terminals – HSDPA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 309 of 774

Band edge emission at antenna terminals - HSDPA V Low & High

Test Mode HSDPA V Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
823.997	-20.42	-13.00	7.42
849.003	-21.48	-13.00	8.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 310 of 774

Figure 9-61: Out of Band emission at antenna terminals – HSUPA II Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 311 of 774

Figure 9-62: Out of Band emission at antenna terminals – HSUPA II Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 312 of 774

Figure 9-63: Out of Band emission at antenna terminals – HSUPA II Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 313 of 774

Out of Band emission at antenna terminals - HSUPA II

Fundamental Frequency :1852.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3704.80	Н		-13.00	
5557.20	Н		-13.00	
7409.60	Н		-13.00	
9262.00	Н		-13.00	
11114.40	Н		-13.00	
12966.80	Н		-13.00	
14819.20	Н		-13.00	
15353.00	S	-19.04	-13.00	6.04
16671.60	Н		-13.00	
18524.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 314 of 774

Fundamental Frequency :1880.0 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3760.00	H		-13.00	
5640.00	Н		-13.00	
7520.00	Н		-13.00	
9400.00	Н		-13.00	
11280.00	Н		-13.00	
13160.00	Н		-13.00	
14985.00	S	-20.33	-13.00	7.33
15040.00	Н		-13.00	
16920.00	Н		-13.00	
18800.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 315 of 774

Fundamental Frequency :1907.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3815.20	Н		-13.00	
5722.80	Н		-13.00	
7630.40	H		-13.00	
9538.00	Н		-13.00	
11445.60	Н		-13.00	
13353.20	Н		-13.00	
13427.00	S	-18.77	-13.00	5.77
15260.80	Н		-13.00	
17168.40	Н		-13.00	
19076.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 316 of 774

Figure 9-64: Band edge emission at antenna terminals – HSUPA II Channel Lowest





Figure 9-65: Band edge emission at antenna terminals – HSUPA II Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 317 of 774

Band edge emission at antenna terminals – HSUPA II Low & High

Test Mode **HSUPA II** Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1940 007	-19.42	-13.00	6.42
1849.997 1910.007	-20.83	-13.00	7.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 318 of 774

Figure 9-66: Out of Band emission at antenna terminals -HSUPA IV Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 319 of 774

Figure 9-67: Out of Band emission at antenna terminals -HSUPA IV Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 320 of 774

Figure 9-68: Out of Band emission at antenna terminals –HSUPA IV Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 321 of 774

Out of Band emission at antenna terminals -HSUPA IV

Fundamental Frequency 1712.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3424.80	Н		-13.00	
5137.20	Н		-13.00	
6849.60	Н		-13.00	
8562.00	Н		-13.00	
10274.40	Н		-13.00	
11986.80	Н		-13.00	
13625.00	S	-19.74	-13.00	6.74
13699.20	Н		-13.00	
15411.60	Н		-13.00	
17124.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 322 of 774

Fundamental Frequency :1732.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3465.20	Н		-13.00	
5197.80	Н		-13.00	
6930.40	Н		-13.00	
8663.00	Н		-13.00	
10395.60	Н		-13.00	
12128.20	Н		-13.00	
13710.00	S	-20.34	-13.00	7.34
13860.80	Н		-13.00	
15593.40	Н		-13.00	
17326.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 323 of 774

Fundamental Frequency 1752.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
3505.20	Н		-13.00	
5257.80	Н		-13.00	
7010.40	Н		-13.00	
8763.00	Н		-13.00	
10515.60	Н		-13.00	
12268.20	Н		-13.00	
13653.00	S	-19.21	-13.00	6.21
14020.80	Н		-13.00	
15773.40	Н		-13.00	
17526.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 324 of 774

Figure 9-69: Band edge emission at antenna terminals –HSUPA IV Channel Lowest





Figure 9-70: Band edge emission at antenna terminals –HSUPA IV Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 325 of 774

Band edge emission at antenna terminals -HSUPA IV Low & High

Engineer Test Mode **HSUPA IV** :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
1709.997	-18.74	-13.00	5.74
1755.003	-19.15	-13.00	6.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


www.tw.sqs.com




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 326 of 774

Figure 9-71: Out of Band emission at antenna terminals – HSUPA V Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 327 of 774

Figure 9-72: Out of Band emission at antenna terminals – HSUPA V Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 328 of 774

Figure 9-73: Out of Band emission at antenna terminals – HSUPA V Channel Highest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the earlies at the port fell of the sample(s) tested and such a sample(s) are retained for 50 days offices. Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents at www.sgs.com/terms and conditions for electronic format documents Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 329 of 774

Out of Band emission at antenna terminals - HSUPA V

Fundamental Frequency :826.4 MHz Engineer :Marcus

Operation Mode :TX Low

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1652.80	Н		-13.00	
2479.20	Н		-13.00	
3305.60	Н		-13.00	
4132.00	Н		-13.00	
4958.40	Н		-13.00	
5784.80	Н		-13.00	
6611.20	Н		-13.00	
7437.60	Н		-13.00	
7713.00	S	-22.00	-13.00	9.00
8264.00	Н		-13.00	

Note: "H": denotes Harmonic Frequency. "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full plant of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 330 of 774

Fundamental Frequency :836.6 MHz Engineer :Marcus

Operation Mode :TX Mid

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1673.20	Н		-13.00	
2509.80	Н		-13.00	
3346.40	Н		-13.00	
4183.00	Н		-13.00	
5019.60	Н		-13.00	
5856.20	Н		-13.00	
6692.80	Н		-13.00	
6850.00	S	-22.07	-13.00	9.07
7529.40	Н		-13.00	
8366.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 331 of 774

Fundamental Frequency :846.6MHz Engineer :Marcus

Operation Mode :TX High

Freq. (MHz)	Note F/H/E/S	Reading dBm	Limit dBm	Safe Margin dB
<30	S		-13.00	
30-1000	S		-13.00	
1693.20	H		-13.00	
2539.80	Н		-13.00	
3386.40	Н		-13.00	
4233.00	Н		-13.00	
5079.60	Н		-13.00	
5926.20	Н		-13.00	
6772.80	Н		-13.00	
6932.00	S	-22	-13.00	9.00
7619.40	Н		-13.00	
8466.00	Н		-13.00	

"H": denotes Harmonic Frequency. "S": denotes Spurious Frequency. Note:

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 332 of 774

Figure 9-74: Band edge emission at antenna terminals – HSUPA V Channel Lowest




Figure 9-75: Band edge emission at antenna terminals – HSUPA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2014/B0064 Issue Date: Jan. 09, 2015

Page: 333 of 774

Band edge emission at antenna terminals - HSUPA V Low & High

Test Mode HSUPA V Engineer :Marcus

Freq. MHz	Reading dBm	Limit dBm	Safe Margin dB
823.997	-21.69	-13.00	8.69
849.003	-21.51	-13.00	8.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279