

Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 405 of 566

### FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

# 9.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(g)(h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

FCC §27.53 (m) (4) shall not be less than 55 +10log(mean output power in watt) dBc below the mean power output outside a license's frequency block (-25dBm).

§27.53 (c)

- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least  $43 + 10 \log (P) dB (-13dBm)$
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for elec tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488

Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 406 of 566

# 9.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



# Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 407 of 566

#### 9.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP(dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 408 of 566

### 9.4. Measurement Equipment Used:

ERP,	EIRP MEASUREM	ENT EQUIPM	ENT List 966	Chamber	
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.
		NUMBER	NUMBER		
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	12/22/2014	12/21/2015
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/23/2014	12/22/2015
Bilog Antenna	SCHWAZBECK	VULB9160	3158	10/31/2014	10/30/2015
Horn antenna	ETS.LINDGREN	3117	123995	05/05/2015	05/04/2016
Horn antenna	ETS.LINDGREN	3117	123991	12/19/2014	12/18/2015
Horn Antenna	Schwarzbeck	BBHA9170	184	12/25/2014	12/24/2015
Horn Antenna	Schwarzbeck	BBHA9170	185	07/29/2014	07/28/2015
Network Analyze	Anritsu	MS4644A	1216312	05/23/2015	05/22/2016
Signal Generator	Agilent	E4438C	MY45093613	08/06/2014	08/05/2015
Pre-Amplifier	Agilent	8447D	1937A02834	01/02/2015	01/01/2016
Pre-Amplifier	Agilent	8449B	3008A00578	01/02/2015	01/01/2016
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/02/2015	01/01/2016
Attenuator	Mini-Circuit	BW-S10W2+	004	01/02/2015	01/01/2016
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	10/08/2014	10/09/2015
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R
Controller	HD	HD100	N/A	N.C.R	N.C.R
Low Loss Cable	HUBER+SUHNER	966_Tx	10m	01/02/2015	01/01/2016
Low Loss Cable	HUBER+SUHNER	966_Rx	3m	01/02/2015	01/01/2016
Filter 800-1000	Micro-Tronics	EWT	M2	01/02/2015	01/01/2016
Filter 1800-2000	Micro-Tronics	EWT	M2	01/02/2015	01/01/2016
Filter 1700-1800	Micro-Tronics	BRC15751	001	01/02/2015	01/01/2016
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2015	01/01/2016
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2015	01/01/2016
3m Site NSA	SGS	966 chamber	N/A	07/15/2014	07/14/2015

Unless otherwise stated the results shown in this test report refer only to the sample(s) ested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留0天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approached its independent is unleasted and the processor of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 409 of 566

#### 9.5. Measurement Result:

Radiated Spurious Emission Measurement Result: GSM 850 Mode


**ARFCN** :CH 128 :2015-06-11 Test Date

:GSM 850 **Operation Band** Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :824.2 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
82.38	S	-52.37	-49.13	-2.18	-1.06	-13.00	-39.37
235.64	S	-73.87	-75.58	3.30	-1.59	-13.00	-60.87
412.18	S	-75.20	-76.80	3.55	-1.95	-13.00	-62.20
524.70	S	-70.70	-71.93	3.67	-2.44	-13.00	-57.70
590.66	S	-68.10	-68.81	3.47	-2.77	-13.00	-55.10
772.05	S	-58.17	-58.77	3.35	-2.75	-13.00	-45.17
1648.40	Н	-54.43	-53.27	3.05	-4.21	-13.00	-41.43
2472.60	Н	-38.42	-36.69	3.59	-5.32	-13.00	-25.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) tested to the retained for 90 days only. See the tested for 90 days only. See the tested for 90 days only. See the retained for 90 days only. See the tested for 90 days only. See th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 410 of 566

**ARFCN** :CH 128 **Test Date** :2015-06-11

**Operation Band** :GSM 850 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :824.2 MHz Engineer :Curry Operation Mode :TX LOW

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
96.93	S	-57.54	-55.23	-1.20	-1.11	-13.00	-44.54
340.40	S	-75.92	-77.72	3.74	-1.93	-13.00	-62.92
397.63	S	-74.56	-76.24	3.63	-1.95	-13.00	-61.56
479.11	S	-73.09	-74.50	3.59	-2.18	-13.00	-60.09
649.83	S	-71.46	-72.44	3.64	-2.66	-13.00	-58.46
772.05	S	-60.05	-60.66	3.35	-2.75	-13.00	-47.05
1648.40	Н	-49.41	-48.25	3.05	-4.21	-13.00	-36.41
2472.60	Н	-45.78	-44.05	3.59	-5.32	-13.00	-32.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 411 of 566

**ARFCN** :CH 190 **Test Date** :2015-06-11

**Operation Band** :GSM 850 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :836.6 MHz Engineer :Curry Operation Mode :TX MID

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
82.38	S	-52.38	-49.14	-2.18	-1.06	-13.00	-39.38
238.55	S	-75.16	-76.85	3.29	-1.60	-13.00	-62.16
388.90	S	-74.97	-76.67	3.65	-1.95	-13.00	-61.97
529.55	S	-70.80	-71.99	3.66	-2.47	-13.00	-57.80
588.72	S	-68.41	-69.12	3.47	-2.76	-13.00	-55.41
773.02	S	-57.67	-58.28	3.36	-2.75	-13.00	-44.67
1673.20	Н	-52.17	-50.92	3.01	-4.26	-13.00	-39.17
2509.80	Н	-44.02	-42.34	3.67	-5.35	-13.00	-31.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 412 of 566

**ARFCN** :CH 190 **Test Date** :2015-06-11

**Operation Band** :GSM 850 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :836.6 MHz Engineer :Curry Operation Mode :TX MID

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
44.55	S	-65.88	-53.11	-11.87	-0.90	-13.00	-52.88
449.04	S	-69.70	-71.33	3.85	-2.22	-13.00	-56.70
645.95	S	-70.04	-71.28	3.92	-2.68	-13.00	-57.04
741.98	S	-66.97	-67.85	3.71	-2.83	-13.00	-53.97
771.08	S	-48.34	-49.15	3.71	-2.89	-13.00	-35.34
938.89	S	-60.85	-60.91	3.38	-3.32	-13.00	-47.85
1673.20	Н	-52.28	-51.03	3.01	-4.26	-13.00	-39.28
2509.80	Н	-52.06	-50.38	3.67	-5.35	-13.00	-39.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 413 of 566

**ARFCN** :CH 251 **Test Date** :2015-06-11

**Operation Band** :GSM 850 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :848.8 MHz Engineer :Curry Operation Mode :TX HIGH

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
81.41	S	-52.38	-48.91	-2.41	-1.06	-13.00	-39.38
239.52	S	-74.76	-76.43	3.29	-1.61	-13.00	-61.76
405.39	S	-74.46	-76.11	3.59	-1.94	-13.00	-61.46
479.11	S	-72.95	-74.37	3.59	-2.18	-13.00	-59.95
551.86	S	-70.59	-71.59	3.58	-2.58	-13.00	-57.59
772.05	S	-59.21	-59.81	3.35	-2.75	-13.00	-46.21
1697.60	Н	-49.12	-47.81	2.96	-4.28	-13.00	-36.12
2546.40	Н	-47.13	-45.47	3.75	-5.41	-13.00	-34.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 414 of 566

**ARFCN** :CH 251 **Test Date** :2015-06-11

**Operation Band** :GSM 850 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :848.8 MHz Engineer :Curry Operation Mode :TX HIGH

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
95.96	S	-57.79	-55.59	-1.10	-1.11	-13.00	-44.79
380.17	S	-74.00	-75.72	3.67	-1.95	-13.00	-61.00
514.03	S	-73.30	-74.63	3.71	-2.38	-13.00	-60.30
585.81	S	-72.45	-73.19	3.48	-2.75	-13.00	-59.45
706.09	S	-70.71	-71.48	3.37	-2.60	-13.00	-57.71
773.02	S	-59.63	-60.24	3.36	-2.75	-13.00	-46.63
1697.60	Н	-48.99	-47.68	2.96	-4.28	-13.00	-35.99
2546.40	Н	-41.29	-39.64	3.75	-5.41	-13.00	-28.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 415 of 566

### Radiated Spurious Emission Measurement Result: GSM 1900 Mode


:CH 512 **Test Date** :2015-06-11 **ARFCN** 

**Operation Band** :GSM 1900 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1850.2 MHz Engineer :Curry

:TX LOW Operation Mode

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
87.23	S	-55.08	-55.10	1.10	-1.08	-13.00	-42.08
235.64	S	-70.89	-74.75	5.45	-1.59	-13.00	-57.89
420.91	S	-71.63	-75.30	5.65	-1.98	-13.00	-58.63
554.77	S	-67.22	-70.35	5.72	-2.60	-13.00	-54.22
608.12	S	-66.17	-69.07	5.63	-2.73	-13.00	-53.17
756.53	S	-64.47	-67.21	5.45	-2.71	-13.00	-51.47
3700.40	Н	-52.70	-54.24	8.43	-6.88	-13.00	-39.70
5550.60	Н	-44.79	-46.35	10.10	-8.55	-13.00	-31.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the proposition from exercising Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 416 of 566

**ARFCN** :CH 512 **Test Date** :2015-06-11

**Operation Band** :GSM 1900 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1850.2 MHz Engineer :Curry Operation Mode :TX LOW

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
94.99	S	-67.43	-67.49	1.16	-1.11	-13.00	-54.43
316.15	S	-75.90	-79.88	5.82	-1.85	-13.00	-62.90
513.06	S	-69.61	-73.10	5.86	-2.38	-13.00	-56.61
513.06	S	-69.61	-73.10	5.86	-2.38	-13.00	-56.61
693.48	S	-68.83	-71.78	5.56	-2.61	-13.00	-55.83
764.29	S	-65.49	-68.24	5.48	-2.73	-13.00	-52.49
3700.40	Н	-53.62	-55.17	8.43	-6.88	-13.00	-40.62
5550.60	Н	-46.78	-48.34	10.10	-8.55	-13.00	-33.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 417 of 566

**ARFCN** :CH 661 **Test Date** :2015-06-11

**Operation Band** :GSM 1900 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** Engineer :1880.0 MHz :Curry Operation Mode :TX MID

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
86.26	S	-53.75	-53.55	0.88	-1.08	-13.00	-40.75
235.64	S	-72.39	-76.25	5.45	-1.59	-13.00	-59.39
395.69	S	-72.52	-76.36	5.78	-1.95	-13.00	-59.52
492.69	S	-70.52	-74.11	5.85	-2.26	-13.00	-57.52
606.18	S	-65.94	-68.82	5.62	-2.74	-13.00	-52.94
775.93	S	-63.84	-66.59	5.52	-2.76	-13.00	-50.84
3760.00	Н	-50.93	-52.37	8.46	-7.02	-13.00	-37.93
5640.00	Н	-49.42	-50.95	10.11	-8.59	-13.00	-36.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 418 of 566

**ARFCN** :CH 661 **Test Date** :2015-06-11

**Operation Band** :GSM 1900 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** Engineer :1880.0 MHz :Curry Operation Mode :TX MID

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin	
			Output Level	Gain	Loss			
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	
34.85	S	-67.86	-55.55	-11.52	-0.78	-13.00	-54.86	
99.84	S	-66.35	-65.88	0.65	-1.12	-13.00	-53.35	
405.39	S	-72.13	-75.92	5.74	-1.94	-13.00	-59.13	
582.90	S	-69.62	-72.53	5.64	-2.73	-13.00	-56.62	
719.67	S	-66.78	-69.65	5.49	-2.62	-13.00	-53.78	
765.26	S	-65.24	-67.99	5.48	-2.73	-13.00	-52.24	
3760.00	Н	-53.74	-55.18	8.46	-7.02	-13.00	-40.74	
5640.00	Н	-47.85	-49.37	10.11	-8.59	-13.00	-34.85	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 419 of 566

**ARFCN** :CH 810 **Test Date** :2015-06-11

**Operation Band** :GSM 1900 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1909.8 MHz Engineer :Curry Operation Mode :TX HIGH

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
47.46	S	-62.48	-51.85	-9.74	-0.89	-13.00	-49.48
83.35	S	-55.70	-54.84	0.20	-1.06	-13.00	-42.70
286.08	S	-71.08	-74.89	5.54	-1.73	-13.00	-58.08
459.71	S	-71.47	-74.96	5.58	-2.09	-13.00	-58.47
580.96	S	-67.40	-70.33	5.65	-2.72	-13.00	-54.40
767.20	S	-64.35	-67.10	5.49	-2.74	-13.00	-51.35
3819.60	Н	-52.18	-53.63	8.50	-7.05	-13.00	-39.18
5729.40	Н	-48.67	-50.15	10.12	-8.64	-13.00	-35.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 420 of 566

**ARFCN** :CH 810 **Test Date** :2015-06-11

**Operation Band** :GSM 1900 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1909.8 MHz Engineer :Curry Operation Mode :TX HIGH

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
33.88	S	-67.59	-55.07	-11.75	-0.77	-13.00	-54.59
97.90	S	-66.92	-66.66	0.85	-1.11	-13.00	-53.92
368.53	S	-72.46	-76.36	5.86	-1.96	-13.00	-59.46
528.58	S	-71.06	-74.41	5.81	-2.46	-13.00	-58.06
725.49	S	-66.20	-69.04	5.48	-2.64	-13.00	-53.20
946.65	S	-64.36	-66.55	5.39	-3.20	-13.00	-51.36
3819.60	Н	-53.01	-54.46	8.50	-7.05	-13.00	-40.01
5729.40	Н	-47.47	-48.95	10.12	-8.64	-13.00	-34.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 421 of 566

# Radiated Spurious Emission Measurement Result: HSDPA II Mode


**ARFCN** :CH 9262 Test Date :2015-06-11

**Operation Band** :HSDPA B2 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1852.4 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
85.29	S	-55.50	-55.08	0.65	-1.07	-13.00	-42.50
235.64	S	-72.30	-76.15	5.45	-1.59	-13.00	-59.30
383.08	S	-70.47	-74.34	5.82	-1.95	-13.00	-57.47
526.64	S	-67.72	-71.08	5.82	-2.45	-13.00	-54.72
712.88	S	-66.02	-68.92	5.51	-2.61	-13.00	-53.02
759.44	S	-65.24	-67.98	5.46	-2.72	-13.00	-52.24
3704.80	Н	-53.01	-54.55	8.43	-6.89	-13.00	-40.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 422 of 566

**ARFCN** :CH 9262 **Test Date** :2015-06-11

**Operation Band** :HSDPA B2 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1852.4 MHz Engineer :Curry Operation Mode :TX LOW

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
96.93	S	-68.13	-67.97	0.95	-1.11	-13.00	-55.13
181.32	S	-76.77	-78.63	3.36	-1.50	-13.00	-63.77
367.56	S	-72.47	-76.37	5.86	-1.96	-13.00	-59.47
526.64	S	-71.50	-74.86	5.82	-2.45	-13.00	-58.50
578.05	S	-69.50	-72.45	5.65	-2.71	-13.00	-56.50
754.59	S	-66.66	-69.40	5.45	-2.71	-13.00	-53.66
3704.80	Н	-53.15	-54.69	8.43	-6.89	-13.00	-40.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 423 of 566

**ARFCN** :CH 9400 **Test Date** :2015-06-11

**Operation Band** :HSDPA B2 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** Engineer :1880.0 MHz :Curry Operation Mode :TX MID

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
3.677		10	-			ID	1D
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
83.35	S	-55.68	-54.82	0.20	-1.06	-13.00	-42.68
179.38	S	-72.46	-73.99	3.03	-1.50	-13.00	-59.46
379.20	S	-72.44	-76.31	5.83	-1.95	-13.00	-59.44
528.58	S	-68.78	-72.12	5.81	-2.46	-13.00	-55.78
696.39	S	-66.03	-68.97	5.55	-2.61	-13.00	-53.03
771.08	S	-65.09	-67.84	5.50	-2.75	-13.00	-52.09
3760.00	Н	-52.53	-53.97	8.46	-7.02	-13.00	-39.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 424 of 566

**ARFCN** :CH 9400 **Test Date** :2015-06-11

**Operation Band** :HSDPA B2 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1880.0 MHz Engineer :Curry Operation Mode :TX MID

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
100.81	S	-67.49	-66.93	0.56	-1.12	-13.00	-54.49
172.59	S	-76.45	-76.85	1.89	-1.49	-13.00	-63.45
380.17	S	-72.39	-76.26	5.82	-1.95	-13.00	-59.39
517.91	S	-70.50	-73.95	5.85	-2.40	-13.00	-57.50
648.86	S	-69.21	-72.33	5.78	-2.66	-13.00	-56.21
774.96	S	-65.63	-68.38	5.51	-2.76	-13.00	-52.63
3760.00	Н	-53.07	-54.51	8.46	-7.02	-13.00	-40.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 425 of 566

**ARFCN** :CH 9538 **Test Date** :2015-06-11

**Operation Band** :HSDPA B2 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1907.6 MHz Engineer :Curry Operation Mode :TX HIGH

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
86.26	S	-56.72	-56.53	0.88	-1.08	-13.00	-43.72
236.61	S	-71.39	-75.24	5.44	-1.60	-13.00	-58.39
286.08	S	-72.01	-75.81	5.54	-1.73	-13.00	-59.01
524.70	S	-68.82	-72.21	5.82	-2.44	-13.00	-55.82
602.30	S	-65.92	-68.78	5.60	-2.74	-13.00	-52.92
767.20	S	-65.27	-68.02	5.49	-2.74	-13.00	-52.27
3815.20	Н	-52.07	-53.52	8.49	-7.05	-13.00	-39.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 426 of 566

**ARFCN** :CH 9538 **Test Date** :2015-06-11

**Operation Band** :HSDPA B2 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1907.6 MHz Engineer :Curry Operation Mode :TX HIGH

:E2 Plan EUT Pol. Measurement Antenna Pol. :HORIZONTAL



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin	
			Output Level	Gain	Loss			
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB	
98.87	S	-66.96	-66.59	0.75	-1.12	-13.00	-53.96	
223.03	S	-70.80	-74.71	5.47	-1.57	-13.00	-57.80	
378.23	S	-72.17	-76.05	5.83	-1.95	-13.00	-59.17	
535.37	S	-70.35	-73.63	5.79	-2.50	-13.00	-57.35	
597.45	S	-69.61	-72.45	5.60	-2.75	-13.00	-56.61	
775.93	S	-66.18	-68.93	5.52	-2.76	-13.00	-53.18	
3815.20	Н	-52.56	-54.00	8.49	-7.05	-13.00	-39.56	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 427 of 566

# Radiated Spurious Emission Measurement Result: HSDPA IV Mode


**ARFCN** :CH 1312 **Test Date** :2015-06-11

**Operation Band** :HSDPA B4 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :1712.4 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
85.29	S	-56.50	-56.08	0.65	-1.07	-13.00	-43.50
235.64	S	-73.30	-77.15	5.45	-1.59	-13.00	-60.30
252.13	S	-73.89	-77.89	5.64	-1.64	-13.00	-60.89
383.08	S	-71.47	-75.34	5.82	-1.95	-13.00	-58.47
609.09	S	-67.45	-70.35	5.63	-2.73	-13.00	-54.45
718.70	S	-66.28	-69.16	5.49	-2.62	-13.00	-53.28
3424.80	Н	-53.83	-55.38	8.09	-6.54	-13.00	-40.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 428 of 566

**ARFCN** :CH 1312 **Test Date** :2015-06-11

**Operation Band** :HSDPA B4 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** Engineer :1712.4 MHz :Curry Operation Mode :TX LOW

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
96.93	S	-69.13	-68.97	0.95	-1.11	-13.00	-56.13
287.05	S	-77.33	-81.14	5.55	-1.74	-13.00	-64.33
367.56	S	-73.47	-77.37	5.86	-1.96	-13.00	-60.47
529.55	S	-72.23	-75.57	5.81	-2.47	-13.00	-59.23
647.89	S	-69.81	-72.93	5.78	-2.66	-13.00	-56.81
767.20	S	-66.40	-69.15	5.49	-2.74	-13.00	-53.40
3424.80	Н	-54.08	-55.62	8.09	-6.54	-13.00	-41.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 429 of 566

**ARFCN** :CH 1413 **Test Date** :2015-06-11

**Operation Band** :HSDPA B4 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** Engineer :1732.6 MHz :Curry Operation Mode :TX MID

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
83.35	S	-56.68	-55.82	0.20	-1.06	-13.00	-43.68
237.58	S	-73.20	-77.04	5.44	-1.60	-13.00	-60.20
388.90	S	-73.20	-77.05	5.80	-1.95	-13.00	-60.20
471.35	S	-71.47	-75.01	5.68	-2.13	-13.00	-58.47
574.17	S	-67.73	-70.70	5.67	-2.69	-13.00	-54.73
696.39	S	-67.03	-69.97	5.55	-2.61	-13.00	-54.03
3465.20	Н	-54.02	-55.69	8.20	-6.53	-13.00	-41.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 430 of 566

**ARFCN** :CH 1413 **Test Date** :2015-06-11

**Operation Band** :HSDPA B4 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** Engineer :1732.6 MHz :Curry Operation Mode :TX MID

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
100.81	S	-68.49	-67.93	0.56	-1.12	-13.00	-55.49
317.12	S	-76.36	-80.33	5.82	-1.85	-13.00	-63.36
388.90	S	-72.38	-76.23	5.80	-1.95	-13.00	-59.38
584.84	S	-70.98	-73.87	5.64	-2.74	-13.00	-57.98
738.10	S	-67.44	-70.23	5.45	-2.67	-13.00	-54.44
774.96	S	-66.63	-69.38	5.51	-2.76	-13.00	-53.63
3465.20	Н	-54.05	-55.72	8.20	-6.53	-13.00	-41.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 431 of 566

**ARFCN** :CH 1513 **Test Date** :2015-06-11

**Operation Band** :HSDPA B4 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** Engineer :1752.6 MHz :Curry Operation Mode :TX HIGH

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
86.26	S	-57.72	-57.53	0.88	-1.08	-13.00	-44.72
236.61	S	-73.39	-77.24	5.44	-1.60	-13.00	-60.39
420.91	S	-72.15	-75.83	5.65	-1.98	-13.00	-59.15
540.22	S	-69.49	-72.74	5.77	-2.52	-13.00	-56.49
602.30	S	-66.92	-69.78	5.60	-2.74	-13.00	-53.92
723.55	S	-66.67	-69.52	5.48	-2.63	-13.00	-53.67
3505.20	Н	-53.68	-55.31	8.30	-6.68	-13.00	-40.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 432 of 566

**ARFCN** :CH 1513 **Test Date** :2015-06-11

**Operation Band** :HSDPA B4 Temp./Humi. :22 deg\_C / 53 RH

Fundamental Frequency Engineer :1752.6 MHz :Curry Operation Mode :TX HIGH

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
98.87	S	-67.96	-67.59	0.75	-1.12	-13.00	-54.96
223.03	S	-71.80	-75.71	5.47	-1.57	-13.00	-58.80
441.28	S	-72.68	-76.18	5.54	-2.04	-13.00	-59.68
591.63	S	-71.03	-73.89	5.62	-2.76	-13.00	-58.03
695.42	S	-69.25	-72.20	5.55	-2.61	-13.00	-56.25
775.93	S	-67.18	-69.93	5.52	-2.76	-13.00	-54.18
3505.20	Н	-54.52	-56.15	8.30	-6.68	-13.00	-41.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 433 of 566

# Radiated Spurious Emission Measurement Result: HSDPA V Mode


**ARFCN** :CH 4132 Test Date :2015-06-11

**Operation Band** :HSDPA B5 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :826.4 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
85.29	S	-54.26	-51.70	-1.50	-1.07	-13.00	-41.26
235.64	S	-73.83	-75.53	3.30	-1.59	-13.00	-60.83
390.84	S	-74.48	-76.18	3.65	-1.95	-13.00	-61.48
496.57	S	-73.30	-74.75	3.73	-2.28	-13.00	-60.30
683.78	S	-69.04	-69.88	3.46	-2.62	-13.00	-56.04
773.02	S	-57.49	-58.09	3.36	-2.75	-13.00	-44.49
1652.80	Н	-51.87	-50.70	3.05	-4.22	-13.00	-38.87
2479.20	Н	-41.57	-39.85	3.61	-5.32	-13.00	-28.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 434 of 566

**ARFCN** :CH 4132 **Test Date** :2015-06-11

**Operation Band** :HSDPA B5 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** Engineer :826.4 MHz :Curry Operation Mode :TX LOW

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
92.08	S	-62.17	-60.41	-0.67	-1.10	-13.00	-49.17
335.55	S	-76.96	-78.77	3.72	-1.92	-13.00	-63.96
392.78	S	-73.61	-75.30	3.64	-1.95	-13.00	-60.61
517.91	S	-73.42	-74.71	3.70	-2.40	-13.00	-60.42
650.80	S	-70.93	-71.90	3.63	-2.66	-13.00	-57.93
776.90	S	-63.45	-64.05	3.37	-2.77	-13.00	-50.45
1652.80	Н	-58.35	-57.17	3.05	-4.22	-13.00	-45.35
2479.20	Н	-52.37	-50.65	3.61	-5.32	-13.00	-39.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 435 of 566

**ARFCN** :CH 4183 **Test Date** :2015-06-11

**Operation Band** :HSDPA B5 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :836.6 MHz Engineer :Curry Operation Mode :TX MID

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
84.32	S	-54.43	-51.64	-1.72	-1.07	-13.00	-41.43
235.64	S	-74.67	-76.37	3.30	-1.59	-13.00	-61.67
344.28	S	-74.14	-75.94	3.75	-1.95	-13.00	-61.14
556.71	S	-70.92	-71.88	3.57	-2.61	-13.00	-57.92
600.36	S	-68.59	-69.29	3.44	-2.75	-13.00	-55.59
773.02	S	-59.38	-59.98	3.36	-2.75	-13.00	-46.38
1673.20	Н	-57.43	-56.18	3.01	-4.26	-13.00	-44.43
2509.80	Н	-41.79	-40.12	3.67	-5.35	-13.00	-28.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 436 of 566

**ARFCN** :CH 4183 **Test Date** :2015-06-11

**Operation Band** :HSDPA B5 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :836.6 MHz Engineer :Curry Operation Mode :TX MID

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
93.05	S	-61.65	-59.77	-0.78	-1.10	-13.00	-48.65
263.77	S	-78.99	-80.97	3.65	-1.68	-13.00	-65.99
377.26	S	-74.17	-75.90	3.68	-1.96	-13.00	-61.17
520.82	S	-74.05	-75.32	3.69	-2.42	-13.00	-61.05
594.54	S	-71.76	-72.46	3.46	-2.76	-13.00	-58.76
773.02	S	-61.04	-61.64	3.36	-2.75	-13.00	-48.04
1673.20	Н	-61.22	-59.98	3.01	-4.26	-13.00	-48.22
2509.80	Н	-53.50	-51.82	3.67	-5.35	-13.00	-40.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 437 of 566


**ARFCN** :CH 4233 **Test Date** :2015-06-11

**Operation Band** :HSDPA B5 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :846.6 MHz Engineer :Curry Operation Mode

:TX HIGH

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
85.29	S	-54.18	-51.61	-1.50	-1.07	-13.00	-41.18
236.61	S	-75.13	-76.83	3.29	-1.60	-13.00	-62.13
393.75	S	-73.87	-75.56	3.64	-1.95	-13.00	-60.87
453.89	S	-72.72	-74.02	3.38	-2.08	-13.00	-59.72
582.90	S	-69.18	-69.94	3.49	-2.73	-13.00	-56.18
774.96	S	-60.16	-60.77	3.36	-2.76	-13.00	-47.16
1693.20	Н	-56.58	-55.28	2.97	-4.27	-13.00	-43.58
2539.80	Н	-40.82	-39.16	3.74	-5.40	-13.00	-27.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 438 of 566

**ARFCN** :CH 4233 **Test Date** :2015-06-11

**Operation Band** :HSDPA B5 Temp./Humi. :22 deg\_C / 53 RH

**Fundamental Frequency** :846.6 MHz Engineer :Curry Operation Mode :TX HIGH

EUT Pol. :E1 Plan :HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
95.96	S	-62.68	-60.48	-1.10	-1.11	-13.00	-49.68
300.63	S	-79.43	-81.27	3.62	-1.79	-13.00	-66.43
379.20	S	-74.47	-76.20	3.68	-1.95	-13.00	-61.47
501.42	S	-74.35	-75.80	3.75	-2.31	-13.00	-61.35
644.98	S	-71.61	-72.57	3.62	-2.67	-13.00	-58.61
771.08	S	-59.32	-59.93	3.35	-2.75	-13.00	-46.32
1693.20	Н	-53.65	-52.35	2.97	-4.27	-13.00	-40.65
2539.80	Н	-49.75	-48.09	3.74	-5.40	-13.00	-36.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 439 of 566

# Radiated Spurious Emission Measurement Result: 15MHz BW LTE-Band 2(The Worst Case)

:CH 18675 16QAM BW Test Date **ARFCN** 

:2015-05-29


15 RB 1 74 Operation Band

:LTE B2 Temp./Humi. :21 deg\_C / 52 RH

**Fundamental Frequency** :1857.5 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
78.50	S	-57.83	-55.74	-1.04	-1.05	-13.00	-44.83
235.64	S	-73.21	-77.06	5.45	-1.59	-13.00	-60.21
330.70	S	-73.43	-77.39	5.86	-1.90	-13.00	-60.43
382.11	S	-73.03	-76.90	5.82	-1.95	-13.00	-60.03
531.49	S	-69.12	-72.45	5.80	-2.48	-13.00	-56.12
765.26	S	-65.15	-67.90	5.48	-2.73	-13.00	-52.15
3715.00	Н	-46.53	-48.06	8.43	-6.91	-13.00	-33.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to tis General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 440 of 566

:CH 18675 16QAM BW Test Date **ARFCN** 

15 RB 1 74

:LTE B2 **Operation Band** 

**Fundamental Frequency** :1857.5 MHz


Operation Mode :TX LOW

EUT Pol. :E1 Plan :2015-05-29

Temp./Humi. :21 deg\_C / 52 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
31.94	S	-67.54	-54.57	-12.22	-0.75	-13.00	-54.54
173.56	S	-76.62	-77.18	2.05	-1.49	-13.00	-63.62
337.49	S	-74.48	-78.43	5.88	-1.92	-13.00	-61.48
386.96	S	-73.32	-77.18	5.81	-1.95	-13.00	-60.32
532.46	S	-71.96	-75.27	5.80	-2.48	-13.00	-58.96
781.75	S	-67.26	-70.01	5.53	-2.79	-13.00	-54.26
3715.00	Н	-54.08	-55.61	8.43	-6.91	-13.00	-41.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



**Operation Band** 

**FCC ID: PY7-PM0872** 

Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:2015-05-29

Page: 441 of 566

:CH 18900 16QAM BW Test Date **ARFCN** 


15 RB 1 74

:LTE B2 Temp./Humi. :21 deg\_C / 52 RH

Fundamental Frequency :1880 MHz Engineer :Curry

Operation Mode :TX MID

:VERTICAL EUT Pol. :E1 Plan Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
76.56	S	-58.89	-56.23	-1.62	-1.04	-13.00	-45.89
167.74	S	-72.63	-72.43	1.28	-1.47	-13.00	-59.63
342.34	S	-73.02	-76.98	5.89	-1.94	-13.00	-60.02
450.01	S	-72.42	-75.85	5.49	-2.07	-13.00	-59.42
546.04	S	-69.94	-73.14	5.75	-2.55	-13.00	-56.94
776.90	S	-64.94	-67.69	5.52	-2.77	-13.00	-51.94
3760.00	Н	-49.84	-51.28	8.46	-7.02	-13.00	-36.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



**Operation Band** 

**FCC ID: PY7-PM0872** 

Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:2015-05-29

Page: 442 of 566

:CH 18900 16QAM BW Test Date **ARFCN** 

15 RB 1 74


:LTE B2

Temp./Humi. :21 deg\_C / 52 RH

Engineer :Curry

Fundamental Frequency :1880 MHz Operation Mode :TX MID

:HORIZONTAL EUT Pol. :E1 Plan Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
31.94	S	-70.59	-57.61	-12.22	-0.75	-13.00	-57.59
167.74	S	-76.36	-76.17	1.28	-1.47	-13.00	-63.36
343.31	S	-74.87	-78.82	5.89	-1.94	-13.00	-61.87
430.61	S	-72.75	-76.34	5.60	-2.01	-13.00	-59.75
508.21	S	-71.66	-75.20	5.88	-2.35	-13.00	-58.66
764.29	S	-66.86	-69.61	5.48	-2.73	-13.00	-53.86
3760.00	Н	-53.67	-55.11	8.46	-7.02	-13.00	-40.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 443 of 566

:CH 19125 16QAM BW Test Date **ARFCN** 

15 RB 1 74

:LTE B2

:2015-05-29

**Operation Band** 

:1902.5 MHz

Temp./Humi. :21 deg\_C / 52 RH Engineer

Fundamental Frequency

:TX HIGH


:Curry

Operation Mode EUT Pol.

:E1 Plan

Measurement Antenna Pol.

:VERTICAL



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
75.59	S	-60.02	-57.08	-1.91	-1.03	-13.00	-47.02
241.46	S	-73.36	-77.21	5.46	-1.61	-13.00	-60.36
323.91	S	-73.17	-77.14	5.84	-1.88	-13.00	-60.17
447.10	S	-71.73	-75.18	5.51	-2.06	-13.00	-58.73
542.16	S	-67.63	-70.86	5.76	-2.53	-13.00	-54.63
752.65	S	-66.31	-69.05	5.44	-2.70	-13.00	-53.31
3805.00	Н	-48.13	-49.57	8.49	-7.05	-13.00	-35.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanted by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 444 of 566

**ARFCN** 

15 RB 1 74

:1902.5 MHz

:TX HIGH

:E1 Plan

:LTE B2

**Operation Band** 

Fundamental Frequency

Operation Mode

EUT Pol.

:CH 19125 16QAM BW Test Date

:2015-05-29


Temp./Humi.

:21 deg\_C / 52 RH

Engineer

:Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
34.85	S	-68.93	-56.62	-11.52	-0.78	-13.00	-55.93
167.74	S	-76.72	-76.53	1.28	-1.47	-13.00	-63.72
335.55	S	-73.71	-77.67	5.87	-1.92	-13.00	-60.71
352.04	S	-72.84	-76.78	5.91	-1.97	-13.00	-59.84
537.31	S	-72.46	-75.73	5.78	-2.51	-13.00	-59.46
799.21	S	-66.71	-69.45	5.59	-2.85	-13.00	-53.71
3805.00	Н	-52.73	-54.17	8.49	-7.05	-13.00	-39.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:2015-05-29

Page: 445 of 566

# Radiated Spurious Emission Measurement Result: 15MHz BW LTE-Band 4(The Worst Case)

**ARFCN** 


:CH 20025 16QAM BW Test Date 15 RB 174

Operation Band :LTE B4 Temp./Humi. :21 deg\_C / 52 RH

**Fundamental Frequency** :1717.5 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
75.59	S	-56.81	-53.87	-1.91	-1.03	-13.00	-43.81
236.61	S	-72.47	-76.31	5.44	-1.60	-13.00	-59.47
262.80	S	-73.74	-77.87	5.81	-1.67	-13.00	-60.74
449.04	S	-71.92	-75.36	5.50	-2.06	-13.00	-58.92
517.91	S	-69.27	-72.72	5.85	-2.40	-13.00	-56.27
764.29	S	-65.33	-68.08	5.48	-2.73	-13.00	-52.33
3435.00	Н	-53.17	-54.75	8.12	-6.54	-13.00	-40.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to tis General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:2015-05-29

:21 deg\_C / 52 RH

Page: 446 of 566

**ARFCN** 

RB 1 74

:1717.5 MHz

:TX LOW

:E1 Plan

:LTE B4 **Operation Band** 

Fundamental Frequency

Operation Mode


EUT Pol.

:CH 20025 16QAM BW Test Date

Temp./Humi.

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
31.94	S	-65.28	-52.30	-12.22	-0.75	-13.00	-52.28
154.16	S	-76.25	-75.17	0.33	-1.41	-13.00	-63.25
338.46	S	-74.28	-78.23	5.88	-1.93	-13.00	-61.28
442.25	S	-72.82	-76.31	5.54	-2.04	-13.00	-59.82
473.29	S	-71.68	-75.23	5.69	-2.14	-13.00	-58.68
713.85	S	-65.80	-68.70	5.50	-2.61	-13.00	-52.80
3435.00	Н	-54.69	-56.26	8.12	-6.54	-13.00	-41.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanted by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 447 of 566

**ARFCN** 

RB 1 74

**Operation Band** 

Fundamental Frequency

Operation Mode

EUT Pol.

:CH 20175 16QAM BW Test Date

:LTE B4 Temp./Humi. Engineer


:1732.5 MHz :TX MID

:E1 Plan Measurement Antenna Pol. :21 deg\_C / 52 RH

:2015-05-29

:Curry

:VERTICAL



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
73.65	S	-60.25	-56.72	-2.50	-1.03	-13.00	-47.25
236.61	S	-72.29	-76.14	5.44	-1.60	-13.00	-59.29
250.19	S	-73.24	-77.20	5.59	-1.64	-13.00	-60.24
435.46	S	-71.86	-75.41	5.57	-2.02	-13.00	-58.86
531.49	S	-69.65	-72.98	5.80	-2.48	-13.00	-56.65
778.84	S	-65.73	-68.48	5.53	-2.78	-13.00	-52.73
3465.00	Н	-54.18	-55.84	8.20	-6.53	-13.00	-41.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 448 of 566

**ARFCN** 

RB 1 74

:1732.5 MHz

:TX MID

:E1 Plan

:LTE B4 **Operation Band** 

Fundamental Frequency

Operation Mode

EUT Pol.


:CH 20175 16QAM BW Test Date

:2015-05-29

Temp./Humi. :21 deg\_C / 52 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-68.32	-54.86	-12.73	-0.73	-13.00	-55.32
178.41	S	-77.38	-78.76	2.87	-1.50	-13.00	-64.38
342.34	S	-73.96	-77.91	5.89	-1.94	-13.00	-60.96
395.69	S	-72.65	-76.49	5.78	-1.95	-13.00	-59.65
522.76	S	-71.62	-75.02	5.83	-2.43	-13.00	-58.62
767.20	S	-67.27	-70.03	5.49	-2.74	-13.00	-54.27
3465.00	Н	-55.09	-56.75	8.20	-6.53	-13.00	-42.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 449 of 566

**ARFCN** 

15 RB 174

:1747.5 MHz

:TX HIGH

:E1 Plan

:LTE B4 **Operation Band** 

Fundamental Frequency

Operation Mode

EUT Pol.

:CH 20325 16QAM BW Test Date


:2015-05-29

Temp./Humi.

:21 deg\_C / 52 RH :Curry

Engineer

:VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
76.56	S	-58.15	-55.50	-1.62	-1.04	-13.00	-45.15
170.65	S	-73.17	-73.24	1.55	-1.48	-13.00	-60.17
293.84	S	-72.97	-76.86	5.65	-1.76	-13.00	-59.97
439.34	S	-72.52	-76.04	5.55	-2.03	-13.00	-59.52
526.64	S	-69.37	-72.74	5.82	-2.45	-13.00	-56.37
754.59	S	-65.72	-68.46	5.45	-2.71	-13.00	-52.72
3495.00	Н	-53.46	-55.11	8.29	-6.64	-13.00	-40.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanted by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:21 deg\_C / 52 RH

Page: 450 of 566

**ARFCN** 

15 RB 174

:1747.5 MHz

:TX HIGH

:E1 Plan

:LTE B4 **Operation Band** 

Fundamental Frequency

Operation Mode

EUT Pol.


:CH 20325 16QAM BW Test Date

Temp./Humi.

:2015-05-29

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
32.91	S	-67.56	-54.82	-11.98	-0.76	-13.00	-54.56
153.19	S	-76.07	-74.94	0.27	-1.40	-13.00	-63.07
337.49	S	-74.85	-78.81	5.88	-1.92	-13.00	-61.85
429.64	S	-72.58	-76.18	5.60	-2.00	-13.00	-59.58
524.70	S	-71.57	-74.95	5.82	-2.44	-13.00	-58.57
770.11	S	-65.61	-68.37	5.50	-2.74	-13.00	-52.61
3495.00	Н	-54.13	-55.78	8.29	-6.64	-13.00	-41.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 451 of 566

### Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 5(The Worst Case)

**ARFCN** 


:CH 20425 16QAM BW 5 Test Date :2015-05-29 RB 10

Operation Band :LTE B5 Temp./Humi. :21 deg\_C / 52 RH

**Fundamental Frequency** :826.5 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :E1 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
31.94	S	-70.34	-55.21	-14.37	-0.75	-13.00	-57.34
236.61	S	-74.98	-76.68	3.29	-1.60	-13.00	-61.98
342.34	S	-75.16	-76.96	3.74	-1.94	-13.00	-62.16
435.46	S	-74.81	-76.21	3.42	-2.02	-13.00	-61.81
524.70	S	-71.47	-72.70	3.67	-2.44	-13.00	-58.47
711.91	S	-67.97	-68.72	3.36	-2.60	-13.00	-54.97
1653.00	Н	-59.28	-58.10	3.05	-4.22	-13.00	-46.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to tis General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 452 of 566

:CH 20425 16QAM BW 5 Test Date **ARFCN** 

RB 10

:LTE B5 **Operation Band** 


Fundamental Frequency :826.5 MHz Operation Mode :TX LOW

EUT Pol. :E1 Plan :2015-05-29

Temp./Humi. :21 deg\_C / 52 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-70.03	-55.57	-13.67	-0.78	-13.00	-57.03
165.80	S	-78.87	-76.40	-1.01	-1.46	-13.00	-65.87
345.25	S	-76.34	-78.14	3.75	-1.95	-13.00	-63.34
434.49	S	-74.03	-75.44	3.43	-2.02	-13.00	-61.03
479.11	S	-73.23	-74.64	3.59	-2.18	-13.00	-60.23
754.59	S	-68.20	-68.79	3.30	-2.71	-13.00	-55.20
1653.00	Н	-58.10	-56.92	3.05	-4.22	-13.00	-45.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 453 of 566

:CH 20525 16QAM BW 5 Test Date **ARFCN** 

**RB** 1 0

:LTE B5 **Operation Band** 

Fundamental Frequency :836.5 MHz :TX MID


Operation Mode

EUT Pol. :E1 Plan :2015-05-29

Temp./Humi. :21 deg\_C / 52 RH

Engineer :Curry

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
76.56	S	-61.15	-56.35	-3.77	-1.04	-13.00	-48.15
173.56	S	-74.73	-73.14	-0.10	-1.49	-13.00	-61.73
299.66	S	-75.76	-77.60	3.62	-1.78	-13.00	-62.76
432.55	S	-74.71	-76.14	3.44	-2.01	-13.00	-61.71
542.16	S	-71.81	-72.90	3.61	-2.53	-13.00	-58.81
750.71	S	-68.62	-69.21	3.28	-2.70	-13.00	-55.62
1673.00	Н	-61.02	-59.77	3.01	-4.26	-13.00	-48.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 454 of 566

:CH 20525 16QAM BW 5 Test Date **ARFCN** 

**RB** 1 0

:LTE B5 **Operation Band** 

Fundamental Frequency :836.5 MHz :TX MID


Operation Mode

EUT Pol. :E1 Plan :2015-05-29

Temp./Humi. :21 deg\_C / 52 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-70.49	-56.03	-13.67	-0.78	-13.00	-57.49
153.19	S	-78.96	-75.67	-1.88	-1.40	-13.00	-65.96
338.46	S	-76.30	-78.11	3.73	-1.93	-13.00	-63.30
429.64	S	-75.24	-76.69	3.45	-2.00	-13.00	-62.24
516.94	S	-72.83	-74.14	3.70	-2.40	-13.00	-59.83
772.05	S	-67.63	-68.23	3.35	-2.75	-13.00	-54.63
1673.00	Н	-61.71	-60.46	3.01	-4.26	-13.00	-48.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 455 of 566

:CH 20625 16QAM BW 5 Test Date **ARFCN** 

**RB** 1 0

**Operation Band** 

:LTE B5

Fundamental Frequency Operation Mode

:846.5 MHz :TX HIGH


EUT Pol.

:E1 Plan

:2015-05-29

Temp./Humi. :21 deg\_C / 52 RH Engineer :Curry

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
76.56	S	-61.47	-56.67	-3.77	-1.04	-13.00	-48.47
231.76	S	-75.73	-77.45	3.31	-1.58	-13.00	-62.73
314.21	S	-75.11	-76.93	3.66	-1.84	-13.00	-62.11
430.61	S	-74.27	-75.71	3.45	-2.01	-13.00	-61.27
547.01	S	-71.68	-72.72	3.60	-2.56	-13.00	-58.68
757.50	S	-67.86	-68.45	3.31	-2.71	-13.00	-54.86
1693.00	Н	-56.83	-55.53	2.97	-4.27	-13.00	-43.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 456 of 566

:CH 20625 16QAM BW 5 Test Date **ARFCN** 

**RB** 1 0

**Operation Band** 

:LTE B5 :846.5 MHz

Fundamental Frequency Operation Mode

:TX HIGH

EUT Pol.


:E1 Plan

:2015-05-29

Temp./Humi. :21 deg\_C / 52 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.00	S	-70.63	-55.02	-14.88	-0.73	-13.00	-57.63
154.16	S	-79.11	-75.88	-1.82	-1.41	-13.00	-66.11
348.16	S	-76.23	-78.03	3.76	-1.96	-13.00	-63.23
442.25	S	-75.26	-76.60	3.39	-2.04	-13.00	-62.26
469.41	S	-74.08	-75.47	3.51	-2.12	-13.00	-61.08
715.79	S	-69.37	-70.11	3.35	-2.61	-13.00	-56.37
1693.00	Н	-54.64	-53.34	2.97	-4.27	-13.00	-41.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:24 deg\_C / 59 RH

Page: 457 of 566

# Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 7(The Worst Case)

**ARFCN** 


:CH 20775 16QAM BW 5 Test Date :2015-05-29 RB 10 Temp./Humi.

Operation Band :LTE B7

**Fundamental Frequency** :2502.5 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
78.50	S	-68.56	-66.47	-1.04	-1.05	-25.00	-43.56
235.64	S	-72.92	-76.78	5.45	-1.59	-25.00	-47.92
284.14	S	-72.59	-76.37	5.52	-1.73	-25.00	-47.59
435.46	S	-72.73	-76.28	5.57	-2.02	-25.00	-47.73
527.61	S	-67.90	-71.26	5.81	-2.46	-25.00	-42.90
757.50	S	-65.36	-68.10	5.46	-2.71	-25.00	-40.36
7507.50	Н	-48.31	-50.30	11.71	-9.71	-25.00	-23.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the proposition from exercision from exercisions from ex Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 458 of 566

:CH 20775 16QAM BW 5 Test Date **ARFCN** 

**RB** 1 0 :LTE B7

**Operation Band** 

:2502.5 MHz

Fundamental Frequency Operation Mode


:TX LOW EUT Pol. :E2 Plan

:2015-05-29

Temp./Humi. :24 deg\_C / 59 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
36.79	S	-68.55	-56.58	-11.17	-0.80	-25.00	-43.55
173.56	S	-76.82	-77.38	2.05	-1.49	-25.00	-51.82
337.49	S	-73.96	-77.92	5.88	-1.92	-25.00	-48.96
410.24	S	-71.95	-75.72	5.71	-1.94	-25.00	-46.95
522.76	S	-71.62	-75.02	5.83	-2.43	-25.00	-46.62
752.65	S	-67.22	-69.95	5.44	-2.70	-25.00	-42.22
7507.50	Н	-47.45	-49.44	11.71	-9.71	-25.00	-22.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 459 of 566

**ARFCN** 

**RB** 1 0 :LTE B7

:2535 MHz

:TX MID

:E2 Plan

**Operation Band** 

**Fundamental Frequency** 

Operation Mode

EUT Pol.

:CH 21100 16QAM BW 5 Test Date

:2015-05-29

Temp./Humi.


:24 deg\_C / 59 RH

Engineer

:Curry

Measurement Antenna Pol.

:VERTICAL



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
78.50	S	-57.16	-55.07	-1.04	-1.05	-25.00	-32.16
235.64	S	-73.44	-77.29	5.45	-1.59	-25.00	-48.44
280.26	S	-72.14	-75.89	5.48	-1.72	-25.00	-47.14
406.36	S	-72.19	-75.98	5.73	-1.94	-25.00	-47.19
544.10	S	-68.74	-71.96	5.76	-2.54	-25.00	-43.74
759.44	S	-65.47	-68.22	5.46	-2.72	-25.00	-40.47
7605.00	Н	-44.69	-46.73	11.79	-9.75	-25.00	-19.69
10140.00	Н	-42.68	-44.02	12.63	-11.30	-25.00	-17.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanted by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 460 of 566

:CH 21100 16QAM BW 5 Test Date **ARFCN** 

**RB** 1 0

:LTE B7 **Operation Band** 

Fundamental Frequency :2535 MHz :TX MID


Operation Mode

EUT Pol. :E2 Plan :2015-05-29

Temp./Humi. :24 deg\_C / 59 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
73.65	S	-69.03	-65.50	-2.50	-1.03	-25.00	-44.03
159.01	S	-76.27	-75.48	0.65	-1.43	-25.00	-51.27
348.16	S	-73.67	-77.62	5.91	-1.96	-25.00	-48.67
382.11	S	-72.96	-76.83	5.82	-1.95	-25.00	-47.96
510.15	S	-71.48	-74.99	5.87	-2.36	-25.00	-46.48
765.26	S	-66.78	-69.53	5.48	-2.73	-25.00	-41.78
7605.00	Н	-48.45	-50.49	11.79	-9.75	-25.00	-23.45
10140.00	Н	-45.30	-46.63	12.63	-11.30	-25.00	-20.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 461 of 566

:CH 21425 16QAM BW 5 Test Date **ARFCN** 

RB 10 :LTE B7

**Operation Band** 

:2567.5 MHz

Fundamental Frequency Operation Mode

:TX HIGH

EUT Pol.


:E2 Plan

:2015-05-29

Temp./Humi. :24 deg\_C / 59 RH

Engineer :Curry

:VERTICAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
73.65	S	-61.31	-57.78	-2.50	-1.03	-25.00	-36.31
180.35	S	-73.03	-74.73	3.20	-1.50	-25.00	-48.03
272.50	S	-73.18	-77.16	5.69	-1.70	-25.00	-48.18
450.01	S	-72.34	-75.77	5.49	-2.07	-25.00	-47.34
548.95	S	-69.10	-72.27	5.74	-2.57	-25.00	-44.10
711.91	S	-66.07	-68.97	5.51	-2.60	-25.00	-41.07
7702.50	Н	-45.26	-47.26	11.87	-9.87	-25.00	-20.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 462 of 566

:CH 21425 16QAM BW 5 Test Date **ARFCN** 

RB 10

:TX HIGH

:LTE B7 **Operation Band** 

Fundamental Frequency :2567.5 MHz


Operation Mode

EUT Pol. :E2 Plan :2015-05-29

Temp./Humi. :24 deg\_C / 59 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
73.65	S	-67.07	-63.54	-2.50	-1.03	-25.00	-42.07
154.16	S	-75.79	-74.72	0.33	-1.41	-25.00	-50.79
342.34	S	-74.71	-78.66	5.89	-1.94	-25.00	-49.71
420.91	S	-72.62	-76.30	5.65	-1.98	-25.00	-47.62
464.56	S	-70.74	-74.25	5.62	-2.11	-25.00	-45.74
781.75	S	-67.04	-69.79	5.53	-2.79	-25.00	-42.04
7702.50	Н	-47.86	-49.85	11.87	-9.87	-25.00	-22.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 463 of 566

#### Radiated Spurious Emission Measurement Result: 3MHz BW LTE-Band 12(The Worst Case)

**ARFCN** 

:CH 23025 16QAM BW 3 Test Date :2015-05-29


RB 10 Operation Band

:LTE B12 Temp./Humi. :24 deg\_C / 59 RH

**Fundamental Frequency** :700.5 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :H Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
31.94	S	-69.65	-54.53	-14.37	-0.75	-13.00	-56.65
180.35	S	-75.23	-74.78	1.05	-1.50	-13.00	-62.23
316.15	S	-75.62	-77.44	3.67	-1.85	-13.00	-62.62
447.10	S	-73.91	-75.21	3.36	-2.06	-13.00	-60.91
534.40	S	-71.67	-72.82	3.64	-2.49	-13.00	-58.67
750.71	S	-68.10	-68.69	3.28	-2.70	-13.00	-55.10
1401.00	Н	-59.85	-58.70	2.78	-3.92	-13.00	-46.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the proposition from exercision from exercisions from ex Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 464 of 566

:CH 23025 16QAM BW 3 Test Date **ARFCN** 

**RB** 10

:LTE B12 **Operation Band** 

Fundamental Frequency :700.5 MHz :TX LOW


Operation Mode

EUT Pol. :H Plan :2015-05-29

Temp./Humi. :24 deg\_C / 59 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.00	S	-71.98	-56.38	-14.88	-0.73	-13.00	-58.98
153.19	S	-78.62	-75.34	-1.88	-1.40	-13.00	-65.62
342.34	S	-76.70	-78.50	3.74	-1.94	-13.00	-63.70
440.31	S	-74.33	-75.69	3.40	-2.04	-13.00	-61.33
513.06	S	-74.07	-75.40	3.71	-2.38	-13.00	-61.07
767.20	S	-69.07	-69.68	3.34	-2.74	-13.00	-56.07
1401.00	Н	-56.72	-55.57	2.78	-3.92	-13.00	-43.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 465 of 566

:CH 23095 16QAM BW 3 Test Date **ARFCN** 

**RB** 10

:LTE B12 **Operation Band** 

Fundamental Frequency :707.5 MHz Operation Mode :TX MID


EUT Pol.

:2015-05-29

Temp./Humi. :24 deg\_C / 59 RH

Engineer :Curry

:H Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.00	S	-68.62	-53.01	-14.88	-0.73	-13.00	-55.62
236.61	S	-74.70	-76.40	3.29	-1.60	-13.00	-61.70
306.45	S	-75.06	-76.89	3.64	-1.81	-13.00	-62.06
437.40	S	-74.48	-75.87	3.41	-2.03	-13.00	-61.48
526.64	S	-71.13	-72.34	3.67	-2.45	-13.00	-58.13
774.96	S	-67.93	-68.53	3.36	-2.76	-13.00	-54.93
1415.00	Н	-59.14	-58.06	2.86	-3.95	-13.00	-46.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 466 of 566

:CH 23095 16QAM BW 3 Test Date **ARFCN** 

**RB** 10

:LTE B12 **Operation Band** 

Fundamental Frequency :707.5 MHz :TX MID


Operation Mode

EUT Pol. :H Plan :2015-05-29

Temp./Humi. :24 deg\_C / 59 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
39.70	S	-70.53	-56.87	-12.83	-0.83	-13.00	-57.53
153.19	S	-79.23	-75.94	-1.88	-1.40	-13.00	-66.23
348.16	S	-77.00	-78.80	3.76	-1.96	-13.00	-64.00
364.65	S	-74.58	-76.34	3.72	-1.96	-13.00	-61.58
546.04	S	-74.10	-75.15	3.60	-2.55	-13.00	-61.10
770.11	S	-69.20	-69.80	3.35	-2.74	-13.00	-56.20
1415.00	Н	-57.91	-56.83	2.86	-3.95	-13.00	-44.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:2015-05-29

:Curry

:24 deg\_C / 59 RH

Page: 467 of 566

:CH 23165 16QAM BW 3 Test Date **ARFCN** 

**RB** 10

:LTE B12 **Operation Band** 

Fundamental Frequency


:TX HIGH

:H Plan

Operation Mode EUT Pol.

Temp./Humi. :714.5 MHz Engineer

> :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
76.56	S	-61.63	-56.83	-3.77	-1.04	-13.00	-48.63
238.55	S	-75.22	-76.90	3.29	-1.60	-13.00	-62.22
316.15	S	-74.42	-76.24	3.67	-1.85	-13.00	-61.42
439.34	S	-74.57	-75.94	3.40	-2.03	-13.00	-61.57
537.31	S	-71.40	-72.52	3.63	-2.51	-13.00	-58.40
750.71	S	-68.25	-68.83	3.28	-2.70	-13.00	-55.25
1429.00	Н	-60.58	-59.55	2.94	-3.97	-13.00	-47.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 468 of 566

:CH 23165 16QAM BW 3 Test Date **ARFCN** 

**RB** 10

:LTE B12 **Operation Band** 

Fundamental Frequency :714.5 MHz :TX HIGH


Operation Mode

EUT Pol. :H Plan :2015-05-29

Temp./Humi. :24 deg\_C / 59 RH

Engineer :Curry

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-70.64	-56.18	-13.67	-0.78	-13.00	-57.64
154.16	S	-79.16	-75.94	-1.82	-1.41	-13.00	-66.16
343.31	S	-76.90	-78.70	3.74	-1.94	-13.00	-63.90
432.55	S	-75.21	-76.64	3.44	-2.01	-13.00	-62.21
517.91	S	-74.24	-75.53	3.70	-2.40	-13.00	-61.24
764.29	S	-69.82	-70.42	3.33	-2.73	-13.00	-56.82
1429.00	Н	-61.87	-60.84	2.94	-3.97	-13.00	-48.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 469 of 566

#### Radiated Spurious Emission Measurement Result: 10MHz BW LTE-Band 13(The Worst Case)

**ARFCN** 


:CH 23230 16QAM BW Test Date :2015-05-29 10 RB1 0

Operation Band :LTE B13 Temp./Humi. :23 deg\_C / 52 RH

**Fundamental Frequency** :782 MHz Engineer :Curry

Operation Mode :TX MID

EUT Pol. :H Plan :VERTICAL Measurement Antenna Pol.



	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin	
				Output Level	Gain	Loss			
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	
	66.86	S	-62.24	-54.55	-6.69	-1.00	-13.00	-49.24	
	235.64	S	-75.30	-77.00	3.30	-1.59	-13.00	-62.30	
	335.55	S	-75.72	-77.53	3.72	-1.92	-13.00	-62.72	
	443.22	S	-74.11	-75.44	3.38	-2.05	-13.00	-61.11	
	537.31	S	-70.87	-71.99	3.63	-2.51	-13.00	-57.87	
	720.64	S	-67.62	-68.34	3.34	-2.63	-13.00	-54.62	
	1564.00	Н	-62.35	-61.46	3.22	-4.11	-40.00	-22.35	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the proposition from exercision from exercisions from ex Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 470 of 566

:CH 23230 16QAM BW Test Date **ARFCN** 

10 RB1 0

Engineer

:2015-05-29

**Operation Band** 

:LTE B13

Temp./Humi. :23 deg\_C / 52 RH

Fundamental Frequency


:782 MHz :TX MID

:Curry

Operation Mode

:H Plan EUT Pol.

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
33.88	S	-71.87	-57.20	-13.90	-0.77	-13.00	-58.87
174.53	S	-79.24	-77.81	0.07	-1.49	-13.00	-66.24
340.40	S	-76.12	-77.92	3.74	-1.93	-13.00	-63.12
434.49	S	-75.25	-76.66	3.43	-2.02	-13.00	-62.25
516.94	S	-73.46	-74.77	3.70	-2.40	-13.00	-60.46
716.76	S	-69.72	-70.45	3.35	-2.62	-13.00	-56.72
1564.00	Н	-62.72	-61.83	3.22	-4.11	-40.00	-22.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 471 of 566

:Curry

# Radiated Spurious Emission Measurement Result: 763MHz -775MHz 10MHz BW LTE-Band 13(The Worst Case)

:CH 23230 16QAM BW Test Date **ARFCN** 

10 RB1 0


:2015-05-29

Temp./Humi. :23 deg\_C / 52 RH **Operation Band** :LTE B13

Engineer

**Fundamental Frequency** :782 MHz Operation Mode :TX MID

EUT Pol. :VERTICAL :H Plan Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
770.18	S	-79.34	-79.94	3.35	-2.74	-35.00	-44.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the proposition from exercision from exercisions from ex Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:2015-05-29

:Curry

Page: 472 of 566

:CH 23230 16QAM BW Test Date **ARFCN** 


10 RB1 0

:LTE B13 Temp./Humi. :23 deg\_C / 52 RH **Operation Band** 

Fundamental Frequency :782 MHz Engineer

Operation Mode :TX MID

:HORIZONTAL EUT Pol. :H Plan Measurement Antenna Pol.



	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin	
				Output Level	Gain	Loss			
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	_
	764.48	S	-80.07	-80.67	3.33	-2.73	-35.00	-45.07	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 473 of 566

# Radiated Spurious Emission Measurement Result: 793MHz ~ 805MHz 10MHz BW LTE-Band 13(The Worst Case)

:CH 23230 16QAM BW Test Date **ARFCN** 

10 RB1 0

:TX MID


:2015-05-29

Temp./Humi. **Operation Band** :LTE B13 :23 deg\_C / 52 RH

**Fundamental Frequency** Engineer :782 MHz :Curry

Operation Mode

EUT Pol. :VERTICAL :H Plan Measurement Antenna Pol.



	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin	
				Output Level	Gain	Loss			
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	
	797.66	S	-79.37	-79.96	3.43	-2.84	-35.00	-44.37	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the proposition from exercision from exercisions from ex Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 474 of 566

:CH 23230 16QAM BW Test Date **ARFCN** 

10 RB1 0

:2015-05-29

**Operation Band** 

:LTE B13 :782 MHz Temp./Humi. :23 deg\_C / 52 RH

Fundamental Frequency

:TX MID

:Curry


Operation Mode EUT Pol.

:H Plan

Measurement Antenna Pol.

Engineer

:HORIZONTAL



	Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin	
				Output Level	Gain	Loss			
_	MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB	
	802.38	S	-80.93	-81.52	3.44	-2.86	-35.00	-45.93	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 475 of 566

#### Radiated Spurious Emission Measurement Result: 10MHz BW LTE-Band 17(The Worst Case)

**ARFCN** 


:CH 23780 16QAM BW Test Date :2015-05-29 10 RB1 0

Operation Band :LTE B17 Temp./Humi. :23 deg\_C / 52 RH

**Fundamental Frequency** :709 MHz Engineer :Curry

Operation Mode :TX LOW

EUT Pol. :H Plan :VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.00	S	-75.44	-59.83	-14.88	-0.73	-13.00	-62.44
238.55	S	-79.30	-80.98	3.29	-1.60	-13.00	-66.30
287.05	S	-79.78	-81.44	3.40	-1.74	-13.00	-66.78
434.49	S	-79.31	-80.72	3.43	-2.02	-13.00	-66.31
548.95	S	-75.25	-76.27	3.59	-2.57	-13.00	-62.25
762.35	S	-72.59	-73.19	3.32	-2.72	-13.00	-59.59
1418.00	Н	-58.69	-57.61	2.88	-3.95	-13.00	-45.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the proposition from exercision from exercisions from ex Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 476 of 566

:CH 23780 16QAM BW Test Date **ARFCN** 

10 RB1 0 :LTE B17

:2015-05-29

**Operation Band** 

Temp./Humi. Engineer

:23 deg\_C / 52 RH


Fundamental Frequency

:709 MHz :TX LOW :Curry

Operation Mode EUT Pol.

:H Plan

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-75.59	-61.14	-13.67	-0.78	-13.00	-62.59
156.10	S	-82.76	-79.65	-1.69	-1.42	-13.00	-69.76
343.31	S	-80.80	-82.60	3.74	-1.94	-13.00	-67.80
377.26	S	-79.22	-80.95	3.68	-1.96	-13.00	-66.22
512.09	S	-77.81	-79.16	3.72	-2.37	-13.00	-64.81
767.20	S	-73.97	-74.58	3.34	-2.74	-13.00	-60.97
1418.00	Н	-59.11	-58.04	2.88	-3.95	-13.00	-46.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 477 of 566

:CH 23790 16QAM BW Test Date **ARFCN** 

10 RB1 0

:2015-05-29

**Operation Band** Fundamental Frequency

EUT Pol.

:LTE B17 :710 MHz Temp./Humi. :23 deg\_C / 52 RH


Engineer

:Curry

Operation Mode

:TX MID :H Plan

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.00	S	-74.43	-58.82	-14.88	-0.73	-13.00	-61.43
241.46	S	-79.78	-81.48	3.31	-1.61	-13.00	-66.78
287.05	S	-79.88	-81.54	3.40	-1.74	-13.00	-66.88
449.04	S	-77.80	-79.09	3.35	-2.06	-13.00	-64.80
547.01	S	-76.37	-77.41	3.60	-2.56	-13.00	-63.37
767.20	S	-72.24	-72.84	3.34	-2.74	-13.00	-59.24
1420.00	Н	-58.52	-57.45	2.89	-3.96	-13.00	-45.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 478 of 566

:CH 23790 16QAM BW Test Date **ARFCN** 

10 RB1 0

:2015-05-29

**Operation Band** Fundamental Frequency


:LTE B17 :710 MHz Temp./Humi. :23 deg\_C / 52 RH

:TX MID

Engineer :Curry

Operation Mode :H Plan EUT Pol.

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-74.93	-60.47	-13.67	-0.78	-13.00	-61.93
158.04	S	-82.99	-80.00	-1.56	-1.43	-13.00	-69.99
350.10	S	-80.97	-82.77	3.76	-1.97	-13.00	-67.97
440.31	S	-79.36	-80.72	3.40	-2.04	-13.00	-66.36
515.00	S	-78.64	-79.96	3.71	-2.39	-13.00	-65.64
765.26	S	-73.79	-74.39	3.33	-2.73	-13.00	-60.79
1420.00	Н	-56.89	-55.83	2.89	-3.96	-13.00	-43.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 479 of 566

:CH 23800 16QAM BW Test Date **ARFCN** 

10 RB1 0 :LTE B17

**Operation Band** 

EUT Pol.

Temp./Humi.

:23 deg\_C / 52 RH

:2015-05-29

**Fundamental Frequency** 


:711 MHz

Engineer :Curry

Operation Mode

:TX HIGH :H Plan

:VERTICAL Measurement Antenna Pol.



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
30.00	S	-73.12	-57.51	-14.88	-0.73	-13.00	-60.12
235.64	S	-79.89	-81.59	3.30	-1.59	-13.00	-66.89
325.85	S	-79.35	-81.16	3.70	-1.88	-13.00	-66.35
385.99	S	-78.77	-80.48	3.66	-1.95	-13.00	-65.77
548.95	S	-75.90	-76.92	3.59	-2.57	-13.00	-62.90
755.56	S	-71.89	-72.48	3.30	-2.71	-13.00	-58.89
1422.00	Н	-57.43	-56.37	2.90	-3.96	-13.00	-44.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanted by the responsibility is to the full part of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

:2015-05-29

Page: 480 of 566

:CH 23800 16QAM BW Test Date **ARFCN** 

10 RB1 0

:LTE B17

Fundamental Frequency

:711 MHz

Temp./Humi. :23 deg\_C / 52 RH

Operation Mode

:TX HIGH

Engineer :Curry


EUT Pol.

**Operation Band** 

:H Plan

Measurement Antenna Pol.

:HORIZONTAL



Freq.	Note	ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBd	dB	dBm	dB
34.85	S	-76.05	-61.60	-13.67	-0.78	-13.00	-63.05
153.19	S	-83.29	-80.01	-1.88	-1.40	-13.00	-70.29
345.25	S	-80.60	-82.39	3.75	-1.95	-13.00	-67.60
427.70	S	-79.21	-80.68	3.46	-2.00	-13.00	-66.21
532.46	S	-78.67	-79.83	3.65	-2.48	-13.00	-65.67
754.59	S	-73.63	-74.22	3.30	-2.71	-13.00	-60.63
1422.00	Н	-55.33	-54.28	2.90	-3.96	-13.00	-42.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 481 of 566


# 10. FREQUENCY STABILITY MEASUREMENT

## 10.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

# 10.2. Test Set-up:

## Temperature Chamber



Variable DC Power Supply

**Note:** Measurement setup for testing on Antenna connector

#### 10.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 482 of 566

# 10.4. Measurement Equipment Used:

Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	Agilent	E4440A	MY45304525	05/05/2015	05/04/2016			
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016			
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	10/08/2014	10/09/2015			
Temperature Chamber	TERCHY	MHG-120LF	911009	05/06/2015	05/05/2016			
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016			
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016			
Splitter	Agilent	11636B	N/A	01/02/2015	01/01/2016			
DC Power Supply	Agilent	E3640A	MY52410006	11/10/2014	11/09/2015			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 483 of 566

### 10.5. Measurement Result:

FREQUENCY ERROR vs. VOLTAGE

THE QUELTUCE EL	REQUERCT ERROR VS. VOLTROE								
	Reference Frequency: GPRS 850 Mid Channel 836.6 MHz								
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency							
***	T		Delta (Hz)	Limit (Hz)					
Vdc	Temperature ( )	(MHz)							
4.4	20	836599996	0	2091					
3.8	20	836599996	0	2091					
3.2	20	836599993	-3	2091					
2.9	20	926500000	2	2001					
(End point)	20	836599999	3	2091					

FREOUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz									
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency							
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)					
3.8	50	836599993	-3	2091					
3.8	40	836599991	-5	2091					
3.8	30	836599989	-7	2091					
3.8	20	836599996	0	2091					
3.8	10	836599994	-2	2091					
3.8	0	836600000	4	2091					
3.8	-10	836599995	-1	2091					
3.8	-20	836599992	-4	2091					
3.8	-30	836599994	-2	2091					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 484 of 566

## FREQUENCY ERROR vs. VOLTAGE

	REQUERTOT EMITOR (SI TOETHOE							
I	Reference Frequency: GPRS 1900 Mid Channel 1880 MHz							
		Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency	Dolto (Hz)	Limit (Hz)				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)				
4.4	20	1879999995	-1	4700				
3.8	20	1879999996	0	4700				
3.2	20	1879999994	-2	4700				
2.9	20	100000000		4700				
(End point)	20	1880000002	6	4700				

## FREQUENCY ERROR vs. TEMPERATURE

	Reference Frequency: GPRS 1900 Mid Channel 1880 MHz								
	]	Limit: +/- 2.5 ppm = H	Z						
Power Supply	Environment	Frequency							
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)					
3.8	50	1879999995	-1	4700					
3.8	40	1879999997	1	4700					
3.8	30	1879999993	-3	4700					
3.8	20	1879999996	0	4700					
3.8	10	1879999995	-1	4700					
3.8	0	1879999998	2	4700					
3.8	-10	1880000000	4	4700					
3.8	-20	1880000001	5	4700					
3.8	-30	1879999999	3	4700					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 台灣檢驗科技股份有限公司 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 485 of 566

## FREQUENCY ERROR vs. VOLTAGE

THE QUELTUT EL	REQUERTED EMILIAN VIS. VOLTRIGE								
I	Reference Frequency: WCDMA II Mid Channel 1880 MHz								
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency	Dolto (Hz)	Limit (Hz)					
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)					
4.4	20	1879999999	-2	4700					
3.8	20	1880000001	0	4700					
3.2	20	1879999997	-4	4700					
2.9	20	107000000	2	4700					
(End point)	20	1879999999	-2	4700					

## FREQUENCY ERROR vs. TEMPERATURE

	Reference Frequency: WCDMA II Mid Channel 1880								
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency	D 1/ (II )	1: '4 (11 )					
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)					
3.8	50	1880000001	0	4700					
3.8	40	1879999998	-3	4700					
3.8	30	1880000000	-1	4700					
3.8	20	1880000001	0	4700					
3.8	10	1879999998	-3	4700					
3.8	0	1879999997	-4	4700					
3.8	-10	1880000001	0	4700					
3.8	-20	1879999995	-6	4700					
3.8	-30	1880000000	-1	4700					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 486 of 566

## FREQUENCY ERROR vs. VOLTAGE

THE QUEITOT EL	CITOIC VOI VOLITIE	02							
Re	Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz								
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency	Dolto (Hz)	Limit (Hz)					
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)					
4.4	20	173259999	-2	4331					
3.8	20	173260001	0	4331					
3.2	20	173259997	-4	4331					
2.9	20	1722 (0001		4221					
(End point)	20	173260001	0	4331					

## FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz								
	Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency	Dolto (Hg)	Limit (Uz)				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)				
3.8	50	173259998	-3	4331				
3.8	40	173259999	-2	4331				
3.8	30	173260003	2	4331				
3.8	20	173260001	0	4331				
3.8	10	173259999	-2	4331				
3.8	0	173260002	1	4331				
3.8	-10	173259999	-2	4331				
3.8	-20	173260003	2	4331				
3.8	-30	173260000	-1	4331				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 487 of 566

FREQUENCY ERROR vs. VOLTAGE

FREQUENCY ERROR vs. VOLTAGE						
	Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
		Limit: +/-	2.5 ppm			
Power Sup- ply	Environment	Frequency				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
4.4	20	836600000	1	2091		
3.8	20	836599999	0	2091		
3.2	20	836600000	1	2091		
2.9 (End Point)	20	836599997	-2	2091		

## FREOUENCY ERROR vs. TEMPERATURE

	Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
	Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Dalta (II-)	I insit (III-)		
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
3.8	50	836599999	0	2091		
3.8	40	836600000	1	2091		
3.8	30	836600002	3	2091		
3.8	20	836599999	0	2091		
3.8	10	836599997	-2	2091		
3.8	0	836600000	1	2091		
3.8	-10	836600001	2	2091		
3.8	-20	836599997	-2	2091		
3.8	-30	836599998	-1	2091		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 488 of 566

## FREQUENCY ERROR vs. VOLTAGE

FREQUENCI ERROR VS. VOLTAGE						
Reference Frequency:		LTE B2 Mid Channel	1880	MHz 10M QPSK CH 18900		
Limit: +/- 2.5 ppm						
Power Sup- ply	Environment	Frequency				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
4.37	25	1879.999992	-2.80	4700		
3.8	25	1879.999995	0.00	4700		
3.23	25	1879.999996	0.90	4700		
3.16 (End Point)	25	1879.999992	-2.50	4700		

### FREOUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B2 Mid Channel	1880	MHz 10M QPSK CH 18900		
Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency	Dalta (III-)	Limit (II-)		
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
3.8	-30	1879.999993	-1.40	4700		
3.8	-20	1879.999993	-1.10	4700		
3.8	-10	1879.999994	0.00	4700		
3.8	0	1879.999994	-0.60	4700		
3.8	10	1879.999995	1.10	4700		
3.8	20	1879.999994	0.00	4700		
3.8	30	1879.999996	2.00	4700		
3.8	40	1879.999995	0.30	4700		
3.8	50	1879.999994	-0.30	4700		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 489 of 566

## FREQUENCY ERROR vs. VOLTAGE

TREQUENCY ERROR VS. VOLTAGE						
Reference Frequency:		LTE B4 Mid Channel	1732.5	MHz 10M QPSK CH 20175		
Limit: +/- 2.5 ppm						
Power Sup- ply	Environment	Frequency				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
4.370	25	1732.499993	-2.60	4331		
3.800	25	1732.499996	0.00	4331		
3.230	25	1732.499994	-1.90	4331		
3.20 (End Point)	25	1732.499995	-0.50	4331		

### FREOUENCY ERROR vs. TEMPERATURE

THE YOU THE ON THE TENTE OF THE					
Reference Frequency:		LTE B4 Mid Channel 1732.5		MHz	10M QPSK CH 20175
		Limit: +/	- 2.5 ppm		
Power Supply	Environment	Frequency	Dolto (Uz)		Limit (He)
Vdc	Temperature ( )	(MHz)	Delta (Hz)		Limit (Hz)
3.8	-30	1732.499994	-1.40		4331
3.8	-20	1732.499994	-1.10		4331
3.8	-10	1732.499994	-1.00		4331
3.8	0	1732.499995	-0.20		4331
3.8	10	1732.499995	-0.60		4331
3.8	20	1732.499995	0.00		4331
3.8	30	1732.499996	0.50		4331
3.8	40	1732.499996	0.70		4331
3.8	50	1732.499997	1.40		4331

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 490 of 566

FREQUENCY ERROR vs. VOLTAGE

FREQUENCY ERROR VS. VOLTAGE							
Reference Frequency:		LTE B5 Mid Channel	836.5	MHz 10M QPSK CH 20525			
	Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency					
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)			
4.37	25	836.500005	1.70	2091			
3.8	25	836.500003	0.00	2091			
3.23	25	836.500003	0.40	2091			
3.22 (End Point)	25	836.500004	1.10	2091			

FREOUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B5 Mid Channel	836.5	MHz	10M QPSK CH 20525
		Limit: +/	- 2.5 ppm		
Power Supply	Environment	Frequency	Delta (Hz)		Limit (Ha)
Vdc	Temperature ( )	(MHz)			Limit (Hz)
3.8	-30	836.500006	2.40		2091
3.8	-20	836.500006	2.80		2091
3.8	-10	836.500005	2.00		2091
3.8	0	836.500005	1.60		2091
3.8	10	836.500004	0.50		2091
3.8	20	836.500003	0.00		2091
3.8	30	836.500004	0.60		2091
3.8	40	836.500005	1.80		2091
3.8	50	836.500006	2.40		2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 491 of 566

FREQUENCY ERROR vs. VOLTAGE

FREQUENCI ERROR VS. VOLTAGE						
Reference Frequency:		LTE B7 Mid Channel	2535.0	MHz 10M QPSK CH 21100		
Limit: +/- 2.5 ppm						
Power Sup- ply	Environment	Frequency				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
4.37	25	2535.000010	3.30	6338		
3.8	25	2535.000006	0.00	6338		
3.23	25	2535.000007	0.30	6338		
3.15 (End Point)	25	2535.000007	0.70	6338		

FREOUENCY ERROR vs. TEMPERATURE

	ce Frequency:	LTE B7 Mid Channel	2535.0	MHz	10M QPSK CH 21100	
Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency	Dolto (Hz)		Limit (Hg)	
Vdc	Temperature ( )	(MHz)	Delta (Hz)		Limit (Hz)	
3.8	-30	2535.000011	4.40		6338	
3.8	-20	2535.000010	2.70		6338	
3.8	-10	2535.000009	1.90		6338	
3.8	0	2535.000008	1.40		6338	
3.8	10	2535.000008	0.70		6338	
3.8	20	2535.000007	0.00		6338	
3.8	30	2535.000007	-0.40		6338	
3.8	40	2535.000007	-0.10		6338	
3.8	50	2535.000007	0.40		6338	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 492 of 566

## FREQUENCY ERROR vs. VOLTAGE

TREQUENCI ERROR VS. VOLTAGE							
Reference Frequency:		LTE B12 Mid Chan- nel	707.5	MHz 10M QPSK CH 23095			
	Limit: +/- 2.5 ppm						
Power Sup- ply	Environment	Frequency					
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)			
4.37	25	707.499996	-0.80	1769			
3.8	25	707.499997	0.00	1769			
3.23	25	707.499997	0.20	1769			
3.21 (End Point)	25	707.499996	-0.50	1769			

## FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B12 Mid Channel	707.5	MHz	10M QPSK CH 23095		
	Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency	Dolto (Hz)				
Vdc	Temperature ( )	(MHz)	Delta (Hz)		Limit (Hz)		
3.8	-30	707.499996	-0.90		1769		
3.8	-20	707.499995	-1.10		1769		
3.8	-10	707.499995	-1.60		1769		
3.8	0	707.499995	-1.30		1769		
3.8	10	707.499997	0.30		1769		
3.8	20	707.499997	0.00		1769		
3.8	30	707.499996	-0.60		1769		
3.8	40	707.499995	-1.10		1769		
3.8	50	707.499996	-0.50		1769		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 493 of 566

# ERFOLIENCY ERROR vs. VOLTAGE

FREQUENCY ERROR vs. VOLTAGE							
Reference Frequency:		LTE B13 Mid Channel 782.0		MHz 10M QPSK CH 23230			
		Limit: +/-	2.5 ppm				
Power Sup- ply	Environment	Frequency					
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)			
4.370	25	781.999997	0.90	1955			
3.800	25	781.999997	0.00	1955			
3.230	25	781.999996	-0.60	1955			
3.22 (End Point)	25	781.999995	-1.30	1955			

### FREQUENCY ERROR vs. TEMPERATURE

Referen	ce Frequency:	LTE B13 Mid Channel	782.0	MHz	10M QPSK CH 23230		
	Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency	- Delta (Hz)				
Vdc	Temperature ( )	(MHz)	Della (HZ)		Limit (Hz)		
3.8	-30	781.999994	-1.80		1955		
3.8	-20	781.999995	-1.70		1955		
3.8	-10	781.999995	-1.20		1955		
3.8	0	781.999996	-0.30		1955		
3.8	10	781.999997	0.30		1955		
3.8	20	781.999996	0.00		1955		
3.8	30	781.999997	0.50		1955		
3.8	40	781.999996	-0.10		1955		
3.8	50	781.999997	0.40		1955		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 494 of 566

## FREQUENCY ERROR vs. VOLTAGE

FREQUENCI ERROR VS. VOLTAGE						
Reference Frequency:		LTE B17 Mid Chan- nel	710.0	MHz 10M QPSK CH 23790		
		Limit: +/-	2.5 ppm			
Power Supply	Environment	Frequency				
Vdc	Temperature ( )	(MHz)	Delta (Hz)	Limit (Hz)		
4.37	25	710.000002	-0.30	1775		
3.8	25	710.000002	0.00	1775		
3.23	25	710.000002	0.10	1775		
3.15 (End Point)	25	710.000005	2.70	1775		

FREQUENCY ERROR vs. TEMPERATURE

Referen	ce Frequency:	LTE B17 Mid Channel	710.0	MHz	10M QPSK CH 23790
		Limit: +/- 2.5	ppm		
Power Supply	Environment	Frequency	Dolto (Hz)		Limit (Hz)
Vdc	Temperature ( )	(MHz)	Delta (HZ)	elta (Hz) Limit (H	
3.8	-30	709.999995	-3.20		1775
3.8	-20	709.999996	-2.00		1775
3.8	-10	709.999997	-1.90		1775
3.8	0	709.999998	-0.80		1775
3.8	10	709.999998	-0.40		1775
3.8	20	709.999998	0.00		1775
3.8	30	709.999999	0.50		1775
3.8	40	709.999998	-0.90		1775
3.8	50	709.999997	-1.50		1775

Note: The battery is rated 3.8V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 495 of 566

# 11. PEAK TO AVERAGE RATIO

## 11.1. Standard Applicable

The peak-to-average ration (PAR) of the transmission may not exceed 13dB.

### 11.2. Test SET-UP



### 11.3. Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

## 11.4. Measurement Equipment Used

Conc	Conducted Emission (measured at antenna port) Test Site							
<b>EQUIPMENT</b>	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	Agilent	E4440A	MY45304525	05/05/2015	05/04/2016			
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2015	02/10/2016			
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	10/08/2014	10/09/2015			
Temperature Chamber	TERCHY	MHG-120LF	911009	05/06/2015	05/05/2016			
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016			
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016			
Splitter	Agilent	11636B	N/A	01/02/2015	01/01/2016			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 496 of 566

## 11.5. Measurement Result

### **Tabular Results:**

Frequency	СН	Peak-to-Average Ratio (dB)			
(MHz)		GSM	GPRS	EDGE	
824.20	128	9.81	9.88	12.53	
836.60	190	9.53	10.47	12.40	
848.80	251	9.69	9.74	12.55	

Frequency	СН	Peak-to-Average Ratio (dB)			
(MHz)		GSM	GPRS	EDGE	
1850.20	512	9.75	9.72	12.90	
1880.00	661	8.80	9.53	12.32	
1909.80	810	9.37	9.47	12.95	

Frequency	СН	Peak-to-Average Ratio (dB)				
(MHz)	Ch	WCDMA II	HSDPA II	HSUPA II		
1712.40	1312	2.67	3.63	3.65		
1732.60	1413	2.76	3.67	3.74		
1752.6	1513	2.53	3.47	3.48		

Frequency	СН	Peak-to-Average Ratio (dB)			
(MHz)	Cn	WCDMA IV	HSDPA IV	HSUPA IV	
1850.20	9262	2.74	3.75	3.83	
1880.00	9400	2.84	3.93	4.00	
1909.80	9538	2.68	3.78	3.85	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 497 of 566

Frequency	СН	Peak-to-Average Ratio (dB)			
(MHz)	Cn	WCDMA V	HSDPA V	HSUPA V	
826.40	4132	2.67	3.63	3.65	
836.60	4183	2.76	3.67	3.74	
846.60	4233	2.53	3.47	3.48	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 498 of 566

	LTE BAND 2								
Channel bandwidth: 1.4MHz				Ch	annel ban	dwidth: 3M	Hz		
Frequency	СН		erage Ratio B)	Frequency	СН	Peak-to-Ave	_		
(MHz)		16QAM	LIMIT	(MHz)		16QAM	LIMIT		
1850.7	18607	5.81	13	1851.5	18615	5.63	13		
1880.0	18900	6.50	13	1880.0	18900	6.25	13		
1909.3	19193	5.35	13	1908.5	19185	5.44	13		

	LTE BAND 2											
Ch	annel ba	ndwidth: 5M	IHz	Cha	nnel ban	dwidth: 10M	Hz					
Frequency		Peak-to-Average Ratio (dB)		Frequency		Peak-to-Ave	O					
(MHz)	СН	16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT					
1852.5	18625	6.09	13	1855.0	18650	6.11	13					
1880.0	18900	6.55	13	1880.0	18900	6.44	13					
1907.5	19175	6.04	13	1905.0	19150	6.13	13					

	LTE BAND 2										
Cha	ınnel baı	ndwidth: 15N	ИHz	Channel bandwidth: 20MHz							
Frequency	CII	Peak-to-Average Ratio (dB)		Frequency	CII	Peak-to-Average Ratio (dB)					
(MHz)	СН	16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT				
1857.5	18675	6.64	13	1860.0	18700	6.93	13				
1880.0	18900	6.75	13	1880.0	18900	7.11	13				
1902.5	19125	6.71	13	1900.0	19100	7.02	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 499 of 566

	LTE BAND 4											
Cha	nnel bar	dwidth: 1.4N	MHz	Channel bandwidth: 3MHz								
Frequency	CII		erage Ratio B)	Frequency	СН	Peak-to-Average Ratio (dB)						
(MHz)	СН	16QAM	LIMIT	(MHz)	Сп	16QAM	LIMIT					
1710.7	19957	5.56	13	1711.5	19965	5.47	13					
1732.5	20175	5.83	13	1732.5	20175	5.79	13					
1754.3	20393	5.21	13	1753.5	20385	5.19	13					

	LTE BAND 4										
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz							
Frequency	СН	Peak-to-Av	erage Ratio B)	Frequency	Peak-to-Aver		0				
(MHz)	СН	16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT				
1712.5	19957	5.75	13	1715.0	20000	5.99	13				
1732.5	20175	6.04	13	1732.5	20175	6.06	13				
1752.5	20375	5.57	13	1750.0	20350	5.81	13				

	LTE BAND 4										
Cha	nnel baı	ndwidth: 15N	ИHz	Channel bandwidth: 20MHz							
Frequency	СН	Peak-to-Average Ratio (dB)		Frequency		Peak-to-Avo	U				
(MHz)	СН	16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT				
1717.5	20025	6.67	13	1720.0	20050	7.07	13				
1732.5	20175	6.63	13	1732.5	20175	6.99	13				
1747.5	20325	6.57	13	1745.0	20300	6.95	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 500 of 566

	LTE BAND 5										
Cha	nnel bar	ndwidth: 1.4N	MHz	Channel bandwidth: 3MHz							
Frequency	CII	Peak-to-Average Ratio (dB)		Frequency		Peak-to-Average Ratio (dB)					
(MHz)	СН	16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT				
824.7	20407	6.61	13	825.5	20415	6.31	13				
836.5	20525	6.89	13	836.5	20525	6.65	13				
848.3	20643	6.64	13	847.5	20635	6.44	13				

LTE BAND 5										
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz						
Frequency	CII	Peak-to-Av	erage Ratio B)	Frequency	СН	Peak-to-Average Ratio				
(MHz)	СН	16QAM	LIMIT	(MHz)	CH	16QAM	LIMIT			
826.5	20425	6.56	13	2505.0	20800	6.51	13			
836.5	20525	6.78	13	2535.0	21100	6.66	13			
846.5	20625	6.52	13	2565.0	21400	6.53	13			

	LTE BAND 7										
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz							
Frequency	CII	Peak-to-Avera		Frequency	Peak-to-Average Ratio						
(MHz)	СН	16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT				
2502.5	20775	6.40	13	2505.0	20800	6.42	13				
2535.0	21100	6.48	13	2535.0	21100	6.44	13				
2567.5	21425	6.06	13	2565.0	21400	5.99	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 501 of 566

LTE BAND 7										
Cha	annel baı	ndwidth: 15N	<b>/IHz</b>	Channel bandwidth: 20MHz						
Frequency	CII	Peak-to-Average Ratio (dB)		Frequency	СН		Peak-to-Average Ratio (dB)			
(MHz)	СН	16QAM	LIMIT	(MHz)	Ch	16QAM	LIMIT			
2507.5	20425	6.67	13	2510.0	20850	7.11	13			
2535.0	20525	6.62	13	2535.0	21100	7.04	13			
2562.5	20625	6.63	13	2560.0	21350	6.97	13			

	LTE BAND 12										
Cha	nnel ban	ndwidth: 1.4N	MHz	Channel bandwidth: 3MHz							
Frequency	CII	Peak-to-Av	erage Ratio B)	Frequency	СН	Peak-to-Average Ratio					
(MHz)	СН	16QAM	LIMIT	(MHz)	CH	16QAM	LIMIT				
699.7	23017	6.41	13	700.5	23025	5.99	13				
707.5	23095	5.91	13	707.5	23095	5.92	13				
715.3	23173	5.70	13	714.5	23165	5.85	13				

	LTE BAND 12										
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz							
Frequency	СН		erage Ratio B)	Frequency	СН	Peak-to-Average Ratio					
(MHz)	СН	16QAM	LIMIT	(MHz)	Cn	16QAM	LIMIT				
701.5	23035	6.08	13	704.0	23060	6.13	13				
707.5	23095	6.15	13	707.5	23095	6.21	13				
713.5	23155	6.34	13	711.0	23130	6.38	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40157 Issue Date: Jun. 22, 2015

Page: 502 of 566

	LTE BAND 13										
Ch	annel ba	ndwidth: 5M	IHz	Channel bandwidth: 10MHz							
Frequency	СН		erage Ratio B)	Frequency	СН	Peak-to-Average Ratio (dB)					
(MHz)		16QAM	LIMIT	(MHz)	Сн	16QAM	LIMIT				
779.5	23205	6.08	13								
782.0	23230	6.17	13	23230	782	6.19	13				
782.0	23255	6.33	13								

LTE BAND 17							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Frequency (MHz)	СН	Peak-to-Average Ratio (dB)		Frequency	CII	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT	(MHz)	СН	16QAM	LIMIT
706.5	23755	5.98	13	709.0	23780	6.34	13
710.0	23790	6.55	13	710.0	23790	6.33	13
713.5	23825	6.29	13	711.0	23780	6.50	13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate is unleastful and difference may be prosequed to the full lest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 


Page: 503 of 566

#### **Measurement Results:**

#### **GSM 850 Channel Low**



#### **GSM 850 Channel Mid**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 504 of 566

### **GSM 850 Channel High**



#### **GSM 1900 Channel Low**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 505 of 566

#### **GSM 1900 Channel Mid**



## **GSM 1900 Channel High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 506 of 566

#### **GPRS 850 Channel Low**



#### **GPRS 850 Channel Mid**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 507 of 566

### **GPRS 850 Channel High**



#### **GPRS 1900 Channel Low**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 508 of 566

#### **GPRS 1900 Channel Mid**



## **GPRS 1900 Channel High**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 509 of 566

#### **EDGE 850 Channel Low**



#### **EDGE 850 Channel Mid**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 510 of 566

### **EDGE 850 Channel High**



#### **EDGE 1900 Channel Low**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 511 of 566

#### **EDGE 1900 Channel Mid**



## **EDGE 1900 Channel High**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 512 of 566

#### WCDMA Band II Channel Low



#### **WCDMA Band II Channel Mid**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 513 of 566

## **WCDMA Band II Channel High**



#### WCDMA Band IV Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 514 of 566

#### WCDMA Band IV Channel Mid



## WCDMA Band IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 515 of 566

#### **WCDMA Band V Channel Low**



#### WCDMA Band V Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 516 of 566

## **WCDMA Band V Channel High**



#### **HSDPA Band II Channel Low**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 517 of 566

#### **HSDPA Band II Channel Mid**



# **HSDPA Band II Channel High**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 518 of 566

#### **HSDPA Band IV Channel Low**



#### **HSDPA Band IV Channel Mid**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 519 of 566

#### **HSDPA Band IV Channel High**



#### **HSDPA Band V Channel Low**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279




Page: 520 of 566

#### **HSDPA Band V Channel Mid**



# **HSDPA Band V Channel High**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 521 of 566

#### **HSUPA Band II Channel Low**



#### **HSUPA Band II Channel Mid**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 522 of 566

#### **HSUPA Band II Channel High**



#### **HSUPA Band IV Channel Low**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 523 of 566

#### **HSUPA Band IV Channel Mid**



# **HSUPA Band IV Channel High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 524 of 566

#### **HSUPA Band V Channel Low**



#### **HSUPA Band V Channel Mid**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 525 of 566

## **HSUPA Band V Channel High**



# 1.4MHz BW LTE-Band 2(16QAM Number: 6 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 526 of 566

# 1.4MHz BW LTE-Band 2(16OAM Number: 6 Offset: 0) Channel Mid



# 1.4MHz BW LTE-Band 2(16QAM Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

Page: 527 of 566

## 3MHz BW LTE-Band 2(16OAM Number: 15 Offset: 0) Channel Low



## 3MHz BW LTE-Band 2(16OAM Number: 15 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 528 of 566

## 3MHz BW LTE-Band 2(16QAM Number: 15 Offset: 0) Channel High



5MHz BW LTE-Band 2(16OAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 529 of 566

## 5MHz BW LTE-Band 2(16OAM Number: 25 Offset: 0) Channel Mid



## 5MHz BW LTE-Band 2(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com



Page: 530 of 566

## 10MHz BW LTE-Band 2(16OAM Number: 50 Offset: 0) Channel Low



# 10MHz BW LTE-Band 2(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page: 531 of 566

# 10MHz BW LTE-Band 2(16QAM Number: 50 Offset: 0) Channel High



15MHz BW LTE-Band 2(16QAM Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488 t (886-2) 2299-3279

www.tw.sqs.com



Page: 532 of 566

# 15MHz BW LTE-Band 2(16QAM Number: 75 Offset: 0) Channel Mid



## 15MHz BW LTE-Band 2(16QAM Number: 75 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 533 of 566

# 20MHz BW LTE-Band 2(16OAM Number: 100 Offset: 0) Channel Low



### 20MHz BW LTE-Band 2(16QAM Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page: 534 of 566

## 20MHz BW LTE-Band 2(16QAM Number: 100 Offset: 0) Channel High



## 1.4MHz BW LTE-Band 4(16QAM Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Page: 535 of 566

## 1.4MHz BW LTE-Band 4(16OAM Number: 6 Offset: 0) Channel Mid



## 1.4MHz BW LTE-Band 4(16QAM Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com



Page: 536 of 566

## 3MHz BW LTE-Band 4(16QAM Number: 15 Offset: 0) Channel Low



## 3MHz BW LTE-Band 4(16OAM Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 537 of 566

# 3MHz BW LTE-Band 4(16QAM Number: 15 Offset: 0) Channel High



5MHz BW LTE-Band 4(16OAM Number: 25 Offset: 0) Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 538 of 566

## 5MHz BW LTE-Band 4(16OAM Number: 25 Offset: 0) Channel Mid



### 5MHz BW LTE-Band 4(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 539 of 566

# 10MHz BW LTE-Band 4(16OAM Number: 50 Offset: 0) Channel Low



### 10MHz BW LTE-Band 4(16QAM Number: 50 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 540 of 566

## 10MHz BW LTE-Band 4(16QAM Number: 50 Offset: 0) Channel High



# 15MHz BW LTE-Band 4(16QAM Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Page: 541 of 566

# 15MHz BW LTE-Band 4(16QAM Number: 75 Offset: 0) Channel Mid



## 15MHz BW LTE-Band 4(16QAM Number: 75 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 542 of 566

# 20MHz BW LTE-Band 4(16OAM Number: 100 Offset: 0) Channel Low



### 20MHz BW LTE-Band 4(16QAM Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 543 of 566

# 20MHz BW LTE-Band 4(16QAM Number: 100 Offset: 0) Channel High



1.4MHz BW LTE-Band 5(16QAM Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for elec-

In socument is issued by the Company subject to its General Conditions or Service printed overlear, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

transaction documents. This document cannot be reproduced except in full, without prior written approx pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd. No. 134 WukungRoad NewTaipeiIndustrial



Page: 544 of 566

# 1.4MHz BW LTE-Band 5(16QAM Number: 6 Offset: 0) Channel Mid



## 1.4MHz BW LTE-Band 5(16QAM Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 545 of 566

# 3MHz BW LTE-Band 5(16QAM Number: 15 Offset: 0) Channel Low



## 3MHz BW LTE-Band 5(16OAM Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 546 of 566

# 3MHz BW LTE-Band 5(16QAM Number: 15 Offset: 0) Channel High



5MHz BW LTE-Band 5(16OAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

Page: 547 of 566

## 5MHz BW LTE-Band 5(16OAM Number: 25 Offset: 0) Channel Mid



## 5MHz BW LTE-Band 5(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 548 of 566

# 10MHz BW LTE-Band 5(16OAM Number: 50 Offset: 0) Channel Low



### 10MHz BW LTE-Band 5(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 549 of 566

### 10MHz BW LTE-Band 5(16QAM Number: 50 Offset: 0) Channel High



5MHz BW LTE-Band 7(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 550 of 566

#### 5MHz BW LTE-Band 7(16QAM Number: 25 Offset: 0) Channel Mid



#### 5MHz BW LTE-Band 7(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page: 551 of 566

# 10MHz BW LTE-Band 7(16QAM Number: 50 Offset: 0) Channel Low



#### 10MHz BW LTE-Band 7(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com

Page: 552 of 566

### 10MHz BW LTE-Band 7(16QAM Number: 50 Offset: 0) Channel High



### 15MHz BW LTE-Band 7(16QAM Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 553 of 566

#### 15MHz BW LTE-Band 7(16QAM Number: 75 Offset: 0) Channel Mid



### 15MHz BW LTE-Band 7(16QAM Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.

Page: 554 of 566

### 20MHz BW LTE-Band 7(16QAM Number: 100 Offset: 0) Channel Low



#### 20MHz BW LTE-Band 7(16QAM Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

Page: 555 of 566

# 20MHz BW LTE-Band 7(16QAM Number: 100 Offset: 0) Channel High



#### 1.4MHz BW LTE-Band 12(16QAM Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the windows and the subject to the company's findings at the time of its intervention only and the windows and the subject to the company's findings at the time of its intervention only and the windows at the subject to the company's findings at the time of its intervention only and the windows at the subject to the company's findings at the time of its intervention only and the windows at the subject to the company's findings at the time of its intervention only and the windows at the subject to the company's findings at the time of its intervention only and the windows at the subject to the company's findings at the time of its intervention only and the windows at the subject to the company's findings at Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

Page: 556 of 566

### 1.4MHz BW LTE-Band 12(16OAM Number: 6 Offset: 0) Channel Mid



### 1.4MHz BW LTE-Band 12(16QAM Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com

Page: 557 of 566

# 3MHz BW LTE-Band 12(16OAM Number: 15 Offset: 0) Channel Low



### 3MHz BW LTE-Band 12(16OAM Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 558 of 566

### 3MHz BW LTE-Band 12(16QAM Number: 15 Offset: 0) Channel High



5MHz BW LTE-Band 12(16OAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 559 of 566

### 5MHz BW LTE-Band 12(16QAM Number: 25 Offset: 0) Channel Mid



### 5MHz BW LTE-Band 12(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 560 of 566

# 10MHz BW LTE-Band 12(16QAM Number: 50 Offset: 0) Channel Low



#### 10MHz BW LTE-Band 12(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

Page: 561 of 566

# 10MHz BW LTE-Band 12(16QAM Number: 50 Offset: 0) Channel High



#### 5MHz BW LTE-Band 13(16OAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com

Page: 562 of 566

### 5MHz BW LTE-Band 13(16QAM Number: 25 Offset: 0) Channel Mid



### 5MHz BW LTE-Band 13(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page: 563 of 566

### 10MHz BW LTE-Band 13(16OAM Number: 50 Offset: 0) Channel Mid



### 5MHz BW LTE-Band 17(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page: 564 of 566

# 5MHz BW LTE-Band 17(16QAM Number: 25 Offset: 0) Channel Mid



### 5MHz BW LTE-Band 17(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page: 565 of 566

### 10MHz BW LTE-Band 17(16OAM Number: 25 Offset: 0) Channel Low



#### 10MHz BW LTE-Band 17(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**FCC ID: PY7-PM0872** 

Report No.: ER/2015/40157 **Issue Date: Jun. 22, 2015** 

Page: 566 of 566

# 10MHz BW LTE-Band 17(16QAM Number: 50 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to tis General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> and conditions of Electronic format documents, subject to Terms and Conditions of Electronic format documents, subject to Terms and Conditions of Electronic format documents at <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> and conditions of Electronic format documents at <a href="https://www.sgs.com/terms">https://www.sgs.com/terms</a> and conditions of Electronic format documents at Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279