

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

	OF
Product Name:	PDA Phone
Brand Name:	Sony
Type No.:	PM-0872-BV
Model Difference:	N/A
FCC ID:	PY7-PM0872
Report No.:	ER/2015/40161
Issue Date:	Jun. 05, 2015
FCC Rule Part:	§15.247, Cat: DTS
Prepared for:	Sony Mobile Communications AB Nya Vattentornet 22188 Lund/Sweden
Prepared by:	SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803
alalala ala	Note: This report shall not be reproduced except in full,

TAF Dac-MRA Desting Laboratory 0513	<i>Note:</i> This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This doc- ument may be altered or revised by SGS Taiwan Ltd. per- sonnel only, and shall be noted in the revision section of the document.
--	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is advised to the fullet at vector of the Law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



VERIFICATION OF COMPLIANCE

Applicant:	Sony Mobile Communications AB
	Nya Vattentornet 22188 Lund/Sweden
Product Name:	PDA Phone
Brand Name:	Sony
Type No.:	PM-0872-BV
Model Difference:	N/A
FCC ID:	PY7-PM0872
Report Number:	ER/2015/40161
Date of test:	Apr. 22, 2015 ~ Jun. 05, 2015
Date of EUT Received:	Apr. 22, 2015

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2009 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Marcus Tseng	Date	Jun. 05, 2015
_	Marcus Tseng / Engineer		
Prepared By:	Allen Tsai / Engineer	Date	Jun. 05, 2015
Approved By:	Jim Chang	Date	Jun. 05, 2015

Jim Chang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Revision History

Report Number	Revision	Description	Issue Date	
ER/2015/40161	Rev.00	Initial creation of document	Jun. 05, 2015	

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Table of Contents

1	GEN	ERAL INFORMATION	6
	1.1	Product description	6
	1.2	Product Feature of Equipment Under Test	8
	1.3	Test Methodology of Applied Standards	9
	1.4	Test Facility	9
	1.5	Special Accessories	9
	1.6	Equipment Modifications	9
2	SYS	FEM TEST CONFIGURATION	10
	2.1	EUT Configuration	10
	2.2	EUT Exercise	10
	2.3	Test Procedure	10
	2.4	Measurement Results Explanation Example	10
	2.5	Configuration of Tested System	11
3	SUM	MARY OF TEST RESULTS	12
4	DES	CRIPTION OF TEST MODES	13
	4.1	Operated in 2400 ~ 2483.5MHz Band	13
	4.2	The Worst Test Modes and Channel Details	13
5	MEA	SUREMENT UNCERTAINTY	15
6	CON	DUCTED EMISSION TEST	16
	6.1	Standard Applicable	16
	6.2	Measurement Equipment Used	16
	6.3	EUT Setup	16
	6.4	Test SET-UP (Block Diagram of Configuration)	17
	6.5	Measurement Procedure	17
	6.6	Measurement Result	17
7	DUT	Y CYCLE OF TEST SIGNAL	24
	7.1	DUTY CYCLE TEST SIGNAL Measurement Result	25
8	PEA	K OUTPUT POWER MEASUREMENT	27
	8.1	Standard Applicable	27
	8.2	Measurement Equipment Used	27
	8.3	Test Set-up	27
	8.4	Measurement Procedure	28
	8.5	Measurement Result	28
9	6dB	BANDWIDTH	31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to Electronic Documents are used except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeildustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



	9.1	Standard Applicable	
	9.2	Measurement Equipment Used	
	9.3	Test Set-up	
	9.4	Measurement Procedure	
	9.5	Measurement Result	
10	CON	DUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	
	10.1	Standard Applicable	
	10.2	Measurement Equipment Used	39
	10.3	Test SET-UP	
	10.4	Measurement Result	
11	RADI	ATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	57
	11.1	Standard Applicable	57
	11.2	Measurement Equipment Used:	58
	11.3	Test SET-UP	58
	11.5	Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz	61
	11.6	Measurement Result	61
12	PEAK	X POWER SPECTRAL DENSITY	
	12.1	Standard Applicable	100
	12.2	Measurement Equipment Used	100
	12.3	Test Set-up	100
	12.4	Measurement Procedure	100
	12.5	Measurement Result	101
13	ANTE	ENNA REQUIREMENT	
	13.1	Standard Applicable	108
	13.2	Antenna Connected Construction	108



GENERAL INFORMATION 1

Product description 1.1

General:

Product Name:	PDA Phone		
Brand Name:	Sony		
Type No.:	PM-0872-	BV	
Model Difference:	N/A		
Data Cable (USB):		.: EC450, Supplier: K-one 1242-6715.3, Length: 100 cm	
Simple Hands-Free (SHF-White):	Model No. Type No.:	.: MH410c, Supplier: Foster Electric AG-1100	
Car Charger:	Model No.: AN400, Supplier: Salcomp Type No.: CAA-0003013		
BT PHF:	Model No.: MW600, Supplier: BALDA Type No.: DDA-0002029.Bcoupling with Simple Hands Free (Model No.: MH755, Supplier: BALDA, Type No.: AG-0502)		
Product SW/HW version:	30.0.A.0.20 / A		
Radio SW/HW version:	30.0.A.0.2	0 / A	
Test SW Version:	WIFI Tool	for MT6630	
RF power setting in TEST SW:	N/A		
	3.8Vdc		
	Battery:	Model No.: AGPB016-A001, Supplier: Sony Type No.: N/A	
Power Supply:	Adapter:	 M odel No.: EP800, Supplier: Phihong Type No.: AC-0300-US Model No.: EP800, Supplier: Salcomp Type No.: AC-0030-US 	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SCET taken I to I and Wink unaPrad NewTainel/astr MukruPistrict NewTainel/City Taiwan2/4803/% th TAT SEG & th A SEG & TAT 312 & the Company's Section 2010 and the total and this section for the law.



WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology	
11b/g	2412-2462	11	b: 19.59dBm g: 22.96dBm	DSSS, OFDM	
11n	HT20 2412-2462	11	HT20: 21.96dBm	OFDM	
11n	HT40 2422-2452	7	HT40: 22.13dBm	OFDM	
Antenna Des	ignation:	PIFA Antenna, Gain: -3.80dBi			
Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM			
Transition R	ate:	802.11 b: up to 11 Mbps; 802.11 g: up to 54 Mbps 802.11 n_20MHz: up to 72.2Mbps 802.11 n_40MHz: up to 135Mbps			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Product Feature of Equipment Under Test 1.2

The equipment under Test (Hereafter Called: EUT) is PDA Phone supporting, GSM / WCDMA / LTE, Wi-Fi 802.11abgn, Bluetooth with GPS and NFC features, and below is details of information

Product Feature			
Product Name:	PDA Phone		
Brand Name:	Sony		
Type No.:	PM-0872-BV		
Model Difference:	N/A		
FCC ID	PY7-PM0872		
GSM Operating Band(s)	GSM 850/900/1800/1900MHz		
GPRS / EGPRS Multi Slot Class	Class 12		
WCDMA Operating Band(s)	FDD Band II / IV / V		
WCDMA Rel. Version	Release 8		
LTE Operating Band(s)	FCC Band 2 / 4 / 5 / 7 / 12 / 13 / 17		
LTE Rel. Version	Release 9 / Category 4		
Wi-Fi Specification	802.11a/b/g/n		
Bluetooth Version	V4.0 dual mode + HS		
NFC Specification	NFC		

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



1.3 **Test Methodology of Applied Standards**

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance V03r02

ANSI C63.10:2009

Note:

- 1. All test items have been performed and record as per the above standards.
- 2. The composite system is compliance with FCC Subpart B is authorized under the certification procedure.
- 3. The EUT was placed 0.8m height for frequency above 1GHz in accordance with ANSI C63. 10:2009

1.4 **Test Facility**

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 990257 (Wugu)

Canada Registration Number: 4620A-5.

1.5 **Special Accessories**

There are no special accessories used while test was conducted.

Equipment Modifications 1.6

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



SYSTEM TEST CONFIGURATION 2

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2**EUT Exercise**

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 **Test Procedure**

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plan. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.107. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 0.8 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 **Measurement Results Explanation Example**

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss 0.7 dB and 10 dB attenuator.

Offset = RF cable loss (dB)+ attenuation factor(dB) =0.7+10=10.7(dB)

除非另有說明,此報告結果僅對测試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



2.5 **Configuration of Tested System**

Fig. 2-1 Radiated Emission




Fig. 2-2 Conducted (Antenna Port) Configuration




Fig. 2-3 AC Power Line Conducted Emission




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	WIFI Tool for MT6630	N/A	N/A	N/A	N/A
2.	DC Power Supply	HP	E3640A	KR93300208	N/A	N/A
3.	Notebook	Lenovo	L420	LR-7HXZA	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report feiter only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



SUMMARY OF TEST RESULTS 3

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
\$15.203 \$15.247(b)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

DESCRIPTION OF TEST MODES 4

Operated in 2400 ~ 2483.5MHz Band 4.1

11 channels are provided for 802.11b, 802.11g and 802.11n_HT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
1	2412 MHz	7	2442 MHz
2	2417 MHz	8	2447 MHz
3	2422 MHz	9	2452 MHz
4	2427 MHz	10	2457 MHz
5	2432 MHz	11	2462 MHz
6	2437 MHz		

9 channels are provided for 802.11n_HT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY						
3	2422 MHz	7	2442 MHz						
4	2427 MHz	8	2447 MHz						
5	2432 MHz	9	2452 MHz						
6	2437 MHz								

The Worst Test Modes and Channel Details 4.2

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST:

	RADIATED	EMISSION TE	ST (BELOW 1 GH	[z)					
MODE	AVAILABLE CHANNEL	TESTED MODULATION		DATA RATE (Mbps)	ANTENNA PORT				
802.11g	1 to 11	1,6,11	OFDM	6	MAIN				
	RADIATED EMISSION TEST (ABOVE 1 GHz)								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION RATE (Mbps)		ANTENNA PORT				
802.11b	1 to 11	1, 6, 11	DSSS	1	MAIN				
802.11g	1 to 11	1, 6, 11	OFDM	6	MAIN				
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	6.5	MAIN				
802.11n (HT40)	3 to 9	3, 6, 9	OFDM	13.5	MAIN				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

CONDUCTED TEST									
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11b	1 to 11	1, 6, 11	1, 6, 11 DSSS		MAIN				
802.11g	1 to 11	1, 6, 11	OFDM	6	MAIN				
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	6.5	MAIN				
802.11n (HT40)	3 to 9	3, 6, 9	OFDM	13.5	MAIN				

ANTENNA PORT CONDUCTED MEASUREMENT:

Note:

Type no, PM-0872-BV, and Type no PM-0873-BV share the equivalently identical enclosure, material of coating, I/O function, PCB board, display, and power source. In addition, PM-0872-BV, and Type no. PM-0873-BV implement the same Bluetooth/WLAN chipset/module with the same antenna that operates with the same transmitted power level. Hence, this given test report contains the identical test results that inherent from PM-0873-BV.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



MEASUREMENT UNCERTAINTY 5

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	30MHz - 180MHz: +/- 3.37dB
Magnumentum antisistu	180MHz -417MHz: +/- 3.19dB
Measurement uncertainty (Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



6 **CONDUCTED EMISSION TEST**

6.1 **Standard Applicable**

According to §15.207, frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)							
MHz	Quasi-peak Average							
0.15 to 0.50	66 to 56	56 to 46						
0.50 to 5	56	46						
5 to 30	o 30 60 50							
Note								
1. The lower limit shall apply at the transition frequencies								
2. The limit decreases linearly with the	he logarithm of the frequency in the ra	ange 0.15 MHz to 0.50 MHz.						

Measurement Equipment Used 6.2

Conducted Emission Test Site									
EQUIPMENT	LAST	CAL DUE.							
ТҮРЕ		NUMBER	NUMBER	CAL.					
EMI Test Receiver	R&S	ESCI7	100760	05/04/2015	05/03/2016				
LISN	SCHWARZBECK	NSLK 8127	8127-649	05/15/2015	05/14/2016				
LISN	FCC	FCC-LISN-50/250- 25-2-01	04034	03/13/2015	03/12/2016				
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2014	11/25/2015				

EUT Setup 6.3


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2009.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



6.4 Test SET-UP (Block Diagram of Configuration)



Measurement Procedure 6.5

- 1. The EUT was placed on a table which is 0.8m above ground plan.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6 **Measurement Result**

Note: Refer to next page for measurement data and plots. Note2: The * reveals the worst-case results that closet to the limit


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode:	Operation mode			Test Date:	May 28, 2015
Temperature:	24	Humidity:	66 %	Test By:	Marcus
Model No.:	Adapter: EP800, S	Supplier: Phihong	Phase:	L1	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBJV	ďB	dBuV	dBulV	ďB	Detector	Comment
14		4.4300	46.33	0.15	46.48	56.00	-9.52	peak	
15		4.4300	35.60	0.15	35.75	56.00	-20.25	œ	
16		4.4300	24.80	0.15	24.95	46.00	-21.05	A/G	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Operation Mode:	Operation mode			Test Date:	May 28, 2015
Temperature:	24	Humidity:	66 %	Test By:	Marcus
Model No.:	Adapter: EP800, S	upplier: Phihong	Phase:	Ν	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report feiter only to the sample(s) tested and such sample(s) are relatined to so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	æ	dBJV	dBuV	æ	Detector	Comment	
14		4.4500	39.20	0.15	39.35	56.00	-16.65	œ		
15		4.4500	28.80	0.15	28.95	46.00	-17.05	AVG		
16		5.3300	46.99	0.16	47.15	60.00	-12.85	peak		
17		5.3300	35.20	0.16	35.36	60.00	-24.64	œ		
18		5.3300	24.60	0.16	24.76	50.00	-25.24	AVG		


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Operation Mode:	Operation mode			Test Date:	Apr. 30, 2015
Temperature:	24	Humidity:	66 %	Test By:	Tin
Model No.:	Adapter: EP800, Supplier: Phihong			Phase:	L1



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.2100	34.20	9.94	44.14	63.21	-19.07	QP	
2		0.2100	19.60	9.94	29.54	53.21	-23.67	AVG	
3		0.3933	19.70	9.93	29.63	57.99	-28.36	QP	
4		0.3933	6.40	9.93	16.33	47.99	-31.66	AVG	
5		0.5303	15.90	9.93	25.83	56.00	-30.17	QP	
6		0.5303	12.50	9.93	22.43	46.00	-23.57	AVG	
7		2.6300	27.80	9.98	37.78	56.00	-18.22	QP	
8	*	2.6300	18.70	9.98	28.68	46.00	-17.32	AVG	
9		3.5880	18.60	9.99	28.59	56.00	-27.41	QP	
10		3.5880	9.90	9.99	19.89	46.00	-26.11	AVG	
11		5.6860	28.60	10.03	38.63	60.00	-21.37	QP	
12	1.	5.6860	20.70	10.03	30.73	50.00	-19.27	AVG	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-reparatore of this document is unaveruent is unaveruent to any be prosecuted to the fulle at vertex of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Operation Mode:	Operation mode			Test Date:	Apr. 30, 2015
Temperature:	24	Humidity:	66 %	Test By:	Tin
Model No.:	Adapter: EP800, Supplier: Phihong			Phase:	N



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1846	32.50	9.92	42.42	64.28	-21.86	QP	
2		0.1846	12.70	9.92	22.62	54.28	-31.66	AVG	
3		0.4652	19.20	9.92	29.12	56.60	-27.48	QP	
4	1	0.4652	9.00	9.92	18.92	46.60	-27.68	AVG	
5		0.5983	20.50	9.92	30.42	56.00	-25.58	QP	
6		0.5983	9.60	9.92	19.52	46.00	-26.48	AVG	
7	1	0.9827	22.80	9.93	32.73	56.00	-23.27	QP	
8	A	0.9827	9.90	9.93	19,83	46.00	-26.17	AVG	
9	*	2.4830	34.60	9.96	44.56	56.00	-11.44	QP	
10		2.4830	21.80	9.96	31.76	46.00	-14.24	AVG	
11	1.15	5.7180	32.80	10.02	42.82	60.00	-17.18	QP	
12	1	5.7180	23.90	10.02	33.92	50.00	-16.08	AVG	
_									

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-reparatore of this document is unaveruent is unaveruent to any be prosecuted to the fulle at vertex of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



DUTY CYCLE OF TEST SIGNAL 7

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle. All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- Set span = Zero1.
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

	Duty Cycle	Duty Fator (dB)
802.11b	99%	0.04
802.11g	99%	0.04
802.11n_20	99%	0.04
802.11n_40	99%	0.04

Duty Cycle Factor: $10 * \log (1/0.99) = 0.04$ Duty Cycle Factor: $10 * \log (1/0.99) = 0.04$ Duty Cycle Factor: $10 * \log (1/0.99) = 0.04$ Duty Cycle Factor: $10 * \log (1/0.99) = 0.04$


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




DUTY CYCLE TEST SIGNAL Measurement Result 7.1

802.11 b



802.11 g




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11 n 20 MHz



802.11 n 40 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



PEAK OUTPUT POWER MEASUREMENT 8

8.1 **Standard Applicable**

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.


In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

Measurement Equipment Used 8.2

Conducted Emission Test Site									
EQUIPMENT	MODEL	SERIAL	LAST	CAL DUE.					
ТҮРЕ		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/20/2014	12/19/2015				
Power Sensor	Anritsu	MA2411B	917032	12/20/2014	12/19/2015				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016				
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016				

Test Set-up 8.3

Power Meter:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



8.4 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance V03r02.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

- 4. Record the max. Reading as observed from Spectrum or Power Meter.
- 5. Repeat above procedures until all frequency of interest measured was complete.

8.5 **Measurement Result**

802.11b

СН	Frequency (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	Limit
1	2412	1	18.52	71.12	1 Watt = 30 dBm
6	2437	1	19.52	89.54	1 Watt = 30 dBm
11	2462	1	19.59	90.99	1 Watt = 30 dBm

СН	Frequency (MHz)	Data Rate	Avg. Output Power (dBm)	Avg. Output Power (mW)	Limit
1	2412	1	16.98	49.89	1 Watt = 30 dBm
6	2437	1	16.96	49.66	1 Watt = 30 dBm
11	2462	1	16.88	48.75	1 Watt = 30 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



802.11g

СН	Frequency (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	Limit
1	2412	6	22.30	169.82	1 Watt = 30 dBm
6	2437	6	22.96	197.70	1 Watt = 30 dBm
11	2462	6	22.73	187.50	1 Watt = 30 dBm

СН	Frequency (MHz)	Data Rate	Avg. Output Power (dBm)	Avg. Output Power (mW)	Limit
1	2412	6	13.99	25.06	1 Watt = 30 dBm
6	2437	6	13.96	24.89	1 Watt = 30 dBm
11	2462	6	13.79	23.93	1 Watt = 30 dBm

802.11n_HT20

СН	Frequency (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	Limit
1	2412	MCS0	21.56	143.22	1 Watt = 30 dBm
6	2437	MCS0	21.49	140.93	1 Watt = 30 dBm
11	2462	MCS0	21.96	157.04	1 Watt = 30 dBm

СН	Frequency (MHz)	Data Rate	Avg. Output Power (dBm)	Avg. Output Power (mW)	Limit
1	2412	MCS0	10.74	11.86	1 Watt = 30 dBm
6	2437	MCS0	10.69	11.72	1 Watt = 30 dBm
11	2462	MCS0	10.94	12.42	1 Watt = 30 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11n_HT40

СН	Frequency (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	Limit
3	2422	MCS0	22.13	163.31	1 Watt = 30 dBm
6	2437	MCS0	21.83	152.41	1 Watt = 30 dBm
9	2452	MCS0	21.49	140.93	1 Watt = 30 dBm

СН	Frequency (MHz)	Data Rate	Avg. Output Power (dBm)	Avg. Output Power (mW)	Limit
3	2422	MCS0	10.98	12.53	1 Watt = 30 dBm
6	2437	MCS0	10.99	12.56	1 Watt = 30 dBm
9	2452	MCS0	10.97	12.50	1 Watt = 30 dBm

* Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9 **6dB BANDWIDTH**


9.1 **Standard Applicable**

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 **Measurement Equipment Used**

Conducted Emission Test Site						
EQUIPMENT MFR		MODEL	SERIAL	LAST	CAL DUE.	
ТҮРЕ		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016	
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016	
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016	

9.3 **Test Set-up**



9.4 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance V03r02.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak, Sweep=auto.
- 4. Mark the peak frequency and -6dB (upper and lower) frequency.
- 5. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



9.5 **Measurement Result**

Frequency	Bandwidth	Limit	Result				
(MHz)	(kHz)	(kHz)					
	802.11b						
2412	9076	> 500	PASS				
2437	8594	> 500	PASS				
2462	8627	> 500	PASS				
	802.	.11g					
2412	15723	> 500	PASS				
2437	15419	> 500	PASS				
2462	16374	> 500	PASS				
802.11n_HT20							
2412	16788	> 500	PASS				
2437	16909	> 500	PASS				
2462	17004	> 500	PASS				
802.11n_HT40							
2422	35803	> 500	PASS				
2437	24360	> 500	PASS				
2452	36522	> 500	PASS				

* Note: The arrow "->" reveals X decibel level

*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11b 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




6dB Band Width Test Data CH-High



802.11g

6dB Band Width Test Data CH-Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6dB Band Width Test Data CH-Mid



6dB Band Width Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



802.11n 20M 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




6dB Band Width Test Data CH-High



802.11 n 40M

6dB Band Width Test Data CH-Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6dB Band Width Test Data CH-Mid



6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT


10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

10.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
ТҮРЕ		NUMBER	NUMBER	CAL.					
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016				
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016				

10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Wiki 为有説明,此報告結果僅對測試之様品負責,同時此様品僅保留的夭。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.3.1 Measurement Procedure

Conducted Band Edge:

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance V03r02.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW, VBW=300KHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 KHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Conducted Spurious Emission:

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance V03r02.
- 3. Set RBW = 100K & VBW \geq 300K, Detector =Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

10.4 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11b **Band Edges Test Data CH-Low**








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11b

Spurious Emission Test Data CH-Low







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



Spurious Emission Test Data CH-Mid







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



Spurious Emission Test Data CH-High







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



802.11g **Band Edges Test Data CH-Low**









Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Onless otherwise stated are results and the art report for the state are results and results and results are results and results and results are results and results and results are res tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11g **Spurious Emission Test Data CH-Low**







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



Spurious Emission Test Data CH-Mid







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Spurious Emission Test Data CH-High







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



802.11n_HT20 **Band Edges Test Data CH-Low**








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


Onless otherwise stated are results and the art report for the state are results and results and results are results and results and results are results and results and results are res tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11n HT20

Spurious Emission Test Data CH-Low







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only




Spurious Emission Test Data CH-Mid






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Spurious Emission Test Data CH-High






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



802.11n HT40 **Band Edges Test Data CH-Low**







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






802.11n HT40


Spurious Emission Test Data CH-Low






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Spurious Emission Test Data CH-Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Agilent Freq/Channel ₩. R Т Mkr1 2.465 40 GHz Center Freq Ref 20 dBm Atten 20 dB -3.90 dBm 1.51500000 GHz #Peak Log 1 10 Start Freq ¢ dB/ 30.0000000 MHz Offst 10.7 Stop Frea dB 3.00000000 GHz DI -23.9 dBm CF Step 297.000000 MHz LgAv Man Auto Start 3<mark>0.00 MH</mark>z Stop 3.000 00 GHz Freq Offset #VBW 300 kHz #Res BW 100 kHz Sweep 283.9 ms (601 pts) 0.00000000 Hz Trace (1) Type Freq Marker X Axis 2.465 40 GHz Amplitude -3.90 dBm 1 Signal Track 0n Off Copyright 2000-2010 Agilent Technologies





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chino Solution and Solution a tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




11.2 Measurement Equipment Used:

966 Chamber									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
ТҮРЕ		NUMBER	NUMBER	CAL.					
EMI Test Receiver	R&S	ESCI7	100760	05/04/2015	05/03/2016				
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	12/22/2014	12/21/2015				
Spectrum Analyzer	R&S	FSV-30	101398	10/07/2014	10/06/2015				
Loop Antenna	ETS.LINDGREN	6502	00148045	07/03/2014	07/02/2015				
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/23/2014	12/22/2015				
Horn antenna	ETS.LINDGREN	3117	123995	05/05/2015	05/04/2016				
Horn Antenna	Schwarzbeck	BBHA9170	184	12/25/2014	12/24/2015				
Pre-Amplifier	Agilent	8447D	2944A07676	01/02/2015	01/01/2016				
Pre-Amplifier	Agilent	8449B	3008A00578	01/02/2015	01/01/2016				
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/02/2015	01/01/2016				
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M2	01/02/2015	01/01/2016				
Attenuator	Mini-Circuit	BW-S10W2+	004	01/02/2015	01/01/2016				
Turn Table	HD	DT420	N/A	N.C.R	N.C.R				
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R				
Controller	HD	HD100	N/A	N.C.R	N.C.R				
Low Loss Cable	Huber Suhner	966_Rx	9	01/02/2015	01/01/2016				

11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號





(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz

(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contention is stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



11.3.1 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance V03r02.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 0.8m for frequency> 1GHz above ground plan.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW \ge 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Sineso Subartice in Society and Sineso Si tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



11.4 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$

Note :

"F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

11.5 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.6 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



2390.00

Е

Radiated Band Edge Measurement Result (802.11b)

Operation Ban Fundamental F Operation Moo	Frequency	-	:2412 MHz Temp./Hur :Band Edge LOW Engineer				:2015-05-26 :21 deg_C / 61 RH :Curry
EUT Pol.		:E2 Plan		Meas	urement Antenr	na Pol.	:VERTICAL
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/n	n dB
2390.00	E	Average	30.16	5.16	35.32	54.00	-18.68
2390.00	E	Peak	43.64	5.16	48.80	74.00	-25.20
		000 11 1					2015 05 24
Operation Ban Fundamental F		:802.11 b :2412 MHz		Test I Temp	Date J./Humi.		:2015-05-26 :21 deg_C / 61 RH
Operation Mod	· ·	:Band Edge I	LOW	Engin			:Curry
EUT Pol.		:E2 Plan		Meas	urement Antenr	na Pol.	:HORIZONTAL
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/n	n dB
2390.00	E	Average	30.27	5.16	35.43	54.00	-18.57

44.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SCET taken I to I and Wink unaPrad NewTainel/astr MukruPistrict NewTainel/City Taiwan2/4803/% th TAT SEG & th A SEG & TAT 312 & the Company's Section 2010 and the total and this section for the law.

5.16

49.17

74.00

-24.83



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 63 of 108

Operation Ban Fundamental I Operation Mod EUT Pol.	Frequency	:802.11 b :2462 MHz :Band Edge I :E2 Plan	MHz Temp./Ht l Edge HIGH Engineer			na Pol.	:2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL
Freq. MHz	Note F/H/E/S	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV/m	Limit @3m dBµV/n	Margin 1 dB
2483.50	E	Average	30.29	6.01	36.30	54.00	-17.70
2483.50	E	Peak	43.80	6.01	49.81	74.00	-24.19
Operation Ban Fundamental H Operation Mod EUT Pol.	Frequency	:802.11 b :2462 MHz :Band Edge I :E2 Plan	HIGH	Engin	./Humi.	na Pol.	:2015-05-26 :21 deg_C / 61 RH :Curry :HORIZONTAL
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV∕n	n dB
2483.50	Е	Average	33.14	6.01	39.15	54.00	-14.85
2483.50	E	Peak	48.22	6.01	54.23	74.00	-19.77
2483.30	E	геак	40.22	0.01	34.23	74.00	-19.//



Radiated Band Edge Measurement Result (802.11g)

Operation Bar Fundamental Operation Mo EUT Pol.	Frequency	:802.11 g :2412 MHz :Band Edge l :E2 Plan	LOW	Engin	./Humi.	:2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL	
Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/n	n dB
2390.00	Е	Average	30.85	5.16	36.01	54.00	-17.99
2390.00	E	Peak	48.35	5.16	53.51	74.00	-20.49
Operation Bar Fundamental Operation Mo EUT Pol.	Frequency	:802.11 g :2412 MHz :Band Edge I :E2 Plan	LOW	Engin	./Humi.	na Pol.	:2015-05-26 :21 deg_C / 61 RH :Curry :HORIZONTAL
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level	15	FS	@3m	ID
MHz	F/H/E/S	PK/OP/AV	dBuV	dB	dBuV/m	dBuV/n	n dB

		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
2390.00	E	Average	32.84	5.16	38.00	54.00	-16.00	
2390.00	E	Peak	53.80	5.16	58.96	74.00	-15.04	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司言面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>No.134 WuKungRoad. New Taipeiful</u>strialPark WukuDistrict NewTaipeifcity. Taiwan24803/新 t. **a** 5. Big 新 t. **a** 5. Big 新 t. **a** 5. Big 新 t. **a** 5. Big M t. **a** 5.



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 65 of 108

Operation Band:802.11 gTest DateFundamental Frequency:2462 MHzTemp./Humi.Operation Mode:Band Edge HIGHEngineerEUT Pol.:E2 PlanMeasurement Antenna Pol	:2015-05-26 :21 deg_C / 61 RH :Curry ol. :VERTICAL
Mode Reading Level FS	Limit Margin @3m BµV/m dB
	54.00 -15.02
	74.00 -11.16
Operation Band:802.11 gTest DateFundamental Frequency:2462 MHzTemp./Humi.Operation Mode:Band Edge HIGHEngineerEUT Pol.:E2 PlanMeasurement Antenna Pol	:2015-05-26 :21 deg_C / 61 RH :Curry ol. :HORIZONTAL
Freq. Note Detector Spectrum Factor Actual	Limit Margin
Mode Reading Level FS	@3m
MHz F/H/E/S PK/QP/AV dBµV dB dBµV/m dH	BµV/m dB
2483.50 E Average 39.15 6.01 45.16	54.00 -8.84
2483.50 E Peak 65.46 6.01 71.47	74.00 -2.53



E

2390.00

Radiated Band Edge Measurement Result (802.11_HT20)

Operation Band:802.11 n20MFundamental Frequency:2412 MHzOperation Mode:Band Edge LOWEUT Pol.:E2 Plan			Test Date Temp./Humi. Engineer Measurement Antenna Pol.			:2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL	
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	E	Average	30.02	5.16	35.18	54.00	-18.82
2390.00	E	Peak	43.98	5.16	49.14	74.00	-24.86
Operation Ban Fundamental H Operation Mod EUT Pol.	Frequency	:802.11 n20N :2412 MHz :Band Edge I :E2 Plan		Engin	./Humi.	na Pol.	:2015-05-26 :21 deg_C / 61 RH :Curry :HORIZONTAL
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Е	Average	30.17	5.16	35.33	54.00	-18.67

44.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5.16

49.48

74.00

-24.52



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 67 of 108

Operation Ban Fundamental I Operation Mod EUT Pol.	indamental Frequency :2462 MHz peration Mode :Band Edge HIGH			Test Date Temp./Humi. Engineer Measurement Antenna Pol.			:2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL
Freq.	Note	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV∕n	n dB
2483.50	E	Average	31.61	6.01	37.62	54.00	-16.38
2483.50	E	Peak	53.18	6.01	59.19	74.00	-14.81
Operation Ban Fundamental I Operation Mo EUT Pol.	Frequency	:802.11 n20N :2462 MHz :Band Edge I :E2 Plan		Engin	./Humi.	na Pol.	:2015-05-26 :21 deg_C / 61 RH :Curry :HORIZONTAL
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV∕n	n dB
2483.50	Е	Average	36.20	6.01	42.21	54.00	-11.79
2483.50	Е	Peak	61.96	6.01	67.97	74.00	-6.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to Electronic Documents are used except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeildustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Radiated Band Edge Measurement Result (802.11_HT40)

Operation Band:802.11 n40MFundamental Frequency:2422 MHzOperation Mode:Band Edge LOWEUT Pol.:E2 Plan			Test Date Temp./Humi. Engineer Measurement Antenna Pol.			:2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL	
Freq. MHz	Note F/H/E/S	Detector Mode PK/QP/AV	Spectrum Reading Level dBµV	Factor dB	Actual FS dBµV∕m	Limit @3m dBµV/m	Margin dB
2390.00	Е	Average	30.11	5.16	35.27	54.00	-18.73
2390.00	E	Peak	43.53	5.16	48.69	74.00	-25.31
Operation Bar Fundamental I Operation Mo EUT Pol.	Frequency	:802.11 n40N :2422 MHz :Band Edge I :E2 Plan		Engin	./Humi.	na Pol.	:2015-05-26 :21 deg_C / 61 RH :Curry :HORIZONTAL
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV∕n	n dB
2390.00	E	Average	30.93	5.16	36.09	54.00	-17.91
2390.00	E	Peak	49.84	5.16	55.00	74.00	-19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司言面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Ltd.</u> <u>No.134 WuKungRoad. New Taipeiful</u>strialPark WukuDistrict NewTaipeifcity. Taiwan24803/新 t. **a** 5. Big 新 t. **a** 5. Big 新 t. **a** 5. Big 新 t. **a** 5. Big M t. **a** 5.



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 69 of 108


Operation Band Fundamental Frequency Operation Mode EUT Pol.		:802.11 n40M :2452 MHz :Band Edge HIGH :E2 Plan		Test Date Temp./Humi. Engineer Measurement Antenna Pol.			:2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV∕n	n dB
2483.50	Е	Average	33.35	6.01	39.36	54.00	-14.64
2483.50	E Peak 54.87 6.01 60.88 74.		74.00	-13.12			
Operation Band Fundamental Frequency Operation Mode EUT Pol.		:802.11 n40M :2452 MHz :Band Edge HIGH :E2 Plan		Test Date Temp./Humi. Engineer Measurement Antenn		:2015-05-26 :21 deg_C / 61 RH :Curry na Pol. :HORIZONTAL	
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
_		Mode	Reading Level		FS	@3m	-
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV∕n	n dB
2483.50	Е	Average	38.98	6.01	44.99	54.00	-9.01
2483.50	E	Peak	63.28	6.01	69.29	74.00	-4.71



Radiated Spurious Emission Measurement Result

Below 1GHz Worst-Case Data:

Operation Band	:802.11 g	Test Date	:2015-05-26
Fundamental Frequency	:2412 MHz	Temp./Humi.	:21 deg_C / 61 RH
Operation Mode	:TX LOW	Engineer	:Curry
EUT Pol.	:E2 Plan	Measurement Antenna Pol.	:VERTICAL



	Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	66.86	S	Peak	44.66	-11.21	33.45	40.00	-6.55
	226.91	S	Peak	38.83	-11.05	27.78	46.00	-18.22
	258.92	S	Peak	38.09	-9.60	28.49	46.00	-17.51
	291.90	S	Peak	37.86	-8.17	29.69	46.00	-16.31
	356.89	S	Peak	36.21	-7.07	29.14	46.00	-16.86
	666.32	S	Peak	28.86	-1.20	27.66	46.00	-18.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Contention is stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 GS Taiwan Ltd.



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 71 of 108



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
134.76	S	Peak	32.33	-10.25	22.08	43.50	-21.42
258.92	S	Peak	33.31	-9.60	23.71	46.00	-22.29
342.34	S	Peak	34.58	-7.41	27.17	46.00	-18.83
482.99	S	Peak	27.38	-4.46	22.92	46.00	-23.08
639.16	S	Peak	28.24	-1.95	26.29	46.00	-19.71
778.84	S	Peak	28.01	0.45	28.46	46.00	-17.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告結果僅對测试之樣品負責, 同時此樣品僅保留90天。本報告未經本公司者面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is ungived and such a provedue to the fulleet evaluat of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paragrace of this document is ungived and offenders may the prosecuted to the fulleet evaluat of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 72 of 108




Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
65.89	S	Peak	44.48	-11.07	33.41	40.00	-6.59
290.93	S	Peak	37.47	-8.18	29.29	46.00	-16.71
355.92	S	Peak	35.15	-7.08	28.07	46.00	-17.93
420.91	S	Peak	30.14	-5.67	24.47	46.00	-21.53
550.89	S	Peak	28.61	-4.05	24.56	46.00	-21.44
688.63	S	Peak	27.70	-0.84	26.86	46.00	-19.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告結果僅對测试之樣品負責, 同時此樣品僅保留90天。本報告未經本公司者面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is ungived and such a provedue to the fulleet evaluat of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paragrace of this document is ungived and offenders may the prosecuted to the fulleet evaluat of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 73 of 108




Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
193.93	S	Peak	36.29	-11.69	24.60	43.50	-18.90
258.92	S	Peak	34.67	-9.60	25.07	46.00	-20.93
353.01	S	Peak	35.00	-7.11	27.89	46.00	-18.11
482.99	S	Peak	28.02	-4.46	23.56	46.00	-22.44
580.96	S	Peak	27.51	-2.04	25.47	46.00	-20.53
768.17	S	Peak	26.98	1.03	28.01	46.00	-17.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告結果僅對测试之樣品負責, 同時此樣品僅保留90天。本報告未經本公司者面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is ungived and such a provedue to the fulleet evaluat of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paragrace of this document is ungived and offenders may the prosecuted to the fulleet evaluat of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 74 of 108




Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
63.95	S	Peak	44.20	-10.79	33.41	40.00	-6.59
290.93	S	Peak	39.51	-8.18	31.33	46.00	-14.67
355.92	S	Peak	36.07	-7.08	28.99	46.00	-17.01
501.42	S	Peak	28.67	-4.34	24.33	46.00	-21.67
590.66	S	Peak	26.61	-1.53	25.08	46.00	-20.92
766.23	S	Peak	27.19	1.09	28.28	46.00	-17.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告結果僅對测试之樣品負責, 同時此樣品僅保留90天。本報告未經本公司者面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is ungived and such a provedue to the fulleet evaluat of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paragrace of this document is ungived and offenders may the prosecuted to the fulleet evaluat of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 75 of 108



Note	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
S	Peak	36.47	-11.69	24.78	43.50	-18.72
S	Peak	34.87	-9.60	25.27	46.00	-20.73
S	Peak	35.30	-7.20	28.10	46.00	-17.90
S	Peak	26.98	-2.04	24.94	46.00	-21.06
S	Peak	28.34	-1.23	27.11	46.00	-18.89
S	Peak	27.37	1.14	28.51	46.00	-17.49
	F/H/E/S S S S S S S	ModeF/H/E/SModeSPK/QP/AVSPeakSPeakSPeakSPeakSPeakSPeak	F/H/E/SModeReading LevelF/H/E/SPK/QP/AVdBµVSPeak36.47SPeak34.87SPeak35.30SPeak26.98SPeak28.34	Mode Reading Level F/H/E/S PK/QP/AV dBµV dB S Peak 36.47 -11.69 S Peak 34.87 -9.60 S Peak 35.30 -7.20 S Peak 26.98 -2.04 S Peak 28.34 -1.23	F/H/E/S Mode Reading Level FS F/H/E/S PK/QP/AV dBµV dB dBµV/m S Peak 36.47 -11.69 24.78 S Peak 34.87 -9.60 25.27 S Peak 35.30 -7.20 28.10 S Peak 26.98 -2.04 24.94 S Peak 28.34 -1.23 27.11	K K K K Mode Reading Level FS @ 3m F/H/E/S PK/QP/AV dBµV dB dBµV/m dBµV/m S Peak 36.47 -11.69 24.78 43.50 S Peak 34.87 -9.60 25.27 46.00 S Peak 35.30 -7.20 28.10 46.00 S Peak 26.98 -2.04 24.94 46.00 S Peak 28.34 -1.23 27.11 46.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告結果僅對测试之樣品負責, 同時此樣品僅保留90天。本報告未經本公司者面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is ungived and such a provedue to the fulleet evaluat of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-paragrace of this document is ungived and offenders may the prosecuted to the fulleet evaluat of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Radiated Spurious Emission Measurement Result

Above 1GHz Worst-Case Data:

Operation Band	:802.11 b	Test Date	:2015-05-26
Fundamental Frequency	:2412 MHz	Temp./Humi.	:21 deg_C / 61 RH
Operation Mode	:TX LOW	Engineer	:Curry
EUT Pol.	:E2 Plan	Measurement Antenna Pol.	:VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless outletwise stated the results shown in this test report ferer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



000 111

FCC ID: PY7-PM0872

_ . . Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 77 of 108

2015 05 26

:802.11 b :2412 MHz :TX LOW		Test Date Temp./Humi. Engineer		:21 deg :Curry	<u>_</u> C / 61 RH
:E2 Plan		Measuren	nent Antenna Po	ol. :HORIZ	ZONTAL
iii	· · · ·	i	i i	1	
	·			FCC RSE I	
	· · · · · · · · · · · · · · · · · · ·		·		
				TCC DET	
			·		
6100.			21400). 2	6500
Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
Average	31.87	9.63	41.50	54.00	-12.50
					-=
	:2412 MHz :TX LOW :E2 Plan 6100. 6100.	:2412 MHz :TX LOW :E2 Plan	:2412 MHz Temp./Hu :TX LOW Engineer :E2 Plan Measuren	:2412 MHz Temp./Humi. :TX LOW Engineer :E2 Plan Measurement Antenna Po	:2412 MHz Temp./Humi. :21 deg :TX LOW Engineer :Curry :E2 Plan Measurement Antenna Pol. :HORD



000 111

FCC ID: PY7-PM0872

_ . . Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 78 of 108

2015 05 26

Operation Band Fundamental Frequ Operation Mode	uency	:802.11 b :2437 MHz :TX MID		Test Date Temp./Humi. Engineer		:21 deg :Curry	•		
EUT Pol.		:E2 Plan		Measurem	nent Antenna Po	ol. :VERT	:VERTICAL		
97 Level (dBu)	V/m)	i i	i i						
90									
80						FCC RSE-I			
70		I I I I I I I I I I I I I	· · · · · · · · · · · · · · · · · · ·				- <u></u>		
60				1 1 1					
50	2	· · · · · · · · · · · · · · · · · · ·		 		FCC RSE-	<u>AV</u>		
	1								
40									
30									
20				·					
10				· · · · · · · · · · · · · · · · · · ·					
0 <mark></mark> 1000	6	5100.	11200. Frequency (16300. MHz)	21400). 2	6500		
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin		
		Mode	Reading Level		FS	@3m			
MHz F	/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB		
4874.00	Н	Average	33.01	9.85	42.86	54.00	-11.14		
4874.00	Н	Peak	40.15	9.85	50.00	74.00	-24.00		



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 79 of 108

Operation Band Fundamental F Operation Mod EUT Pol.	requency	:802.11 b :2437 MHz :TX MID :E2 Plan		Test Date Temp./Humi. Engineer Measurement Antenna Pol.		:Curry	g_C / 61 RH
97	/dBu\//m)						
90					· ¹		
80	 				·	FCC RSE-	PK
70			 		1 1 		
60							
	2					FCC RSE-	AV
50	1				·		·
40					·		
30					·		
20							
10							
0 <mark></mark>		5100.	11200.	16300.	21400). 2	26500
			Frequency (MHZ)			
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	33.17	9.85	43.02	54.00	-10.98
4874.00	Н	Peak	38.97	9.85	48.82	74.00	-25.18



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 80 of 108

Operation Band Fundamental F Operation Mod EUT Pol.	requency	:802.11 b :2462 MHz :TX HIGH :E2 Plan		Test Date Temp./Humi. Engineer Measurement Antenna Pol.		:Curry	g_C / 61 RH
97	(dBuV/m)						
90					· · · · · · · · · · · · · · · · · · ·		
80							
70						FCC RSE-	<u>PK</u>
60						FCC RSE-	AV
50	2						
40					·		
30							
20							
10						 	
0 <mark></mark>	:	5100.	11200. Frequency	16300. (MHz)	21400	. 2	6500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	27.85	9.86	37.71	54.00	-16.29
4924.00	Н	Peak	37.05	9.86	46.91	74.00	-27.09



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 81 of 108

Operation Band Fundamental F Operation Mod EUT Pol.	requency	:802.11 b :2462 MHz :TX HIGH :E2 Plan		Test Date Temp./Humi. Engineer Measurement Antenna Pol.		:Curry	g_C / 61 RH
97	(dBuV/m)						
90							
80						FCC RSE	<u>PK</u>
70			JJJJJJ				
60						FCC RSE	AV
50	1						
40							
30						 	
20							
10						 	·
0	: 6	5100.	11200. Frequency (I	16300. MHz)	21400	. :	26500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	33.31	9.86	43.17	54.00	-10.83
4924.00	Н	Peak	40.49	9.86	50.35	74.00	-23.65



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 82 of 108


Radiated Spurious Emission Measurement Result (802.11 g)

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 g :2412 MHz :TX LOW :E2 Plan

Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless outletwise stated the results shown in this test report ferer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



000 11

FCC ID: PY7-PM0872

_ . . Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 83 of 108

2015 05 26

Operation Band Fundamental Frequency Operation Mode	:802.11 g :2412 MHz :TX LOW		Test Date Temp./Humi. Engineer		:Curry	g_C / 61 RH		
EUT Pol.	:E2 Plan		Measuren	nent Antenna Po	ol. :HORI	:HORIZONTAL		
97 Level (dBuV/m)								
90			· · · · · · · · · · · · · · · · · · ·	·				
80					FCC RSE-I			
70			· · · · · · · · · · · · · · · · · · ·	·	FUU KSE-1	<u></u>		
60				· · · · · · · · · · · · · · · · · · ·				
50					FCC RSE-	AV		
40								
30								
20			· · · · · · · · · · · · · · · · · · ·					
10								
0 ¹	6100.	11200. Frequency (16300. MHz)	21400). 2	6500		
Freq. Note	Detector	Spectrum	Factor	Actual	Limit	Margin		
	Mode	Reading Level		FS	@3m			
MHz F/H/E/S	B PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB		
4824.00 H	Average	30.27	9.63	39.90	54.00	-14.10		
4824.00 H	e							



000 11

FCC ID: PY7-PM0872

_ . . Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 84 of 108

2015 05 26

Operation Band Fundamental F Operation Mod	requency	:802.11 g :2437 MHz :TX MID		Test Date Temp./Humi. Engineer		:Curry	_C / 61 RH		
EUT Pol.		:E2 Plan		Measurem	nent Antenna Po	ol. :VERT	:VERTICAL		
97	(dBuV/m)								
90				·					
80					·	FCC RSE-F			
70									
60						FCC RSE-4			
50	2			·					
40				·					
30				·					
20						 			
10				 					
0									
⁰ 1000		6100.	11200. Frequency (16300. MHz)	21400). 20	6500		
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin		
		Mode	Reading Level		FS	@3m			
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB		
4874.00	Н	Augraga	25.35	9.85	35.20	54.00	-18.80		
		Average							
4874.00	Н	Peak	37.65	9.85	47.50	74.00	-26.50		



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 85 of 108

Operation Band Fundamental F Operation Mod EUT Pol.	requency	:802.11 g :2437 MHz :TX MID :E2 Plan		Test Date Temp./Humi. Engineer Measurement Antenna Pol.		:21 de :Curry	-05-26 eg_C / 61 RH / IZONTAL
97	dBuV/m)						
90				, , , , , , , , , , , , , , , , , , ,			
80							
				1		FCC RSE	<u>-PK</u>
70				·			
60			JJJJJJ	·		FCC RSE	-AV
50	21						
40							
30				·			
20						 	
10				·			
0 <mark>1000</mark>	(5100.	11200. Frequency (16300. MHz)	21400).	26500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	26.10	9.85	35.95	54.00	-18.05
4874.00	Н	Peak	37.44	9.85	47.29	74.00	-26.71



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 86 of 108

Operation Band Fundamental F Operation Mod EUT Pol.	requency	:802.11 g :2462 MHz :TX HIGH :E2 Plan		Test Date Temp./Humi. Engineer Measurement Antenna Pol.		:21 de :Curry	-05-26 g_C / 61 RH , ГІСАL
97	dBuV/m)						
90							
80						FCC RSE	- <u>PK</u>
70						 	
60					· · · · · · · · · · · · · · · · · · ·	FCC RSE	-AV
50	2						· ·
40							
30							
20					·		
10					·		
0 <mark></mark>		5100.	11200. Frequency ().	26500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	26.08	9.86	35.94	54.00	-18.06
4924.00	Н	Peak	38.10	9.86	47.96	74.00	-26.04



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 87 of 108

Operation Band Fundamental F Operation Mod EUT Pol.	requency	:802.11 g :2462 MHz :TX HIGH :E2 Plan		Test Date Temp./Humi. Engineer Measurement Antenna Pol.		:Curry	05-26 g_C / 61 RH ZONTAL
97	(dBuV/m)						
90				I I I I		1	
80						FCC RSE-	PK
70							
60						FCC RSE-	ΔV
50	2					CC NJL-	<u></u>
40							
30							
20							
10							
0 ^L 1000	(5100.	11200. Frequency	16300. (MHz)	21400). 2	6500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	26.56	9.86	36.42	54.00	-17.58
4924.00	Н	Peak	38.04	9.86	47.90	74.00	-26.10




Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 88 of 108

Radiated Spurious Emission Measurement Result (802.11_HT20)

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 n20M :2412 MHz :TX LOW :E2 Plan

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless outletwise stated the results shown in this test report ferer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 89 of 108

Fundamental	Fundamental Frequency:24Operation Mode:TX		:802.11 n20M :2412 MHz :TX LOW		ımi.	:21 de	:2015-05-26 :21 deg_C / 61 RH :Curry		
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	ol. :HOR	IZONTAL		
Leve	l (dBuV/m)								
90	1								
80				·		FCC RSE	-PK		
70				·	· · · · · · · · · · · · · · · · · · ·				
60				·		FCC RSE	A)/		
50	2					FUC KSE	<u>-AV</u>		
40									
30									
20							·		
10	·			·	·····				
0		C400	44200	16300.	2440		20500		
1000		6100.	11200. Frequency (21400	J.	26500		
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin		
		Mode	Reading Level		FS	@3m			
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB		
4824.00	Н	Average	27.25	9.63	36.88	54.00	-17.12		
4824.00	Н	Peak	40.19	9.63	49.82	74.00	-24.18		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 90 of 108

Operation Ba Fundamental Operation Mo	Frequency	:802.11 n20N :2437 MHz :TX MID	И	Test Date Temp./Hu Engineer		:2015- :21 de :Curry	g_C / 61 RH
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	ol. :VERT	FICAL
97	ł (dBuV/m)						
90							
80						FCC RSE	PK
70							
60						FCC RSE	-AV
50	2						
40							
30							
20							
10							
0)	6100.	11200. Frequency (16300. MHz)	21400).	26500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4974.00	Н	A	26.69	0.95	26.52	54.00	17 47
4874.00		Average	26.68	9.85	36.53	54.00	-17.47
4874.00	Н	Peak	37.69	9.85	47.54	74.00	-26.46



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 91 of 108

Operation Bar Fundamental Operation Mo	Frequency	:802.11 n20N :2437 MHz :TX MID	Л	Test Date Temp./Hu Engineer	ımi.	:2015- :21 deg :Curry	g_C / 61 RH
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	ol. :HORI	ZONTAL
97	l (dBuV/m)					i	
90							
80						FCC RSE-	PK
70	·						
60		· · · · · · · · · · · · · · · · · · ·				FCC RSE	AV
50	2						
40							
30							
20							
10	· · · · · · · · · · · · · · · · · · ·						
0 ^L 1000)	6100.	11200. Frequency (16300. MHz)	21400). 2	26500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
. 1.		Mode	Reading Level		FS	@3m	0
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	26.81	9.85	36.66	54.00	-17.34
4874.00	Н	Peak	38.75	9.85	48.60	74.00	-25.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 92 of 108

Operation Bar Fundamental Operation Mo	Frequency	:802.11 n20N :2462 MHz :TX HIGH	Л	Test Date Temp./Humi. Engineer		:2015- :21 de :Curry	g_C / 61 RH
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	ol. :VERT	FICAL
97	l (dBuV/m)						
90							
80					· · · · · · · · · · · · · · · · · · ·	FCC RSE	PK
70							
60						FCC RSE	AV
50	2						
40							
30		· · · · · · · · · · · · · · · · ·					
20		· · · · · · · · · · · · · · · · · · ·					
10							
0							
0 <mark>.</mark> 1000		6100.	11200. Frequency (16300. MHz)	21400).	26500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
•		Mode	Reading Level		FS	@3m	Ū.
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	26.37	9.86	36.23	54.00	-17.77
4924.00	Н	Peak	36.92	9.86	46.78	74.00	-27.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 93 of 108

Operation Band	:802.11 n20M
Fundamental Frequency	:2462 MHz
Operation Mode	:TX HIGH
EUT Pol.	:E2 Plan

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2015-05-26 :21 deg_C / 61 RH :Curry :HORIZONTAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contention is stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 94 of 108

Radiated Spurious Emission Measurement Result (802.11_HT40)

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11 n40M :2422 MHz :TX LOW :E2 Plan

Test Date Temp./Humi. Engineer Measurement Antenna Pol. :2015-05-26 :21 deg_C / 61 RH :Curry :VERTICAL



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless outletwise stated the results shown in this test report ferer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 95 of 108

Operation Band Fundamental Frequency Operation Mode		:802.11 n40M :2422 MHz :TX LOW		Test Date Temp./Hu Engineer		:21 de	:2015-05-26 :21 deg_C / 61 RH :Curry		
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	ol. :HOR	IZONTAL		
o _z Leve	l (dBuV/m)								
90									
80				·		FCC RSE	-PK		
70				·					
60						FCC RSE	AV/		
50							-AV		
	Ī								
40									
30			JJJJJJ	·					
20				·					
10									
0						-			
0 <mark>0</mark>		6100.	11200. Frequency (16300. MHz)	21400).	26500		
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin		
		Mode	Reading Level		FS	@3m			
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB		
4844.00	Н	Average	26.91	9.74	36.65	54.00	-17.35		
4844.00	Н	Peak	36.99	9.74	46.73	74.00	-27.27		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FCC ID: PY7-PM0872

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 96 of 108

Operation Band Fundamental Frequency Operation Mode		:802.11 n40M :2437 MHz :TX MID		Test Date Temp./Hu Engineer		:21 de	:2015-05-26 :21 deg_C / 61 RH :Curry		
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	ol. :VERT	TICAL		
o _z Leve	l (dBuV/m)								
90									
80						FCC RSE	PK		
70									
60	·					FCC RSE	ΔV		
50	2								
40									
30									
20									
10				· · · · · · · · · · · · · · · · · · ·					
0				10000					
0 <mark> </mark> 1000		6100.	11200. Frequency (16300. MHz)	21400).	26500		
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin		
		Mode	Reading Level		FS	@3m			
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB		
4874.00	Н	Average	26.83	9.85	36.68	54.00	-17.32		
4874.00	Н	Peak	37.65	9.85	47.50	74.00	-26.50		



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 97 of 108

Operation Bar Fundamental Operation Mc	Frequency	:802.11 n40N :2437 MHz :TX MID	Л	Test Date Temp./Hu Engineer		:2015- :21 deg :Curry	g_C / 61 RH
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	ol. :HORI	ZONTAL
97	l (dBuV/m)	; ;	i i				
90	·						·
80						FCC RSE-	PK
70	·						
60						FCC RSE-	AV
50	2	· · · · · · · · · · · · · · · · · · ·					
40		· · · · · · · · · · · · · · · · · · ·					
30							·
20							·
10							
0							
0 ^L 1000		6100.	11200. Frequency (16300. MHz)	21400). 2	26500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
-		Mode	Reading Level		FS	@3m	-
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	27.10	9.85	36.95	54.00	-17.05
4874.00	Н	Peak	37.95	9.85	47.80	74.00	-26.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 98 of 108

Operation Bar Fundamental Operation Mo	Frequency	:802.11 n40N :2452 MHz :TX HIGH	z Temp./Humi.		:2015- :21 deg :Curry	g_C / 61 RH	
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	ol. :VERT	FICAL
97	l (dBuV/m)						
90	·			·	· i i		
80				·		FCC RSE-	PK
70	·			·			
60	·			·		FCC RSE	AV
50	2	·		·			
40							
30							
20							
10				·			
0 ^L 1000		6100.	11200. Frequency (16300. MHz)	21400).	26500
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
1		Mode	Reading Level		FS	@3m	0
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4904.00	Н	Average	26.51	9.84	36.35	54.00	-17.65
4904.00	Н	Peak	37.13	9.84	46.97	74.00	-27.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Operation Band

4904.00

4904.00

Η

Н

FCC ID: PY7-PM0872

Test Date

:802.11 n40M

Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 99 of 108

:2015-05-26

-17.64

-26.06

Fundamental Frequency Operation Mode		:2452 MHz :TX HIGH		Temp./Hu Engineer	ımi.	:21 deg_ :Curry	:21 deg_C / 61 RH :Curry		
EUT Pol.		:E2 Plan		Measuren	nent Antenna Po	l. :HORIZ	ONTAL		
97	(dBuV/m)						_		
90				·					
80						FCC RSE-PI	<u>c</u>		
70				·					
60				·		FCC RSE-A	<u>,</u>		
50	2								
40									
30				·	·····		- ·		
20				·					
10				· · · · · · · · · · · · · · · · · · ·					
0 <mark></mark>	: I	6100.	11200. Frequency (16300. MHz)	21400.	26	500		
Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin		
		Mode	Reading Level		FS	@3m			
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV∕m	dB		

26.52

38.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Average

Peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.84

9.84

36.36

47.94

54.00

74.00



12 PEAK POWER SPECTRAL DENSITY


12.1 Standard Applicable

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

12.2 Measurement Equipment Used

Conducted Emission Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
ТҮРЕ		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016	
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2015	01/01/2016	
Attenuator	Mini-Circuit	BW-S10W2+	002	01/02/2015	01/01/2016	

12.3 Test Set-up



12.4 Measurement Procedure

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance V03r02.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW \geq 3 kHz.
- 5. Set the VBW \geq 3 x RBW.
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.
- 11. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



12.5 Measurement Result

Frequency	RF Power Density	Maximum Limit	Result			
(MHz)	(dBm)	(dBm)				
802.11b						
2412	-1.89	8	PASS			
2437	-0.98	8	PASS			
2462	-0.50	8	PASS			
802.11g						
2412	-7.62	8	PASS			
2437	-6.29	8	PASS			
2462	-7.37	8	PASS			
802.11n_HT20						
2412	-11.60	8	PASS			
2437	-9.09	8	PASS			
2462	-9.57	8	PASS			
802.11n_HT40						
2422	-13.71	8	PASS			
2437	-11.86	8	PASS			
2452	-14.69	8	PASS			


*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11b **Power Spectral Density Test Plot (CH-Low)**



Power Spectral Density Test Plot (CH-Mid)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Power Spectral Density Test Plot (CH-High)



802.11g


Power Spectral Density Test Plot (CH-Low)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Power Spectral Density Test Plot (CH-Mid)

Power Spectral Density Test Plot (CH-High)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2015/40161 Issue Date: Jun. 05, 2015 Page: 105 of 108

802.11n HT20






Power Spectral Density Test Plot (CH-Mid)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Power Spectral Density Test Plot (CH-High)

802.11n HT40


Power Spectral Density Test Plot (CH-Low)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Power Spectral Density Test Plot (CH-Mid)

Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



13 ANTENNA REQUIREMENT

13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

In case of point-to-point operation, the power shall be reduced by the one dB for every 3 dB that the directional gain of antenna exceeds 6dBi.

13.2 Antenna Connected Construction

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

でいたいでは、 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law