


13. SETUP PHOTOS

RADIATED AND POWERLINE CONDUCTED EMISSIONS MEASUREMENT SETUP	
<p>A photograph of a white rectangular device on a circular turntable inside an anechoic chamber. The device has a blue cross on its top surface. A label with the number '16J22997' is visible on the top left corner of the device.</p>	<p>A photograph of the back of the white rectangular device on the turntable. A blue cross is marked on the top surface. A label with the number '16J22997' is visible on the top left corner. A red antenna structure is visible in the background.</p>
<p>A photograph of the white rectangular device on the turntable, viewed from a slightly different angle than the first photo. A blue cross is on the top surface. A label with the number '16J22997' is visible on the top left corner.</p>	<p>A photograph of the back of the white rectangular device on the turntable. A blue cross is on the top surface. A label with the number '16J22997' is visible on the top left corner.</p>
<p>A photograph of the white rectangular device on a yellow table. A label with the number '16J22997' is visible on the top left corner. Wires are connected to the device.</p>	<p>A photograph of the white rectangular device on the yellow table, viewed from the side. A label with the number '16J22997' is visible on the top right corner. Wires are connected to the device. In the background, there is a computer monitor and other equipment.</p>
<p>RADIATED FRONT PHOTO (BELOW 1 GHz)</p>	<p>RADIATED BACK PHOTO (BELOW 1 GHz)</p>
<p>RADIATED FRONT PHOTO (ABOVE 1 GHz)</p>	<p>RADIATED BACK PHOTO (ABOVE 1 GHz)</p>
<p>LINE CONDUCTED FRONT PHOTO</p>	<p>LINE CONDUCTED SIDE VIEW PHOTO</p>


**ANTENNA PORT CONDUCTED RF MEASUREMENT SETUP AND
RADIATED RF MEASUREMENT SETUP FOR PORTABLE CONFIGURATION**



ANTENNA PORT CONDUCTED PHOTO



X-AXIS FRONT PHOTO





Y-AXIS FRONT PHOTO



Z-AXIS FRONT PHOTO

DYNAMIC FREQUENCY SELECTION MEASUREMENT SETUP



END OF REPORT

Page 265 of 265