

Sony Mobile Communications AB

Document number  
1287-4177

Revision  
1

Prepared by  
Foster/Nick Ning  
Contents responsible if other than preparer  
SEM/CGCECB TOMMY YAO  
Approved by  
SEM/CGCECB YOMMY YAO

Date  
2014-07-17  
Remarks  
This document is managed in SPACE  
State: Preliminar

- **Type number: RD-0150**
- **FCC id: PY7-RD0150**
- **IC id: 4170B-RD0150**

## Label Content Specification - Product Label

### Contents

1	General Information.....	2
1.1	SCOPE.....	2
1.2	LASER MARKING AND PRINTING INFORMATION for MBH20.....	2
1.3	LANGUAGE (optional).....	3
1.4	TESTS (optional).....	3
2	CONTENTS AND POSITIONING of LASER MARKING AND PRINTING for MBH20 .....	3
2.1	CONTENTS for Laser Marking (Laser Marking on product).....	3
2.2	CONTENTS for BDA Label (Put into individual bag).....	4
2.3	CONTENTS for Inner / Outer Label (Put on Inner / Outer Carton) .....	4
2.4	CONTENTS for Pallet Label (Put on Pallet).....	5
2.5	CONTENTS for Battery Label (Put on Inner / Outer Carton).....	6
2.6	POSITIONING OF LASER MARKING AND LABEL PRINTING.....	7
3	REVISION INFORMATION .....	9

**1 General Information**

**1.1 SCOPE**

This document specifies the label printing for MBH20.

SOMC Product number (ID) on Product can be exchanged as product number shown in below table for MBH20..

item	SOMC product number (ID)	Color
1	1286-1434.1	Black

**1.2 LASER MARKING AND PRINTING INFORMATION for MBH20**

- CONTENTS for Laser Marking (Laser Marking on product):
  - Text color : Grey
  - Text height : Refer to the page (3) of 2.1 explanation
  - Text font : "Arial"
  - Printing : All printing shall be sharp, well readable and durable

- CONTENTS for BDA Label (Put into individual bag):
  - Text color : Black
  - Text height : Refer to the page (4) of 2.2 explanation
  - Text font : "Helvetica"
  - Printing : All printing shall be sharp, well readable and durable

- CONTENTS for Inner / Outer Label (Label on inner / outer carton):
  - Text color : Black
  - Text height : Refer to the page (4) of 2.3 explanation
  - Text font : "Arial"
  - Printing : All printing shall be sharp, well readable and durable

- CONTENTS for Pallet Label (Label on pallet):
  - Text color : Black
  - Text height : Refer to the page (5) of 2.4 explanation
  - Text font : "Arial"
  - Printing : All printing shall be sharp, well readable and durable

- CONTENTS for Battery Label (Label on inner / outer carton):
  - Text color : Black
  - Text height : Refer to the page (6) of 2.5 explanation
  - Text font : "Century" and "Arial"
  - Printing : All printing shall be sharp, well readable and durable

**1.3 LANGUAGE (optional)**

Only English text shall be printed on the label according to specification in section 2 below.

**1.4 TESTS (optional)**

The label shall be tested and approved according to valid safety requirements.

**2 CONTENTS AND POSITIONING of LASER MARKING AND PRINTING for MBH20**

**2.1 CONTENTS for Laser Marking (Laser Marking on product)**


The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1	Model:MBH20	Left Width 5.0 mm Height 1.0 mm	Note 1
Line 1	1286-1434.1	Middle Width 4.4 mm Height 1.0 mm	Note 1
Line 1	Type:RD-0150	Middle Width 5.1 mm Height 1.0 mm	
Line 1	BT:XXXXXXXXXXXX	Right Width (7.5) mm Height 1.0 mm	Note 3
Line 2	FCC ID:PY7-RD0150	Left Width 7.6 mm Height 1.0 mm	
Line 2	IC:4170B-RD0150	Middle Width 6.4 mm Height 1.0 mm	
Line 2	yyWww	Right Width (2.7) mm Height 1.0 mm	Note 3
Line 2-5	WEEE marking	Right Width 5.0 mm Height 7.0 mm	
Line 3	SN:YYWW06PCXXXXXXC	Left Width (8.9) mm Height 1.0 mm	Note 2 Note 3
Line 3-5	CE marking	Right Width 5.0 mm Height 8.4 mm	
Line 4	Made in China	Left Width 5.1 mm Height 1.0 mm	
Line 4-5	RCM logo	Right Width 4.8 mm Height 3.5 mm	

Note 1: Sony Mobile Product Name.

Note 2: SN Rule

SN:YYWWSSPCXXXXXXC



Note 3: Size depends on the actual number.

**2.2 CONTENTS for BDA Label (Put into individual bag)**

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	BDA:XXXXXXXXXXXX	Width 15.5 mm Height 1.2 mm	

**2.3 CONTENTS for Inner / Outer Label (Put on Inner/Outer carton)**

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	From	Left Width 9.2 mm Height 3.0 mm	
Line 1:	To	Right Width 4.2 mm Height 3.0 mm	
Line 2	Z81472	Width 13.9 mm Height 3.0 mm	
Line 3:	Foster Electric Co.,Ltd	Width 41.9 mm Height 3.0 mm	
Line 4	(2S) Shipment Reference	Left Width 46.9 mm Height 3.0 mm	
Line 4	XXXXXXXX	Right Width (30.0) mm Height 4.0 mm	Note 1
Line 5:	(P) SOMC Part Number	Left Width 44.0 mm Height 3.0 mm	
Line 5	XXXX-XXXX.X	Right Width (35.0) mm Height 4.0 mm	1286-1434.X

Line 6	(1P) Supplier Part Number	Left Width 49.2 mm Height 3.0 mm	
Line 6	XXXXXX	Right Width (22.3) mm Height 4.0 mm	584234
Line 7	(Q) Quantity	Left Width 22.5 mm Height 3.0 mm	
Line 7	XXX	Right Width (11.1) mm Height 4.0 mm	Note 2 Max. Inner : 300 Outer : 600
Line 8	(4L) Country of Origin	Left Width 39.8 mm Height 3.0 mm	
Line 8	CN	Right Width 7.3 mm Height 4.0 mm	
Line 9	(3S) Box ID	Left Width 21.2 mm Height 3.0 mm	
Line 9	XXXXXXXXX	Right Width 29.8 mm Height 4.0 mm	
Line 10	Net Weight	Left Width 20.3 mm Height 3.0 mm	
Line 10	XXX kg	Right Width (18.2) mm Height 4.0 mm	Note 2 Max. Inner: (2.6) kg Outer: (5.2) kg
Line 11	Gross Weight	Left Width 25.1 mm Height 3.0 mm	
Line 11	XXX kg	Right Width (18.2) mm Height 4.0 mm	Note 2 Max. Inner: (4.2) kg Outer: (9.5) kg

Note 1: Order Number by each one Sales Order.

Note 2: Printing content is subject to change according to PO requirement.

## 2.4 CONTENTS for Pallet Label (Put on Pallet)

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	From	Left Width 9.2 mm Height 3.0 mm	
Line 1:	To	Right Width 4.2 mm Height 3.0 mm	Note
Line 2	Z81472	Width 13.9 mm Height 3.0 mm	
Line 3:	Foster Electric Co.,Ltd	Width 41.9 mm Height 3.0 mm	
Line 4:	(K) PO/Item	Left Width 21.6 mm	

Line 4:	XXXXXXXXXX/XXX	Height 3.0 mm Right	Note 1
Line 5:	(P) SOMC Part Number	Width 49.9 mm Height 4.0 mm Left	
Line 5	XXXX-XXXX.X	Width 44.0 mm Height 3.0 mm Right	1286-1434.X
Line 6	(Q) Quantity	Width (35.0) mm Height 4.0 mm Left	
Line 6	XXXX	Width 22.5 mm Height 3.0 mm Right	Note 2 Max. 7200
Line 7	(4L) Country of Origin	Width (12.1) mm Height 4.0 mm Left	
Line 7	CN	Width 39.8 mm Height 3.0 mm Right	
Line 8:	Package Weight	Width 7.3 mm Height 4.0 mm Left	
Line 8:	XXX kg	Width 30.1 mm Height 3.0 mm Right	Note 2
Line 9:	Package Count	Width (18.2) mm Height 4.0 mm Left	
Line 9:	X of X	Width 28.3 mm Height 3.0 mm Right	Note 2
		Width 15.2 mm Height 4.0 mm	

Note 1: Order Number by each one Sales Order.  
Note 2: Printing content is subject to change according to PO requirement

**2.5 CONTENTS for Battery Label (Put on Inner / Outer Carton)**

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	CAUTION!	Width 42.1 mm Height 6.0 mm	
Line 2:	symbols	Width 89.2 mm Height 34.5 mm	
Line 3:	Lithium ion battery	Width 63.1 mm Height 5.0 mm	
Line 4:	DO NOT LOAD OR TRANSPORT	Width 87.0 mm Height 4.0 mm	
Line 5:	PACKAGE IF DAMAGED	Width 66.6 mm Height 4.0 mm	
Line 6:	For more information, call +86-20-3456-9615	Width 82.8 mm Height 3.0 mm	

**2.6 POSITIONING OF LASER MARKING AND LABEL PRINTING**

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).

Laser making (on product)







BDA label (Put into individual bag)



Inner / Outer carton label (Put on inner / outer carton)

Pallet Label (Put on pallet)

From Z81472 Foster Electric Co.,Ltd 	To
(2S) Shipment Reference 	XXXXXXXXXX
(P) SOMC Part Number 	XXXX-XXXX.X
(1P) Supplier Part Number 	XXXXXX
(Q) Quantity 	XXX
(4L) Country of Origin 	CN
(3S) Box ID 	XXXXXXXXXX
Net Weight	XXX kg
Gross Weight	XXX kg

From Z81472 Foster Electric Co.,Ltd. 	To
(K) PO/Item 	XXXXXXXXXXXX/XXX
(P) SOMC Part Number 	XXXX-XXXX.X
(Q) Quantity 	XXXX
(4L) Country of Origin 	CN
Package Weight	XXX kg
Package Count	X of X

Battery label (Put on inner / outer carton)

CAUTION!





Lithium ion battery

DO NOT LOAD OR TRANSPORT  
PACKAGE IF DAMAGED

For more information, call +86-20-3456-9615



**3 REVISION INFORMATION**

<u>Version</u>	<u>Date</u>	<u>Note</u>
1	July 17, 2014	MP