



Prepared by
GOERTEK/CARL LIU
Contents responsible if other than preparer
SEM/CGCECB HUBERT YANG
Approved by
SEM/CGCECB HUBERT YANG

- **Type number: RW-0100**
- **FCC id: PY7-RW0100**
- **IC id: 4170B-RW0100**

Marking Drawing (without Korea, China, Brazil Marking)

Contents

1	General Information.....	2
1.1	SCOPE.....	2
1.2	DOCUMENTATION.....	2
1.3	LABEL INFORMATION	2
1.4	PRINTING INFORMATION for BULK PACKAGING	2
1.5	LANGUAGE (optional).....	3
1.6	TESTS (optional).....	3
2	CONTENTS AND POSITIONING OF LABEL PRINTING for IM10's BULK PACKAGING.....	3
2.1	CONTENTS for Date Code Marking (Printing and Laser Etching on product label).....	3
2.2	CONTENTS for Date Code Label (Put on BAG)	4
2.3	CONTENTS for Date Code Label (Put into Bag)	5
2.4	CONTENTS for Date Code Label (Put on Carton).....	5
2.5	CONTENTS for Pallet Label (Put on Pallet except Czech)	5
2.6	CONTENTS for Pallet Label (Put on Pallet for Czech).....	6
2.7	POSITIONING OF LABEL PRINTING	7
3	REVISION INFORMATION	10



1 General Information

1.1 SCOPE

This document specifies the label printing for IM10.

SOMC Product number (ID) on Product can be exchanged as product number shown in below table for IM10.

item	SOMC product number (ID)	Color
1	1273-9569.1	Black

1.2 DOCUMENTATION

All documents are listed in the Document overview [1056-FCP 119 0717](#).

1.3 LABEL INFORMATION

Material and measurements are specified in document [1301-FCP 119 0717](#).

1.4 PRINTING INFORMATION for BULK PACKAGING

- CONTENTS for Product Label(Printing and Laser Etching on product label):
 - Color text : Written color : White Letters / Background color: Black
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : Refer to the page (3) of 2.1 explanation
 - Text font : "Arial" ,Except the text "Sony" on Line1 should be printed with the Sony logo text style/font .

- Date code label (put on Bag)
 - Color text : Written color : Black Letters / Background color: White
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : Refer to the page (4) of 2.2 explanation
 - Text font : "Arial"

- Date code label (put into Bag)
 - Color text : Written color : Black Letters / Background color: White
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : Refer to the page (5) of 2.3 explanation
 - Text font : "Arial"

- Carton Label
 - Color text : Written color :Black Letters / Background color: White
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : Refer to the page (5) of 2.4 explanation
 - Text font : "Arial"

- Pallet Label except Czech
 - Color text : Written color :Black Letters / Background color: White
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : Refer to the page (5) of 2.5 explanation



- Text font : "Arial"
- Pallet Label for Czech
 - Color text : Written color :Black Letters / Background color: White
 - Printing : All printing shall be sharp, well readable and permanent
 - Text height : Refer to the page (6) of 2.6 explanation
 - Text font : "Arial"

1.5 LANGUAGE (optional)

Only English text shall be printed on the label according to specification in section 2 below.

1.6 TESTS (optional)

The label shall be tested and approved according to valid safety requirements.

2 CONTENTS AND POSITIONING OF LABEL PRINTING for IM10's BULK PACKAGING

2.1 CONTENTS for Date Code Marking (Printing and Laser Etching on product label)

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Sony	Left, width 17 mm High 3.0 mm	printed with the Sony logo text style/font REQ1632
Line 2	Product Name	Left, width 20 mm High 1.6 mm	
Line 3:	Model:IM10	Left, width 9 mm High 1.3 mm	Note 1 REQ1634
Line 4:	1273-9569.1	Left, width 9.4 mm High 1.3 mm	Note 2 REQ1633
Line 5:	Type:RW-0100	Right width 11.7 mm High 1.6 mm	REQ1638
Line 6:	IC:4170B-RW0100	Right width 14.5 mm High 1.3 mm	REQ1507
Line 7:	FCC ID:PY7- RW0100	Right width 16.9 mm High 1.3 mm	REQ1500
Line 7:	Nominal	Right width 5.6 mm High 1.15 mm	
Line 8:	Made in China	Right width 11.3 mm High 1.3 mm	REQ1635
Line 8:	Rating	Right width 8.2 mm High 1.3 mm	REQ1637
Line 9:	CE 0682 Marking	Middle	REQ1490




Line 10:	Japanese TA Marking	width 29.5 mm High 5.1 mm Left	REQ1585
Line 10:	C-Tick Marking With Z354	width 17.1 mm High 5.0 mm Left,	REQ1512 REQ1620
Line 10:	WEEE Marking	width 7.5 mm High 3.1 mm Right	REQ1671 REQ1672
Line 11:	MAC:XXXXXXXXXXXX	width 5.5 mm High 8.6 mm Middle	
Line 12:	S/N:YYWWSSPCXXXXXC	width 16.5 mm High 1.2 mm Middle width 18.9 mm High 1.2 mm	Note 3 REQ1636

Note 1: Sony Mobile Product Name.
Note 2: Product Number

item	SOMC product number (ID)	Color
1	1273-9569.1	Black

Note 3: SN Rule
SN:YYWWSSPCXXXXXC



2.2 CONTENTS for Date Code Label (Put on Bag)

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Sony	Left	Note 1
Line 1:	Japan Recycling logo	Right	
Line 2:	Part No. XXXX-XXXX.X	Left	Note 1

width 16 mm
High 2.8 mm
width 5.6 mm
High 4.9 mm
width 19.0 mm
High 2.0 mm



Line 3:	YYWW	Left	Note 2
		width 9.6 mm	
		High 2.6 mm	
Line 3:	Europe Recycling logo	Right	
		width 5.1 mm	
		High 6.4 mm	
Line 4:	Made in China	Left	
		width 14.5 mm	
		High 1.7 mm	

Note 1: Product number
 Note 2: Is a variable digit "1330" means year 2013 week 30

2.3 CONTENTS for Date Code Label (Put into Bag)

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	XXXXXX XXXXXX	Left	Note 1
		width 64.7 mm	
		High 15.3 mm	

Note 1: MAC address

2.4 CONTENTS for Date Code Label (Put on Carton)

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	SONY logo	width 40.5mm	
		High 7.1mm	
Line 2:	P/N.:	Left	Note 1
		Width 63.5 mm	
		High 13.2 mm	
Line 2	5V	Right	
		Width 6.5 mm	
		High 4.0 mm	
Line 4	WORK ORDER:	Width 129.2 mm	Note 2
		High 13.7 mm	
Line 7	MADE IN CHINA	Left	
		Width 43.6 mm	
		High 4.1 mm	
Line 7	CARTON NO.:	Right	Note 3
		Width 56 mm	
		High 10.5 mm	
Line 9	DATE CODE:	Left	Note 3
		Width 70.5 mm	
		High 13.4 mm	
Line 9	QUANTITY:	Right	Note 3
		Width 49.1 mm	
		High 13.4 mm	
Line 10	PACKAGE WEIGHT:XXXKG	Width 68.2mm	Note 3
		High 4.1 mm	

Note 1: Product number.
 Note 2: Order Number by each one Sales Order.
 Note 3: Printing content is subject to change according to PO requirement.

2.5 CONTENTS for Pallet Label (Put on Pallet except Czech)

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Address of Supplier	Left	
		width 90 mm	



Line 2:	Address of Customer	High 21 mm Left	
Line 3:	(K)P.O.//XXXXXXXXXX	Width89 mm High 25 mm Left	Note 1
Line 4:	(P)PART NO.: XXXX-XXXX.X	Width 65.8mm High 6mm Left	Note 2
Line 5:	(Q)QUANTITY:XXXXXX	Width81mm High 6 mm Left	
Line 6:	DATE:XXXX-XX-XX	Width 67mm High 6mm Left	Note 3
Line 7:	Pallet XX of XX	High 4.5 mm Left	Note 3
Line 8:	GROSS WEIGHT:XXXX kg	Width 50mm High 4.7 mm Left	Note 3
Line 9:	MADE IN CHINA	Width75.8mm High 6 mm Left	
		Width 47.5mm High 4.7 mm	
	Note 1:	Order Number by each one Sales Order.	
	Note 2:	Product number.	
	Note 3:	Printing content is subject to change according to PO requirement	

2.6 CONTENTS for Pallet Label (Put on Pallet for Czech)

The label shall have the following content, Line and alignment may vary:

<u>LINE</u>	<u>TEXT</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Address of Supplier	Left width 44.8 mm High 33.4 mm	
Line 1:	Address of Customer	Right Width 41.2 mm High 33.7 mm	
Line 2:	(K)PO/Item: XXXXXXXXXXXX/XX	Left	Note 1
Line 3:	(P)Part Number: XXXX-XXXX.X	Width 78mm High 16.9mm Left	Note 2
Line 4:	(Q)Quantity: XXXXXX	Width79.9mm High 16.6 mm Left	Note 3
Line 5:	(4L)Country of Origin: CN	Width 54.8mm High 16.6 mm Left	
Line 6:	Packaging weight: XXX kg	Width 63.5mm High 16.5 mm Left	Note 3
Line 7:	Packaging count: X of X	Width 63.8 mm High 5.2 mm Left	Note 3
		Width59.8mm High 5.3 mm	
	Note 1:	Order Number by each one Sales Order.	
	Note 2:	Product number.	

Note 3: Printing content is subject to change according to PO requirement

2.7 POSITIONING OF LABEL PRINTING

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).

Product Label (Printing and Laser Etching on product label) :




Bag Label (put on bag) :






MAC Address Label (put into bag) :



bar code label (put on carton) :





bar code label (put on pallet) :

FROM:

Weifang GoerTek Electronics Co., Ltd. Free Trade
Zone, Gaoxin 2 Road, High-Tech Industrial Develop-
ment District, Weifang, Shandong Province, China

TO:

Beijing SE Potevio Mobile Communications Co., Ltd
SinoTrans, 20 Tian Zhu Road, A Area, Tian Zhu
Airport Industrial Zone, ShunYi District, Beijing
101312 P.R.China

(K)P.O.//XXXXXXXXXXXX

(P)PART NO.:XXXX-XXXX.X

(Q)QUANTITY:XXXXXX

DATE:XXXX-XX-XX

PALLET:XX of XX

GROSS WEIGHT:XXXX kg

MADE IN CHINA



bar code label (put on pallet for Czech) :

FROM: Weifang GoerTek Electronics Co., Ltd. Free Trade Zone, Gaoxin 2 Road, High-Tech Industrial Development District, Weifang, Shandong Province, China	TO: Sony Mobile Communications AB c/o MODUSLINK CZ s.r.o Turanka 1314/110 627 00 Brno Czech Republic
(K)PO/Item: XXXXXXXXXXXX/XX 	
(P)Part Number: XXXX-XXXX.X 	
(Q)Quantity: XXXXX 	
(4L)Country of Origin: CN 	
Packaging weight: XXXkg Packaging count: X of X	

3 REVISION INFORMATION

<u>Version</u>	<u>Date</u>	<u>Note</u>
1	Sep. 10, 2013	New Release
1	Oct. 08, 2013	Change Product Label contents, add "Nominal"