


15. SETUP PHOTOS

RADIATED AND POWERLINE CONDUCTED EMISSIONS MEASUREMENT SETUP	
A photograph showing a white rectangular device on a white table in an anechoic chamber. The device is illuminated from below, casting a blue glow. The chamber walls are covered with black pyramidal absorbers.	A photograph showing the back of the white rectangular device on the table. A blue stand is visible behind the device. The chamber walls are covered with black pyramidal absorbers.
A photograph showing the white rectangular device on the table, viewed from the front. A red chair is visible in the foreground. The chamber walls are covered with black pyramidal absorbers.	A photograph showing the back of the white rectangular device on the table, viewed from a distance. A red stand is visible behind the device. The chamber walls are covered with black pyramidal absorbers.
A photograph showing a yellow table with a brown top. A black device is on the table, connected to a power source. The background is a plain wall.	A photograph showing a side view of the yellow table with the brown top. A black device is on the table, connected to a power source. A blue piece of equipment is visible in the background.
LINE CONDUCTED FRONT PHOTO	LINE CONDUCTED SIDE VIEW PHOTO

**ANTENNA PORT CONDUCTED RF MEASUREMENT SETUP AND
RADIATED RF MEASUREMENT SETUP FOR PORTABLE CONFIGURATION**



ANTENNA PORT CONDUCTED PHOTO



X-AXIS FRONT PHOTO





Y-AXIS FRONT PHOTO



Z-AXIS FRONT PHOTO

DYNAMIC FREQUENCY SELECTION MEASUREMENT SETUP



END OF REPORT