


T600 back

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle 1900: $\sigma = 1.57$ mho/m $\epsilon_r = 49.2$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.753mW/g, SAR(10g): 0.383mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.21 dB




T600 Front

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569; ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle 1900: $\sigma = 1.57$ mho/m $\epsilon_r = 49.2$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.251mW/g, SAR(10g): 0.133mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.21 dB




Ericsson T600

SAM 1800 and 1900 Phantom; Left Hand Section; Position: (92°,59°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.722mW/g, SAR(10g): 0.379mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.00 dB




SAR_{Tot} [mW/g]



T600

SAM 1800 and 1900 Phantom; Left Hand Section; Position: (107°,59°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.658mW/g, SAR(10g): 0.368mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.35 dB



T600


SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (93°,301°); Frequency: 1850 MHz

Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR(1g): 0.739mW/g, SAR(10g): 0.394mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.06 dB



T600


SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (93°,301°); Frequency: 1850 MHz

Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR(1g): 0.672mW/g, SAR(10g): 0.389mW/g, (Worst-case extrapolation)


Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.37 dB



T600 Back

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569; ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle 1900: $\sigma = 1.57$ mho/m $\epsilon_r = 49.2$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR(1g): 0.828mW/g, SAR(10g): 0.439mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.14 dB




T600 Front

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569; ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle 1900: $\sigma = 1.57$ mho/m $\epsilon_r = 49.2$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.187mW/g, SAR(10g): 0.114mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.24 dB



T600

SAM 1800 and 1900 Phantom; Left Hand Section; Position: (92°,59°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.673mW/g, SAR(10g): 0.348mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.14 dB



T600


SAM 1800 and 1900 Phantom; Left Hand Section; Position: (107°,59°); Frequency: 1880 MHz

Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR(1g): 0.638mW/g, SAR(10g): 0.357mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.40 dB



T600


SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (93°,301°); Frequency: 1880 MHz

Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR(1g): 0.582mW/g, SAR(10g): 0.319mW/g, (Worst-case extrapolation)


Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.05 dB




T600

SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (108°,301°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.569mW/g, SAR(10g): 0.329mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.17 dB




T600 Back

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569; ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle 1900: $\sigma = 1.57$ mho/m $\epsilon_r = 49.2$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.503mW/g, SAR(10g): 0.251mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.10 dB



T600 Front

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569; ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle 1900: $\sigma = 1.57$ mho/m $\epsilon_r = 49.2$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.113mW/g, SAR(10g): 0.0645mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.09 dB



T600


SAM 1800 and 1900 Phantom; Left Hand Section; Position: (92°,59°); Frequency: 1910 MHz

Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR(1g): 0.384mW/g, SAR(10g): 0.194mW/g, (Worst-case extrapolation)


Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.03 dB



T600

SAM 1800 and 1900 Phantom; Left Hand Section; Position: (107°,59°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³
Cube 7x7x7: SAR(1g): 0.339mW/g, SAR(10g): 0.188mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.18 dB



T600


SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (93°,301°); Frequency: 1910 MHz

Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR(1g): 0.338mW/g, SAR(10g): 0.173mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.05 dB



T600

SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (93°,301°); Frequency: 1910 MHz

Probe: ET3DV6 - SN1569;ConvF(5.40,5.40,5.40); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.46$ mho/m $\epsilon_r = 37.5$ $\rho = 1.00$ g/cm³

Cube 7x7x7: SAR(1g): 0.341mW/g, SAR(10g): 0.191mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.07 dB

