


T200 Back

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1569;ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 50.5$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.298 mW/g, SAR (10g): 0.169 mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.08 dB



T200


SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1850 MHz

Probe: ET3DV6 - SN1569;ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 50.5$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.106 mW/g, SAR (10g): 0.0655 mW/g, (Worst-case extrapolation)


Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: -0.15 dB




T200 Back

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569;ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 50.5$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR(1g): 0.198 mW/g, SAR(10g): 0.131 mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.03 dB




T200

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1569;ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 50.5$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR(1g): 0.0732 mW/g, SAR(10g): 0.0482 mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.06 dB



T200 Back

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569;ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 50.5$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR(1g): 0.138 mW/g, SAR(10g): 0.0803 mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.00 dB



T200

SAM 1800 and 1900 Phantom; Flat Section; Position: (270°,90°); Frequency: 1910 MHz
Probe: ET3DV6 - SN1569;ConvF(5.00,5.00,5.00); Crest factor: 8.0; Muscle1900 MHz: $\sigma = 1.57$ mho/m $\epsilon_r = 50.5$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR(1g): 0.0589 mW/g, SAR(10g): 0.0350 mW/g, (Worst-case extrapolation)
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: -0.02 dB

