

T200


SAM 1800 and 1900 Phantom; Left Hand Section; Position: (92°,59°); Frequency: 1850 MHz

Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7:SAR(1g): 0.281 mW/g, SAR(10g): 0.158 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.02 dB



T200


SAM 1800 and 1900 Phantom; Left Hand Section; Position: (107°,59°); Frequency: 1850 MHz

Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR(1g): 0.204 mW/g, SAR(10g): 0.116 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.06 dB



T200


SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (92°,301°); Frequency: 1850 MHz

Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR(1g): 0.373 mW/g, SAR(10g):0.217 mW/g, (Worst-case extrapolation)


Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.00 dB



T200

SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (107°,300°); Frequency: 1850 MHz
Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR(1g): 0.258 mW/g, SAR(10g): 0.146 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.07 dB



T200


SAM 1800 and 1900 Phantom; Left Hand Section; Position: (92°,59°); Frequency: 1880 MHz

Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR(1g): 0.218 mW/g, SAR(10g): 0.123 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.08 dB



T200


SAM 1800 and 1900 Phantom; Left Hand Section; Position: (107°,59°); Frequency: 1880 MHz

Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR(1g): 0.142 mW/g, SAR(10g): 0.081 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.09 dB



T200


SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (92°,301°); Frequency: 1880 MHz

Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR(1g): 0.261 mW/g, SAR(10g): 0.149 mW/g, (Worst-case extrapolation)


Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.04 dB



T200

SAM 1800 and 1900 Phantom; Righ Hand Section; Position: (107°,300°); Frequency: 1880 MHz
Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR(1g): 0.183 mW/g, SAR(10g): 0.098 mW/g, (Worst-case extrapolation)
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB



T200

SAM 1800 and 1900 Phantom; Left Hand Section; Position: (92°,59°); Frequency: 1910 MHz

Probe: ET3DV6 - SN1582;ConvF(6.91,6.91,6.91); Crest factor: 8.0; Head 1900MHz: $\sigma = 1.41$ mho/m $\epsilon_r = 39.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR(1g): 0.159 mW/g, SAR(10g): 0.091 mW/g, (Worst-case extrapolation)

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.04 dB

