



SPOT CHECK EVALUATION

FCC ID : PY7-23855M
Equipment : GSM/WCDMA/LTE Phone with BT,
DTS/UNII a/b/g/n/ac/ax, GPS, and NFC
Brand Name : Sony
Applicant : Sony Mobile Communications Inc.
4-12-3 Higashi-Shinagawa,
Shinagawa-ku, Tokyo, 140-0002, Japan
Manufacturer : Sony Mobile Communications Inc.
4-12-3 Higashi-Shinagawa,
Shinagawa-ku, Tokyo, 140-0002, Japan
Standard : FCC Part 15 Subpart C §15.225
FCC Part 15 Subpart C §15.247
FCC Part 15 Subpart E §15.407

The product was received on Jul. 10, 2020 and testing was started from Jul. 25, 2020 and completed on Aug. 21, 2020. We, SPORTON INTERNATIONAL INC., EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this spot check data report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Louis Wu

Approved by: Louis Wu

SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)



Table of Contents

History of this test report.....	3
1. Introduction Section	4
2. Difference Section.....	5
3. Spot Check Verification Data Section	6
4. Reference detail Section	7



History of this test report

Version	Description	Issued Date
01	Initial issue of report	Aug. 24, 2020



1. Introduction Section

The FCC ID: PY7-08372L (original model) and FCC ID: PY7-23855M (variant model) are the RF circuit, output power level and antenna performance is the same, Based on their similarity, the FCC Part 15C (equipment class: DTS, DSS,DXX) and FCC Part 15E (equipment class: NII) conducted reuse the original model's result and do spot-check, following the FCC KDB 484596 D01 v01.

The applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID (FCC ID: PY7-23855M).



2. Difference Section

The difference between PY7-08372L and PY7-23855M is that the cellular frequency band is different

The details of similarity and difference can be found in the Operating Description.



3. Spot Check Verification Data Section

Conducted power test and radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing and the verification test results Similar to the original FCC ID. Detail spot check test result can be found in the variant model report, please refer to detail section table in section 4.

Summary of the spot check:

Test Item	Mode	PY7-08372L Worst Result	PY7-23855M Worst Result	Difference (dB)
Average Conducted Power (dBm)	BT	14.91	14.6	0.31
	BLE	10.1	9.7	0.4
	WLAN 2.4G(MIMO)	18.43	18.28	0.15
	WLAN 5G B1-3(MIMO)	14.46	14.36	0.10
	WLAN 5G B4 (MIMO)	14.46	14.26	0.20
WLAN				
Radiated Spurious Emission (Band Edge) (dBuV/m)	BT	62.96	62.72	0.24
	BLE	40.42	40.34	0.08
	WLAN 2.4G(MIMO)	42.33	45.2	-2.87
	WLAN 5G B1-3(MIMO)	41.19	43.42	-2.23
	WLAN 5G B4 (MIMO)	54.51	54.76	-0.25
Radiated Spurious Emission (Harmonic) (dBuV/m)	BT	48.05	43.55	4.5
	BLE	43.56	44.13	-0.57
	WLAN 2.4G(MIMO)	45.13	45.97	-0.84
	WLAN 5G B1-3(MIMO)	48.12	49.91	-1.79
	WLAN 5G B4 (MIMO)	51.69	51.31	0.38
NFC (dBuV/m)	RSE (30MHz to1GHz)	33.53	33.50	0.03



4. Reference detail Section

Rule Part	Equipment Class	Wireless Technology	Frequency Band (MHz)	Original FCC ID	Original Report	Variant Model FCC ID	Variant Model Report
15C	DTS	Bluetooth – LE Wii-Fi	2400~2483.5	PY7-08372L	Part 15C (FR042242-02B, FR042242-02C)	PY7-23855M	Part 15C (FR042245-02B, FR042245-02C)
	DSS	Bluetooth	2400~2483.5	PY7-08372L	Part 15C (FR042242-02A)	PY7-23855M	Part 15C (FR042245-02A)
	DXX	NFC	13.56	PY7-08372L	Part 15C (FR042242-02D)	PY7-23855M	Part 15C (FR042245-02D)
15E	NII	Wi-Fi	5150~5250 5250~5350 5470~5725 5725~5850	PY7-08372L	Part 15E (FR042242-02E, FR042242-02F)	PY7-23855M	Part 15E (FR042245-02E, FR042245-02F)

END of this report