



Prepared (also subject responsible if other)

SEM/BGURDBB, Thomas Westman

Approved

SEM/BGURDBB (Thomas Westman)

Checked

Company Internal
MARKING DRAWING
No.

151 86–SVV 107 163/1 Uen

Date

2004-05-19

Rev

A

Reference

5

Approved according to 000 21–LXE 107 42/1

S700i, KRH-label, SEM

1 General information

The format of the label is based on a label sized 33,0 x 20,0 mm, e.g. SVF 930 863 (rounded corner top left). The label shall be fed through the printer that the bars in the bar codes are parallel to the feeding direction.

If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.

All bar codes, when applicable, are according to Ericsson corporate standard 102 01–109 Uen. All bar codes shall fulfil minimum print quality C according to ANSI X3.182-1990 as stated in Ericsson corporate standard 102 01–1003 Uen. No bar codes are allowed to be closer to a label edge than 2 mm! (quiet zone).

“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

The label shall be placed on the back of the telephone according to the Assembly Drawing (151 88-) for the KRH.

2 Printing information

	Content	Format
Line 1a (2,5/2,0)	Sony Ericsson stylized name.	Graphics, height 1,4 mm. According to 190 89–EN/LZT 108 5347
Line 1b (2,5/15,0)	Model name, “S700i” / ”S700c”	Text, height 1,2 mm.
Line 1c (2,5/19,0)	Product number (without R-state) of the DPY kit in which the phone is packed, if applicable. Printed without “DPY 101”, “0000/000”	Text, height 1,2 mm.
Line 2a (4,0/1,0)	Type number of the phone (KRH), “Type: AAB-1021051-BV”.	Text, height 1,2 mm.
Line 2b (4,0/15,0)	ROA and R-state identification field, “GHY ₁ Y ₂ Y ₃ ”	Text, height 1,2 mm. According to the 3/151 86- document in the 1095- for the SVV.



Prepared (also subject responsible if other)

SEM/BGURDBB, Thomas Westman

Approved

SEM/BGURDBB (Thomas Westman)

Checked

Company Internal
MARKING DRAWING
No.

151 86–SVV 107 163/1 Uen

Date

Rev

Reference

2004-05-19

A

5

Content	Format
Line 2c (4,0/23,5)	Location code of where the phone is flashed, if applicable, "FFF"
Line 3a (6,0/1,0)	Federal Communications Commission identification number: "FCC ID: PY7A1021051"
Line 3b (6,0/15,0)	Industry Canada certification number: "IC: 4170B-A1021051"
Line 4 (9,0/2,0)	Line 5a in bar code. As desired by supplier (e.g. only actual number).
Line 5a (10,5/1,0)	Supplier's identification for traceability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).
Line 5b (10,5/12,0)	Electronic serial number (IMEI) of phone (KRH), "IMEI: 00000000-000000-0".
Line 6 (13,5/2,0)	Line 5b in bar code (only actual number, without data identifier).
Line 7 (15,0/1,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)
Line 8 (17,0/1,0)	Production week, "yy'W'ww" (yy = year, ww = week)
Line 9a (19,0/1,0)	Marking of origin. The line shall be printed as stated in a separate 1/151 86- document in the 1095- for the SVV, if any.
Line 9b (19,0/11,0)	Additional field/lines.
Line 9c (19,0/32,0)	"CE0682" approval symbol.

Prepared (also subject responsible if other)

SEM/BGURDBB, Thomas Westman

Approved

Checked

SEM/BGURDBB (Thomas Westman)

Company Internal
MARKING DRAWING

No.

151 86–SVV 107 163/1 Uen

Date

Rev

Reference

2004-05-19

A

5

Layout

The example picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

2.1

Example picture



double underlined = major changes since last revision.