

Prepared (also subject responsible if other)

SEM/BGLDB, Delia Aulisio

Approved

SEM/BGLDB, Delia Aulisio

Checked

 Company Internal
 MARKING DRAWING
 No.

xxxx-xxxx Uen

Date

Rev

Reference

2008-03-05

1

3

Approved according to 000 21-LXE 107 42/1

C902c, Mobile Phone label content, Made in...

1 General information

The format of the label is based on a label 1204-0066.

If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.

All bar codes, when applicable, are according to Ericsson corporate standard 102 01-109 Uen. All bar codes shall fulfil minimum print quality C according to ANSI X3.182-1990 as stated in Ericsson corporate standard 102 01-1003 Uen. No bar codes are allowed to be closer to a label edge than 2 mm! (quiet zone).

“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI= Main Label Content Information Document

2 Printing information

	Content	Format
Line 1a (2,0/0,5)	Sony Ericsson stylized name.	Graphics, height 1,4 mm. According to 1200-1925
Line 1b (2,0/13,7)	型号:	Text, height 1,2 mm.
Line 1b (2,0/17,2)	Model Name “C902c”	Text, height 1,2 mm.
Line 2a (4,0/0,5)	Type number of the phone, “Type: AAB-1022141-BV”.	Text, height 1,2 mm.
Line 2b (4,0/16,0)	HW & SW identification field, if applicable; “FG”	Text, height 1,2 mm. <i>According to Type-testing report under Product Model Specifying Document</i>
Line 2c (4,0/18,6)	Location code of where the phone is flashed, if applicable, “XXX”	Text, height 1,2 mm.
Line 3a (5,5/0,5)	“FCC ID: PY7A1022141”	Text, height 1,2 mm.



Prepared (also subject responsible if other)

SEM/BGLDB, Delia Aulio

Approved

SEM/BGLDB, Delia Aulio

Checked

Company Internal
MARKING DRAWING

No.

xxxx-xxxx Uen

Date

Rev

Reference

2008-03-05

1

3

Line 3b (5,5/16,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 3c (5,5/19,7)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm. Rotated 90 degrees
Line 4a (7,3/0,5)	"IC:4170B-A1022141"	Text, height 1,2 mm.
Line 4b (7,3/14,0)	Product number of the Sales Item in which the phone is packed, if applicable, without R state "SI XXXX-XXXX"	Text, height 1,2 mm.
Line 4c (7,3/23,7)	GSM/GPRS 移动电话机	Text, height 1,2 mm. Two rows, aligned from bottom row. Rotated 90 degrees
Line 5 (9,5/1,6)	Line 6a in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 6a (11,0/0,5)	Supplier's identification for trace- ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 6b (11,0/12,7)	Actual electronic serial number (IMEI) of the Mobile Phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 7 (13,0/1,6)	Line 6b in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 8 (14,5/0,5)	索尼爱立信移动通信产品(中国)有限公司	Text, height 1,2 mm.
Line 9 (19,5/0,5)	"CMII ID: 200XXXXXXXX"	Text, height 1,5mm with frame around. Two rows aligned from bottom row



Prepared (also subject responsible if other)

SEM/BGLDB, Delia Aulisio

Approved

SEM/BGLDB, Delia Aulisio

Checked

Company Internal
MARKING DRAWING

No.

xxxx-xxxx Uen

Date

Rev

Reference

2008-03-05

1

3

Line 9a (21,0/0,5)	Marking of origin: 中国制造	Text, height 1,2 mm.
Line 9b (21,0/18,2)	CCC-sticker with S&E	Graphics, height 5 mm. According to 1201-7981.



Prepared (also subject responsible if other)

SEM/BGLDB, Delia Aulisio

Approved

SEM/BGLDB, Delia Aulisio

Checked

Company Internal
MARKING DRAWING

No.

xxxx-xxxx Uen

Date

Rev

Reference

2008-03-05

1

3

3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)
SEM/BGLDB, Delia Aulisio
Approved
SEM/BGLDB, Delia Aulisio

Checked

Company Internal
MARKING DRAWING
No.
xxxx-xxxx Uen
Date 2008-03-05
Rev 1

Reference

3

3.2 Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

