



Prepared (also subject responsible if other)

SEM/BGLDB, Fredrik Orremo

Approved

SEM/BGLDB (Fredrik Orremo)

Checked

Company Internal
MARKING DRAWING
No.

151 86–SVV 107 658/1 Uen

Date

2007-02-21

Rev

B

Reference

9

Approved according to 000 21–LXE 107 42/1

J110a, KRH-label, TYPE: AAA-1042041-BV, Made in ...

1 General information

The format of the label is based on a label SVF 930 2630.

If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.

All bar codes, when applicable, are according to Ericsson corporate standard 102 01–109 Uen. All bar codes shall fulfil minimum print quality C according to ANSI X3.182-1990 as stated in Ericsson corporate standard 102 01–1003 Uen. No bar codes are allowed to be closer to a label edge than 2 mm! (quiet zone).

“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

The label shall be placed on the back of the telephone according to the Assembly Drawing (151 88-) for the KRH.

2 Printing information

	Content	Format
Line 1a (2,0/1,0)	Product number of the DPY kit in which the phone is packed. “DPY 101 0000/000 RRR”	Text, height 1,2 mm.
Line 1b (2,0/16,0)	Repair week, if applicable. “Ry’W’ww” (y = year, ww = week)	Text, height 1,2 mm.
Line 1c (2,0/24,0)	Location code of where the phone is flashed, if applicable, “FFF”	Text, height 1,2 mm.
Line 3a (5,6/1,0)	ROA and R-state identification field, “FG”	Text, height 1,2 mm. According to the 3/151 86- document in the 1095- for the SVV. Rotated 90° counter clockwise
Line 4a (10,4/12,3)	CE approval symbol.	Graphics, height 5 mm. According to 1424-SVF 930 52.
Line 4b (10,4/19,4)	The Notified body number. “0682”	Text, height 2,0 mm.
Line 4c (10,4/23,8)	Sim-card symbol	Graphics, height 5 mm, according to 1424-SVF 930 1418



Prepared (also subject responsible if other)

SEM/BGLDB, Fredrik Orremo

Approved

SEM/BGLDB (Fredrik Orremo)

Checked

Company Internal
MARKING DRAWING
No.

151 86–SVV 107 658/1 Uen

Date

Rev

Reference

2007-02-21

B

9

Line 6a (20,8/1,0)	Type number of the phone (KRH), "Type: AAA-1042041-BV".	Text, height 1,2 mm. Rotated 90° counter clockwise
Line 7a (24,8/1,0)	Model name, "J110a"	Text, height 1,2 mm.
Line 7b (24,8/3,1)	"IC: 4170B- A1042041"	Text, height 1,2 mm.
Line 7c (26,3/7,4)	Actual electronic serial number (IMEI) of the phone (KRH), "00000000-000000-0"	Text, height 1,2 mm. Supplied by system.
Line 7d (23,7/11,4)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 8a (38,0/1,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 190 89–EN/LZT 108 5347 Rotated 90 counter clockwise
Line 8b (38,0/3,1)	"FCC ID: PY7A1042041"	Text, height 1,2 mm.
Line 8c (38,0/4,9)	Line 8d in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 8d (39,1/7,4)	Supplier's identification for trace- ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 8e (38,0/8,9)	Line 7c in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 8f (38,0/11,4)	Marking of origin, "XXX" = actual country of production of the included phone, in English	Text, height 2,0mm.



Prepared (also subject responsible if other)

SEM/BGLDB, Fredrik Orremo

Approved

SEM/BGLDB (Fredrik Orremo)

Checked

Company Internal
MARKING DRAWING
No.

151 86-SVV 107 658/1 Uen

Date

2007-02-21

Rev

B

Reference

9

3 Marking of Origin

3.1 Content


“Made in Xxx”;

“Xxx” = actual country of production of the included telephone, in English

4 Layout

The conceptual picture (for Zebra 90XiII printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

4.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

SEM/BGLDB, Fredrik Orremo

Approved

SEM/BGLDB (Fredrik Orremo)

Checked

Company Internal
MARKING DRAWING
No.

151 86–SVV 107 658/1 Uen

Date

Rev

Reference

2007-02-21

B

9

4.2 Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

