



# FCC PART 15C TEST REPORT

**No. 2010TAR068**

for

**Sony Ericsson Mobile Communications(China) Co., Ltd.**

**GSM 850/1900 dual bands mobile phone**

**Model Name: AAB-1880026-BV**

**Marketing Name: W100a**

**With**

**FCC ID: PY7A1880026**

**IC ID: 4170B-A1880026**

**Hardware Version: A**

**Software Version: P1BC014**

**Issued Date: 2010-05-26**



**No. DGA-PL-114/01-02**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

**Test Laboratory:**

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62303288-2105, Fax:+86(0)10-62304793 Email:welcome@emcite.com. [www.emcite.com](http://www.emcite.com)

©Copyright. All rights reserved by TMC Beijing.

## **CONTENTS**

<b>CONTENTS .....</b>	<b>2</b>
<b>1. TEST LABORATORY.....</b>	<b>6</b>
1.1. TESTING LOCATION.....	6
1.2. TESTING ENVIRONMENT.....	6
1.3. PROJECT DATA .....	6
1.4. SIGNATURE .....	6
<b>2. CLIENT INFORMATION.....</b>	<b>7</b>
2.1. APPLICANT INFORMATION.....	7
2.2. MANUFACTURER INFORMATION.....	7
<b>3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE) .....</b>	<b>8</b>
3.1. ABOUT EUT .....	8
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST.....	8
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST .....	8
<b>4. REFERENCE DOCUMENTS .....</b>	<b>9</b>
4.1. DOCUMENTS SUPPLIED BY APPLICANT.....	9
4.2. REFERENCE DOCUMENTS FOR TESTING.....	9
<b>5. LABORATORY ENVIRONMENT .....</b>	<b>10</b>
<b>6. SUMMARY OF TEST RESULTS.....</b>	<b>11</b>
6.1. SUMMARY OF TEST RESULTS .....	11
6.2. STATEMENTS.....	12
6.3. TEST CONDITIONS .....	12
<b>7. TEST EQUIPMENTS UTILIZED.....</b>	<b>13</b>
<b>ANNEX A: MEASUREMENT RESULTS .....</b>	<b>14</b>
A.1. MEASUREMENT METHOD .....	14
A.2. PEAK OUTPUT POWER .....	15
A.2.1 Peak Output Power(Conducted) .....	15
A.2.2 Peak Output Power(Radiated) .....	15
A.2.3 Antenna gain .....	15
A.3. FREQUENCY BAND EDGES.....	15
A.4. CONDUCTED EMISSION.....	16
A.5. RADIATED EMISSION.....	17
A.6. TIME OF OCCUPANCY (DWELL TIME).....	19
A.7. 20dB BANDWIDTH.....	20
A.8. CARRIER FREQUENCY SEPARATION.....	21
A.9. NUMBER OF HOPPING CHANNELS .....	21
A.10. AC POWERLINE CONDUCTED EMISSION .....	22

**ANNEX B: TEST FIGURE LIST ..... 24**

FIG. 1	FREQUENCY BAND EDGES: GFSK, CHANNEL 0, HOPPING OFF .....	24
FIG. 2	FREQUENCY BAND EDGES: GFSK, CHANNEL 0, HOPPING ON .....	24
FIG. 3	FREQUENCY BAND EDGES: GFSK, CHANNEL 78, HOPPING OFF.....	25
FIG. 4	FREQUENCY BAND EDGES: GFSK, CHANNEL 78, HOPPING ON .....	25
FIG. 5	FREQUENCY BAND EDGES: $\pi/4$ DQPSK, CHANNEL 0, HOPPING OFF .....	26
FIG. 6	FREQUENCY BAND EDGES: $\pi/4$ DQPSK, CHANNEL 0, HOPPING ON .....	26
FIG. 7	FREQUENCY BAND EDGES: $\pi/4$ DQPSK, CHANNEL 78, HOPPING OFF .....	27
FIG. 8	FREQUENCY BAND EDGES: $\pi/4$ DQPSK, CHANNEL 78, HOPPING ON .....	27
FIG. 9	FREQUENCY BAND EDGES: 8DPSK, CHANNEL 0, HOPPING OFF .....	28
FIG. 10	FREQUENCY BAND EDGES: 8DPSK, CHANNEL 0, HOPPING ON .....	28
FIG. 11	FREQUENCY BAND EDGES: 8DPSK, CHANNEL 78, HOPPING OFF.....	29
FIG. 12	FREQUENCY BAND EDGES: 8DPSK, CHANNEL 78, HOPPING ON .....	29
FIG. 13	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 0,2402MHz .....	30
FIG. 14	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 0, 30MHz - 1GHz.....	30
FIG. 15	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 0,1GHz - 26GHz.....	31
FIG. 16	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 39, 2441MHz.....	31
FIG. 17	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 39, 30MHz - 1GHz.....	32
FIG. 18	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 39, 1GHz – 26GHz .....	32
FIG. 19	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 78, 2480MHz.....	33
FIG. 20	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 78, 30MHz - 1GHz.....	33
FIG. 21	CONDUCTED SPURIOUS EMISSION: GFSK, CHANNEL 78, 1GHz - 26GHz.....	34
FIG. 22	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 0,2402MHz.....	34
FIG. 23	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 30MHz - 1GHz .....	35
FIG. 24	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 0,1GHz - 26GHz .....	35
FIG. 25	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 2441MHz .....	36
FIG. 26	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 30MHz - 1GHz .....	36
FIG. 27	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 1GHz – 26GHz .....	37
FIG. 28	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 2480MHz .....	37
FIG. 29	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 30MHz - 1GHz .....	38
FIG. 30	CONDUCTED SPURIOUS EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 1GHz - 26GHz .....	38
FIG. 31	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 0,2402MHz .....	39
FIG. 32	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 0, 30MHz - 1GHz .....	39
FIG. 33	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 0,1GHz - 26GHz .....	40
FIG. 34	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 39, 2441MHz .....	40
FIG. 35	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 39, 30MHz - 1GHz .....	41
FIG. 36	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 39, 1GHz – 26GHz .....	41
FIG. 37	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 78, 2480MHz .....	42
FIG. 38	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 78, 30MHz - 1GHz .....	42
FIG. 39	CONDUCTED SPURIOUS EMISSION: 8DPSK, CHANNEL 78, 1GHz - 26GHz .....	43
FIG. 40	RADIATED EMISSION: GFSK, CHANNEL 0, 30 MHz - 1 GHz .....	43
FIG. 41	RADIATED EMISSION: GFSK, CHANNEL 0, 1 GHz - 4 GHz .....	44
FIG. 42	RADIATED EMISSION: GFSK, CHANNEL 0, 4 GHz - 18 GHz .....	44
FIG. 43	RADIATED EMISSION: GFSK, CHANNEL 39, 30 MHz - 1 GHz .....	45

FIG. 44	RADIATED EMISSION: GFSK, CHANNEL 39, 1 GHz - 4 GHz .....	45
FIG. 45	RADIATED EMISSION: GFSK, CHANNEL 39, 4 GHz - 18 GHz .....	46
FIG. 46	RADIATED EMISSION: GFSK, CHANNEL 78, 30 MHz - 1 GHz .....	46
FIG. 47	RADIATED EMISSION: GFSK, CHANNEL 78, 1 GHz - 4 GHz .....	47
FIG. 48	RADIATED EMISSION: GFSK, CHANNEL 78, 4 GHz - 18 GHz .....	47
FIG. 49	RADIATED EMISSION (POWER): GFSK, 2.45GHz - 2.5GHz .....	48
FIG. 50	RADIATED EMISSION: GFSK, 18 GHz - 26 GHz .....	48
FIG. 51	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 30 MHz - 1 GHz .....	49
FIG. 52	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 1 GHz - 4 GHz.....	49
FIG. 53	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 0, 4 GHz - 18 GHz.....	50
FIG. 54	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 30 MHz - 1 GHz .....	50
FIG. 55	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 1 GHz - 4 GHz.....	51
FIG. 56	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 39, 4 GHz - 18 GHz.....	51
FIG. 57	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 30 MHz - 1 GHz .....	52
FIG. 58	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 1 GHz - 4 GHz.....	52
FIG. 59	RADIATED EMISSION: $\pi/4$ DQPSK, CHANNEL 78, 4 GHz - 18 GHz.....	53
FIG. 60	RADIATED EMISSION (POWER): $\pi/4$ DQPSK, 2.45GHz - 2.5GHz .....	53
FIG. 61	RADIATED EMISSION: $\pi/4$ DQPSK, 18 GHz - 26 GHz .....	54
FIG. 62	RADIATED EMISSION: 8DPSK, CHANNEL 0, 30 MHz - 1 GHz .....	54
FIG. 63	RADIATED EMISSION: 8DPSK, CHANNEL 0, 1 GHz - 4 GHz .....	55
FIG. 64	RADIATED EMISSION: 8DPSK, CHANNEL 0, 4 GHz - 18 GHz .....	55
FIG. 65	RADIATED EMISSION: 8DPSK, CHANNEL 39, 30 MHz - 1 GHz .....	56
FIG. 66	RADIATED EMISSION: 8DPSK, CHANNEL 39, 1 GHz - 4 GHz .....	56
FIG. 67	RADIATED EMISSION: 8DPSK, CHANNEL 39, 4 GHz - 18 GHz .....	57
FIG. 68	RADIATED EMISSION: 8DPSK, CHANNEL 78, 30 MHz - 1 GHz .....	57
FIG. 69	RADIATED EMISSION: 8DPSK, CHANNEL 78, 1 GHz - 4 GHz .....	58
FIG. 70	RADIATED EMISSION: 8DPSK, CHANNEL 78, 4 GHz - 18 GHz .....	58
FIG. 71	RADIATED EMISSION (POWER): 8DPSK, 2.45GHz - 2.5GHz .....	59
FIG. 72	RADIATED EMISSION: 8DPSK, 18 GHz - 26 GHz .....	59
FIG. 73	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET DH1 .....	60
FIG. 74	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET DH1.....	60
FIG. 75	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET DH3.....	61
FIG. 76	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET DH3.....	61
FIG. 77	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET DH5.....	62
FIG. 78	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET DH5.....	62
FIG. 79	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET 2-DH1 .....	63
FIG. 80	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 2-DH1 .....	63
FIG. 81	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET 2-DH3.....	64
FIG. 82	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 2-DH3 .....	64
FIG. 83	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET 2-DH5.....	65
FIG. 84	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 2-DH5 .....	65
FIG. 85	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET 3-DH1 .....	66
FIG. 86	NUMBER OF TRANSMISSIONS MEASUREMENT:CHANNEL 39,PACKET 3-DH1 .....	66
FIG. 87	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET 3-DH3.....	67

FIG. 88	NUMBER OF TRANSMISSIONS MEASUREMENT: CHANNEL 39, PACKET 3-DH3 .....	67
FIG. 89	TIME OF OCCUPANCY (DWELL TIME): CHANNEL 39, PACKET 3-DH5.....	68
FIG. 90	NUMBER OF TRANSMISSIONS MEASUREMENT: CHANNEL 39, PACKET 3-DH5 .....	68
FIG. 91	20dB BANDWIDTH: GFSK, CHANNEL 0 .....	69
FIG. 92	20dB BANDWIDTH: GFSK, CHANNEL 39 .....	69
FIG. 93	20dB BANDWIDTH: GFSK, CHANNEL 78 .....	70
FIG. 94	20dB BANDWIDTH: π/4 DQPSK, CHANNEL 0.....	70
FIG. 95	20dB BANDWIDTH: π/4 DQPSK, CHANNEL 39.....	71
FIG. 96	20dB BANDWIDTH: π/4 DQPSK, CHANNEL 78.....	71
FIG. 97	20dB BANDWIDTH: 8DPSK, CHANNEL 0 .....	72
FIG. 98	20dB BANDWIDTH: 8DPSK, CHANNEL 39 .....	72
FIG. 99	20dB BANDWIDTH: 8DPSK, CHANNEL 78 .....	73
FIG. 100	CARRIER FREQUENCY SEPARATION MEASUREMENT: GFSK, CHANNEL 39 .....	73
FIG. 101	CARRIER FREQUENCY SEPARATION MEASUREMENT: π/4 DQPSK, CHANNEL 39.....	74
FIG. 102	CARRIER FREQUENCY SEPARATION MEASUREMENT: 8DPSK, CHANNEL 39.....	74
FIG. 103	NUMBER OF HOPPING FREQUENCIES: GFSK, CHANNEL 0 - 39 .....	75
FIG. 104	NUMBER OF HOPPING FREQUENCIES: GFSK, CHANNEL 40 - 78 .....	75
FIG. 105	NUMBER OF HOPPING FREQUENCIES: π/4 DQPSK, CHANNEL 0 - 39.....	76
FIG. 106	NUMBER OF HOPPING FREQUENCIES: π/4 DQPSK, CHANNEL 40 - 78.....	76
FIG. 107	NUMBER OF HOPPING FREQUENCIES: 8DPSK, CHANNEL 0 - 39 .....	77
FIG. 108	NUMBER OF HOPPING FREQUENCIES: 8DPSK, CHANNEL 40 - 78 .....	77
FIG. 109	AC POWERLINE CONDUCTED EMISSION WITH CHARGER-TX MODE .....	78
FIG. 110	AC POWERLINE CONDUCTED EMISSION WITH CHARGER-IDLE MODE .....	79
<b>ANNEX C: PHOTOGRAPHS OF THE TEST SET-UP</b>	.....	<b>80</b>
<b>ANNEX D: PHOTOGRAPHS OF THE EUT</b>	.....	<b>81</b>

## **1. Test Laboratory**

### **1.1. Testing Location**

Company Name: TMC Beijing, Telecommunication Metrology Center of MIIT  
Address: No 52, Huayuan beilu, Haidian District, Beijing,P.R.China  
Postal Code: 100191  
Telephone: 00861062303288  
Fax: 00861062304793

### **1.2. Testing Environment**

Normal Temperature: 15-35°C  
Extreme Temperature: -20/+55°C  
Relative Humidity: 30-60%  
Air Pressure 990hPa-1040hPa

Note:The climatic requirements above are general exclude the special requirements for dedicated test environments listed in section 5 and some specific test cases in other parts of this report.

### **1.3. Project data**

Project Leader: Zi Xiaogang  
Testing Start Date: 2010-01-26  
Testing End Date: 2010-05-26

### **1.4. Signature**

---

Zi Xiaogang  
(Prepared this test report)

---

Sun Xiangqian  
(Reviewed this test report)

---

Lu Bingsong  
Deputy Director of the laboratory  
(Approved this test report)

## **2. Client Information**

### **2.1. Applicant Information**

Company Name: Sony Ericsson Mobile Communications(China) Co., Ltd.  
Address /Post: 1/F, China Digital Kingdom Building, No.1 North Road, Wangjing,  
Chaoyang District, Beijing, China  
City: Beijing  
Postal Code: 100000  
Country: China  
Contact: Ma, Gang  
Email: gang.song@sonyericsson.com  
Telephone: +86-10-58656312  
Fax: +86-10-58656750

### **2.2. Manufacturer Information**

Company Name: Sony Ericsson Mobile Communications AB  
Address /Post: Nya Vattentornet, 22188 Lund, Sweden  
City: Lund  
Postal Code: 22188  
Country: Sweden  
Contact: Nordlof, Anders  
Email: Anders.Nordlof@sonyericsson.com  
Telephone: +46 46 193919  
Fax: +46 46 193295

### **3. Equipment Under Test (EUT) and Ancillary Equipment (AE)**

#### **3.1. About EUT**

Description	GSM850/1900, GPRS EDGE, BT EDR 2.0, FM-receiver mobile phone
Model Name	AAB-1880026-BV
Marketing Name	W100a
FCC ID	PY7A1880026
IC ID	4170B-A1880026
Frequency Band	ISM 2400MHz~2483.5MHz
Type of Modulation	GFSK/ $\pi/4$ DQPSK/8DPSK
Number of Channels	79
Cellular Frequency Band	GSM850/PCS1900; Power Class:GSM850:4/PCS1900:1
Support Functions	Bluetooth, Camera, FM, MP3, USB Memory
Antenna	Integral Antenna
MAX Radiated Power	4.65dBm EIRP(GFSK)
MAX Conducted Power	6.03dBm(GFSK)
Power Supply	3.6V DC by Battery

Note: Photographs of EUT are shown in ANNEX D of this test report.

#### **3.2. Internal Identification of EUT used during the test**

EUT ID*	SN	IMEI	HW Version	SW Version
N13	WUJ07C0138	001003001759789	A	P1BC014
N11	WUJ07C0126	001003001759664	A	P1BC014

\*EUT ID: is used to identify the test sample in the lab internally.

#### **3.3. Internal Identification of AE used during the test**

AE ID*	Description	Type	SN	Revision
AE1	Battery	CBA-0002015	003081HNNIXH	Rev.1
AE2	Travel Adapter	CAA-0004003-BV	1109w48400595	AP

\*AE ID: is used to identify the test sample in the lab internally.

#### **3.4. General Description**

Equipment Under Test (EUT) is a model of GSM 850/1900 dual bands mobile phone with integrated antenna. It has MP3, Camera, FM radio, USB memory and Bluetooth functions. It also

supports GPRS function with multi-slots class 10 and EGPRS function with multi-slots class 10 too.  
It consists of normal options: Lithium Battery and Travel Charger.  
Manual and specifications of the EUT were provided to fulfil the test.  
Samples undergoing test were selected by the Client.

## **4. Reference Documents**

### **4.1. Documents supplied by applicant**

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

### **4.2. Reference Documents for testing**

The following documents listed in this section are referred for testing.

FCC Part15	FCC CFR 47, Part 15, Subpart C: 15.205 Restricted bands of operation; 15.209 Radiated emission limits, general requirements; 15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz. Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	Oct, 2009 Edition
ANSI C63.4		2009
FCC Public Notice DA 00-705	Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems Spectrum Management and Telecommunications - Radio Standards Specification	March 2000
RSS - Gen Issue 2	General Requirements and Information for the Certification of Radiocommunication Equipment Spectrum Management and Telecommunications - Radio Standards Specification	2007-06
RSS - 210 Issue 7	Low-power Licence-exempt Radiocommunication Devices (All Frequency Bands): Category I Equipment	2007-06

## **5. LABORATORY ENVIRONMENT**

**Shielding Room1** (6.0 meters×3.0 meters×2.7 meters) did not exceed following limits along the conducted RF performance testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Ground system resistance	< 0.5 Ω
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

**Control room** did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω

**Semi-anechoic chamber** (23 meters×17meters×10meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 10 kΩ
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	< ±3.2 dB, 10 m distance, from 30 to 1000 MHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 2000 MHz

## **6. SUMMARY OF TEST RESULTS**

### **6.1. Summary of Test Results**

SUMMARY OF MEASUREMENT RESULTS	Modulation	Sub-clause of Part15C	Sub-clause of IC	Verdict
Peak Output Power (Conducted)	GFSK/	15.247 (b)(1)	RSS-210 A8.4 (2)	P
	$\pi/4$ DQPSK			P
	8DPSK			P
Peak Output Power(Radiated)	GFSK/	15.247 (b)(1)	RSS-210 A8.4 (2)	P
	$\pi/4$ DQPSK			P
	8DPSK			P
Antenna Gain	GFSK/	None	None	P
	$\pi/4$ DQPSK			P
	8DPSK			P
Frequency Band Edges	GFSK	15.247 (d)	RSS-210 A8.5	P
	$\pi/4$ DQPSK			P
	8DPSK			P
Conducted Emission	GFSK	15.247 (d)	RSS-210 A8.5	P
	$\pi/4$ DQPSK			P
	8DPSK			P
Radiated Emission	GFSK	15.247(d), 15.205, 15.209, 15.109	RSS-210 A8.5	P
	$\pi/4$ DQPSK			P
	8DPSK			P
Time of Occupancy (Dwell Time)	GFSK	15.247 (a) (1)(iii)	RSS-210 A8.1 (4)	P
	$\pi/4$ DQPSK			P
	8DPSK			P
20dB Bandwidth	GFSK	15.247 (a)(1)	RSS-210 A8.1 (1)	P
	$\pi/4$ DQPSK			P
	8DPSK			P
Carrier Frequency Separation	GFSK	15.247 (a)(1)	RSS-210 A8.1 (2)	P
	$\pi/4$ DQPSK			P
	8DPSK			P
Number of hopping channels	GFSK	15.247 (a)(1)(iii)	RSS-210 A8.1 (4)	P
	$\pi/4$ DQPSK			P
	8DPSK			P
AC Powerline Conducted Emission	GFSK	15.107, 15.207	RSS-Gen 7.2.2	P

Please refer to **ANNEX A** for detail.

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

Terms used in Verdict column

P	Pass, The EUT complies with the essential requirements in the standard.
NP	Not Perform, The test was not performed by TMC
NA	Not Applicable, The test was not applicable
F	Fail, The EUT does not comply with the essential requirements in the standard

## 6.2. Statements

The test cases as listed in section 6.1 of this report for the EUT specified in section 3 was performed by TMC and according to the standards or reference documents listed in section 4.2. The EUT met all requirements of the standards or reference documents.

## 6.3. Test Conditions

T nom	Normal Temperature
T min	Low Temperature
T max	High Temperature
V nom	Normal Voltage
V min	Low Voltage
V max	High Voltage
H nom	Norm Humidity
A nom	Norm Air Pressure

For this report, all the test case listed above are tested under Normal Temperature and Normal Voltage, and also under norm humidity, the specific conditions as following:

Temperature	T nom	23°C
Voltage	V nom	3.6V(By battery)
Humidity	H nom	42%
Air Pressure	A nom	1020hPa

## 7. Test Equipments Utilized

### Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Vector Signal Analyzer	FSU26	200030	Rohde & Schwarz	2010-06-18
2	Bluetooth Tester	CBT32	100649	Rohde & Schwarz	2011-02-03

### Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date
1	Test Receiver	ESI40	831564/002	Rohde & Schwarz	2011-02-11
2	EMI Antenna	VULB 9163	9163 301	Schwarzbeck	2011-04-29
3	Dual-Ridge Waveguide Horn Antenna	3115	9906-5827	EMCO	2010-12-24
4	Dual-Ridge Waveguide Horn Antenna	3116	2663	EMCO	2011-03-01
5	Dual-Ridge Waveguide Horn Antenna	3116	2661	EMCO	2011-03-01
6	Universal Radio Communication Tester	CMU200	105948	Rohde & Schwarz	2010-08-14
7	LISN	ESH2-Z5	829991/012	Rohde & Schwarz	2010-08-13
8	Pre-amplifier(18GHz)	/	1005277	Rohde & Schwarz	/
9	Pre-amplifier(26.5GHz)	/	1005277	Rohde & Schwarz	/

### Anechoic chamber

Fully anechoic chamber by Frankonia German.


## ANNEX A: MEASUREMENT RESULTS

### A.1. Measurement Method

#### A.1.1. Conducted Measurements

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

- 1). Connect the EUT to the test system correctly.
- 2). Set the EUT to the required work mode (Transmitter, receiver or transmitter & receiver).
- 3). Set the EUT to the required channel.
- 4). Set the EUT hopping mode (hopping or hopping off).
- 5). Set the spectrum analyzer to start measurement.
- 6). Record the values. Vector Signal Analyzer




#### A.1.2. Radiated Emission Measurements

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

In the case of radiated emission, the used settings are as follows,

Sweep frequency from 30 MHz to 1GHz, RBW = 100 kHz, VBW = 300 kHz;

Sweep frequency from 1 GHz to 26GHz, RBW = 1MHz, VBW = 1MHz;



**A.2. Peak Output Power****Measurement Limit:**

Standard	Limit (dBm)
FCC Part 15.247(b)(1)/ RSS-210 A8.4 (2)	< 30

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

**Measurement Condition:**

RBW=VBW=1MHz; SPAN=5MHz; Detector: peak

**Measurement Results:****A.2.1 Peak Output Power(Conducted)**

EUT ID:N13

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
GFSK (dBm)	5.29	5.91	6.03	P
$\pi/4$ DQPSK (dBm)	2.92	2.68	2.41	P
8DPSK (dBm)	2.63	2.37	2.12	P

**Measurement Uncertainty:  $\pm 1.17\text{dB}$** **Conclusion: PASS****A.2.2 Peak Output Power(Radiated)**

EUT ID:N11

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz	Conclusion
GFSK (dBm)	4.65	1.83	-0.95	P
$\pi/4$ DQPSK (dBm)	2.87	0.31	-1.21	P
8DPSK (dBm)	2.34	0.13	-1.21	P

**Measurement Uncertainty:  $\pm 1.98\text{dB}$** **Conclusion: PASS****A.2.3 Antenna gain**

The antenna gain of the complete system is calculated by the difference of radiated power in EIRP and the conducted power of the EUT.

Channel	Ch 0 2402 MHz	Ch 39 2441 MHz	Ch 78 2480 MHz
GFSK (dBi)	-0.64	-4.08	-6.98
$\pi/4$ DQPSK (dBi)	-0.05	-2.37	-3.62
8DPSK (dBi)	-0.29	-2.24	-3.33

**Conclusion: PASS****A.3. Frequency Band Edges****Measurement Limit:**

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d)/	> 20

RSS-210 A8.5	
--------------	--

The measurement is made according to Public notice DA 00-705 and ANSI C63.4.

**Measurement Condition:**

RBW=VBW=100KHz; SPAN=10MHz; Detector: peak

**Measurement Result:**

**EUT ID:N13**

**For GFSK**

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.1	-48.41	P
	Hopping ON	Fig.2	-49.84	P
78	Hopping OFF	Fig.3	-55.36	P
	Hopping ON	Fig.4	-53.53	P

**For π/4 DQPSK**

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.5	-55.23	P
	Hopping ON	Fig.6	-51.41	P
78	Hopping OFF	Fig.7	-59.76	P
	Hopping ON	Fig.8	-52.50	P

**For 8DPSK**

Channel	Hopping	Band Edge Power ( dBc)		Conclusion
0	Hopping OFF	Fig.9	-55.27	P
	Hopping ON	Fig.10	-51.84	P
78	Hopping OFF	Fig.11	-60.16	P
	Hopping ON	Fig.12	-50.50	P

**Measurement Uncertainty: ±1.37dB**

See annex B for test graphs.

Conclusion: PASS

#### A.4. Conducted Emission

**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247 (d)/ RSS-210 A8.5	20dB below peak output power in 100 kHz bandwidth

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

**Measurement Condition:**

RBW=VBW=100KHz; Detector: peak

**Measurement Results:**

**EUT ID:N13**

**For GFSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0	Center Frequency	Fig.13	P

2402 MHz	30 MHz ~ 1 GHz	Fig.14	P
	1 GHz ~ 26 GHz	Fig.15	P
Ch 39 2441 MHz	Center Frequency	Fig.16	P
	30 MHz ~ 1 GHz	Fig.17	P
	1 GHz ~ 26 GHz	Fig.18	P
Ch 78 2480 MHz	Center Frequency	Fig.19	P
	30 MHz ~ 1 GHz	Fig.20	P
	1 GHz ~ 26 GHz	Fig.21	P

**For π/4 DQPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.22	P
	30 MHz ~ 1 GHz	Fig.23	P
	1 GHz ~ 26 GHz	Fig.24	P
Ch 39 2441 MHz	Center Frequency	Fig.25	P
	30 MHz ~ 1 GHz	Fig.26	P
	1 GHz ~ 26 GHz	Fig.27	P
Ch 78 2480 MHz	Center Frequency	Fig.28	P
	30 MHz ~ 1 GHz	Fig.29	P
	1 GHz ~ 26 GHz	Fig.30	P

**For 8DPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	Center Frequency	Fig.31	P
	30 MHz ~ 1 GHz	Fig.32	P
	1 GHz ~ 26 GHz	Fig.33	P
Ch 39 2441 MHz	Center Frequency	Fig.34	P
	30 MHz ~ 1 GHz	Fig.35	P
	1 GHz ~ 26 GHz	Fig.36	P
Ch 78 2480 MHz	Center Frequency	Fig.37	P
	30 MHz ~ 1 GHz	Fig.38	P
	1 GHz ~ 26 GHz	Fig.39	P

**Measurement Uncertainty: ±2.86dB**
**See annex B for test graphs.**
**Conclusion: PASS**

### A.5. Radiated Emission

The radiated emission test is performed in semi-anechoic chamber. The distance from the EUT to the reference point of measurement antenna is 3m. The test is carried out on both vertical and horizontal polarization and only maximization result of both polarizations is kept. During the test, the turntable is rotated 360° and the measurement antenna is moved from 1m to 4m to get the maximization result.

**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209, 15.109/ RSS-210 A8.5	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

#### Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

#### Measurement Condition:

The measurement frequency range is from 30 MHz to 26 GHz. The measurement set-up is as follows:

Frequency range	Detector	Antenna Type	IF Bandwidth (RBW)	Video Bandwidth
30 MHz – 1 GHz	Peak	Bi-Log	100 kHz	300 kHz
1 GHz - 18 GHz	Peak	Waveguide Horn	1 MHz	1 MHz
18 GHz – 26 GHz	Peak	Waveguide Horn	1 MHz	1 MHz

#### Measurement Results:

**EUT ID:N11**

**For GFSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.40	P
	1 GHz ~ 4 GHz	Fig.41	P
	4 GHz ~ 18 GHz	Fig.42	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.43	P
	1 GHz ~ 4 GHz	Fig.44	P
	4 GHz ~ 18 GHz	Fig.45	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.46	P
	1 GHz ~ 4 GHz	Fig.47	P
	4 GHz ~ 18 GHz	Fig.48	P
Power	2.45GHz~2.5GHz	Fig.49	P
For all channels	18 GHz ~ 26 GHz	Fig.50	P

#### Form/4 DQPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.51	P
	1 GHz ~ 4 GHz	Fig.52	P
	4 GHz ~ 18 GHz	Fig.53	P

Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.54	P
	1 GHz ~ 4 GHz	Fig.55	P
	4 GHz ~ 18 GHz	Fig.56	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.57	P
	1 GHz ~ 4 GHz	Fig.58	P
	4 GHz ~ 18 GHz	Fig.59	P
Power	2.45GHz~2.5GHz	Fig.60	P
For all channels	18 GHz ~ 26 GHz	Fig.61	P

**For 8DPSK**

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	30 MHz ~ 1 GHz	Fig.62	P
	1 GHz ~ 4 GHz	Fig.63	P
	4 GHz ~ 18 GHz	Fig.64	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.65	P
	1 GHz ~ 4 GHz	Fig.66	P
	4 GHz ~ 18 GHz	Fig.67	P
Ch 78 2480 MHz	30 MHz ~ 1 GHz	Fig.68	P
	1 GHz ~ 4 GHz	Fig.69	P
	4 GHz ~ 18 GHz	Fig.70	P
Power	2.45GHz~2.5GHz	Fig.71	P
For all channels	18 GHz ~ 26 GHz	Fig.72	P

The correction factors have be taken into account in the above test results

**Measurement Uncertainty: ±4.73dB**

See annex B for test graphs.

Conclusion: PASS

#### A.6. Time of Occupancy (Dwell Time)

**Measurement Limit:**

Standard	Limit (ms)
FCC 47 CFR Part 15.247(a) (1)(iii)/ RSS-210 A8.1 (4)	< 400

The measurement is made according to Public notice DA 00-705 and ANSI C63.4. The total time of occupancy is get by multiplying the measured number of transmissions occurred during 31.6 second period with the duration of one transmission.

**Measurement Condition:**

RBW=VBW=1MHz; SPAN=0; Detector: peak

**Measurement Result:**

**EUT ID:N13**

**For GFSK**

Channel	Packet	Dwell Time (ms)	Conclusion
39	DH1	Fig.73	P

		Fig.74		
DH3		Fig.75	158.26	P
		Fig.76		
DH5		Fig.77	184.24	P
		Fig.78		

**For π/4 DQPSK**

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.79	110.35	P
		Fig.80		
	DH3	Fig.81	197.20	P
		Fig.82		
	DH5	Fig.83	163.77	P
		Fig.84		

**For 8DPSK**

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.85	42.95	P
		Fig.86		
	DH3	Fig.87	170.46	P
		Fig.88		
	DH5	Fig.89	237.31	P
		Fig.90		

**Measurement Uncertainty: ±0.088ms**
**See annex B for test graphs.**
**Conclusion: PASS**
**A.7. 20dB Bandwidth**
**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247(a)(1)/ RSS-210 A8.1 (1)	NA *

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

**Measurement Condition:**

RBW=10KHz; VBW=30KHz; SPAN=2MHz; Detector: peak

**Measurement Results:**
**EUT ID:N13**
**For GFSK**

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.91	762.82	P
39	Fig.92	801.28	P
78	Fig.93	762.82	P

**For π/4 DQPSK**

Channel	20dB Bandwidth (kHz)	Conclusion

0	Fig.94	1240.38	P
39	Fig.95	1243.59	P
78	Fig.96	1243.59	P

**For 8DPSK**

Channel	20dB Bandwidth (kHz)		Conclusion
0	Fig.97	1269.23	P
39	Fig.98	1272.44	P
78	Fig.99	1266.03	P

**Measurement Uncertainty:** $\pm 1.1\text{KHz}$ 

See annex B for test graphs.

Conclusion: NA

**A.8. Carrier Frequency Separation**
**Measurement Limit:**

Standard	Limit(kHz)
FCC 47 CFR Part 15.247(a)(1)/ RSS-210 A8.1 (2)	over 25 kHz or $(2/3) * 20\text{dB}$ bandwidth

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

 \* Comment: This limit should be over 25 kHz or  $(2/3) * 20\text{dB}$  bandwidth, whichever is greater.

**Measurement Condition:**

RBW=VBW=300KHz; SPAN=3MHz; Detector: peak

**Measurement Result:**
**EUT ID:N13**
**For GFSK**

Channel	Carrier frequency separation (kHz)		Conclusion
39	Fig.100	831.73	P

**For  $\pi/4$  DQPSK**

Channel	Carrier frequency separation (kHz)		Conclusion
39	Fig.101	1000	P

**For 8DPSK**

Channel	Carrier frequency separation (kHz)		Conclusion
39	Fig.102	1163.46	P

**Measurement Uncertainty:** $\pm 1.1\text{KHz}$ 

See annex B for test graphs.

Conclusion: PASS

**A.9. Number of Hopping Channels**
**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247(a) (1)(iii)/ RSS-210 A8.1 (4)	At least 15 non-overlapping channels

The measurement is made according to Public notice DA 00-705 and ANSI C63.4

©Copyright. All rights reserved by TMC Beijing.

**Measurement Condition:**

RBW=VBW=500KHz; Detector: peak

**Measurement Result:**
**EUT ID:N13**
**For GFSK**

Channel	Number of hopping channels		Conclusion
0~39	Fig.103	79	P
40~78	Fig.104		

**For π/4 DQPSK**

Channel	Number of hopping channels		Conclusion
0~39	Fig.105	79	P
40~78	Fig.106		

**For 8DPSK**

Channel	Number of hopping channels		Conclusion
0~39	Fig.107	79	P
40~78	Fig.108		

See annex B for test graphs.

**Conclusion: PASS**
**A.10. AC Powerline Conducted Emission**

Standard
FCC 47 CFR Part 15.107, 15.207/ RSS-Gen 7.2.2

**Test Condition**

Voltage (V)	Frequency (Hz)
110	60

**Measurement Result and limit:**
**EUT ID:N11**

Bluetooth (Quasi-peak Limit)

Frequency range (MHz)	Quasi-peak Limit (dB $\mu$ V)	Result (dB $\mu$ V)		Conclusion
		With Charger		
0.15 to 0.5	66 o 56	Fig.109 (TX Mode)	Fig.110 (Idle Mode)	P
0.5 to 5	56			
5 to 30	60			

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

Bluetooth (Average Limit)

Frequency range (MHz)	Average Limit (dB $\mu$ V)	Result (dB $\mu$ V)		Conclusion
		With Charger		
0.15 to 0.5	56 to 46	Fig.109	Fig.110	P

0.5 to 5	46	(TX Mode)	(Idle Mode)	
5 to 30	50			


NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

The measurement is made according to ANSI C63.4.


Note: the graphic result above is the maximum of the measurements for both phase line and neutral line.

**See annex B for test graphs.**

**Conclusion: PASS**


**ANNEX B: TEST FIGURE LIST**


Date: 26.JAN.2010 03:01:47


**Fig. 1 Frequency Band Edges: GFSK, Channel 0, Hopping Off**


Date: 26.JAN.2010 03:07:07

**Fig. 2 Frequency Band Edges: GFSK, Channel 0, Hopping On**




Date: 26.JAN.2010 03:02:04


**Fig. 3 Frequency Band Edges: GFSK, Channel 78, Hopping Off**


Date: 26.JAN.2010 03:12:09

**Fig. 4 Frequency Band Edges: GFSK, Channel 78, Hopping On**




Date: 26.JAN.2010 03:32:05


**Fig. 5 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 0, Hopping Off**


Date: 26.JAN.2010 03:37:25

**Fig. 6 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 0, Hopping On**




Date: 26.JAN.2010 03:32:22


**Fig. 7 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 78, Hopping Off**


Date: 26.JAN.2010 03:42:27

**Fig. 8 Frequency Band Edges:  $\pi/4$  DQPSK, Channel 78, Hopping On**




Date: 26.JAN.2010 04:02:23


**Fig. 9 Frequency Band Edges: 8DPSK, Channel 0, Hopping Off**


Date: 26.JAN.2010 04:07:42

**Fig. 10 Frequency Band Edges: 8DPSK, Channel 0, Hopping On**




Date: 26.JAN.2010 04:02:40


**Fig. 11 Frequency Band Edges: 8DPSK, Channel 78, Hopping Off**


Date: 26.JAN.2010 04:12:45

**Fig. 12 Frequency Band Edges: 8DPSK, Channel 78, Hopping On**




Date: 26.JAN.2010 03:12:28


**Fig. 13 Conducted spurious emission: GFSK, Channel 0,2402MHz**


Date: 26.JAN.2010 03:12:44

**Fig. 14 Conducted spurious emission: GFSK, Channel 0, 30MHz - 1GHz**




Date: 26.JAN.2010 03:13:16


**Fig. 15 Conducted spurious emission: GFSK, Channel 0,1GHz - 26GHz**


Date: 26.JAN.2010 03:13:32

**Fig. 16 Conducted spurious emission: GFSK, Channel 39, 2441MHz**




Date: 26.JAN.2010 03:13:49


**Fig. 17 Conducted spurious emission: GFSK, Channel 39, 30MHz - 1GHz**


Date: 26.JAN.2010 03:14:20

**Fig. 18 Conducted spurious emission: GFSK, Channel 39, 1GHz – 26GHz**






Date: 26.JAN.2010 03:14:37

**Fig. 19 Conducted spurious emission: GFSK, Channel 78, 2480MHz**



Date: 26.JAN.2010 03:14:53

**Fig. 20 Conducted spurious emission: GFSK, Channel 78, 30MHz - 1GHz**


**Fig. 21 Conducted spurious emission: GFSK, Channel 78, 1GHz - 26GHz**

**Fig. 22 Conducted spurious emission: π/4 DQPSK, Channel 0,2402MHz**




Date: 26.JAN.2010 03:43:02


**Fig. 23 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0, 30MHz - 1GHz**


Date: 26.JAN.2010 03:43:33

**Fig. 24 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 0,1GHz - 26GHz**






Date: 26.JAN.2010 03:43:50

**Fig. 25 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 2441MHz**



Date: 26.JAN.2010 03:44:06

**Fig. 26 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 30MHz - 1GHz**


**Fig. 27 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 39, 1GHz – 26GHz**

**Fig. 28 Conducted spurious emission:  $\pi/4$  DQPSK, Channel 78, 2480MHz**




Date: 26.JAN.2010 03:45:11


**Fig. 29 Conducted spurious emission: π/4 DQPSK, Channel 78, 30MHz - 1GHz**


Date: 26.JAN.2010 03:45:42

**Fig. 30 Conducted spurious emission: π/4 DQPSK, Channel 78, 1GHz - 26GHz**




Date: 26.JAN.2010 04:13:03


**Fig. 31 Conducted spurious emission: 8DPSK, Channel 0,2402MHz**


Date: 26.JAN.2010 04:13:19

**Fig. 32 Conducted spurious emission: 8DPSK, Channel 0, 30MHz - 1GHz**




Date: 26.JAN.2010 04:13:51


**Fig. 33 Conducted spurious emission: 8DPSK, Channel 0,1GHz - 26GHz**


Date: 26.JAN.2010 04:14:07

**Fig. 34 Conducted spurious emission: 8DPSK, Channel 39, 2441MHz**




Date: 26.JAN.2010 04:14:24


**Fig. 35 Conducted spurious emission: 8DPSK, Channel 39, 30MHz - 1GHz**


Date: 26.JAN.2010 04:14:55

**Fig. 36 Conducted spurious emission: 8DPSK, Channel 39, 1GHz – 26GHz**




Date: 26.JAN.2010 04:15:12

**Fig. 37 Conducted spurious emission: 8DPSK, Channel 78, 2480MHz**



Date: 26.JAN.2010 04:15:28

**Fig. 38 Conducted spurious emission: 8DPSK, Channel 78, 30MHz - 1GHz**




Date: 26.JAN.2010 04:16:00


**Fig. 39 Conducted spurious emission: 8DPSK, Channel 78, 1GHz - 26GHz**





**Fig. 40 Radiated emission: GFSK, Channel 0, 30 MHz - 1 GHz**




**Fig. 41 Radiated emission: GFSK, Channel 0, 1 GHz - 4 GHz**




**Fig. 42 Radiated emission: GFSK, Channel 0, 4 GHz - 18 GHz**


**Fig. 43 Radiated emission: GFSK, Channel 39, 30 MHz - 1 GHz****Fig. 44 Radiated emission: GFSK, Channel 39, 1 GHz - 4 GHz**




**Fig. 45 Radiated emission: GFSK, Channel 39, 4 GHz - 18 GHz**




**Fig. 46 Radiated emission: GFSK, Channel 78, 30 MHz - 1 GHz**




**Fig. 47 Radiated emission: GFSK, Channel 78, 1 GHz - 4 GHz**





**Fig. 48 Radiated emission: GFSK, Channel 78, 4 GHz - 18 GHz**




**Fig. 49 Radiated emission (Power): GFSK, 2.45GHz - 2.5GHz**




**Fig. 50 Radiated emission: GFSK, 18 GHz - 26 GHz**


**Fig. 51 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 30 MHz - 1 GHz****Fig. 52 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 1 GHz - 4 GHz**




**Fig. 53 Radiated emission:  $\pi/4$  DQPSK, Channel 0, 4 GHz - 18 GHz**




**Fig. 54 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 30 MHz - 1 GHz**




**Fig. 55 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 1 GHz - 4 GHz**




**Fig. 56 Radiated emission:  $\pi/4$  DQPSK, Channel 39, 4 GHz - 18 GHz**




**Fig. 57 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 30 MHz - 1 GHz**




**Fig. 58 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 1 GHz - 4 GHz**




**Fig. 59 Radiated emission:  $\pi/4$  DQPSK, Channel 78, 4 GHz - 18 GHz**




**Fig. 60 Radiated emission (Power):  $\pi/4$  DQPSK, 2.45GHz - 2.5GHz**




**Fig. 61 Radiated emission:  $\pi/4$  DQPSK, 18 GHz - 26 GHz**




**Fig. 62 Radiated emission: 8DPSK, Channel 0, 30 MHz - 1 GHz**




**Fig. 63 Radiated emission: 8DPSK, Channel 0, 1 GHz - 4 GHz**




**Fig. 64 Radiated emission: 8DPSK, Channel 0, 4 GHz - 18 GHz**




**Fig. 65 Radiated emission: 8DPSK, Channel 39, 30 MHz - 1 GHz**




**Fig. 66 Radiated emission: 8DPSK, Channel 39, 1 GHz - 4 GHz**




**Fig. 67 Radiated emission: 8DPSK, Channel 39, 4 GHz - 18 GHz**





**Fig. 68 Radiated emission: 8DPSK, Channel 78, 30 MHz - 1 GHz**






**Fig. 69 Radiated emission: 8DPSK, Channel 78, 1 GHz - 4 GHz**




**Fig. 70 Radiated emission: 8DPSK, Channel 78, 4 GHz - 18 GHz**

**Fig. 71 Radiated emission (Power): 8DPSK, 2.45GHz - 2.5GHz****Fig. 72 Radiated emission: 8DPSK, 18 GHz - 26 GHz**


**Fig. 73 Time of occupancy (Dwell Time): Channel 39, Packet DH1**

**Fig. 74 Number of Transmissions Measurement:Channel 39,Packet DH1**




Date: 26.JAN.2010 03:18:07


**Fig. 75 Time of occupancy (Dwell Time): Channel 39, Packet DH3**


Date: 26.JAN.2010 03:17:56

**Fig. 76 Number of Transmissions Measurement:Channel 39,Packet DH3**







Date: 26.JAN.2010 03:19:24


**Fig. 77 Time of occupancy (Dwell Time): Channel 39, Packet DH5**


Date: 26.JAN.2010 03:19:13


**Fig. 78 Number of Transmissions Measurement:Channel 39,Packet DH5**


**Fig. 79 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH1**

**Fig. 80 Number of Transmissions Measurement:Channel 39,Packet 2-DH1**


**Fig. 81 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH3**

**Fig. 82 Number of Transmissions Measurement:Channel 39,Packet 2-DH3**




Date: 26.JAN.2010 03:49:41


**Fig. 83 Time of occupancy (Dwell Time): Channel 39, Packet 2-DH5**


Date: 26.JAN.2010 03:49:30

**Fig. 84 Number of Transmissions Measurement:Channel 39,Packet 2-DH5**




Date: 26.JAN.2010 04:17:24


**Fig. 85 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH1**


Date: 26.JAN.2010 04:17:12

**Fig. 86 Number of Transmissions Measurement:Channel 39,Packet 3-DH1**




Date: 26.JAN.2010 04:18:43


**Fig. 87 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH3**


Date: 26.JAN.2010 04:18:31

**Fig. 88 Number of Transmissions Measurement:Channel 39,Packet 3-DH3**




Date: 26.JAN.2010 04:20:00


**Fig. 89 Time of occupancy (Dwell Time): Channel 39, Packet 3-DH5**


Date: 26.JAN.2010 04:19:49

**Fig. 90 Number of Transmissions Measurement:Channel 39,Packet 3-DH5**




Date: 26.JAN.2010 03:19:58


**Fig. 91 20dB Bandwidth: GFSK, Channel 0**


Date: 26.JAN.2010 03:20:29

**Fig. 92 20dB Bandwidth: GFSK, Channel 39**




Date: 26.JAN.2010 03:21:01


**Fig. 93 20dB Bandwidth: GFSK, Channel 78**


Date: 26.JAN.2010 03:50:15

**Fig. 94 20dB Bandwidth: π/4 DQPSK, Channel 0**






Date: 26.JAN.2010 03:50:46

**Fig. 95 20dB Bandwidth: π/4 DQPSK, Channel 39**



Date: 26.JAN.2010 03:51:18

**Fig. 96 20dB Bandwidth: π/4 DQPSK, Channel 78**


**Fig. 97 20dB Bandwidth: 8DPSK, Channel 0**

**Fig. 98 20dB Bandwidth: 8DPSK, Channel 39**




Date: 26.JAN.2010 04:21:37


**Fig. 99 20dB Bandwidth: 8DPSK, Channel 78**


Date: 26.JAN.2010 03:26:05

**Fig. 100 Carrier frequency separation measurement: GFSK, Channel 39**




Date: 26.JAN.2010 03:56:22


**Fig. 101 Carrier frequency separation measurement:  $\pi/4$  DQPSK, Channel 39**


Date: 26.JAN.2010 04:26:41

**Fig. 102 Carrier frequency separation measurement: 8DPSK, Channel 39**






Date: 26.JAN.2010 03:28:38

**Fig. 103 Number of hopping frequencies: GFSK, Channel 0 - 39**



Date: 26.JAN.2010 03:31:10

**Fig. 104 Number of hopping frequencies: GFSK, Channel 40 - 78**


**Fig. 105 Number of hopping frequencies:  $\pi/4$  DQPSK, Channel 0 - 39**

**Fig. 106 Number of hopping frequencies:  $\pi/4$  DQPSK, Channel 40 - 78**




Date: 26.JAN.2010 04:29:14

**Fig. 107 Number of hopping frequencies: 8DPSK, Channel 0 - 39**


Date: 26.JAN.2010 04:31:46

**Fig. 108 Number of hopping frequencies: 8DPSK, Channel 40 - 78**



**Fig. 109 AC Powerline Conducted Emission with charger-TX Mode**

MEASUREMENT RESULT: "10TA149\_1C\_fin QP"

Frequency	Level	Transd	Limit	Margin	Line	PE
MHz	dB $\mu$ V	dB	dB $\mu$ V	dB		
0.640000	46.40	10.1	56	9.6	L1	GND
0.730000	47.70	10.1	56	8.3	L1	GND
0.825000	47.10	10.1	56	8.9	L1	GND
1.100000	45.50	10.1	56	10.5	L1	GND
1.735000	45.50	10.1	56	10.5	L1	GND
3.388932	44.40	10.1	56	11.6	L1	GND

MEASUREMENT RESULT: "10TA149\_1C\_fin AV"

Frequency	Level	Transd	Limit	Margin	Line	PE
MHz	dB $\mu$ V	dB	dB $\mu$ V	dB		
0.640000	38.80	10.1	46	7.2	L1	GND
0.735000	41.10	10.1	46	4.9	L1	GND
0.825000	40.40	10.1	46	5.6	L1	GND
1.100000	35.80	10.1	46	10.2	L1	GND
1.195000	36.60	10.1	46	9.4	L1	GND
1.285000	37.10	10.1	46	8.9	L1	GND


**Fig. 110 AC Powerline Conducted Emission with charger-Idle Mode**

MEASUREMENT RESULT: "10TA149\_2C\_fin QP"

Frequency	Level	Transd	Limit	Margin	Line	PE
MHz	dB $\mu$ V	dB	dB $\mu$ V	dB		
0.640000	46.50	10.1	56	9.5	L1	GND
0.730000	48.50	10.1	56	7.5	L1	GND
0.825000	45.30	10.1	56	10.7	L1	GND
1.105000	42.30	10.1	56	13.7	N	GND
1.185000	47.90	10.1	56	8.1	L1	GND
1.280000	47.20	10.1	56	8.8	L1	GND

MEASUREMENT RESULT: "10TA149\_2C\_fin AV"

Frequency	Level	Transd	Limit	Margin	Line	PE
MHz	dB $\mu$ V	dB	dB $\mu$ V	dB		
0.640000	38.60	10.1	46	7.4	L1	GND
0.735000	39.00	10.1	46	7.0	L1	GND
0.825000	39.40	10.1	46	6.6	L1	GND
1.190000	37.00	10.1	46	9.0	L1	GND
1.280000	37.30	10.1	46	8.7	L1	GND
1.370000	35.30	10.1	46	10.7	L1	GND