

Prepared (also subject responsible if other)

SEM/BGLDC (Yulin Cheng)

Approved

SEM/BGLDC (Yulin Cheng)

Checked

 Company Internal
 SPECIFICATION

No.

1203-9149

Date

2007-09-14

Rev

A

Reference

18

Approved according to 000 21-LXE 107 42/1

K630i, Mobile Phone Ibl, Made in...

1 General information

Mobile Phone label content part number: 1203-9148

The format of the label is based on a label 1001-2238.

If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.

All bar codes, when applicable, are according to Ericsson corporate standard 102 01-109 Uen. All bar codes shall fulfil minimum print quality C according to ANSI X3.182-1990 as stated in Ericsson corporate standard 102 01-1003 Uen. No bar codes are allowed to be closer to a label edge than 2 mm! (quiet zone).

“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

The label shall be placed on the back of the telephone according to the Assembly Drawing for the MP.

2 Printing information

	Content	Format
Line 1a (2,5/1,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925
Line 1b (2,6/15,0)	Model name, “K630i”	Text, height 1,2 mm.
Line 1c (2,6/20,0)	Product number of the DPY kit in which the phone is packed. Printed without R-state. “SI XXXX-XXXX”	Text, height 1,2 mm.
Line 2a (4,8/1,0)	Type number of the phone (KRH), “Type: AAD-3022101-BV”.	Text, height 1,2 mm.
Line 2b (4,8/16,0)	ROA and R-state identification field, “FG”	Text, height 1,2 mm. According to the Type testing report-document In POS 1C in BOM.



Prepared (also subject responsible if other)

SEM/BGLDC (Yulin Cheng)

1203-9149

Approved

Checked

Date

Rev

Reference

SEM/BGLDC (Yulin Cheng)

2007-09-14

A

18

3	Content	Format
Line 2c (4,8/19,5)	Location code of where the phone is flashed, if applicable, "FFF"	Text, height 1,2 mm.
Line 2d (4,8/24,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 3a (6,8/1,0)	Country approval mark 1 "FCC ID: PY7A3022101"	Text, height 1,2 mm.
Line 3b (6,8/16,5)	Country approval mark 2 "IC: 4170B-A3022101"	Text, height 1,2 mm.
Line 4 (9,0/1,0)	Line 5a in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 5a (11,0/1,0)	Supplier's identification for traceability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 5b (11,0/15,0)	Actual electronic serial number (IMEI) of the phone (KRH), "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from POS 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 6a (13,0/1,0)	Line 5b in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 6b (13,0/31,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm. Rotated 90° counter clockwise.
Line 7 (18,0/20,0)	Marking of origin. "Made in Xxx"; "Xxx" = actual country of production of the included telephone, in English	Text, height 1,2 mm.
Line 8a (18,5/1,0)	CE approval symbol.	Graphics, height 5 mm. According to 1202-5482.
Line 8b (18,5/7,8)	The Notified body number. "0682"	Text, height 1,5 mm.

Prepared (also subject responsible if other)

SEM/BGLDC (Yulin Cheng)

Approved

SEM/BGLDC (Yulin Cheng)

Checked

Company Internal
SPECIFICATION

No.

1203-9149

Date

2007-09-14

Rev

A

Reference

18

4 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

4.1 Conceptual picture

Bartender Conceptual picture specification number 1203-9150.



Prepared (also subject responsible if other)

SEM/BGLDC (Yulin Cheng)

Approved

SEM/BGLDC (Yulin Cheng)

Checked

Company Internal
MARKING DRAWING

No.

1203-9149

Date

2007-09-14

Rev

A

Reference

18

4.2 Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located below the battery.

