



Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

Company Internal
MARKING DRAWING
No.

xxxx-xxxx Uen

Date

2009-03-18

Rev

1

Reference

4

T707a, Mobile Phone Label Content, Made in, A-version

Elle 1,2,5 (LAM) Type Number: AAD-3880031-BV

FCC ID: PY7A3880031

Canada IC: 4170B-A3880031

1 General information

Core Unit label part no	<ul style="list-style-type: none"> 1214-7581
Bar code	<ul style="list-style-type: none"> Standard: according to Ericsson corporate standard 102 01-109 Uen Print quality: C, according to ANSI X3.182-1990 as stated in Ericsson corporate standard 102 01-1003 Uen Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm!
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	"(x/y)" under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI= Main Label Content Information-document.

2 Printing information

	Content	Format
Line 1a (2,5/2,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925.
Line 1b (2,5/19,0)	Model Name "T707a"	Text, height 1,2 mm.
Line 2a (5,0/2,0)	"TYPE: AAD-3880031-BV"	Text, height 1,2 mm.
Line 2b (5,0/19,0)	HW & SW identification field, if applicable; "FFGG"	Text, height 1,2 mm. <i>According to Type-testing report under specifying document in product model.</i>
Line 2c (5,0/27,0)	Location code of where the phone is flashed, if applicable, "XXX"	Text, height 1,2 mm.
Line 3 (6,0/33,0)	CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
Line 4a (7,0/2,0)	"FCC ID: PY7A3880031"	Text, height 1,2 mm.
Line 4b (7,0/19,0)	Product number without revision of the Sales Item in which the phone is packed, if applicable. "SI XXXX-XXXX"	Text, height 1,2 mm.
Line 5a (9,0/2,0)	"IC: 4170B-A3880031"	Text, height 1,2 mm.
Line 5b (9,0/19,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 5c (9,0/27,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
Line 6 (9,5/34,5)	The notified body number "0682"	Text, height 1,2 mm.

Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

 Company Internal
MARKING DRAWING

No.

xxxx-xxxx Uen

Date

2009-03-18

Rev

1

Reference


4

	Content	Format
Line 7 (11,0/2,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 8 (13,0/2,0)	Line 7 in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 9 (15,5/2,0)	Actual electronic serial number (IMEI) of the Mobile Phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 10 (17,5/2,0)	Line 9 in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 11 (20,5/2,0)	Marking of origin: "Xxx"= actual country of production of the included telephone, in English.	Text, height 1,2 mm.
Line 12 (25,0/31,5)	SIM-card logo	Graphics height 6,0 mm, rotated 180 degrees clockwise. According to 1001-6195.
Line 13 (31,0/2,0)	WEE trashcan without bar symbol.	Graphics, min. height 5mm, According to 1202-5537.

3 Layout

The conceptual picture (for Zebra 90XiII printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

Flora Kang (28848956)

Approved

Flora Kang (28848956)

Checked

Company Internal
MARKING DRAWING

No.

xxxx-xxxx Uen

Date

2009-03-18

Rev

1

Reference

4

Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

