



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal
MARKING DRAWING
No.

1227-0671 Uen

Date

Rev

Reference

2009-06-24

1

2

U10i, Mobile Phone label content, Made in...

1 General information

Mobile Phone label part no	<ul style="list-style-type: none"> 1219-0066
Mobile Phone label content part no	<ul style="list-style-type: none"> 1227-0670
Bar code	<ul style="list-style-type: none"> Print quality: according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm!
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI= Main Label Content Information Document

2 Printing information

	Content	Format
Line 1 (7,0/5,5)	Memory card Micro SD logo	Graphics height 5,5mm According to 1225-0502 document
Line 2a (8,0/24,0)	SIM-card logo	Graphics height 7,0mm According to 1001-6195 document
Line 2b (8,0/32,5)	WEEE trashcan without bar symbol	Graphics, min. height 5mm, according to 1202-5537.
Line 3a (10,0/4,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925.
Line 3b (10,0/17,5)	Model Name “ U10i”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 4 (12,0/4,0)	Product number without revision of the Sales Item in which the phone is packed, if applicable. “SI XXXX-XXXX”	Text, height 1,2 mm.
Line 5 (13,5/31,0)	CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
Line 6a (14,5/4,0)	“TYPE: AAD-3880032-BV”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 6b (14,5/20,0)	HW & SW identification field, if applicable; “FFGG”	Text, height 1,2 mm. According to Type-testing report under specifying document in product model.
Line 6c (14,5/26,0)	Location code of where the phone is flashed, if applicable, “XXX”	Text, height 1,2 mm.
Line 7 (15,5/33,0)	The notified body number “0682”	Text, height 1,2 mm.



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal
MARKING DRAWING

No.

1227-0671 Uen

Date

Rev

Reference

2009-06-24

1

2

Line 8a (16,0/4,0)	"FCC ID: PY7A3880032"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 8b (16,0/20,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 9a (18,0/4,0)	"IC: 4170B-A3880032"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
Line 9b (18,0/20,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
Line 10 (20,5/5,0)	Line 12a in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 11 (21,5/32,0)	"Alert Symbol"	Graphics, height 5 mm According to 1001-5859
Line 12a (22,5/4,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 12b (22,5/17,0)	Actual electronic serial number (IMEI) of the Mobile Phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 13 (25,0/5,0)	Line 12b in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 14 (44,0/4,0)	Marking of origin: "Xxx"= actual country of production of the included telephone, in English.	Text, height 1,2 mm.

Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal
MARKING DRAWING

No.

1227-0671 Uen

Date

2009-06-24

Rev

1


Reference

2

3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal

MARKING DRAWING LABEL CONTENT 4

No.

1227-0671 Uen

Date

2009-06-24

Rev

1

Reference

Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

