



Prepared (also subject responsible if other)

SEM/CCDGP, Delia Auliso

Approved

SEM/CCDGP, Delia Auliso

Checked

Company Internal  
MARKING DRAWING  
No.

XXXX-XXXX Uen

Date

2009-06-26

Rev

1

Reference

4

## F100i, Mobile Phone label content, Made in....

### 1 General information

<b>Mobile Phone label part no</b>	<ul style="list-style-type: none"> <li>1220-6278</li> </ul>
<b>Mobile Phone label content part no</b>	<ul style="list-style-type: none"> <li>XXXX-XXXX</li> </ul>
<b>Bar code</b>	<ul style="list-style-type: none"> <li><b>Print quality:</b> according to COSMETIC GUIDELINE – Bar code labels document 4/0113-LXE 108 063 Uen</li> <li><b>Quiet zone:</b> No bar codes are allowed to be closer to a label edge than 2 mm!</li> </ul>
<b>Text</b>	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
<b>Coordinates</b>	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

### 2 Printing information

	Content	Format
<b>Line 1 a</b> (1,0/30,5)	“FCC ID: PY7A3880041”	Text, height 1,2 mm. rotated 90° clockwise
<b>Line 1 b</b> (1,0/32,5)	Type number of the phone, “Type: AAD-3880041-BV”.	Text, height 1,2 mm, rotated 90° clockwise.
<b>Line 1 c</b> (1,0/34,5)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925. rotated 90°clockwise.
<b>Line 2 a</b> (16,0/30,5)	Location code of where the phone is flashed, if applicable, “XXX”	Text, height 1,2 mm. rotated 90°clockwise.
<b>Line 2 b</b> (16,0/32,5)	HW & SW identification field, if applicable; “FFGG”	Text, height 1,2 mm, rotated 90° clockwise. <b>According to Type-testing report under Product Model Specifying Document</b>
<b>Line 2 c</b> (16,0/34,5)	Model Name “F100i”	Text, height 1,2 mm.
<b>Line 3 a</b> (28,0/20,0)	“Micro SD logo”	Graphics, height 1,5 mm. According to 1225-0502 rotated 90° against clockwise.
<b>Line 3 b</b> (28,0/22,0)	CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
<b>Line 3 c</b> (28,0/29,0)	The notified body number “0682”	Text, height 1,2 mm.
<b>Line 4 a</b> (30,6/2,0)	Line 5a in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).

Prepared (also subject responsible if other)

SEM/CCDGP, Delia Aulio

Approved

SEM/CCDGP, Delia Aulio

Checked

 Company Internal  
**MARKING DRAWING**

No.

XXXX-XXXX Uen

Date

2009-06-26

Rev

1

Reference


4

<b>Line 5a</b> (32,5/2,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn..." for serial number).	Text, height 1,0 mm. Defined by supplier.
<b>Line 5b</b> (32,5/15,0)	Actual electronic serial number (IMEI) of the mobile phone, "00000000-000000-0"	Text, height 1,0 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
<b>Line 6</b> (34,5/2,0)	Line 5b in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
<b>Line 7a</b> (36,2/2,0)	Marking of origin.  "Made in Xxx";  "Xxx" = actual country of production of the included telephone, in English	Text, height 1,2 mm.
<b>Line 7b</b> (36,2/16,0)	Product number without revision of the Sales Item in which the phone is packed, if applicable. "SI XXXX-XXXX"	Text, height 1,2 mm.
<b>Line 8 a</b> (38,0/2,0)	Production week (flash), "yy'W'ww" (yy = year, ww = week)	Text, height 1,2 mm
<b>Line 8 b</b> (38,0/16,0)	"IC ID: 4170B-A3880041"	Text, height 1,2 mm
<b>Line 8 c</b> (38,0/31,5)	WEEE trashcan without bar symbol	Graphics, min. height 5mm, according to 1202-5537.

### 3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

#### 3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

SEM/CCDGP, Delia Aulio

Approved

SEM/CCDGP, Delia Aulio

Checked

Company Internal  
MARKING DRAWING

No.

XXXX-XXXX Uen

Date

2009-06-26

Rev

1

Reference

4

## Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

