



Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1226-2315

Date

2009-08-28

Rev

1

Reference

5State: Released

## X2, Mobile Phone label content, Made in...

Vulcan 1,2,8 (WE) Type Number: AAD-3880043-BV

FCC ID: PY7A3880043

Canada IC: 4170B-A3880043

### 1 General information

<b>Mobile Phone label part no</b>	<ul style="list-style-type: none"> <li>1221-6483</li> </ul>
<b>Mobile Phone label content part no</b>	<ul style="list-style-type: none"> <li>1226-2314</li> </ul>
<b>Bar code</b>	<ul style="list-style-type: none"> <li><b>Print quality:</b> according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen</li> <li><b>Quiet zone:</b> No bar codes are allowed to be closer to a label edge than 2 mm!</li> </ul>
<b>Text</b>	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
<b>Coordinates</b>	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI= Main Label Content Information Document

### 2 Printing information

	<b>Content</b>	<b>Format</b>
<b>Line 1a</b> (3,0/2,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925.
<b>Line 1b</b> (3,0/17,0)	Model Name “X2”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 1c</b> (3,0/20,0)	Product number without revision of the Sales Item in which the phone is packed, if applicable. “SI XXXX-XXXX”	Text, height 1,2 mm.
<b>Line 2a</b> (6,0/2,0)	“TYPE: AAD-3880043-BV”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 2b</b> (6,0/18,0)	HW & SW identification field, if applicable; “FFGG”	Text, height 1,2 mm. According to Type-testing report under specifying document in product model.
<b>Line 2c</b> (6,0/23,0)	Location code of where the phone is flashed, if applicable, “XXX”	Text, height 1,2 mm.
<b>Line 3a</b> (9,0/2,0)	“FCC ID: PY7A3880043”	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 3b</b> (9,0/18,0)	Production week (flash), “yy’W’ww” (yy = year, ww = week)	Text, height 1,2 mm.



Company Internal  
MARKING DRAWING LABEL CONTENT

Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

No.  
1226-2315

Date

2009-08-28

Rev

1

Reference

5State: Released

<b>Line 4a</b> (12,0/1,0)	"IC: 4170B-A3880043"	Text, height 1,2 mm. <i>According to Chapter 1 in MLCI.</i>
<b>Line 4b</b> (12,0/17,0)	Repair week, if applicable. "Ry'W'ww" (y = year, ww = week)	Text, height 1,2 mm.
<b>Line 4c</b> (12,0/36,0)	CE approval symbol	Graphics, height 5 mm. According to 1210-0131.
<b>Line 4d</b> (12,0/44,0)	The notified body number "0682"	Text, height 1,2 mm.
<b>Line 5</b> (16,0/3,0)	Line 6a in bar code. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
<b>Line 6a</b> (18,0/2,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number).	Text, height 1,2 mm. Defined by supplier.
<b>Line 6b</b> (18,0/15,0)	Actual electronic serial number (IMEI) of the Mobile Phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
<b>Line 6c</b> (18,0/36,0)	"Alert Symbol"	Graphics, height 5 mm According to 1001-5859
<b>Line 6d</b> (18,0/44,0)	WEEE trashcan without bar symbol	Graphics, min. height 5mm, according to 1202-5537.
<b>Line 7</b> (21,0/3,0)	Line 6b in bar code (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
<b>Line 8</b> (25,0/2,0)	Marking of origin. "Made in Xxx"; "Xxx" = actual country of production of the included telephone, in English	Text, height 1,2 mm.

Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1226-2315

Date

2009-08-28

Rev

1


Reference

5State: Released

### 3 Layout

The conceptual picture (for Zebra 90XiII printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

#### 3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

Leif Hedin (23056584)

Approved

Leif Hedin (23056584)

Checked

Company Internal

MARKING DRAWING LABEL CONTENT

No.

1226-2315

Date

2009-08-28

Rev

1

Reference

5State: Released

## Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

