



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal  
MARKING DRAWING

No.

1223-2524 Uen

Date

Rev

Reference

2009-06-16

1

2

## U100i, Mobile Phone label content, Made in...

### 1 General information

|   |  |
|---|--|
| <b>Mobile Phone label part no</b>         | <ul style="list-style-type: none"> <li>1222-4187</li> </ul>  |
| <b>Mobile Phone label content part no</b> | <ul style="list-style-type: none"> <li>1223-2523</li> </ul>  |
| <b>Bar code</b>                           | <ul style="list-style-type: none"> <li><b>Print quality:</b> according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen</li> <li><b>Quiet zone:</b> No bar codes are allowed to be closer to a label edge than 2 mm!</li> </ul>  |
| <b>Text</b>                               | If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.  |
| <b>Coordinates</b>                        | “(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label. |

MLCI= Main Label Content Information Document

### 2 Printing information

|                               | Content  | Format   |
|-------------------------------|--|--|
| <b>Line 1</b><br>(7,5/16,0)   | SIM-card logo  | Graphics height 5,0mm.<br>According to 1219-7017 document.   |
| <b>Line 2a</b><br>(15,0/2,0)  | CE approval symbol   | Graphics, height 5 mm.<br>According to 1210-0131.  |
| <b>Line 2b</b><br>(15,0/10,0) | The notified body number “0682”  | Text, height 1,2 mm.   |
| <b>Line 2c</b><br>(15,0/18,0) | WEEE trashcan without bar symbol   | Graphics, min. height 5mm, according to 1202-5537.   |
| <b>Line 3a</b><br>(21,5/2,0)  | Sony Ericsson stylized name.   | Graphics, height 1,5 mm.<br>According to 1200-1925.  |
| <b>Line 3b</b><br>(21,5/16,0) | Model Name<br>“U100i”  | Text, height 1,2 mm.<br><i>According to Chapter 1 in MLCI.</i>                                       |
| <b>Line 4a</b><br>(24,0/2,0)  | Product number without revision of the Sales Item in which the phone is packed, if applicable.<br>“SI XXXX-XXXX” | Text, height 1,2 mm.   |
| <b>Line 4b</b><br>(24,0/18,0) | Location code of where the phone is flashed, if applicable,<br>“XXX”   | Text, height 1,2 mm.   |
| <b>Line 5a</b><br>(26,0/2,0)  | “TYPE: AAD-3880046-BV”   | Text, height 1,2 mm.<br><i>According to Chapter 1 in MLCI.</i>                                       |
| <b>Line 5b</b><br>(26,0/18,0) | HW & SW identification field, if applicable;<br>“FFGG”   | Text, height 1,2 mm.<br>According to Type-testing report under specifying document in product model. |
| <b>Line 6a</b><br>(28,0/2,0)  | “FCC ID: PY7A3880046”  | Text, height 1,2 mm.<br><i>According to Chapter 1 in MLCI.</i>                                       |



Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal  
MARKING DRAWING

No.

1223-2524 Uen

Date

2009-06-16

Rev

1

Reference

2

|                               |   |  |
|-------------------------------|---|--|
| <b>Line 6b</b><br>(28,0/18,0) | Production week (flash), "yy'W'ww"<br>(yy = year, ww = week)  | Text, height 1,2 mm.   |
| <b>Line 7a</b><br>(30,0/2,0)  | "IC: 4170B-A3880046"  | Text, height 1,2 mm.<br><i>According to Chapter 1 in MLCI.</i>   |
| <b>Line 7b</b><br>(30,0/18,0) | Repair week, if applicable.<br>"Ry'W'ww"<br>(y = year, ww = week)   | Text, height 1,2 mm.   |
| <b>Line 8</b><br>(32,0/2,0)   | Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn...." for serial number). | Text, height 1,2 mm.<br>Defined by supplier.   |
| <b>Line 9</b><br>(35,0/3,0)   | Line 8 in bar code.<br>As desired by supplier (e.g. only actual number).  | Bar code, height 2,0 mm.<br>As desired by supplier (e.g. Code 128 symbology).  |
| <b>Line 10</b><br>(37,0/2,0)  | Actual electronic serial number (IMEI) of the Mobile Phone,<br>"00000000-000000-0"  | Text, height 1,2 mm.<br>In the format TAC-SNR-CD.<br>TAC and SNR derived from pos 500 in BOM.<br>CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16. |
| <b>Line 11</b><br>(40,0/3,0)  | Line 10 in bar code (only actual number, without data identifier).  | Bar code, height 2,0 mm.<br>Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.                                 |
| <b>Line 12</b><br>(46,0/2,0)  | Marking of origin:<br>"Xxx"= actual country of production of the included telephone, in English.                              | Text, height 1,2 mm.   |

Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

Company Internal  
MARKING DRAWING

No.

1223-2524 Uen

Date

2009-06-16

Rev

1


Reference

2

### 3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

#### 3.1 Conceptual picture



double underlined = major changes since last revision.

Prepared (also subject responsible if other)

SEM/CCDGP, Leif Hedin

Approved

SEM/CCDGP, Leif Hedin

Checked

1223-2524 Uen

Date

2009-07-16

Rev

1

Reference

7

## Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

