

Prepared (also subject responsible if other)

SEM/CVVGP, Leif Hedin

SEM/CVVGP, Leif Hedin

Company Internal MARKING DRAWING

No.

Checked

1262-0313 Uen

Date Rev Reference

2012-01-26

1

2

MT27i, Mobile Phone label content, ROW-version, Made in...

1 General information

Mobile Phone label part no	• 1254-2975	
Mobile Phone label content part no	• 1262-0312	
Bar code	 Print quality: according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen Quiet zone: No bar codes are allowed to be closer to a label edge than 2 mm! 	
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.	
Coordinates	"(x/y)" under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.	

2 Printing information

	Content	Format
Line 1a (2,0/1,0)	Sony Ericsson stylized name.	Graphics, height 1,5 mm. According to 1200-1925
Line 1b (2,0/16,0)	Model Name "MT27i"	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 2a (4,0/1,0)	"TYPE: AAD-3880134-BV"	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 2b (4,0/16,0)	HW & SW identification field, if applicable; "FFGG"	Text, height 1,2 mm. According to Type-testing report under Product Model Specifying Documents
Line 3a (5,5/1,0)	"FCC ID: PY7A3880134"	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 3b (5,5/16,0)	Product number of the Sales Item in which the phone is packed, if applicable. "SI XXXX-XXXX"	Text, height 1,2 mm.
Line 4a (7,2/1,0)	"IC: 4170B-A3880134"	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 4b (7,2/16,0)	Location code of where the phone is flashed, if applicable, "XXX"	Text, height 1,2 mm
Line 4c (7,2/20,0)	Production week (flash), "yyWww" (yy = year, ww = week	Text, height 1,2 mm.
Line 4d (7,2/25,5)	Repair week, if applicable. "RyyWww" (y = year, ww = week)	Text, height 1,2 mm.



Prepared (also subject responsible if other)

SEM/CVVGP, Leif Hedin

SEM/CVVGP, Leif Hedin

Checked

Company Internal MARKING DRAWING

1262-0313 Uen

Rev

1

2012-01-26

Reference

		T =
Line 5 (9,5/2,0)	Line 5 in bar code, according to line 6a. As desired by supplier (e.g. only actual number).	Bar code, height 2,0 mm. As desired by supplier (e.g. Code 128 symbology).
Line 6a (11,0/1,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn" for serial number).	Text, height 1,2 mm. Defined by supplier.
Line6b (11,0/14,5)	Actual electronic serial number (IMEI) of the mobile phone, "00000000-000000-0"	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 7 (13,5/2,0)	Line 7 in bar code, according to line 6b (only actual number, without data identifier).	Bar code, height 2,0 mm. Code 128 symbology, code C subset. If uneven number of digits, code B subset shall be used for the last digit.
Line 8 (19,0/1,0)	CE approval symbol, the NB-"0682" and "Alert Symbol" in one artwork	Graphics, height 5 mm. According to 1242-7470
Line 9a (25,5/1,0)	Marking of origin; "Made in Xxx" "Xxx" = actual country of production of the included telephone, in English	Text, height 1,2 mm.
Line 9b (25,5/28,5)	WEEE trashcan without bar symbol	Graphics, min. height 5mm, according to 1202-5537.



Prepared (also subject responsible if other)

SEM/CVVGP, Leif Hedin

SEM/CVVGP, Leif Hedin

Company Internal MARKING DRAWING

Checked

1262-0313 Uen


Rev Reference 1

2012-01-26

3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture



<u>double underlined</u> = major changes since last revision.