

Contents responsible if other than preparer
SEM/CGOVDLP, Anna Englund
Approved by

Remarks
2012-02-03

Phone label design Nypon

Abstract


This document contains information on the phone label design required for Type Approval.

Product name: AAD-3880135-BV
Marketing name: LT22i

Contents

1	Drawing of phone label.....	1
2	CE marking and Type numbers	2
3	Label placement on phone	3

1 Drawing of phone label




According to SPACE part 1257-7534, and marking drawing 1254-7463




2 CE marking and Type numbers

Antenna Carrier Assy 1251-4854
Antenna part for below drawing 1251-4892 and spec 1261-1663




Antenna placement on the phone, see illustration below





3 Label placement on phone





Prepared (also subject responsible if other)

SEM/CVVGP, Anna Englund

Approved

SEM/CVVGP, Anna Englund

Checked

Company Internal
MARKING DRAWING
No.

1257-7535 Uen

Date

2012-02-21

Rev

1

Reference

LT22i Nypon, Mobile Phone label content, ROW Non Geo, Made in

1 General information

Mobile Phone label part no	<ul style="list-style-type: none"> 1252-4880
Mobile Phone label content part no	<ul style="list-style-type: none"> 1257-7534
Bar code	<ul style="list-style-type: none"> Print quality: according to COSMETIC GUIDELINE – Bar code labels document 1222-6072 Uen This document needs to be updated with 2D barcodes, for the standard for 2D barcodes in this project see below, line 4 Quiet zone: No bar codes are allowed to be closer to a label edge than 1 mm!
Text	If applicable, or nothing else specified, Zebra printer Scaleable Smooth Font CG Triumvirate Bold Condensed is imposed. When needed, the text is adjusted to fit the label.
Coordinates	“(x/y)” under each line number specifies the bottom / left alignment for text, graphics and bar codes, x is measured vertically, and y horizontally from the upper left corner of the label (landscape format), both in mm. When needed, the alignment is adjusted to fit the label.

MLCI=Main Label Content Information

2 Information

	Content	Format
Line 1a (3,0/2,0)	Model Name, “LT22i”	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 1b (3,0/19,0)	Actual electronic serial number (IMEI) of the mobile phone, “00000000-000000-0”	Text, height 1,2 mm. In the format TAC-SNR-CD. TAC and SNR derived from pos 500 in BOM. CD = check digit according to the Luhn formula (ISO/IEC 7812), GSM 02.16.
Line 2a (5,0/2,0)	Type number of the phone, “TYPE: AAD-3880135-BV”.	Text, height 1,2 mm. According to Chapter 1 in MLCI.
Line 2b (5,0/19,0)	HW & SW identification field, if applicable; “FFGG”	Text, height 1,2 mm. According to Type-testing report under Product Model Specifying Document
Line 2c (5,0/21,0)	Product number of the Sales Item in which the phone is packed, if applicable. “SI XXXX-XXXX”	Text, height 1,2 mm.



Prepared (also subject responsible if other)

SEM/CVVGP, Anna Englund

Approved

SEM/CVVGP, Anna Englund

Checked

Company Internal
MARKING DRAWING

No.

1257-7535 Uen

Date

2012-02-21

Rev

1

Reference


12

Line 3a (7,0/2,0)	Supplier's identification for trace-ability of the telephone, as desired by supplier (e.g. "S/N: nnn..." for serial number).	Text, height 1,2 mm. Defined by supplier.
Line 3b (7,0/19,0)	Production week (flash), "yyWww" (yy = year, ww = week)	Text, height 1,2 mm.
Line 4 (7,5/41,0)	Line 1b in 2D-bar code, just digits, 15 characters. The bar code contains IMEI-number	Data Matrix; x-dimension 0,41 mm. Symbol type ECC 200. Code type for USA and Western Europe (7-pieces, ACII). NB – the 2D bar code needs quiet zoon for 1 mm around the whole bar code. Height of barcode 6,4 mm
Line 5 (11,0/2,0)	Marking of origin. "Made in Xxx"; "Xxx" = actual country of production of the included telephone, in English	Text, height 1,2 mm.

3 Layout

The conceptual picture (for Zebra 90Xill printer, or equivalent) should not be considered as specifications, but as an additional help for setting up the label.

3.1 Conceptual picture



double underlined = major changes since last revision.