

Annex 3 Photo documentation

Photo 1: Measurement System DASY 4



Photo 2: DUT - front view



As of 2008-09-12 Page 1 of 15



Photo 3: DUT - side view



Photo 4: DUT - rear view



As of 2008-09-12 Page 2 of 15



Photo 5: DUT - front view opened



Photo 6: DUT - side view opened



As of 2008-09-12 Page 3 of 15



Photo 7: DUT - rear view opened



Photo 8: DUT - rear view (open)



As of 2008-09-12 Page 4 of 15



Photo 9: DUT - rear view (open) without battery



Photo 10: DUT - rear view (label)



As of 2008-09-12 Page 5 of 15



Photo 11: The battery



Photo 12: Test position left hand touched



As of 2008-09-12 Page 6 of 15



Photo 13: Test position left hand touched




Photo 14: Test position left hand touched



As of 2008-09-12 Page 7 of 15



Photo 15: Test position left hand tilted 15°



Photo 16: Test position left hand tilted 15°



As of 2008-09-12 Page 8 of 15



Photo 17: Test position right hand touched




Photo 18: Test position right hand touched




As of 2008-09-12 Page 9 of 15



Photo 19: Test position right hand touched



Photo 20: Test position right hand tilted 15°



As of 2008-09-12 Page 10 of 15



Photo 21: Test position right hand tilted 15°



Photo 22: Test position body worn front side (15 mm distance)



As of 2008-09-12 Page 11 of 15



Photo 23: Test position body worn front side (15 mm distance)



Photo 24: Test position body worn rear side (15 mm distance)



As of 2008-09-12 Page 12 of 15



Photo 25: Test position body worn rear side (15 mm distance)



As of 2008-09-12 Page 13 of 15




Annex 3.1 Liquid depth

Liquid depthPhoto 26: Liquid depth 1900 MHz head simulating liquid



Photo 27: Liquid depth 1900 MHz body simulating liquid



As of 2008-09-12 Page 14 of 15

CETECOM ICT Services GmbH

Test report no.: 2-4883-56-03/08



As of 2008-09-12 Page 15 of 15