



Prepared by
SEM/CCDAT YUMA TAMARU
Contents responsible if other than preparer

Date
2009-05-22
Remarks
This document is managed in metaDoc.

Approved by

AAH-5880005-BV

PTX-940 Marking Drawing (Label Details)

1. General Information

This is KDDI's OEM product. The label is based on the requirement of KDDI and it has been approved.

2. Printing Information

	Content	Format
Line 1	FCC ID: PY7A5880005	Text, height : 1.0mm
Line 2	Operator's name (Logo: au by KDDI)	Graphic, height : 2.5mm
Line 3a	Official name (CDMA SO002)	Text, height : 1.4mm
Line 3b	IC ID: 4170B-A5880005	Text, height : 1.0mm
Line 4a	Telecommunications mark	Graphic, height : 1.0mm
Line 4b	JATE number: ADXX-XXXXXXX	Text, height : 1.0mm
Line 5	TELEC number (for CDMA): 001XZAAXXXX	Text, height : 1.0mm
Line 6	Sony Ericsson stylized name	Graphic, height : 2.0mm
Line 7a	Radio Law certification number mark	Graphic, height : 1.0mm
Line 7b	TELEC number (for MC-CDMA): 001XZAAXXXX	Text, height : 1.0mm
Line 8a	Operator's product code	Text, height : 1.2mm
Line 8b	SO002XXX	Text, height : 1.2mm
Line 8c	TELEC number (for T-CDMA): 001NZAAXXXX	Text, height : 1.0 mm
Line 9	TELEC symbol	Graphic, height : ϕ 5.2mm
Line 10a	The name of distribution company	Text, height : 1.2mm
Line 10b	KDDI Inc and Okinawa Cellular Telephone Company	Text, height : 1.2mm
Line 11a	The name of manufacture	Text, height : 1.2mm
Line 11b	Sony Ericsson Mobile Communications AB	Text, height : 1.2mm
Line 12a	Made in Japan	Text, height : 1.2 mm
Line 12b	Type number: AAH-5880005-BV	Text, height : 1.2mm



Line 13	Trash can mark	Graphic, height : 5.0mm
Line 14	Recycling Li-ion symbol	Graphic, height : 4.0mm
Line 15	au IC card	Graphic, height : 1.0mm
Line 16a	Caution message. "Please do not peel off this sticker"	Text, height : 1.0mm
Line 16b	Please be careful with inserting direction	Text, height : 1.0mm
Line 17a	Caution symbol	Graphic, height : 1.2mm
Line 17b	Caution message. "Please turn off power in an airplane and in a hospital"	Text, height : 1.0mm
Line 18	Symbol of insertion direction for auIC card and micro SD card	Graphic, height : 4.4mm
Line 19	Date of manufacture (Year/Month)	Text, height : 1.5mm
Line 20	Line 22 in bar code for Manufacturing number for KDDI	Bar code height : 2.5mm
Line 21	CE approved symbol	Graphic, height : 5.0mm
Line 22	Manufacturing number for KDDI (SSOXXXXXXXXXX)	Text, height : 1.5mm
Line 23	Line 24 in bar code for IMEI number	Bar code height : 2.5mm
Line 24	IMEI number (IMEI XXXXXXXXXXXXXXXXXXXXX)	Text, height : 1.5mm

3. Layout

The diagram shows a rectangular marking area with the following elements:

- Top Left:** An arrow icon pointing up and right, with the text "auICカード" and "挿入方向に注意して下さい。" (Please pay attention to the insertion direction.)
- Top Right:** A vertical stack of information: "製造年月 200X年XX月" (Manufacture date), a barcode, "製造番号 SSOXXXXXXXXXX" (Manufacturing number), another barcode, and "IMEI XXXXXXXXXXXXXXXXXXXX" (IMEI number).
- Bottom Left:** "au by KDDI" logo, "CDMA S0002", "Sony Ericsson" logo, "商品コード S0002XXX", "発売元 KDDI (株)・沖縄セルラー電話(株)" (Distributor), "製造元・申請者 ソニー・エリクソン・モバイルコミュニケーションズ株式会社" (Manufacturer), and "Made in Japan".
- Bottom Center:** "FCG ID:PY7A5880005", "IC:4170B-A5880005", and three regulatory codes: "T ADXX-XXXXXXXX", "R 001XZAAXXXX", and "001ZYAAXXXX".
- Bottom Right:** A trash can symbol with a slash through it, a recycling symbol, "LI-ion 00", and a large "CE 0682" mark.
- Right Side:** A vertical warning text: "このシールは剥がさないでください。" (Do not peel off this sticker.) and "警告 航空機内・病院内では電源をオフしてください。" (Warning: Turn off power in aircraft and hospitals.)

