

Prepared by  
 SEM/CVVAT YUMA TAMARU  
 Contents responsible if other than preparer

 Document number  
 1/151 86-1/FCP 119 0961 Uen  
 Date  
 2010-02-05  
 Remarks

 Revision  
 C

This document is managed in metaDoc.

 Approved by  
 SEM/CVTAPP (KENSHI TAGAMI)

AAH-5880006-BV

## PTX-942 Marking Drawing (Label Details)

### 1. General Information

**This is KDDI's OEM product. The label is based on the requirement of KDDI and it has been approved.**

### 2. Printing Information

	Content	Format
Line 1	au IC card	Text, height : <b>1.2</b> mm
Line 2	Please be careful with inserting direction	Text, height : <b>1.2</b> mm
Line 3	Symbol of insertion direction for auIC card	Graphic, height : <b>2.8</b> mm
Line 4 & 5a	Operator's name (Logo: au by KDDI)	Graphic, height : <b>2.5</b> mm
Line 5b	Official name (CDMA SO003)	Text, height : <b>1.4</b> mm
Line 6 & 7a	Sony Ericsson stylized name	Graphic, height : <b>2.0</b> mm
Line 7b	FCC ID: PY7A5880006	Text, height : <b>1.0</b> mm
Line 8	IC ID: 4170B-A5880006	Text, height : <b>1.0</b> mm
Line 9a	Operator's product code	Text, height : <b>1.5</b> mm
Line 9b	JATE number: ADXX-XXXXXXX	Text, height : <b>1.0</b> mm
Line 10	TELEC number (for CDMA): 001XZAAXXXX	Text, height : <b>1.0</b> mm
Line 11	Telecommunications mark	Graphic, height : <b>1.5</b> mm
Line 12	SO003XXX (Operator's product code)	Text, height : <b>1.5</b> mm
Line 13	TELEC number (for MC-CDMA): 001ZYAAXXXX	Text, height : <b>1.0</b> mm
Line 14a	The name of distribution company: KDDI Inc and Okinawa Cellular Telephone Company	Text, height : <b>1.2</b> mm
Line 14b	TELEC number (for T-CDMA): 001NXAAXXXX	Text, height : <b>1.0</b> mm
Line 15	Radio Law certification number mark	Graphic, height : <b>1.5</b> mm
Line 16	TELEC symbol	Graphic, height : <b>5.2</b> mm
Line 17a	Manufacture : Applicant	Text, height : <b>1.2</b> mm
Line 17b & 18a	Sony Ericsson Mobile Communications AB (The name of manufacture)	Text, height : <b>1.2</b> mm


Line 17c	TELEC number (for Bluetooth): 001WWDAXXX	Text, height : 1.0 mm
Line 18b	Type number: AAH-5880006-BV	Text, height : 1.2 mm
Line 18c	HW&SW identification field: AAAA	Text, height : 1.2 mm
Line 19	Date of manufacture	Text, height : 1.5 mm
Line 20	Line 22 in bar code for Manufacturing number for KDDI	Bar code height : 2.5 mm
Line 21	20XX/XX (Year/Month: Date of manufacture)	Text, height : 1.5 mm
Line 22	Manufacturing number for KDDI (SSOXXXXXXXXXX)	Text, height : 1.5 mm
Line 23	Line 24 in bar code for IMEI number	Bar code height : 2.5 mm
Line 24	IMEI number (IMEI XXXXXXXXXXXXXXXXXXXXX)	Text, height : 1.5 mm
Line 25	Bluetooth figure mark (Bluetooth logo)	Graphic, height : 3.0 mm
Line 26a	CE approved symbol	Graphic, height : 5.0 mm
Line 26b	Alert mark	Graphic, height : 5.0 mm
Line 26c	ARIB mark	Graphic, height : 2.25 mm
Line 26d	Trash can mark	Graphic, height : 5.0 mm
Line 27a	Caution symbol	Graphic, height : 1.2 mm
Line 27b	Caution message. "Please turn off power in an airplane and in a hospital"	Text, height : 1.2 mm
Line 28	Recycling Li-ion symbol	Graphic, height : 6.3 mm
Line 29a	Caution message. "Please do not peel off this sticker"	Text, height : 1.2 mm
Line 29b	Marking of Origin: Made in Japan	Text, height : 1.2 mm

### 3. Layout





4. Dimensions





## Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

