

Prepared by
 SEM/CVVBAT ERIKO MAEDA
 Contents responsible if other than preparer

 Document number
 4/151 86-1/FCP 119 1062 Uen
 Date
 2010-08-30
 Remarks
 This document is managed in metaDoc.

 Revision
 A

 Approved by
 SEM/CVTAPP (SHINICHI ENDO)

AAH-5880009-BV

SO005 Marking Drawing (Label Details)

1. General Information

This is KDDI's OEM product. The label is based on the requirement of KDDI and it has been approved.

2. Printing Information

	Content	Format
Line 1	au IC card	Text, height : 1.2 mm
Line 2	Please be careful with inserting direction	Text, height : 1.2 mm
Line 3	Symbol of insertion direction for auIC card	Graphic, height : 3.0 mm
Line 4 & 5a	Operator's name (Logo: au by KDDI)	Graphic, height : 2.5 mm
Line 5b	Official name (CDMA SO005)	Text, height : 1.4 mm
Line 6 & 7a	Sony Ericsson stylized name	Graphic, height : 2.0 mm
Line 7b	FCC ID: PY7A5880009	Text, height : 1.0 mm
Line 8	IC ID: 4170B-A5880009	Text, height : 1.0 mm
Line 9a	Operator's product code	Text, height : 1.4 mm
Line 9b	JATE number: ADXX-XXXXXXX	Text, height : 1.0 mm
Line 10	TELEC number (for CDMA): 001XZAAXXXX	Text, height : 1.0 mm
Line 11	Telecommunications mark	Graphic, height : 1.5 mm
Line 12	SO005XXX (Operator's product code)	Text, height : 1.2 mm
Line 13	TELEC number (for MC-CDMA): 001ZYAAXXXX	Text, height : 1.0 mm
Line 14a	The name of distribution company: KDDI Inc and Okinawa Cellular Telephone Company	Text, height : 1.2 mm
Line 14b	TELEC number (for T-CDMA): 001NXAAXXXX	Text, height : 1.0 mm
Line 15	Radio Law certification number mark	Graphic, height : 1.5 mm
Line 16	TELEC symbol	Graphic, height : 5.0 mm
Line 17a	Manufacture : Applicant	Text, height : 1.2 mm
Line 17b & 18a	Sony Ericsson Mobile Communications AB (The name of manufacture)	Text, height : 1.2 mm

Line 17c	TELEC number (for Bluetooth): 001WWDAXXXX	Text, height : 1.0 mm
Line 18b	Type number: AAH-5880009-BV	Text, height : 1.0 mm
Line 18c	HW&SW identification field: AAAA	Text, height : 1.0 mm
Line 19	Date of manufacture	Text, height : 1.5 mm
Line 20	Line 22 in bar code for Manufacturing number for KDDI	Bar code height : 2.5 mm
Line 21	20XX/XX (Year/Month: Date of manufacture)	Text, height : 1.5 mm
Line 22	Manufacturing number for KDDI (SSOXXXXXXXXXX)	Text, height : 1.5 mm
Line 23	Line 24 in bar code for IMEI number	Bar code height : 2.5 mm
Line 24	IMEI number (IMEI XXXXXXXXXXXXXXXXXXXX)	Text, height : 1.5 mm
Line 25	Bluetooth figure mark (Bluetooth logo)	Graphic, height : 3.0 mm
Line 26a	CE approved symbol	Graphic, height : 5.0 mm
Line 26b	Alert mark	Graphic, height : 0.0 mm
Line 26c	ARIB mark	Graphic, height : 1.8 mm
Line 26d	Trash can mark	Graphic, height : 5.0 mm
Line 27a	Caution symbol	Graphic, height : 1.2 mm
Line 27b	Caution message. "Please turn off power in an airplane and in a hospital"	Text, height : 1.2 mm
Line 28	Recycling Li-ion symbol	Graphic, height : 5.5 mm
Line 29a	Caution message. "Please do not peel off this sticker"	Text, height : 1.2 mm
Line 29b	Marking of Origin: Made in Japan	Text, height : 1.1 mm

3. Layout



Label placement

To find the label follow these steps:

1. Remove the cover on the rear side of the product.
2. Remove the battery.
3. The label is located behind the battery.

