






9.0 TEST SETUP PHOTOGRAPHS





Model: HS-ADC		FCC Pt. 15B VERIFICATION MEASUREMENT REPORT		Reviewed by: Quality Manager
Test Report S/N: 0Y1008111355-R1.PY7	Test Dates: August 24, 2010	EUT Type: Travel Adapter		Page 16 of 20





Model: HS-ADC		FCC Pt. 15B VERIFICATION MEASUREMENT REPORT	 Reviewed by: Quality Manager
Test Report S/N: 0Y1008111355-R1.PY7	Test Dates: August 24, 2010	EUT Type: Travel Adapter	Page 17 of 20



Model: HS-ADC		FCC Pt. 15B VERIFICATION MEASUREMENT REPORT		Reviewed by: Quality Manager
Test Report S/N: 0Y1008111355-R1.PY7	Test Dates: August 24, 2010	EUT Type: Travel Adapter	Page 18 of 20	

10.0 EUT PHOTOGRAPHS



Model: HS-ADC		FCC Pt. 15B VERIFICATION MEASUREMENT REPORT		Reviewed by: Quality Manager
Test Report S/N: 0Y1008111355-R1.PY7	Test Dates: August 24, 2010	EUT Type: Travel Adapter	Page 19 of 20	



au by KDDI 共通ACアダプタ02
商品コード 0203PQA
国内/海外共用 製造番号 HS-ADC


警告 (Warning icon) 取扱説明書をよくお読みになり、正しくご使用下さい。
発熱・発火・感電・傷害の恐れがありますので、次のことはしないで下さい。

- 指定の電話機の電池パック以外の充電
- 家庭用AC100~240V以外での使用
- 端子をショートさせる
- 分解や改造
- 水などをかけたり濡れた手での使用

注意 (Attention icon) 周囲温度5°C~35°Cの範囲内で使用して下さい。直射日光のあたる場所での使用は避けて下さい。

お願い ラジオ、テレビ等に雑音が入る時は、充電器をラジオ、テレビから遠ざけて下さい。

発売元：KDDI(株)・沖縄セルラー電話(株)
製造元：ホシデン株式会社

Model: HS-ADC	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 15B VERIFICATION MEASUREMENT REPORT		Reviewed by: Quality Manager
Test Report S/N: 0Y1008111355-R1.PY7	Test Dates: August 24, 2010	EUT Type: Travel Adapter		Page 20 of 20